S0865-1-U

VITAL STATISTICS OF CALIFORNIA

1985

George Deukmejian
Governor
State of California

THE VITAL STATISTICS SYSTEM IN CALIFORNIA

STATE REGISTRAR: DIRECTOR OF CALIFORNIA STATE DEPARTMENT OF HEALTH SERVICES

OFFICE OF STATE REGISTRAR: The State Registrar's functions are performed by the Office of State Registrar, which

- Maintains a permanent public record of each birth, death, marriage, and marriage dissolution which has occurred in California since 1905.
- Provides certified copies of California vital records or searches the permanent central registry to verify the occurrence of vital events in California.
- Prepares and maintains computer files of state birth, death, marriage, and divorce data and monitors these files for data quality.
- Offers tables and computer tapes from the state vital statistics files to public and private organizations and to individuals requesting the data for research and planning and provides consultation to the users of these data.
- Prepares and periodically publishes statistical analyses and summaries of vital statistics for use by the Department of Health Services, other agencies, and the public. The data are used in medical and social sciences, public health and health demographics, human services planning, population estimation and projection, and economic forecasting.
- Builds and continues cooperative relationships with federal, state, and local agencies including the National Center for Health Statistics, which collect, maintain, and use vital records/statistics.
- Develops forms, standards, and guidelines for registration of all vital events occurring in the State of California.
- Directs and monitors the state-delegated functions of approximately 180 local offices which register California's vital events in order to assure statewide compliance with the statutory mandate for uniform application of registration laws, policies, and procedures.

VITAL STATISTICS OF CALIFORNIA 1985

David W. Mitchell, Chief
Health Data and Statistics Branch

William A. Avritt, Chief
Rural and Community Health Division

Kenneth W. Kizer, M.D., MPH
Director
Department of Health Services

Cliff Allenby
Secretary
Health and Welfare Agency

Department of Health Services
Health and Welfare Agency
State of California

Date: September 1987

Gwendolyn Doebbert, Chief

Health Demographics Section
Health Data and Statistics Branch

This report was prepared by Cynthia Schmidt, Sherry Fujii, and Roger Smith. Inquiries regarding this report should be directed to Cynthia Schmidt, Health Demographics Section, Department of Health Services, 714 P Street, Room 1494, P.O. Box 942732, Sacramento, CA 94234-7320, or by calling (916) 445-1010.

The production of this report was made possible with the assistance of the following departmental staff:

DATA PROCESSING

Data Systems Branch Programming
Ruth Bradshaw
Connie Bancroft

TABLES	PROOFING/EDITING	COMPOSING
Kathy Hicks	Jeanne Kochanski	Delores Canary
Winnie Dysle	Marietta Walsh	Hazel Clubb
		Sandra Henderson
		Ann Rubesky

Additionally, the Health Demographics Section gratefully acknowledges the cooperation and assistance of: Phyllis Barnhouse, Beth Berkov, Rosalind Garner, Karen Christopherson, Art Chung, Wanda Kramer, Elisabeth Lyman, Anthony Oreglia, Michiko Tashiro, Evelyn Yip, and the Population Research Unit, Department of Finance, and the Staff of the Vital Statistics Program and Operations Sections.

PREFACE

The purpose of this annual vital statistics report is to present information which can be used as a basis for health policy decisions, planning, and epidemiologic research; it is also designed to provide California's governmental agencies, businesses, industries, and citizens with information on the vital statistics of their State.

The sources of the data included in this report are certificates of live birth, death, and fetal death which occurred during 1985 and which were registered with the Department of Health Services. Data on marriages, legal separations, judgments of nullity, and dissolutions of marriage are not included in this report. These data are available from the Office of State Registrar.

For correct interpretation and analysis of the data, Chapter 6, entitled "Sources, Quality, and Limitations of Data", gives this needed information and provides a description of the vital statistics registration system in California. Chapter 7 includes definitions used to calculate the rates and ratios used throughout the report.

NOTE: Population data used as denominators for calculating rates of vital events in this publication were prepared by the Population Research Unit of the California Department of Finance. For the reader's convenience, this publication provides state and county populations so that rates can be calculated when desired.

Vital rates in this publication, with population as a denominator, were calculated using the latest population data available. Consequently, these rates may differ from previously published rates.

CONTENTS

		Page
	ACKNOWLEDGMENTS	ii
	PREFACE	iii
	HIGHLIGHTS	v
1.	**REVIEW OF VITAL STATISTICS OF CALIFORNIA**	1
2.	**LIVE BIRTH TABLES AND FIGURES**	9
3.	**FETAL DEATH TABLES**	255
4.	**INFANT DEATH TABLES AND FIGURES**	269
5.	**DEATH TABLES AND FIGURES**	285
6.	**SOURCES, QUALITY, AND LIMITATIONS OF DATA**	353
	VITAL STATISTICS REGISTRATION	354
	History of Vital Statistics Registration	354
	Registration System at Present	354
	SOURCES AND QUALITY OF VITAL STATISTICS DATA	356
	Records	356
	Births, Deaths, and Fetal Deaths	357
	California Birth Cohort File	357
	Quality Control Procedures	359
	Population	359
	LIMITATIONS OF DATA	360
	Cause of Death	360
	Tabulations of Cause of Death	361
	Variability of Rates	361
	Sampling Error and Vital Statistics	362
	Time Periods and Geographic Bases	364
	Race and Ethnicity	364
	Age	366
	Length of Gestation	366
7.	**APPENDIX**	367
	CERTIFICATES AND LISTS OF VARIABLES	368
	DEFINITIONS	369
	RATES AND RATIOS	371

HIGHLIGHTS

POPULATION ..... California's estimated population in 1985 was 26,365,100 persons. The population density was 168.7 persons per square mile of land area, an increase of 31.8 percent over the 1970 population density of 128.0 persons.

LIVE BIRTHS ..... The total number of live births to California residents reached 470,816 in 1985, an increase of 23,422 or 5.2 percent over 1984. This increase in the number of live births from 1984 to 1985 was more than double that from 1983 to 1984 and constituted the twelfth consecutive annual increase.

California's 1985 crude birth rate of 17.9 per 1,000 population was an increase of 3.5 percent from the 1984 rate of 17.3. This is the second highest rate in two decades. The 1970 rate of 18.1 was the highest.

- General Fertility Rate .... In 1985 the General Fertility Rate was 74.6 live births per 1,000 women ages 15-44, an increase of 3.0 percent over the 1984 rate of 72.4. This was the highest general fertility rate in California since 1971, when it was 75.4.

  In 1985, California's general fertility rate was higher than that of the United States' rate of 66.1. This was the tenth straight year that the general fertility rate for California has surpassed the United States' general fertility rate.

  The highest general fertility rate in 1985 was for Merced County (98.0), and the lowest

- General Fertility Rate (continued) ..... was for Marin County (43.2).

- Women of Childbearing Age ..... The median age of California women of childbearing age (15-44 years) in 1985 was 29.5 years, compared to 29.0 years for the United States.

- Age-Specific Birth Rates ..... California live birth rates increased for women in each age group from 15 to 44 years, decreased for women under 15 years, and remained the same for women over 45 years. Live birth rates for mothers ages 15-19 years and 20-24 years have shown a downward trend from 1982-1984, but in 1985 birth rates in both age groups have increased. The live birth rate for mothers ages 20-24 years increased from 118.9 in 1984 to 121.2 in 1985, up 1.9 percent. The birth rates for mothers ages 25-29 years and 40-44 years continued the upward trend begun in 1979. The rate for mothers ages 25-29 years increased from 119.2 in 1984 to 126.0 in 1985, up 5.7 percent; the rate for mothers ages 40-44 years increased from 5.9 to 6.1, up 3.4 percent. During the last ten years, rates for mothers ages 30-34 and 35-39 have continued to show an upward trend. The rate for mothers ages 30-34 years increased from 75.3 in 1984 to 79.7 in 1985, up 5.8 percent; the rate for mothers 35-39 years increased from 30.2 to 32.1, up 6.3 percent. The birth rate for mothers under 15 years has decreased from 1.1 in 1984 to 1.0 in 1985, down 9.0 percent. The 1985 live birth rate for mothers 45 years and over has remained the same as the previous year.

- **Low Birthweight** ..... Live births to mothers who had no prenatal care had a higher percent (15.2) of low birthweight (under 2500 grams) babies than mothers who had prenatal care beginning in their first trimester (5.6), second trimester (6.6), or third trimester (6.2).

- **Birth Order** ..... California general fertility rates by live birth order increased slightly in all birth orders from 1984 to 1985. The rate for the first, second, third, fourth, and fifth or higher live birth order increased by 2.0, 2.6, 4.4, 6.7, and 2.9 percent, respectively.

  In 1985, first and second live birth order rates increased over those in 1984 for California mothers ages 15-44 years, and remained the same for age groups under 15 years and 45 years or older; third live birth order rates increased for women ages 20-44 years and remained the same for all other age groups; fourth live birth order rates increased for women ages 20-39 years and remained the same for all other age groups; fifth or higher live birth order rates increased for women ages 20-34 years and decreased for women ages 35-39 years and 45 years or older.

FETAL DEATHS ..... The number of reported fetal deaths in California increased 2.0 percent from 3,110 in 1984 to 3,171 in 1985.

The fetal death ratio in California decreased from 7.0 in 1984 to 6.7 in 1985.

In 1985, of the 3,171 reported fetal deaths in California, 2,357 (74.3 percent) were white and 503 (15.9 percent) were black.

FETAL DEATHS (continued) ..... In California in 1985, of the 3,171 reported fetal deaths, 1,012 (31.9 percent) were to mothers of Spanish/ Hispanic origin.

In 1985, 12.0 percent of all reported fetal deaths in California were to women under 20 years of age; more than one-half (54.1 percent) were to women in their twenties; 19.1 percent were to women ages 30-34; 9.7 percent were to women ages 35-39; 2.7 percent were to women in their forties; and 2.5 percent were to women with age not stated.

INFANT DEATHS ..... For the first time in 20 years, California has experienced an increase in its infant death rate from an all time low of 9.4 deaths per 1,000 live births in 1984 to 9.5 in 1985. In 1985, there were 4,475 infant deaths, an increase of 263 (6.2 percent) from 4,212 infant deaths in 1984.

- Age ..... The majority (62.9 percent) of California infants who died in 1985 were less than one month of age. Of the infants who died less than one month of age, 47.0 percent died within 24 hours of birth.

- Sex ..... In 1985, over one-half (57.4 percent) of all infant deaths in California were males and 42.6 percent were females.

- Cause of Death ..... In California, 23.7 percent of all infant deaths in 1985 were due to congenital anomalies.

  Sudden Infant Death Syndrome (SIDS) was responsible for 682 California infant deaths in 1985, up from 630 deaths in 1984. The SIDS death rate was 144.9 per 100,000 live births in 1985, up 2.9 percent from

- Cause of Death (Continued). the 1984 rate of 140.8.

  "Certain Conditions Originating in the Perinatal Period" accounted for 44.1 percent of all California infant deaths in 1985.

DEATHS ..... The number of deaths to California residents in 1985 was 201,815, a 3.2 percent increase in the number of deaths from 1984 (195,470).

The 1985 crude death rate of 7.7 deaths per 1,000 population rose slightly from the 1984 crude death rate of 7.6. The 1985 death rate was 765.5 per 100,000 population.

- Sex ..... In California, 52.7 percent of the 201,815 deaths in 1985 were males and 47.3 percent were females.

  The number of male deaths in California was greater than the number of female deaths in all age groups except 75 years and over. The male death rates were greater than the female death rates in all age groups.

- Age-Specific Death Rates ..... In 1985, California's death rates per 100,000 population were up from 757.8 in 1984 to 765.5. Death rates increased from 1984 in age groups under 1 year, 15-24 years, 25-44 years, and 75 years and over and decreased in age groups 1-4 years, 5-14 years, 45-64 years, and 65-74 years. The age group 25-44 years had the largest increase in the death rate, up 3.3 percent, followed by age group 75 years and over, up 1.2 percent. The age group 45-64 years had the largest decrease in the death rate, down 1.8 percent, followed by age group 1-4 years, down 1.4 percent.

- Leading Causes of Death .....

The number of deaths from each of the ten leading causes of death increased from 1984 to 1985, with the exceptions of cerebrovascular disease, chronic liver disease and cirrhosis, and homicide. Cerebrovascular disease deaths decreased by 1.0 percent while the death rate for this cause fell 3.1 percent. Deaths from chronic liver disease and cirrhosis decreased 4.0 percent and the death rate dropped 6.1 percent. The number of deaths from homicide fell by 0.5 percent and the rate by 2.7 percent. The order of the ten leading causes remained the same in 1985 as 1984.

The largest increase in both the number of deaths and the death rate was for pneumonia and influenza. The number of deaths rose by 21.5 percent to 8,046 in 1985; the death rate rose by 18.8 percent to 30.5 per 100,000. Deaths from this cause had also increased from 1983 to 1984.

Deaths from heart disease and malignant neoplasms together accounted for 56.8 percent of all deaths to Californians in 1985, as compared to 57.6 percent in 1984 and 58.3 percent in 1983.

In 1985, "Unintentional injuries" was the leading cause of death in California for males ages 1-44 years and for females ages 1-34 years. "Diseases of the Heart" was the leading cause of death for males ages 45 years and over and for females ages 75 years and over. "Malignant Neoplasms" was the leading cause of death for females ages 35-74 years. "Certain Condi-

- Leading Causes of Death (continued)..... tions Originating in the Perinatal Period" was the leading cause of death for males and females under the age of one year. The leading cause for each sex and age group remained the same in 1985 as in 1984.

- Deaths from AIDS Associated Diseases ..... Deaths to California residents from six AIDS associated diseases,"Cytomegalovirus Infection," "Cryptococcal Infection," "Pneumocystis Carinii Pneumonia", "Other Malignant Neoplasm of Skin, Site Unspecified", "Immunodeficiency with Predominate T-Cell Defect," and "Unspecified and Immunodeficiency Unspecified," rose from 71 to 1,190 deaths between 1980 to 1985.

  In 1985, 94.0 percent of these 1,190 deaths were males and 6.0 percent were females. The male deaths went from 633 in 1984 to 1,119 in 1985, up 76.8 percent in one year. Female deaths went from 60 to 71, up 18.3 percent during the same year.

- Spanish/Hispanic Origin ... The number of Spanish/Hispanic origin deaths in 1985 was 16,329 or 8.1 percent of the total deaths in California. The majority (75.9 percent) of the California Spanish/Hispanic deaths were from the "Mexican" category.

  The total number of deaths for ages under 35 years accounted for 8.7 percent of the total California deaths; the number of Spanish/Hispanic deaths for ages under 35 years accounted for 26.2 percent of the total Spanish/Hispanic deaths. The total number of deaths for ages over 59 years accounted for 76.3 percent of

- Spanish/Hispanic Origin (continued)..... the total California deaths; the number of Spanish/Hispanic deaths for ages over 59 years accounted for 52.6 percent of the total Spanish/Hispanic deaths.

1. REVIEW OF VITAL STATISTICS OF CALIFORNIA

			Page
Table	1-1	Population, deaths, live births, infant deaths, fetal deaths, and maternal deaths: California 1950-1985	3
	1-2	Deaths, live births, fetal deaths, maternal deaths, and infant deaths by age: California counties, 1985	5
	1-3	Total population and population density: California counties, July 1, 1970 and 1985	6
	1-4	Intercensal estimates of total population: California counties, 1970, 1975, 1977-1984	7
Figure	1-A	1985 vital events in California	2
	1-B	Vital statistics rates/ratio: California, 1970-1985	4

Figure 1–A

1985 VITAL EVENTS IN CALIFORNIA

On an average day in California there were:



Note: Based on a 365 day year.

Source: State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

State of California, Department of Finance, Annual Estimates of the Population of California Counties; July 1, 1980 to July 1, 1985 Report 85 E-2, February 1986.

Table 1-1

POPULATION, DEATHS, LIVE BIRTHS, INFANT DEATHS,
FETAL DEATHS, AND MATERNAL DEATHS
CALIFORNIA, 1950-1985

(By place of residence)

YEAR	POPULATION	DEATHS		LIVE BIRTHS		INFANT DEATHS		FETAL DEATHS		MATERNAL DEATHS	
		Number	Rate[1]	Number	Rate[1]	Number	Rate[2]	Number	Ratio[2]	Number	Rate[3]
1985	26,365,100	201,815	7.7	470,816	17.9	4,475	9.5	3,171	6.7	36	0.8
1984	25,795,000	195,470	7.6	447,394	17.3	4,212	9.4	3,110	7.0	27	0.6
1983	25,311,100	188,018	7.4	435,722	17.2	4,226	9.7	3,049	7.0	37	0.8
1982	24,786,200	188,255	7.6	429,631	17.3	4,218	9.8	3,333	7.8	43	1.0
1981	24,265,400	184,732	7.6	420,418	17.3	4,276	10.2	3,481	8.3	38	0.9
1980	23,780,100	186,428	7.8	402,720	16.9	4,451	11.1	3,594	8.9	45	1.1
1979	23,255,000	177,214	7.6	379,187	16.3	4,278	11.3	3,372	8.9	43	1.1
1978	22,839,000	175,878	7.7	356,156	15.6	4,235	11.9	3,089	8.7	39	1.1
1977	22,350,000	170,441	7.6	347,576	15.6	4,192	12.1	3,051	8.8	38	1.1
1976	21,935,000	171,095	7.8	332,105	15.1	4,134	12.4	3,193	9.6	42	1.3
1975	21,537,000	170,797	7.9	317,318	14.7	4,256	13.4	3,031	9.6	47	1.5
1974	21,173,000	170,475	8.1	311,668	14.7	4,274	13.7	3,163	10.1	47	1.5
1973	20,868,000	172,798	8.3	297,834	14.3	4,351	14.6	3,039	10.2	47	1.6
1972	20,585,000	170,026	8.3	306,375	14.9	4,877	15.9	3,147	10.3	54	1.8
1971	20,346,000	169,349	8.3	329,826	16.2	5,440	16.5	3,542	10.7	52	1.6
1970	20,039,000	166,382	8.3	362,652	18.1	6,243	17.2	4,082	11.3	77	2.1
1969	19,744,700	165,917	8.4	352,937	17.9	6,466	18.3	4,110	11.6	72	2.0
1968	19,432,000	160,636	8.3	339,221	17.5	6,437	19.0	4,080	12.0	67	2.0
1967	19,174,700	156,592	8.2	336,584	17.6	6,582	19.6	4,030	12.0	95	2.8
1966	18,831,000	157,219	8.3	337,623	17.9	7,043	20.9	4,079	12.1	71	2.1
1965	18,464,000	152,677	8.3	355,074	19.2	7,845	22.1	4,514	12.7	104	2.9
1964	18,026,000	150,760	8.4	374,587	20.8	8,143	21.7	4,711	12.6	104	2.8
1963	17,530,000	147,592	8.4	380,505	21.7	8,488	22.3	4,770	12.5	108	2.8
1962	16,951,000	141,185	8.3	378,347	22.3	8,664	22.9	4,790	12.7	110	2.9
1961	16,412,000	137,169	8.4	381,198	23.2	8,871	23.3	4,897	12.8	100	2.6
1960	15,863,000	135,334	8.5	371,799	23.4	8,663	23.3	4,778	12.9	107	2.9
1959	15,288,000	128,208	8.4	358,682	23.5	8,470	23.6	4,714	13.1	106	3.0
1958	14,741,000	125,594	8.5	349,220	23.7	8,571	24.5	4,615	13.2	103	2.9
1957	14,177,000	123,940	8.7	350,525	24.7	8,704	24.8	4,617	13.2	127	3.6
1956	13,581,000	119,786	8.8	333,834	24.6	7,998	24.0	4,423	13.2	103	3.1
1955	13,004,000	114,419	8.8	313,164	24.1	7,400	23.6	4,409	14.1	117	3.7
1954	12,517,000	109,402	8.7	306,037	24.4	7,248	23.7	4,274	14.0	106	3.5
1953	12,101,000	109,513	9.0	296,944	24.5	7,278	24.5	4,289	14.4	130	4.4
1952	11,638,000	108,175	9.3	281,073	24.2	6,885	24.5	4,140	14.7	150	5.3
1951	11,130,000	103,770	9.3	260,259	23.4	6,377	24.5	3,812	14.6	132	5.1
1950	10,643,000	98,583	9.3	244,457	23.0	6,095	24.9	3,703	15.1	135	5.5

1 Per 1,000 population.
2 Per 1,000 live births.
3 Per 10,000 live births.

Note: Maternal deaths are those due to complications of pregnancy, childbirths, and the puerperium, *Ninth Revision International Classification of Diseases* codes 630-676.

Infant deaths are those under one year of age.

Fetal deaths are those of 20 weeks or more gestation (Ninth Revision ICD code 779.6).

Source: State of California, Department of Finance, *Population Estimates of California Counties, July 1, 1980 to July 1, 1985, Report 85 E-2*, February 1986; *Intercensal Estimates of Total Population, California Counties Report I and 70-80*, March 1982; *Intercensal Estimates of Total Population, California Counties*, 1950-1969.

State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

Figure 1–B

VITAL STATISTICS RATES/RATIO
CALIFORNIA, 1970–1985



1 Per 1,000 population.
2 Per 1,000 live births.
Source: Table 1–1.

Table 1–2

DEATHS, LIVE BIRTHS, FETAL DEATHS, MATERNAL DEATHS, AND INFANT DEATHS BY AGE CALIFORNIA COUNTIES, 1985

(By place of occurrence and by place of residence; infant deaths by place of residence)

COUNTY	DEATHS			LIVE BIRTHS			FETAL DEATHS			MATERNAL DEATHS		INFANT DEATHS BY AGE					
		Residence			Residence			Residence				Total		Neonatal		1–11 Months	
	Occurrence	Number	Rate	Occurrence	Number	Rate	Occurrence	Number	Ratio	Occurrence	Residence	Number	Rate	Number	Rate	Number	Rate
California	202,710	201,815	7.7	471,156	470,816	17.9	3,188	3,171	6.7	37	36	4,475	9.5	2,813	6.0	1,662	3.5
Alameda	10,047	9,733	8.1	21,523	19,624	16.4	141	132	6.7	1	1	203	10.3	127	6.5	76	3.9
Alpine	4	6	5.1	1	13	11.0	0	0	–	–	–	1	a,b	1	a,b	0	–
Amador	213	235	10.0	167	231	9.9	1	2	a,b	–	–	2	a,b	1	a,b	1	a,b
Butte	1,736	1,661	10.1	2,593	2,391	14.6	15	12	5.0	1	1	28	11.7	14	5.9	14	5.9
Calaveras	216	303	11.3	96	314	11.7	1	2	a,b	–	–	2	a,b	1	a,b	1	a,b
Colusa	99	135	9.2	135	279	19.0	1	2	a,b	–	–	1	a,b	1	a,b	0	–
Contra Costa	5,213	5,345	7.4	8,341	10,861	15.1	42	59	5.4	–	2	77	7.1	51	4.7	26	2.4
Del Norte	189	196	10.4	301	320	17.0	1	1	a,b	–	–	4	a,b	2	a,b	2	a,b
El Dorado	680	787	7.5	1,256	1,511	14.4	6	6	4.0	–	–	24	15.9	18	11.9	6	4.0
Fresno	4,654	4,298	7.5	12,165	11,705	20.3	83	76	6.5	1	1	106	9.1	70	6.0	36	3.1
Glenn	133	218	9.4	96	377	16.3	0	4	a,b	–	–	4	a,b	3	a,b	1	a,b
Humboldt	1,086	1,074	9.5	1,910	1,841	16.3	18	17	9.2	–	–	27	14.7	16	8.7	11	6.0
Imperial	700	731	6.9	2,187	2,186	20.6	11	10	4.6	–	–	12	5.5	6	2.7	6	2.7
Inyo	225	209	11.4	397	217	11.8	4	3	a,b	–	–	5	b	1	a,b	4	a,b
Kern	3,517	3,713	7.7	9,776	9,999	20.8	79	81	8.1	1	1	110	11.0	73	7.3	37	3.7
Kings	541	580	6.8	2,120	1,847	21.8	18	14	7.6	–	–	13	7.0	7	3.8	6	3.2
Lake	446	672	13.9	82	662	13.7	0	5	b	–	–	7	b	2	a,b	5	b
Lassen	136	185	7.5	259	340	13.8	1	0	–	–	–	3	a,b	2	a,b	1	a,b
Los Angeles	63,726	62,195	7.7	160,140	156,618	19.4	1,145	1,105	7.1	12	11	1,615	10.3	1,058	6.8	557	3.6
Madera	448	587	7.7	803	1,395	18.3	11	16	11.5	–	–	15	10.8	8	5.7	7	5.0
Marin	1,754	1,755	7.8	1,669	2,560	11.3	13	19	7.4	–	–	14	5.5	6	2.3	8	3.1
Mariposa	84	127	9.5	49	150	11.2	0	0	–	–	–	2	a,b	1	a,b	1	a,b
Mendocino	754	776	10.5	1,354	1,201	16.3	6	4	a	–	–	21	17.5	10	8.3	11	9.2
Merced	915	1,067	6.6	3,264	3,474	21.6	27	30	8.6	–	–	26	7.5	17	4.9	9	2.6
Modoc	74	99	10.4	87	146	15.4	0	1	a,b	–	–	2	a,b	0	–	2	a,b
Mono	33	30	3.2	21	147	15.8	1	2	a,b	–	–	1	a,b	1	a,b	0	–
Monterey	2,144	2,206	6.7	6,287	6,572	19.9	37	40	6.1	–	–	64	9.7	44	6.7	20	3.0
Napa	1,193	992	9.5	1,169	1,368	13.2	12	13	9.5	–	–	17	12.4	9	6.6	8	5.8
Nevada	551	595	8.7	985	893	13.1	9	10	b	–	–	10	b	9	b	1	a,b
Orange	13,031	13,538	6.4	37,883	36,704	17.2	225	225	6.1	4	3	309	8.4	214	5.8	95	2.6
Placer	1,105	1,093	7.9	1,947	1,944	14.0	6	7	3.6	–	–	9	4.6	6	3.1	3	a
Plumas	128	148	7.7	252	268	14.0	1	1	a,b	–	–	3	a,b	2	a,b	1	a,b
Riverside	6,918	7,831	9.5	13,067	15,508	18.9	82	121	7.8	1	2	151	9.7	98	6.3	53	3.4
Sacramento	7,254	6,922	7.7	16,637	15,464	17.3	108	93	6.0	–	–	138	8.9	77	5.0	61	3.9
San Benito	192	218	7.1	389	621	20.4	4	7	b	–	–	6	b	5	b	1	a,b
San Bernardino	8,920	8,118	7.5	20,420	21,284	19.6	148	136	6.4	4	3	226	10.6	130	6.1	96	4.5
San Diego	15,744	15,255	7.2	38,133	37,200	17.5	284	274	7.4	4	4	328	8.8	209	5.6	119	3.2
San Francisco	8,545	8,228	11.2	14,257	9,739	13.3	118	64	6.6	1	1	82	8.4	43	4.4	39	4.0
San Joaquin	3,455	3,563	8.6	7,451	7,993	19.2	49	51	6.4	–	–	76	9.5	47	5.9	29	3.6
San Luis Obispo	1,432	1,512	8.0	2,324	2,633	13.9	10	15	5.7	–	1	21	8.0	13	4.9	8	3.0
San Mateo	4,491	4,680	7.6	5,667	9,262	15.0	19	47	5.1	1	–	89	9.6	54	5.8	35	3.8
Santa Barbara	2,619	2,612	7.8	5,393	5,149	15.4	35	33	6.4	–	–	46	8.9	26	5.0	20	3.9
Santa Clara	8,963	8,266	5.9	26,418	24,110	17.2	173	156	6.5	3	2	195	8.1	119	4.9	76	3.2
Santa Cruz	1,714	1,783	8.3	3,536	3,582	16.7	20	23	6.4	–	–	32	8.9	20	5.6	12	3.4
Shasta	1,142	1,133	8.6	2,156	2,093	15.9	7	6	2.9	–	–	22	10.5	9	4.3	13	6.2
Sierra	27	36	10.3	8	59	16.9	0	0	–	–	–	1	a,b	1	a,b	0	–
Siskiyou	302	379	8.9	433	623	14.6	1	2	a,b	–	–	6	b	2	a,b	4	a,b
Solano	1,723	1,763	6.4	4,812	5,040	18.3	28	33	6.5	–	–	43	8.5	22	4.4	21	4.2
Sonoma	3,001	3,028	9.0	5,186	5,266	15.7	34	39	7.4	–	–	38	7.2	22	4.2	16	3.0
Stanislaus	2,755	2,641	8.7	6,091	5,518	18.1	31	30	5.4	1	1	57	10.3	29	5.3	28	5.1
Sutter	396	499	8.5	1,762	953	16.3	8	6	b	1	1	12	b	7	b	5	b
Tehama	403	474	10.7	568	650	14.7	3	4	a,b	–	–	5	b	2	a,b	3	a,b
Trinity	79	100	7.4	114	166	12.2	0	0	–	–	–	1	a,b	0	–	1	a,b
Tulare	1,938	2,123	7.6	5,285	5,677	20.2	32	37	6.5	–	–	53	9.3	28	4.9	25	4.4
Tuolumne	369	393	9.6	589	477	11.7	2	1	a,b	–	–	5	b	2	a,b	3	a,b
Ventura	3,227	3,595	6.0	9,297	10,587	17.6	61	74	7.0	1	1	88	8.3	58	5.5	30	2.8
Yolo	839	917	7.4	1,533	1,930	15.6	14	13	6.7	–	–	8	4.1	5	2.6	3	a
Yuba	487	457	8.4	315	1,074	19.8	2	7	6.5	–	–	9	8.4	4	a	5	4.7

a Rates and ratios are not calculated for fewer than five events.
b Fetal death ratios and infant death rates are not calculated for counties reporting fewer than 1,000 births.

Note: Maternal deaths are those due to complications of pregnancy, childbirth, and the puerperium, *Ninth Revision International Classification of Diseases* 630–676.
Infant deaths are those under 1 year. Neonatal deaths are those under 28 days.
Fetal deaths of 20 weeks or more gestation are required by law to be registered. However, fetal death registration is believed to be incomplete.
Infant death rates and fetal death ratios are per 1,000 live births.
Death and live birth rates are per 1,000 estimated population.

Source: State of California, Department of Finance, California Projected 1985 Population by Age and Sex, run date December 11, 1986.
State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

Table 1-3

TOTAL POPULATION AND POPULATION DENSITY
CALIFORNIA COUNTIES, JULY 1, 1970 AND 1985

COUNTY	1970 ESTIMATED POPULATION		1985 ESIMATED POPULATION		PERCENT CHANGE IN DENSITY 1970 TO 1985
	Number	Density	Number	Density	
California	20,039,000	128.0	26,365,100	168.7	31.8
Alameda	1,073,000	1,463.8	1,197,000	1,626.4	11.1
Alpine	500	0.7	1,200	1.6	132.0
Amador	11,900	20.1	23,400	39.7	97.7
Butte	102,500	61.6	164,000	99.6	61.7
Calaveras	13,700	13.3	26,800	26.2	97.4
Colusa	12,400	10.8	14,700	12.7	18.0
Contra Costa	557,500	759.5	717,600	983.0	29.4
Del Norte	14,600	14.6	18,800	18.7	27.9
El Dorado	44,100	25.7	104,700	61.0	137.5
Fresno	413,800	69.4	576,200	96.4	38.9
Glenn	17,500	13.3	23,200	17.6	32.2
Humboldt	100,200	28.0	113,000	31.6	12.8
Imperial	74,400	17.4	106,000	25.4	46.0
Inyo	15,600	1.5	18,400	1.8	20.0
Kern	331,100	40.6	480,600	59.1	45.6
Kings	66,700	47.8	84,900	61.0	27.6
Lake	19,800	15.8	48,300	38.3	142.2
Lassen	16,900	3.7	24,600	5.4	46.0
Los Angeles	7,055,800	1,737.9	8,085,300	1,986.6	14.3
Madera	41,700	19.4	76,300	35.6	83.4
Marin	207,000	398.1	226,100	432.3	8.6
Mariposa	6,100	4.2	13,400	9.2	119.1
Mendocino	51,300	14.6	73,800	21.0	43.9
Merced	105,000	53.0	160,500	82.6	55.8
Modoc	7,500	1.8	9,500	2.3	29.9
Mono	4,100	1.4	9,300	3.1	120.0
Monterey	247,800	74.5	329,700	99.8	34.0
Napa	79,400	104.7	104,000	139.8	33.5
Nevada	26,500	27.1	68,300	71.1	162.5
Orange	1,431,900	1,831.1	2,127,900	2,666.5	45.6
Placer	78,000	54.8	138,400	97.7	78.4
Plumas	11,700	4.6	19,200	7.5	62.2
Riverside	461,600	64.3	820,600	113.8	76.9
Sacramento	636,700	647.7	893,800	920.5	42.1
San Benito	18,400	13.2	30,500	22.0	66.5
San Bernardino	685,300	34.0	1,086,400	54.1	59.3
San Diego	1,367,200	321.3	2,131,600	506.1	57.5
San Francisco	713,200	15,848.9	735,000	15,978.3	0.8
San Joaquin	292,100	207.3	416,700	294.5	42.1
San Luis Obispo	106,600	32.1	190,100	57.5	79.0
San Mateo	557,100	1,227.1	616,600	1,379.4	12.4
Santa Barbara	265,800	97.1	334,600	121.8	25.4
Santa Clara	1,072,600	823.8	1,400,100	1,082.8	31.4
Santa Cruz	124,500	283.6	214,300	480.5	69.4
Shasta	78,000	20.5	131,700	34.8	69.7
Sierra	2,400	2.5	3,500	3.6	46.0
Siskiyou	33,200	5.3	42,800	6.8	28.6
Solano	172,500	208.6	275,200	330.0	58.2
Sonoma	206,500	130.8	335,400	209.1	59.9
Stanislaus	195,800	130.5	304,900	202.5	55.1
Sutter	42,100	69.4	58,500	97.2	40.0
Tehama	29,600	9.9	44,300	15.0	51.5
Trinity	7,600	2.4	13,600	4.3	77.6
Tulare	189,400	39.1	280,500	58.3	49.2
Tuolumne	22,300	9.8	40,800	18.3	86.4
Ventura	381,400	206.1	600,200	322.3	56.4
Yolo	92,700	89.7	124,000	122.3	36.3
Yuba	44,400	69.7	54,300	84.8	21.7

Note: Estimates are rounded independently and may not add to totals.
Number of persons per square mile of land area.

Source: State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70-80*, March 1982 and *Population Estimates of California Counties, July 1, 1980 to July 1, 1985, Report 85 E-2*, February 1986.
For land area see State of California, Department of Finance, *California Statistical Abstract, 1985*.

Table 1-4
INTERCENSAL ESTIMATES OF TOTAL POPULATION
CALIFORNIA COUNTIES, 1970, 1975, 1977-1984

COUNTY	JULY 1, 1970	JULY 1, 1975	JULY 1, 1977	JULY 1, 1978	JULY 1, 1979
California	20,039,000	21,537,000	22,350,000	22,839,000	23,255,000
Alameda	1,073,000	1,107,900	1,106,800	1,109,700	1,103,900
Alpine	500	800	900	1,000	1,100
Amador	11,900	15,200	16,300	17,500	18,700
Butte	102,500	120,700	130,200	134,500	138,500
Calaveras	13,700	15,500	17,000	18,600	19,900
Colusa	12,400	12,800	12,900	12,900	13,100
Contra Costa	557,500	586,600	618,200	632,100	644,700
Del Norte	14,600	16,200	16,800	17,600	17,700
El Dorado	44,100	59,400	67,600	74,200	80,900
Fresno	413,800	452,400	485,400	495,500	504,600
Glenn	17,500	19,300	20,200	20,300	21,000
Humboldt	100,200	106,600	106,900	107,400	108,000
Imperial	74,400	83,400	86,700	88,400	89,800
Inyo	15,600	17,600	17,900	17,900	18,100
Kern	331,100	361,800	373,600	383,600	393,400
Kings	66,700	69,400	72,100	73,100	73,300
Lake	19,800	26,100	29,900	32,400	34,700
Lassen	16,900	18,800	19,300	19,900	21,200
Los Angeles	7,055,800	7,190,300	7,256,200	7,341,600	7,387,600
Madera	41,700	48,700	53,300	56,300	60,300
Marin	207,000	219,500	223,900	223,900	222,900
Mariposa	6,100	8,400	9,300	9,800	10,600
Mendocino	51,300	58,000	61,300	63,200	65,200
Merced	105,000	118,900	125,500	128,700	131,600
Modoc	7,500	7,900	8,200	8,200	8,400
Mono	4,100	7,200	7,400	7,600	8,200
Monterey	247,800	270,900	279,600	281,100	286,500
Napa	79,400	90,600	95,200	97,400	98,400
Nevada	26,500	34,100	40,400	44,500	48,200
Orange	1,431,900	1,713,400	1,811,000	1,854,300	1,896,400
Placer	78,000	91,300	100,700	107,300	113,500
Plumas	11,700	14,100	15,100	15,700	16,700
Riverside	461,600	534,500	578,900	611,600	639,000
Sacramento	636,700	691,800	727,000	744,800	766,500
San Benito	18,400	21,400	23,000	23,800	24,400
San Bernardino	685,300	696,800	762,000	811,800	853,300
San Diego	1,367,200	1,594,100	1,711,300	1,773,200	1,831,300
San Francisco	713,200	695,400	683,700	681,900	678,100
San Joaquin	5 292,100	299,400	315,700	326,900	336,800
San Luis Obispo	106,600	130,700	140,400	145,900	151,200
San Mateo	557,100	582,000	583,000	582,900	585,900
Santa Barbara	265,800	281,100	290,600	293,300	295,700
Santa Clara	1,072,600	1,180,300	1,232,500	1,253,600	1,275,100
Santa Cruz	124,500	156,100	173,200	179,300	183,800
Shasta	78,000	92,400	100,900	107,200	112,900
Sierra	2,400	2,800	3,000	3,100	3,100
Siskiyou	33,200	35,400	36,700	37,700	38,800
Solano	172,500	188,000	203,400	212,600	224,400
Sonoma	206,500	247,100	272,000	283,900	291,900
Stanislaus	195,800	224,600	245,000	253,700	260,800
Sutter	42,100	46,400	49,000	50,300	51,700
Tehama	29,600	32,700	34,500	35,800	37,200
Trinity	189,400	9,800	10,700	11,300	11,700
Tulare	189,400	216,400	227,200	234,000	240,300
Tuolumne	22,300	26,600	28,700	30,800	33,000
Ventura	381,400	440,700	476,100	494,900	510,100
Yolo	92,700	101,700	108,100	109,800	111,600
Yuba	44,400	45,200	47,600	48,700	49,300

Table 1-4 (Continued)

INTERCENSAL ESTIMATES OF TOTAL POPULATION
CALIFORNIA COUNTIES, 1970, 1975, 1977-1984

COUNTY	JULY 1, 1980	JULY 1, 1981	JULY 1, 1982	JULY 1, 1983	JULY 1, 1984
California	23,780,100	24,265,400	24,786,200	25,311,100	25,795,000
Alameda	1,109,400	1,126,300	1,142,600	1,162,000	1,181,600
Alpine	1,100	1,200	1,200	1,200	1,200
Amador	19,500	20,300	20,900	21,500	22,400
Butte	144,800	148,900	153,100	156,000	159,200
Calaveras	21,000	22,100	23,600	24,700	25,800
Colusa	12,900	13,200	13,800	14,100	14,100
Contra Costa	658,700	668,700	682,100	695,100	705,400
Del Norte	18,300	18,700	18,500	18,600	18,400
El Dorado	86,700	90,400	94,500	96,600	99,700
Fresno	516,900	526,800	537,100	550,700	565,500
Glenn	21,500	22,100	22,300	22,800	22,700
Humboldt	108,900	110,700	110,400	110,600	111,800
Imperial	92,700	95,600	97,800	100,300	102,400
Inyo	17,900	18,000	18,500	18,500	18,300
Kern	406,400	420,000	434,800	449,600	463,600
Kings	74,200	76,100	77,900	80,500	82,100
Lake	36,900	39,100	41,000	43,300	45,900
Lassen	21,900	22,700	23,600	23,900	24,300
Los Angeles	7,498,200	7,590,800	7,729,800	7,862,100	7,964,600
Madera	63,900	67,200	69,300	71,700	73,900
Marin	223,000	224,600	225,900	227,000	226,500
Mariposa	11,200	11,700	12,100	12,400	12,900
Mendocino	67,000	68,300	69,600	70,700	72,000
Merced	135,600	139,800	142,900	148,000	154,700
Modoc	8,700	9,000	9,300	9,500	9,700
Mono	8,700	9,000	9,400	9,500	9,200
Monterey	292,300	300,100	306,200	313,800	321,400
Napa	99,300	99,800	101,600	102,200	102,700
Nevada	52,600	56,700	60,200	62,500	65,200
Orange	1,942,900	1,994,100	2,028,300	2,064,100	2,091,200
Placer	118,300	122,700	127,000	129,800	134,300
Plumas	17,400	17,900	18,400	18,400	18,600
Riverside	668,700	692,100	717,700	745,200	780,800
Sacramento	787,900	806,800	833,200	855,300	873,600
San Benito	25,200	25,900	26,900	27,800	29,100
San Bernardino	902,900	935,400	970,100	1,004,200	1,039,500
San Diego	1,874,500	1,928,900	1,977,700	2,022,300	2,078,200
San Francisco	680,900	688,800	700,200	708,300	716,100
San Joaquin	350,100	361,400	373,300	386,000	399,200
San Luis Obispo	156,800	162,600	168,000	173,600	180,500
San Mateo	587,900	590,700	595,200	604,900	611,500
Santa Barbara	299,700	304,300	310,800	319,000	324,700
Santa Clara	1,299,700	1,320,000	1,337,400	1,363,000	1,381,700
Santa Cruz	189,200	193,800	197,500	202,400	206,700
Shasta	116,700	120,800	122,600	124,500	127,600
Sierra	3,100	3,100	3,400	3,400	3,400
Siskiyou	40,000	41,000	41,700	41,900	42,200
Solano	237,400	246,300	255,200	262,300	266,900
Sonoma	301,400	308,800	315,100	322,400	328,000
Stanislaus	267,900	275,800	281,800	290,500	296,800
Sutter	52,600	54,000	55,500	57,100	57,100
Tehama	39,100	40,100	41,200	42,200	43,200
Trinity	12,000	12,500	12,600	12,900	13,400
Tulare	247,400	253,500	258,800	266,200	272,700
Tuolumne	34,200	35,400	36,600	37,800	38,800
Ventura	532,300	545,700	560,800	574,700	588,100
Yolo	113,900	115,000	117,900	119,400	121,000
Yuba	49,800	50,100	51,300	52,100	52,900

Note: Estimates are rounded independently and may not add to totals.

Source: State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties. Report I and 70-80*, March 1982, and *Population Estimates for California Counties July 1, 1980 to July 1, 1985, Report 85 E-2*, February 1986.

2. LIVE BIRTHS

Page

RATES

Table 2-1 Number and percent of women of childbearing age by age group: California and United States, 1983-1985 13

2-2 General fertility rate, total fertility rate, and age-specific live birth rates: California and United States, 1970-1985 14

2-3 General fertility rate and live birth rates by live birth order: California and United States, 1970-1985 16

2-4 General fertility rate and age-specific live birth rates by live birth order: California, 1970 and 1980-1985 18

2-5 General fertility rates and age-specific live birth rates by age of mother: California counties, 1985 19

SELECTED COUNTY DATA

2-6 Live births by age of mother: California counties, 1985 20

2-7 Live births by month of birth: California counties, 1985 21

2-8 Live births by type of hospital: California counties, 1985 22

2-9 Live births by race/ethnicity of child and sex: California counties, 1985 23

2-10 Live births by Spanish/Hispanic origin of mother and sex: California counties, 1985 33

Page

AGE OF MOTHER

2-11 Live births by race/ethnicity of child and age of mother: California counties, 1985 43
2-12 Live births by Spanish/Hispanic origin of mother and age of mother: California counties, 1985 63
2-13 Live births by race/ethnicity of child, previous live births, and age of mother: California, 1985 68
2-14 Live births by Spanish/Hispanic origin of mother, previous live births, and age of mother: California, 1985 70

BIRTHWEIGHT

2-15 Live births by birthweight, weeks of gestation, and race/ethnicity of child: California, 1985 71
2-16 Live births by birthweight, weeks of gestation, and Spanish/Hispanic origin of mother: California, 1985 73
2-17 Live births by race/ethnicity of child, birthweight, and age of mother: California, 1985 74
2-18 Live births by Spanish/Hispanic origin of mother, birthweight and age of mother: California, 1985 76
2-19 Live births by race/ethnicity of child, birthweight and age of mother: California counties, 1985 77
2-20 Live births by Spanish/Hispanic origin of mother, birthweight, and age of mother: California counties, 1985 193

Page

PRENATAL CARE

2-21 Live births by month prenatal care began and age of mother: California, 1985 222

2-22 Live births by race/ethnicity of child, trimester prenatal care began and age of mother: California, 1985 223

2-23 Live births by Spanish/Hispanic origin of mother, trimester prenatal care began and age of mother: California, 1985 ... 225

2-24 Live births by birthweight, trimester prenatal care began and race/ethnicity of child: California, 1985 226

2-25 Live births by birthweight, trimester prenatal care began and Spanish/Hispanic origin of mother: California, 1985 228

PLURALITY/ANOMALIES

2-26 Live births by plurality of delivery, sex, and race/ethnicity of child: California, 1985 229

2-27 Live births by plurality of delivery, sex, and Spanish/Hispanic origin of mother: California, 1985 230

2-28 Live births with one or more congenital anomalies and congenital anomalies reported by type, by sex and race/ethnicity of child: California, 1985 231

2-29 Live births with one or more congenital anomalies and congenital anomalies reported by type, by sex and Spanish/Hispanic origin of mother: California, 1985 240

Page

ESTIMATED MARITAL STATUS

2-30 Number of live births by estimated marital status and age of mother (detailed under age 20): California, selected years, 1966-1985 249

2-31 Number of live births by estimated marital status, race of mother and age of mother: California, selected years, 1966-1985 250

2-32 Estimated live births to unmarried women, as a percent of total live births, by race of mother and age of mother: California, selected years, 1966-1985 .. 251

2-33 Total live births and estimated live births to unmarried women by race, Spanish/Hispanic origin and age of mother and live birth order: California, 1985 252

2-34 Total live births and estimated number and percent of live births to unmarried women by race and Spanish/Hispanic origin of mother: California counties, 1985 254

Figure 2-A Age-specific live birth rates: California and United States, 1970-1985 15

2-B Live birth rates by live birth order: California and United States, 1970-1985 17

Table 2-1

NUMBER AND PERCENT OF WOMEN OF CHILDBEARING AGE BY AGE GROUP CALIFORNIA AND UNITED STATES, 1983-1985

AGE GROUP	CALIFORNIA		UNITED STATES	
	Number	Percent	Number	Percent
	1985			
Total, 15-44	6,307,722	100.0	56,755,000	100.0
15-19	959,932	15.2	9,107,000	16.0
20-24	1,129,784	17.9	10,479,000	18.5
25-29	1,187,133	18.8	10,865,000	19.1
30-34	1,179,798	18.7	10,171,000	17.9
35-39	1,045,576	16.6	8,967,000	15.8
40-44	805,499	12.8	7,166,000	12.6
Median Age	29.5		29.0	
	1984			
Total, 15-44	6,180,417	100.0	56,061,000	100.0
15-19	961,073	15.6	9,231,000	16.5
20-24	1,131,751	18.3	10,641,000	19.0
25-29	1,189,676	19.2	10,763,000	19.2
30-34	1,144,984	18.5	9,900,000	17.7
35-39	984,821	15.9	8,584,000	15.3
40-44	768,112	12.4	6,942,000	12.4
Median Age	29.2		28.8	
	1983			
Total, 15-44	6,075,854	100.0	55,379,000	100.0
15-19	979,509	16.1	9,471,000	17.1
20-24	1,127,312	18.6	10,729,000	19.4
25-29	1,192,651	19.6	10,607,000	19.2
30-34	1,111,557	18.3	9,672,000	17.5
35-39	935,546	15.4	8,201,000	14.8
40-44	729,279	12.0	6,699,000	12.1
Median Age	28.9		28.5	

Note: Population figures are as of July 1.
Percents are rounded independently and may not add to totals.

Source: U.S. Department of Commerce, Bureau of the Census, *Current Population Reports, Population Estimates and Projections*, Series P-25, No. 985.

State of California, Department of Finance, *California Projected 1985 Population by Age and Sex*, run date December 11, 1986.

Table 2–2

GENERAL FERTILITY RATE, TOTAL FERTILITY RATE, AND AGE-SPECIFIC LIVE BIRTH RATES CALIFORNIA AND UNITED STATES, 1970–1985

(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	TOTAL FERTILITY RATE[2]	AGE-SPECIFIC BIRTH RATE[3] BY AGE OF MOTHER							
			Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
CALIFORNIA										
1985	74.6	2,095	1.0	52.5	121.2	126.0	79.7	32.1	6.1	0.4
1984	72.4	2,010	1.1	51.1	118.9	119.2	75.3	30.2	5.9	0.4
1983	71.7	1,973	1.0	51.4	119.2	115.0	73.1	29.0	5.6	0.3
1982	72.0	1,963	1.0	52.8	120.6	114.9	70.2	27.4	5.4	0.4
1981	71.9	1,942	1.0	53.7	119.7	113.9	68.5	25.9	5.4	0.3
1980	70.4	1,892	0.9	52.5	116.3	111.3	67.4	24.7	5.1	0.3
1979	68.9	1,848	0.9	52.2	113.1	109.0	65.7	23.4	4.9	0.3
1978	66.6	1,780	0.9	51.2	108.8	106.0	62.3	21.9	4.6	0.2
1977	67.2	1,792	0.9	51.3	110.9	107.6	61.0	21.6	4.7	0.3
1976	66.1	1,765	0.9	51.0	110.5	105.5	58.8	21.5	4.5	0.3
1975	65.1	1,750	0.9	51.0	110.7	105.8	56.0	20.4	4.8	0.3
1974	65.9	1,784	0.8	51.4	114.7	107.7	56.2	21.1	4.6	0.3
1973	64.8	1,765	0.8	51.4	114.8	105.1	54.8	20.8	4.9	0.3
1972	68.4	1,874	0.8	54.5	122.9	110.2	58.2	22.3	5.5	0.3
1971	75.4	2,078	0.8	58.0	139.2	121.8	63.3	25.7	6.4	0.3
1970	84.7	2,353	0.8	68.9	157.5	135.5	70.8	29.5	7.2	0.4
UNITED STATES										
1985[a]	66.1	...	...	...	...	...	...	...	...	...
1984[a]	65.4	1,805.5	1.2	50.9	107.3	108.3	66.5	22.8	3.9	0.2
1983[a]	65.8	1,802.5	1.1	51.7	108.3	108.7	64.6	22.1	3.8	0.2
1982[a]	67.3	1,828.5	1.1	52.9	111.3	111.0	64.2	21.1	3.9	0.2
1981[a]	67.4	1,815.0	1.1	52.7	111.8	112.0	61.4	20.0	3.8	0.2
1980[a]	68.4	1,839.5	1.1	53.0	115.1	112.9	61.9	19.8	3.9	0.2
1979[a]	67.2	1,808.0	1.2	52.3	112.8	111.4	60.3	19.5	3.9	0.2
1978[a]	65.5	1,760.0	1.2	51.5	109.9	108.5	57.8	19.0	3.9	0.2
1977[a]	66.8	1,789.5	1.2	52.8	112.9	111.0	56.4	19.2	4.2	0.2
1976[a]	65.0	1,738.0	1.2	52.8	110.3	106.2	53.6	19.0	4.3	0.2
1975[a]	66.0	1,774.0	1.3	55.6	113.0	108.2	52.3	19.5	4.6	0.3
1974[a]	67.8	1,835.0	1.2	57.5	117.7	111.5	53.8	20.2	4.8	0.3
1973[a]	68.8	1,879.0	1.2	59.3	119.7	112.2	55.6	22.1	5.4	0.3
1972[a]	73.1	2,010.0	1.2	61.7	130.2	117.7	59.8	24.8	6.2	0.4
1971[b]	81.6	2,266.5	1.1	64.5	150.1	134.1	67.2	28.7	7.1	0.4
1970[b]	87.9	2,480.0	1.2	68.3	167.8	145.1	73.3	31.7	8.1	0.5

1 The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

2 The total fertility rate is the sum of each age-specific live birth rate multiplied by the number of years in the age group (five years in this case).

3 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

a Based on 100 percent of births in selected states and on a 50 percent sample of births in all other states.

b Based on a 50 percent sample of births.

Source: U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Advance Report of Final Natality Statistics, 1984, Vol. 35, No. 4 Supplement, July 18, 1986.

U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Annual Summary of Births, Deaths, Marriages, and Divorces: United States, 1984, Vol. 34, No. 13, September 19, 1986.

State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70–80*, March 1982; *Population Projections for California Counties, Baseline 83*, October 1983; California Projected 1985 Population by Age and Sex, run date 12/11/86.

State of California, Department of Health Services, Birth Records.

Figure 2–A
AGE-SPECIFIC LIVE BIRTH RATES
CALIFORNIA AND UNITED STATES
1970–1985
(By place of residence)

CALIFORNIA



UNITED STATES



Source: Table 2–2.

Table 2–3

GENERAL FERTILITY RATE AND LIVE BIRTH RATES BY LIVE BIRTH ORDER CALIFORNIA AND UNITED STATES, 1970–1985

(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	LIVE BIRTH ORDER				
		First	Second	Third	Fourth	Fifth or Higher
CALIFORNIA						
1985	74.6	30.4	24.0	11.8	4.8	3.6
1984	72.4	29.8	23.4	11.3	4.5	3.5
1983	71.7	30.1	22.8	11.0	4.4	3.5
1982	72.0	30.9	22.7	10.8	4.3	3.4
1981	71.9	31.3	22.4	10.5	4.2	3.5
1980	70.4	31.1	21.6	10.2	4.1	3.4
1979	68.9	30.3	21.3	9.9	4.0	3.4
1978	66.6	29.4	20.6	9.4	3.8	3.3
1977	67.2	29.4	21.0	9.5	3.8	3.5
1976	66.1	28.7	20.8	9.2	3.7	3.7
1975	65.1	28.3	20.6	8.8	3.7	3.7
1974	65.9	28.6	20.8	8.8	3.8	4.0
1973	64.8	28.1	20.1	8.6	3.9	4.1
1972	68.4	29.2	20.8	9.4	4.4	4.7
1971	75.4	30.8	21.9	11.0	5.4	6.2
1970	84.7	34.2	23.8	12.7	6.5	7.5
UNITED STATES						
1985[a]	66.1	...	...	...	...	...
1984[a]	65.4	27.4	21.7	10.1	3.7	2.6
1983[a]	65.8	27.8	21.5	10.1	3.7	2.6
1982[a]	67.3	28.6	22.0	10.2	3.8	2.6
1981[a]	67.4	29.0	21.6	10.2	3.8	2.8
1980[a]	68.4	29.5	21.8	10.3	3.9	2.9
1979[a]	67.2	28.6	21.6	10.1	3.8	2.9
1978[a]	65.5	27.8	21.1	9.8	3.8	2.9
1977[a]	66.8	28.2	21.6	10.0	3.8	3.2
1976[a]	65.0	27.5	20.8	9.5	3.8	3.4
1975[a]	66.0	28.1	20.9	9.4	3.9	3.7
1974[a]	67.8	28.7	21.4	9.5	4.1	4.2
1973[a]	68.8	28.6	21.0	9.8	4.5	4.9
1972[a]	73.1	29.8	21.4	10.6	5.3	6.0
1971[b]	81.6	32.0	23.1	12.5	6.4	7.6
1970[b]	87.9	34.2	24.2	13.6	7.2	8.8

1 The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

a Based on 100 percent of births in selected states and on a 50 percent sample of births in all other states.

b Based on a 50 percent sample of births.

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order, before rates were calculated.

Rates are per 1,000 women aged 15–44 years.

Source: U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Advance Report of Final Natality Statistics, 1984, Vol. 35, No. 4, Supplement, July 18, 1986.

U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Annual Summary of Births, Deaths, Marriages, and Divorces: United States, 1984, Vol. 34, No. 13, September 19, 1986.

State of California, Department of Finance, Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70-80, March 1982; Population Projections for California Counties, Baseline 83, October 1983; California Projected 1985 Population by Age and Sex, run date December 11, 1986.

State of California, Department of Health Services, Birth Records.

Figure 2–B
LIVE BIRTH RATES BY LIVE BIRTH ORDER
CALIFORNIA AND UNITED STATES
1970–1985
(By place of residence)





Source: Table 2–3.

Table 2–4

GENERAL FERTILITY RATE AND AGE-SPECIFIC LIVE BIRTH RATES BY LIVE BIRTH ORDER CALIFORNIA, 1970 AND 1980–1985

(By place of residence)

YEAR AND BIRTH ORDER	GENERAL FERTILITY RATE[1]	AGE OF MOTHER							
		Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
1985	74.6	1.0	52.5	121.2	126.0	79.7	32.1	6.1	0.4
First Live Birth	30.4	1.0	40.9	59.6	43.9	20.9	6.6	0.9	0.0
Second	24.0	0.0	9.8	41.3	44.5	26.9	9.1	1.2	0.0
Third	11.8	0.0	1.6	14.9	23.6	16.8	6.9	1.1	0.0
Fourth	4.8	0.0	0.2	4.1	9.1	8.3	4.2	0.8	0.0
Fifth or More	3.6	0.0	0.0	1.3	4.8	6.8	5.4	2.2	0.2
1984	72.4	1.1	51.1	118.9	119.2	75.3	30.2	5.9	0.4
First Live Birth	29.8	1.0	39.7	58.2	42.0	19.6	6.1	0.8	0.0
Second	23.4	0.0	9.6	41.1	42.2	25.5	8.4	1.0	0.0
Third	11.3	0.0	1.6	14.6	22.1	16.0	6.4	1.0	0.0
Fourth	4.5	0.0	0.2	3.8	8.4	7.8	3.8	0.8	0.0
Fifth or More	3.5	0.0	0.0	1.2	4.5	6.5	5.5	2.2	0.3
1983	71.7	1.0	51.4	119.2	115.0	73.1	29.0	5.6	0.3
First Live Birth	30.1	0.9	40.0	59.2	40.5	19.4	5.6	0.7	0.0
Second	22.8	0.0	9.7	41.0	40.5	24.0	7.5	1.0	0.0
Third	11.0	0.0	1.5	14.3	21.4	15.6	6.2	0.9	0.0
Fourth	4.4	0.0	0.2	3.7	8.2	7.5	3.9	0.8	0.0
Fifth or More	3.5	0.0	0.0	1.1	4.3	6.6	5.7	2.3	0.3
1982	72.0	1.0	52.8	120.6	114.9	70.2	27.4	5.4	0.4
First Live Birth	30.9	0.9	41.3	60.9	41.2	17.9	5.0	0.7	0.0
Second	22.7	0.0	9.8	41.0	40.3	23.0	6.9	0.8	0.0
Third	10.8	0.0	1.5	14.0	21.0	15.1	6.0	0.9	0.0
Fourth	4.3	0.0	0.2	3.6	8.0	7.4	3.8	0.8	0.0
Fifth or More	3.4	0.0	0.0	1.0	4.4	6.7	5.8	2.2	0.2
1981	71.9	1.0	53.7	119.7	113.9	68.5	25.9	5.4	0.3
First Live Birth	31.3	1.0	42.6	61.2	40.9	17.0	4.4	0.6	0.0
Second	22.4	0.0	9.5	40.4	39.9	22.5	6.1	0.7	0.0
Third	10.5	0.0	1.4	13.6	20.7	14.8	5.5	0.8	0.0
Fourth	4.2	0.0	0.1	3.4	8.1	7.4	3.6	0.8	0.0
Fifth or More	3.5	0.0	0.0	1.1	4.3	6.9	6.2	2.5	0.2
1980	70.4	0.9	52.5	116.3	111.3	67.4	24.7	5.1	0.3
First Live Birth	31.1	0.8	41.6	60.3	39.8	16.7	4.0	0.6	0.0
Second	21.6	0.0	9.4	38.6	38.9	21.8	5.6	0.6	0.0
Third	10.2	0.0	1.3	13.1	20.4	14.6	5.2	0.7	0.0
Fourth	4.1	0.0	0.2	3.3	7.7	7.4	3.7	0.8	0.0
Fifth or More	3.4	0.0	0.0	1.1	4.5	7.0	6.2	2.4	0.2
1970	84.7	0.8	68.9	157.5	135.5	70.8	29.5	7.2	0.4
First Live Birth	34.2	0.8	55.1	74.2	33.9	9.3	2.6	0.5	0.0
Second	23.8	0.0	11.8	55.1	43.2	15.0	3.9	0.7	0.0
Third	12.7	0.0	1.7	19.8	30.8	16.1	5.1	0.9	0.0
Fourth	6.5	0.0	0.3	6.0	15.2	12.3	5.0	1.1	0.1
Fifth or More	7.5	0.0	0.0	2.4	12.4	18.1	12.9	4.0	0.3

1 The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order, before rates were calculated.

Rates are per 1,000 women in a specified age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

Source: State of California, Department of Finance, California Projected 1985 Population by Age and Sex, run date December 11, 1986.

State of California, Department of Health Services, Birth Records.

Table 2–5

GENERAL FERTILITY RATES AND AGE-SPECIFIC LIVE BIRTH RATES BY AGE OF MOTHER CALIFORNIA COUNTIES, 1985

(By place of residence)

COUNTY	GENERAL FERTILITY RATE[1]	AGE-SPECIFIC BIRTH RATE[2] BY AGE OF MOTHER							
		Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
California	74.6	1.0	52.5	121.2	126.0	79.7	32.1	6.1	0.4
Alameda	65.1	1.3	37.4	93.0	120.7	78.3	34.0	5.8	0.3
Alpine	41.9	–	a	a	79.4	a	a	–	–
Amador	50.2	–	36.3	81.7	94.3	67.5	17.4	a	–
Butte	61.6	1.5	41.5	78.4	122.8	68.3	26.5	4.0	–
Calaveras	54.1	–	38.4	82.5	106.4	80.7	17.3	a	–
Colusa	95.6	–	56.3	147.8	195.6	98.4	24.9	a	–
Contra Costa	61.4	1.1	34.6	88.4	110.9	84.6	30.5	4.2	a
Del Norte	80.9	a	69.0	164.9	115.2	74.7	31.2	a	–
El Dorado	59.2	a	40.0	110.9	106.6	62.3	23.7	3.5	–
Fresno	87.5	1.6	77.3	136.1	139.4	83.8	34.3	7.9	1.6
Glenn	78.6	a	61.3	123.9	153.5	83.8	31.5	a	–
Humboldt	66.9	a	39.8	109.2	119.1	68.7	26.2	6.4	a
Imperial	90.4	a	64.9	128.2	153.9	97.2	41.8	12.2	–
Inyo	59.6	a	27.2	98.3	111.1	87.9	20.4	a	–
Kern	93.2	1.9	89.4	175.1	130.9	74.2	29.9	5.9	0.5
Kings	97.3	1.8	92.5	172.7	131.4	81.5	34.0	4.5	–
Lake	67.7	a	70.4	156.9	119.0	54.7	12.2	6.0	–
Lassen	67.4	–	53.4	148.8	110.7	53.9	16.5	a	–
Los Angeles	82.7	1.3	63.8	137.1	132.3	86.3	37.8	7.7	0.4
Madera	82.2	1.9	74.9	156.3	137.2	64.7	25.5	6.5	a
Marin	43.2	–	9.9	42.9	69.9	78.1	36.4	7.0	–
Mariposa	51.3	–	32.5	78.8	84.5	64.0	28.1	a	–
Mendocino	70.5	–	57.1	143.0	107.9	76.0	33.7	5.8	–
Merced	98.0	1.1	88.1	177.1	129.9	81.2	34.7	9.6	2.0
Modoc	72.7	a	35.0	145.7	143.3	73.2	25.7	–	–
Mono	64.7	50.9	65.6	102.7	73.3	30.7	–	–	–
Monterey	84.0	0.8	58.1	145.5	134.9	77.6	29.8	8.8	a
Napa	56.3	a	29.8	92.4	107.4	69.0	22.8	3.5	–
Nevada	55.4	–	29.6	86.4	117.6	73.5	23.6	3.7	–
Orange	69.3	0.6	37.4	108.6	123.1	82.9	29.4	5.3	0.3
Placer	58.9	a	34.6	90.3	112.0	79.2	23.4	4.7	a
Plumas	63.9	–	33.8	130.2	105.3	73.0	22.1	a	–
Riverside	83.9	0.9	61.4	152.4	148.4	74.6	23.7	5.4	0.3
Sacramento	70.6	1.4	55.7	115.8	119.2	67.6	24.2	4.5	0.2
San Benito	84.9	a	52.1	147.2	153.4	78.5	43.0	5.2	a
San Bernardino	81.0	1.2	63.0	148.8	135.3	71.3	23.0	4.3	0.2
San Diego	73.2	0.7	44.0	122.9	122.0	76.1	30.4	5.4	0.3
San Francisco	57.7	1.2	41.5	82.3	101.5	64.3	36.0	7.1	0.3
San Joaquin	81.3	1.7	72.0	148.4	135.8	67.8	27.4	8.1	0.8
San Luis Obispo	59.2	a	29.1	75.9	117.8	74.3	23.7	6.5	a
San Mateo	62.9	a	27.1	81.3	113.3	89.8	37.4	4.9	0.5
Santa Barbara	62.4	0.8	31.5	88.9	115.2	71.6	31.5	5.3	a
Santa Clara	66.4	0.6	37.2	91.5	119.8	85.3	32.0	4.9	0.3
Santa Cruz	64.7	1.3	43.2	100.7	104.1	73.2	34.0	7.8	a
Shasta	67.7	a	52.1	129.2	119.2	66.3	18.8	2.8	–
Sierra	79.7	–	49.0	123.0	184.9	85.4	a	0.0	–
Siskiyou	68.2	–	42.7	133.4	128.2	64.8	23.6	3.3	–
Solano	74.5	a	47.5	128.2	133.3	71.2	25.4	4.2	a
Sonoma	63.1	a	31.0	94.7	128.0	78.4	30.2	4.2	a
Stanislaus	76.5	1.6	64.9	135.9	122.5	71.0	23.9	5.1	a
Sutter	72.1	a	63.2	131.9	113.1	61.6	22.7	3.9	–
Tehama	68.7	–	49.6	123.5	125.3	62.5	17.9	3.0	a
Trinity	55.3	–	45.5	103.7	118.9	56.8	13.8	0.0	–
Tulare	87.0	1.9	83.7	148.4	128.5	74.8	29.7	7.1	0.8
Tuolumne	55.4	–	37.0	108.0	89.7	57.1	25.1	2.6	a
Ventura	72.5	0.7	42.6	107.5	137.4	89.6	30.0	5.4	0.4
Yolo	58.5	a	33.1	83.5	100.8	66.3	27.4	6.6	a
Yuba	84.3	a	76.6	177.7	115.3	49.4	18.6	2.8	–

1 The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

2 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

a Rates not calculated for fewer than five live births.

Source: State of California, Department of Finance, California Projected 1985 Population by Age and Sex, run date December 11, 1986.
State of California, Department of Health Services, Birth Records.

TABLE 2-6

LIVE BIRTHS BY AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	470,816	890	2,554	5,630	9,323	13,824	19,034	136,985	149,523	94,067	33,578	4,953	220	20	215
ALAMEDA	19,624	46	98	212	284	474	683	5,080	6,307	4,485	1,765	226	10	-	14
ALPINE	13	-	-	-	-	-	1	1	5	4	2	-	-	-	-
AMADOR	231	-	-	1	4	7	15	65	65	57	15	6	-	-	-
BUTTE	2,391	7	11	35	48	71	122	707	735	469	149	17	-	-	-
CALAVERAS	314	-	2	1	8	11	16	88	93	76	19	3	-	-	-
COLUSA	279	-	2	3	2	12	10	90	97	49	11	3	-	-	-
CONTRA COSTA	10,661	26	52	101	170	261	309	2,666	3,606	2,578	978	108	2	-	2
DEL NORTE	320	2	3	2	6	16	15	109	87	56	20	1	-	-	1
EL DORADO	1,511	1	6	14	22	44	51	433	475	338	115	12	-	-	-
FRESNO	11,705	33	103	204	347	465	606	3,648	3,402	2,025	710	122	16	4	18
GLENN	377	1	-	4	12	10	23	113	132	55	23	4	-	-	-
HUMBOLDT	1,641	2	3	15	31	51	65	368	373	382	122	20	1	-	6
IMPERIAL	2,186	3	14	35	58	88	110	643	673	390	138	34	-	-	-
INYO	217	1	-	2	4	2	8	62	66	56	13	3	-	-	-
KERN	9,999	34	78	171	287	442	540	3,309	2,971	1,415	469	76	5	-	2
KINGS	1,847	6	22	23	37	88	114	691	511	252	91	10	-	-	-
LAKE	662	1	5	13	17	32	38	228	192	105	22	9	-	-	-
LASSEN	340	-	3	3	7	12	20	123	107	47	15	1	-	-	-
LOS ANGELES	156,618	333	938	2,031	3,424	4,807	6,367	44,437	48,885	31,248	11,879	1,895	71	5	98
MADERA	1,395	6	9	29	48	65	67	480	398	202	72	14	3	-	2
MARIN	2,560	-	-	6	13	16	29	383	736	853	435	69	-	-	-
MARIPOSA	150	-	-	1	3	2	9	39	48	33	13	2	-	-	-
MENDOCINO	1,201	-	7	15	24	36	62	377	307	243	115	14	-	-	1
MERCED	3,474	6	36	56	97	154	185	1,261	963	503	169	37	4	3	-
MODOC	146	2	2	-	4	1	6	52	44	26	9	-	-	-	-
MONO	147	-	-	1	-	3	10	32	30	40	11	-	-	-	-
MONTEREY	6,572	9	39	77	147	227	285	2,096	2,110	1,150	356	71	3	-	2
NAPA	1,368	2	4	8	19	30	54	390	458	293	98	12	-	-	-
NEVADA	893	-	1	6	12	20	29	235	266	234	82	8	-	-	-
ORANGE	36,704	44	129	317	520	821	1,226	10,392	12,430	7,829	2,380	370	19	-	27
PLACER	1,944	3	4	22	32	53	62	561	607	436	140	23	1	-	-
PLUMAS	268	-	1	1	3	7	10	91	78	57	17	3	-	-	-
RIVERSIDE	13,508	26	93	233	384	496	697	5,201	5,069	2,478	696	124	5	-	4
SACRAMENTO	13,464	39	98	225	351	474	688	4,606	5,016	2,790	851	117	4	1	4
SAN BENITO	621	1	4	8	12	21	22	214	163	102	48	5	1	-	-
SAN BERNARDINO	21,284	47	116	306	506	778	993	7,159	6,815	3,470	949	136	6	-	3
SAN DIEGO	37,288	47	138	352	587	962	1,477	11,474	11,990	7,380	2,452	320	15	1	3
SAN FRANCISCO	9,739	18	42	87	129	193	255	1,983	2,980	2,661	1,220	164	4	1	-
SAN JOAQUIN	7,993	26	71	120	197	301	393	2,628	2,379	1,317	454	98	8	-	1
SAN LUIS OBISPO	2,633	2	17	17	39	63	79	702	909	603	168	32	1	-	1
SAN MATEO	9,262	4	18	34	91	166	198	2,005	3,121	2,496	991	104	8	1	3
SANTA BARBARA	5,149	8	19	48	71	128	203	1,467	1,725	1,059	368	51	2	-	-
SANTA CLARA	24,110	30	108	230	387	565	776	6,311	8,070	5,500	1,877	237	11	2	6
SANTA CRUZ	3,582	8	14	34	62	86	135	894	1,097	860	338	51	1	-	2
SHASTA	2,093	1	13	23	60	76	92	719	645	354	98	12	-	-	-
SIERRA	39	-	1	-	1	1	2	15	22	14	3	-	-	-	-
SISKIYOU	623	-	3	9	10	19	20	207	195	114	38	4	-	-	2
SOLANO	5,040	4	28	41	81	141	224	1,623	1,685	900	276	34	2	-	1
SONOMA	5,266	3	20	30	66	106	162	1,374	1,741	1,234	480	48	2	-	-
STANISLAUS	5,518	17	43	100	117	225	278	1,884	1,633	899	274	46	1	1	-
SUTTER	953	1	7	10	27	36	55	349	285	131	43	7	-	-	-
TEHAMA	650	-	2	5	14	24	30	239	205	100	26	4	1	-	-
TRINITY	166	-	2	4	5	4	5	53	51	34	8	-	-	-	-
TULARE	5,677	21	54	103	180	234	343	1,963	1,591	831	294	54	4	1	2
TUOLUMNE	477	-	3	4	11	6	23	147	145	93	39	3	1	-	-
VENTURA	10,587	15	45	121	170	301	386	2,891	3,554	2,248	738	105	7	-	6
YOLO	1,930	3	11	24	38	48	94	585	601	380	123	22	1	-	-
YUBA	1,074	1	6	29	37	38	53	443	319	111	31	4	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-7

LIVE BIRTHS BY MONTH OF BIRTH
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY	TOTAL LIVE BIRTHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	470,816	38,061	34,160	38,098	36,788	39,088	37,574	41,555	43,291	42,246	41,754	38,532	39,669
ALAMEDA	19,624	1,567	1,493	1,629	1,598	1,711	1,601	1,659	1,743	1,730	1,726	1,569	1,578
ALPINE	13	1	-	-	1	1	1	2	4	1	1	-	1
AMADOR	231	21	20	18	19	17	20	21	24	16	26	11	18
BUTTE	2,391	204	193	202	176	195	205	216	217	203	210	178	192
CALAVERAS	314	27	23	19	29	28	27	27	39	25	22	24	24
COLUSA	279	30	25	14	23	28	27	27	13	24	24	19	25
CONTRA COSTA	10,661	897	848	891	869	949	865	891	990	967	996	842	856
DEL NORTE	320	26	24	25	19	22	30	35	28	25	27	28	31
EL DORADO	1,511	117	111	140	114	144	127	129	137	153	128	114	97
FRESNO	11,703	892	853	917	952	1,000	942	1,080	1,065	1,063	958	963	1,018
GLENN	377	34	28	37	27	38	25	33	38	26	36	28	27
HUMBOLDT	1,641	156	147	137	149	175	170	161	157	169	140	145	135
IMPERIAL	2,186	174	141	172	160	158	166	230	217	200	200	174	194
INYO	217	16	13	27	22	7	21	13	21	14	26	19	18
KERN	9,999	816	679	824	772	804	800	864	955	923	871	837	854
KINGS	1,847	149	136	147	143	160	143	171	177	175	161	137	148
LAKE	662	45	52	59	60	46	51	60	42	68	57	47	75
LASSEN	340	21	27	20	22	29	28	32	33	35	26	31	36
LOS ANGELES	136,618	12,830	11,248	12,404	11,969	12,641	12,134	13,796	14,320	14,242	14,237	13,092	13,505
MADERA	1,393	128	99	118	99	107	104	128	115	135	137	111	114
MARIN	2,560	227	188	247	226	208	212	221	210	216	226	193	184
MARIPOSA	130	12	12	10	6	15	10	14	13	12	15	12	19
MENDOCINO	1,201	92	92	85	86	109	109	96	105	113	112	85	117
MERCED	3,474	295	248	284	294	271	305	336	316	304	273	280	268
MODOC	146	12	11	9	13	13	15	13	18	9	12	14	7
MONO	147	10	11	13	12	2	13	16	14	15	14	13	14
MONTEREY	6,372	506	487	559	535	563	507	619	583	580	551	581	501
NAPA	1,368	102	129	94	100	110	104	109	143	119	113	116	129
NEVADA	893	82	59	64	72	83	75	75	87	76	86	64	70
ORANGE	36,704	2,944	2,598	3,108	2,833	3,021	2,897	3,221	3,354	3,404	3,118	3,043	3,163
PLACER	1,944	143	130	163	139	166	188	168	168	182	163	141	191
PLUMAS	268	18	24	28	22	16	22	30	26	28	17	19	18
RIVERSIDE	15,508	1,228	1,092	1,263	1,194	1,292	1,247	1,387	1,438	1,370	1,402	1,241	1,354
SACRAMENTO	15,464	1,237	1,074	1,241	1,256	1,292	1,266	1,422	1,423	1,364	1,352	1,253	1,282
SAN BENITO	621	44	39	52	67	52	60	53	65	47	48	50	44
SAN BERNARDINO	21,284	1,614	1,530	1,722	1,656	1,701	1,723	1,932	2,011	1,911	1,946	1,714	1,824
SAN DIEGO	37,200	3,080	2,737	2,905	2,939	3,132	2,934	3,267	3,416	3,327	3,390	3,018	3,055
SAN FRANCISCO	9,739	799	732	799	738	856	800	833	875	852	818	801	836
SAN JOAQUIN	7,993	599	606	635	610	725	651	687	732	664	716	690	678
SAN LUIS OBISPO	2,633	216	160	226	214	194	228	241	233	231	251	216	223
SAN MATEO	9,262	755	656	740	762	766	739	634	882	778	818	760	772
SANTA BARBARA	5,149	396	374	416	381	434	417	435	486	495	472	407	436
SANTA CLARA	24,110	2,008	1,782	1,948	1,912	2,083	2,004	2,116	2,221	2,022	2,097	1,973	1,944
SANTA CRUZ	3,582	299	303	290	287	307	294	316	321	314	310	261	280
SHASTA	2,093	155	151	188	178	185	158	187	194	189	185	171	152
SIERRA	39	7	5	2	5	4	7	2	8	2	7	3	7
SISKIYOU	623	57	46	51	54	52	72	47	48	52	43	48	53
SOLANO	5,040	413	355	433	434	416	393	429	472	483	394	395	423
SONOMA	5,266	410	355	466	429	486	415	477	463	459	451	405	450
STANISLAUS	5,518	451	403	455	432	470	469	503	510	466	462	458	439
SUTTER	933	98	62	70	76	62	77	81	91	86	89	82	79
TEHAMA	650	38	50	60	42	66	53	61	64	58	54	51	53
TRINITY	166	13	17	13	21	15	12	13	19	12	13	10	8
TULARE	5,677	458	429	466	432	482	468	545	473	534	508	425	457
TUOLUMNE	477	33	35	49	38	42	34	39	35	45	49	39	39
VENTURA	10,587	801	799	874	833	896	861	919	952	934	909	896	913
YOLO	1,930	172	145	181	161	138	154	151	185	178	154	160	151
YUBA	1,074	84	72	89	76	103	94	85	100	101	107	73	90

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-8

LIVE BIRTHS BY TYPE OF HOSPITAL
CALIFORNIA COUNTIES, 1985,
(BY PLACE OF OCCURRENCE)

COUNTY	TOTAL	IN HOSPITAL					NOT IN HOSPITAL
		TOTAL	COUNTY	PRIVATE	OTHER *	UNKNOWN	
CALIFORNIA	471,156	466,502	62,859	332,477	68,218	2,948	4,654
ALAMEDA	21,523	21,316	1,771	15,898	3,645	2	207
ALPINE	1	-	-	-	-	-	1
AMADOR	167	165	165	-	-	-	2
BUTTE	2,593	2,559	-	2,559	-	-	34
CALAVERAS	96	90	-	-	90	-	6
COLUSA	135	131	131	-	-	-	4
CONTRA COSTA	8,341	8,252	884	5,055	2,312	1	89
DEL NORTE	301	261	-	-	259	2	40
EL DORADO	1,256	1,244	-	1,244	-	-	12
FRESNO	12,165	11,984	2,967	8,010	979	28	181
GLENN	96	87	87	-	-	-	9
HUMBOLDT	1,910	1,822	61	1,760	-	1	88
IMPERIAL	2,187	2,173	-	-	2,173	-	14
INYO	397	394	-	-	394	-	3
KERN	9,776	9,703	3,876	4,187	543	1,097	73
KINGS	2,120	2,113	-	1,558	555	-	7
LAKE	82	74	-	3	71	-	8
LASSEN	259	254	254	-	-	-	5
LOS ANGELES	160,140	158,953	31,763	121,146	5,479	565	1,187
MADERA	803	793	-	731	61	1	10
MARIN	1,669	1,594	-	107	1,487	-	75
MARIPOSA	49	46	-	-	46	-	3
MENDOCINO	1,334	1,288	-	970	315	3	66
MERCED	3,264	3,216	1,538	1,220	458	-	48
MODOC	87	83	83	-	-	-	4
MONO	21	20	15	-	5	-	1
MONTEREY	6,287	6,248	1,335	1,692	3,221	-	39
NAPA	1,169	1,152	-	1,152	-	-	17
NEVADA	985	954	-	648	306	-	31
ORANGE	37,883	37,524	-	33,856	3,511	157	359
PLACER	1,947	1,925	-	1,925	-	-	22
PLUMAS	252	250	-	54	196	-	2
RIVERSIDE	13,067	12,909	1,819	6,966	3,950	174	158
SACRAMENTO	16,637	16,529	-	14,407	2,121	1	108
SAN BENITO	389	387	-	-	387	-	2
SAN BERNARDINO	20,420	20,214	1,666	16,549	1,759	240	206
SAN DIEGO	38,133	37,825	-	19,407	18,344	74	308
SAN FRANCISCO	14,257	14,164	2,001	10,073	2,089	1	93
SAN JOAQUIN	7,451	7,329	2,044	5,285	-	-	122
SAN LUIS OBISPO	2,324	2,288	1,222	590	476	-	36
SAN MATEO	5,667	5,593	1	3,791	1,700	101	74
SANTA BARBARA	5,393	5,332	-	4,262	717	353	61
SANTA CLARA	26,418	26,226	2,636	20,351	3,186	53	192
SANTA CRUZ	3,536	3,373	-	3,373	-	-	163
SHASTA	2,156	2,145	953	1,154	-	38	11
SIERRA	8	6	-	-	6	-	2
SISKIYOU	433	415	-	414	-	1	18
SOLANO	4,812	4,783	-	3,704	1,078	1	29
SONOMA	5,186	4,994	3,168	1,273	553	-	192
STANISLAUS	6,091	6,040	1	5,791	248	-	51
SUTTER	1,762	1,737	-	1,737	-	20	5
TEHAMA	568	566	-	545	21	-	2
TRINITY	114	110	77	-	-	33	4
TULARE	5,285	5,242	-	795	4,447	-	43
TUOLUMNE	589	562	-	562	-	-	27
VENTURA	9,297	9,223	2,341	6,163	719	-	74
YOLO	1,533	1,511	-	1,510	-	1	22
YUBA	315	311	-	-	311	-	4

* OTHER INCLUDES FEDERAL, STATE, CITY, AND DISTRICT OWNERSHIP.

NOTE: BIRTHS OCCURRING IN ALPINE COUNTY EQUAL 1, BIRTHS TO ALPINE COUNTY RESIDENTS EQUAL 13.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-9

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	ALAMEDA	ALPINE	AMADOR	BUTTE	CALAVERAS	COLUSA
ALL RACES	470,816	19,624	13	231	2,391	314	279
FEMALE	229,843	9,492	6	108	1,167	150	139
MALE	240,973	10,132	7	123	1,224	164	140
AMERICAN INDIAN	5,714	158	4	8	70	11	5
FEMALE	2,848	82	1	3	36	4	1
MALE	2,866	76	3	5	34	7	4
BLACK	46,137	4,575	-	2	59	1	1
FEMALE	22,907	2,216	-	1	31	-	-
MALE	23,230	2,359	-	1	28	1	1
CAMBODIAN	2,121	146	-	-	2	-	-
FEMALE	1,018	66	-	-	2	-	-
MALE	1,103	80	-	-	-	-	-
CHINESE	8,513	773	-	-	11	-	-
FEMALE	4,081	397	-	-	8	-	-
MALE	4,432	376	-	-	3	-	-
ESKIMO/ALEUT	32	1	-	-	-	-	-
FEMALE	15	1	-	-	-	-	-
MALE	17	-	-	-	-	-	-
FILIPINO	12,672	692	-	1	2	-	-
FEMALE	6,141	454	-	1	-	-	-
MALE	6,531	438	-	-	2	-	-
INDIAN (INDIA)	1,935	185	-	1	4	-	3
FEMALE	902	90	-	1	3	-	2
MALE	1,033	95	-	-	1	-	1
JAPANESE	4,155	193	-	2	7	5	-
FEMALE	2,005	92	-	-	2	3	-
MALE	2,150	103	-	2	5	2	-
KOREAN	3,658	162	-	-	5	1	1
FEMALE	1,773	78	-	-	1	1	1
MALE	1,885	84	-	-	4	-	-
PACIFIC ISLANDER	3,313	197	-	-	4	-	2
FEMALE	1,643	110	-	-	1	-	1
MALE	1,670	87	-	-	3	-	1
THAI	658	17	-	-	-	-	-
FEMALE	342	5	-	-	-	-	-
MALE	316	12	-	-	-	-	-
VIETNAMESE	4,938	282	-	-	1	-	-
FEMALE	2,352	132	-	-	1	-	-
MALE	2,586	150	-	-	-	-	-
WHITE	369,285	11,564	9	217	2,215	294	264
FEMALE	180,049	5,540	5	102	1,077	141	133
MALE	189,236	6,024	4	115	1,138	153	131
OTHER ASIAN	4,952	252	-	-	9	-	-
FEMALE	2,464	122	-	-	5	-	-
MALE	2,488	130	-	-	4	-	-
OTHER	707	30	-	-	1	-	2
FEMALE	331	21	-	-	-	-	-
MALE	376	9	-	-	1	-	2
NOT STATED	2,026	193	-	-	1	2	1
FEMALE	972	86	-	-	-	1	1
MALE	1,054	109	-	-	1	1	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT
ALL RACES	470,816	10,861	320	1,511	11,705	377	1,841
FEMALE	229,843	5,330	151	757	5,764	168	908
MALE	240,973	5,531	169	754	5,941	209	933
AMERICAN INDIAN	3,714	100	40	9	141	9	198
FEMALE	2,848	53	25	6	68	6	96
MALE	2,866	47	15	3	73	3	102
BLACK	46,137	1,412	3	19	742	6	32
FEMALE	22,907	688	1	13	390	4	15
MALE	23,230	724	2	6	352	2	17
CAMBODIAN	2,121	-	-	-	44	-	1
FEMALE	1,018	-	-	-	20	-	-
MALE	1,103	-	-	-	24	-	1
CHINESE	8,513	276	-	3	70	-	1
FEMALE	4,081	136	-	2	32	-	1
MALE	4,432	140	-	1	38	-	-
ESKIMO/ALEUT	32	-	1	-	-	-	-
FEMALE	15	-	1	-	-	-	-
MALE	17	-	-	-	-	-	-
FILIPINO	12,672	336	-	28	82	6	5
FEMALE	6,141	167	-	9	33	1	2
MALE	6,531	169	-	19	49	5	3
INDIAN (INDIA)	1,935	57	-	3	47	-	1
FEMALE	902	30	-	1	21	-	1
MALE	1,033	27	-	2	26	-	-
JAPANESE	4,153	124	1	6	78	-	5
FEMALE	2,003	67	-	3	48	-	3
MALE	2,150	57	1	3	30	-	2
KOREAN	3,658	48	1	-	18	1	2
FEMALE	1,773	29	1	-	8	-	2
MALE	1,885	19	-	-	10	1	-
PACIFIC ISLANDER	3,313	62	1	5	18	-	9
FEMALE	1,643	33	1	1	7	-	4
MALE	1,670	29	-	4	11	-	5
THAI	658	6	-	-	9	-	-
FEMALE	342	3	-	-	3	-	-
MALE	316	3	-	-	6	-	-
VIETNAMESE	4,938	39	-	1	41	-	-
FEMALE	2,352	24	-	1	21	-	-
MALE	2,586	15	-	-	20	-	-
WHITE	369,285	8,156	266	1,427	9,551	334	1,535
FEMALE	180,049	3,974	118	716	4,697	157	772
MALE	189,236	4,182	148	711	4,854	197	763
OTHER ASIAN	4,932	151	5	6	850	-	28
FEMALE	2,464	74	2	3	408	-	10
MALE	2,468	77	3	3	442	-	18
OTHER	707	19	-	1	13	1	1
FEMALE	331	12	-	1	8	-	-
MALE	376	7	-	-	5	1	1
NOT STATED	2,026	75	2	1	1	-	3
FEMALE	972	40	2	1	-	-	2
MALE	1,054	35	-	-	1	-	1

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	IMPERIAL	INYO	KERN	KINGS	LAKE	LASSEN
ALL RACES	470,816	2,186	217	9,999	1,847	662	340
FEMALE	229,843	1,055	111	4,918	928	318	169
MALE	240,973	1,131	106	5,081	919	344	171
AMERICAN INDIAN	5,714	37	29	144	22	35	20
FEMALE	2,848	15	18	71	12	16	10
MALE	2,866	22	11	73	10	19	10
BLACK	46,137	31	-	686	123	12	13
FEMALE	22,907	24	-	319	53	6	5
MALE	23,230	27	-	367	70	6	8
CAMBODIAN	2,121	-	-	6	-	-	-
FEMALE	1,018	-	-	3	-	-	-
MALE	1,103	-	-	3	-	-	-
CHINESE	8,513	4	-	33	3	1	1
FEMALE	4,081	2	-	17	1	-	-
MALE	4,432	2	-	16	2	1	1
ESKIMO/ALEUT	32	-	-	1	-	-	-
FEMALE	15	-	-	1	-	-	-
MALE	17	-	-	-	-	-	-
FILIPINO	12,672	12	1	200	36	4	4
FEMALE	6,141	3	-	101	25	2	1
MALE	6,531	9	1	99	31	2	3
INDIAN (INDIA)	1,935	2	-	30	1	1	-
FEMALE	902	2	-	17	1	1	-
MALE	1,033	-	-	13	-	-	-
JAPANESE	4,155	3	2	30	2	6	1
FEMALE	2,005	1	2	15	1	5	1
MALE	2,150	2	-	15	1	1	-
KOREAN	3,658	4	1	23	2	-	4
FEMALE	1,773	2	-	10	2	-	2
MALE	1,885	2	1	13	-	-	2
PACIFIC ISLANDER	3,313	2	-	23	5	3	2
FEMALE	1,643	1	-	11	2	1	1
MALE	1,670	1	-	12	3	2	1
THAI	658	-	-	6	2	1	-
FEMALE	342	-	-	3	1	-	-
MALE	316	-	-	3	1	1	-
VIETNAMESE	4,938	-	-	7	1	-	-
FEMALE	2,352	-	-	3	1	-	-
MALE	2,586	-	-	4	-	-	-
WHITE	369,285	2,062	183	8,781	1,629	598	293
FEMALE	180,049	1,002	90	4,334	828	290	149
MALE	189,236	1,060	93	4,447	801	308	144
OTHER ASIAN	4,952	8	1	18	1	-	-
FEMALE	2,464	3	1	7	1	-	-
MALE	2,488	5	-	11	-	-	-
OTHER	707	1	-	1	-	-	-
FEMALE	331	-	-	-	-	-	-
MALE	376	1	-	1	-	-	-
NOT STATED	2,026	-	-	10	-	1	-
FEMALE	972	-	-	6	-	-	-
MALE	1,054	-	-	4	-	1	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	LOS ANGELES	MADERA	MARIN	MARIPOSA	MENDOCINO	MERCED
ALL RACES	470,616	156,618	1,395	2,560	150	1,201	3,474
FEMALE	229,643	76,302	682	1,252	64	551	1,635
MALE	240,973	80,316	713	1,308	86	650	1,839
AMERICAN INDIAN	5,714	887	27	19	6	93	27
FEMALE	2,848	453	14	12	1	46	11
MALE	2,866	434	13	7	5	47	16
BLACK	46,137	22,041	53	103	-	9	199
FEMALE	22,907	11,009	25	55	-	3	97
MALE	23,230	11,032	28	48	-	6	102
CAMBODIAN	2,121	835	-	2	-	-	-
FEMALE	1,018	417	-	1	-	-	-
MALE	1,103	418	-	1	-	-	-
CHINESE	8,513	2,907	2	34	-	3	3
FEMALE	4,081	1,369	1	18	-	2	-
MALE	4,432	1,538	1	16	-	1	3
ESKIMO/ALEUT	32	7	1	-	-	-	-
FEMALE	15	2	-	-	-	-	-
MALE	17	5	1	-	-	-	-
FILIPINO	12,672	3,670	11	23	-	10	25
FEMALE	6,141	1,760	3	8	-	4	10
MALE	6,531	1,910	8	15	-	6	15
INDIAN (INDIA)	1,935	486	3	6	-	1	24
FEMALE	902	225	3	2	-	-	13
MALE	1,033	261	-	4	-	1	11
JAPANESE	4,155	1,476	-	29	-	6	7
FEMALE	2,005	713	-	15	-	1	3
MALE	2,150	763	-	14	-	5	4
KOREAN	3,658	1,981	1	11	-	1	11
FEMALE	1,773	957	-	6	-	-	5
MALE	1,885	1,024	1	5	-	1	6
PACIFIC ISLANDER	3,313	906	1	8	-	3	13
FEMALE	1,643	439	1	7	-	2	10
MALE	1,670	467	-	1	-	3	3
THAI	658	403	-	6	-	-	3
FEMALE	342	216	-	4	-	-	2
MALE	316	187	-	2	-	-	1
VIETNAMESE	4,938	1,136	-	20	-	2	5
FEMALE	2,352	532	-	12	-	1	3
MALE	2,586	604	-	8	-	1	2
WHITE	369,285	118,394	1,289	2,240	144	1,038	2,773
FEMALE	180,049	57,511	633	1,086	63	487	1,298
MALE	189,236	60,883	656	1,154	81	571	1,475
OTHER ASIAN	4,932	883	5	13	-	1	383
FEMALE	2,464	440	2	5	-	-	182
MALE	2,468	443	3	8	-	1	201
OTHER	707	196	2	2	-	-	-
FEMALE	331	94	-	-	-	-	-
MALE	376	102	2	2	-	-	-
NOT STATED	2,026	410	-	44	-	12	1
FEMALE	972	165	-	21	-	5	1
MALE	1,054	245	-	23	-	7	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	MODOC	MONO	MONTEREY	NAPA	NEVADA	ORANGE
ALL RACES	470,816	146	147	6,572	1,368	893	36,704
FEMALE	229,843	68	72	3,189	691	411	18,012
MALE	240,973	78	75	3,383	677	482	18,692
AMERICAN INDIAN	5,714	6	10	57	18	22	214
FEMALE	2,848	1	7	26	7	11	105
MALE	2,866	5	3	31	11	11	109
BLACK	46,137	1	1	594	7	3	962
FEMALE	22,907	-	-	289	1	1	465
MALE	23,230	1	1	305	6	2	497
CAMBODIAN	2,121	-	-	-	-	-	141
FEMALE	1,018	-	-	-	-	-	61
MALE	1,103	-	-	-	-	-	80
CHINESE	8,513	2	1	26	5	1	419
FEMALE	4,081	1	-	13	4	1	197
MALE	4,432	1	1	13	1	-	222
ESKIMO/ALEUT	32	-	-	1	-	-	-
FEMALE	15	-	-	-	-	-	-
MALE	17	-	-	1	-	-	-
FILIPINO	12,672	-	1	227	9	1	444
FEMALE	6,141	-	-	115	2	-	201
MALE	6,531	-	1	112	7	1	243
INDIAN (INDIA)	1,935	-	-	12	1	2	170
FEMALE	902	-	-	3	1	2	74
MALE	1,033	-	-	9	-	-	96
JAPANESE	4,155	-	-	72	6	2	412
FEMALE	2,005	-	-	30	3	1	206
MALE	2,150	-	-	42	3	1	206
KOREAN	3,658	-	1	118	4	-	391
FEMALE	1,773	-	-	57	1	-	197
MALE	1,885	-	1	61	3	-	194
PACIFIC ISLANDER	3,313	1	-	96	6	1	267
FEMALE	1,643	1	-	55	3	-	134
MALE	1,670	-	-	41	3	1	133
THAI	658	-	-	8	1	-	45
FEMALE	342	-	-	3	1	-	23
MALE	316	-	-	5	-	-	22
VIETNAMESE	4,938	-	1	64	2	-	1,051
FEMALE	2,352	-	1	29	1	-	514
MALE	2,586	-	-	35	1	-	537
WHITE	369,285	136	131	5,271	1,307	858	31,804
FEMALE	180,049	65	64	2,556	665	393	15,650
MALE	189,236	71	67	2,715	642	465	16,154
OTHER ASIAN	4,952	-	1	13	2	1	259
FEMALE	2,464	-	-	7	2	1	124
MALE	2,488	-	1	6	-	-	135
OTHER	707	-	-	-	-	-	40
FEMALE	331	-	-	-	-	-	21
MALE	376	-	-	-	-	-	19
NOT STATED	2,026	-	-	13	-	2	85
FEMALE	972	-	-	6	-	1	40
MALE	1,054	-	-	7	-	1	45

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	PLACER	PLUMAS	RIVERSIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO
ALL RACES	470,816	1,944	268	15,508	15,464	621	21,284
FEMALE	229,843	986	118	7,648	7,489	306	10,427
MALE	240,973	958	150	7,860	7,975	315	10,857
AMERICAN INDIAN	5,714	41	13	238	236	6	338
FEMALE	2,848	24	2	105	117	3	181
MALE	2,866	17	11	133	119	3	157
BLACK	46,137	9	6	1,037	1,964	4	1,936
FEMALE	22,907	3	2	500	969	2	965
MALE	23,230	6	4	537	995	2	971
CAMBODIAN	2,121	-	-	14	15	-	26
FEMALE	1,018	-	-	8	9	-	13
MALE	1,103	-	-	6	6	-	13
CHINESE	8,513	8	-	38	362	1	89
FEMALE	4,081	3	-	17	174	-	32
MALE	4,432	5	-	21	188	1	57
ESKIMO/ALEUT	32	-	-	1	1	-	3
FEMALE	15	-	-	1	1	-	2
MALE	17	-	-	-	-	-	1
FILIPINO	12,672	5	-	126	279	2	203
FEMALE	6,141	3	-	59	134	1	103
MALE	6,531	2	-	67	145	1	100
INDIAN (INDIA)	1,935	4	1	30	69	-	38
FEMALE	902	2	1	11	36	-	16
MALE	1,033	2	-	19	33	-	22
JAPANESE	4,155	15	-	56	168	1	89
FEMALE	2,005	5	-	24	72	1	38
MALE	2,150	10	-	32	96	-	51
KOREAN	3,658	3	-	32	50	-	100
FEMALE	1,773	3	-	18	23	-	58
MALE	1,885	-	-	14	27	-	42
PACIFIC ISLANDER	3,313	6	-	55	135	-	117
FEMALE	1,643	4	-	25	73	-	57
MALE	1,670	2	-	30	62	-	60
THAI	658	1	-	12	9	-	31
FEMALE	342	1	-	8	2	-	16
MALE	316	-	-	4	7	-	15
VIETNAMESE	4,938	1	-	53	160	-	77
FEMALE	2,352	1	-	30	66	-	41
MALE	2,586	-	-	23	94	-	36
WHITE	369,285	1,848	247	13,694	11,473	389	17,898
FEMALE	180,049	935	113	6,784	5,543	292	8,754
MALE	189,236	913	134	6,910	5,930	297	9,144
OTHER ASIAN	4,952	1	1	92	465	3	50
FEMALE	2,464	-	-	41	237	1	24
MALE	2,488	1	1	51	228	2	26
OTHER	707	-	-	15	31	-	131
FEMALE	331	-	-	8	13	-	52
MALE	376	-	-	7	18	-	79
NOT STATED	2,026	2	-	15	47	15	138
FEMALE	972	2	-	9	20	6	73
MALE	1,054	-	-	6	27	9	83

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA
ALL RACES	470,816	37,200	9,739	7,993	2,633	9,262	5,149
FEMALE	229,843	18,148	4,747	3,889	1,273	4,544	2,466
MALE	240,973	19,052	4,992	4,104	1,360	4,718	2,683
AMERICAN INDIAN	5,714	935	63	162	67	72	69
FEMALE	2,848	477	35	69	31	35	33
MALE	2,866	458	28	93	36	37	36
BLACK	46,137	3,333	1,631	608	61	683	208
FEMALE	22,907	1,695	820	301	40	343	97
MALE	23,230	1,638	831	307	21	340	111
CAMBODIAN	2,121	166	111	327	-	4	2
FEMALE	1,018	81	59	144	-	3	1
MALE	1,103	85	52	183	-	1	1
CHINESE	8,513	257	1,429	50	10	463	30
FEMALE	4,081	118	696	27	6	226	15
MALE	4,432	139	733	23	4	237	15
ESKIMO/ALEUT	32	4	-	3	-	1	-
FEMALE	15	1	-	1	-	-	-
MALE	17	3	-	2	-	1	-
FILIPINO	12,672	1,795	905	298	34	818	107
FEMALE	6,141	861	450	147	21	399	50
MALE	6,531	934	455	151	13	419	57
INDIAN (INDIA)	1,935	48	42	31	4	88	4
FEMALE	902	17	17	12	2	32	3
MALE	1,033	31	25	19	2	56	1
JAPANESE	4,135	336	139	46	18	134	59
FEMALE	2,005	144	77	22	9	75	27
MALE	2,130	192	62	24	9	59	32
KOREAN	3,658	124	93	9	11	47	19
FEMALE	1,773	47	45	3	4	22	5
MALE	1,885	77	50	6	7	25	14
PACIFIC ISLANDER	3,313	437	141	27	5	377	17
FEMALE	1,643	209	67	13	3	130	8
MALE	1,670	248	74	14	2	147	9
THAI	658	29	14	3	1	7	7
FEMALE	342	15	8	2	1	4	1
MALE	316	14	6	1	-	3	6
VIETNAMESE	4,938	362	291	226	1	30	11
FEMALE	2,352	177	131	99	1	11	6
MALE	2,586	185	160	127	-	19	5
WHITE	369,285	28,997	4,482	5,607	2,407	6,327	4,343
FEMALE	180,049	14,119	2,159	2,639	1,146	3,107	2,179
MALE	189,236	14,878	2,323	2,968	1,261	3,220	2,366
OTHER ASIAN	4,952	304	96	366	5	77	48
FEMALE	2,464	156	49	197	3	39	32
MALE	2,488	148	47	169	2	38	16
OTHER	707	20	27	24	2	24	2
FEMALE	331	8	8	10	1	11	2
MALE	376	12	19	14	1	13	-
NOT STATED	2,026	33	253	6	7	210	21
FEMALE	972	23	126	3	5	107	7
MALE	1,054	10	127	3	2	103	14

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO
ALL RACES	470,816	24,110	3,582	2,093	59	623	5,040
FEMALE	229,843	11,771	1,739	1,010	21	294	2,466
MALE	240,973	12,339	1,843	1,083	38	329	2,574
AMERICAN INDIAN	5,714	266	35	87	6	55	57
FEMALE	2,848	138	17	35	2	24	24
MALE	2,866	128	18	52	4	31	33
BLACK	46,137	1,267	68	21	1	13	722
FEMALE	22,907	629	39	14	-	4	368
MALE	23,230	638	29	7	1	9	354
CAMBODIAN	2,121	137	4	1	-	-	-
FEMALE	1,018	60	2	1	-	-	-
MALE	1,103	77	2	-	-	-	-
CHINESE	8,513	946	21	1	-	2	49
FEMALE	4,081	440	11	-	-	-	29
MALE	4,432	506	10	1	-	2	20
ESKIMO/ALEUT	32	2	1	2	-	-	-
FEMALE	15	1	1	1	-	-	-
MALE	17	1	-	1	-	-	-
FILIPINO	12,672	1,230	49	4	-	-	370
FEMALE	6,141	605	26	2	-	-	177
MALE	6,531	625	23	2	-	-	193
INDIAN (INDIA)	1,935	337	9	-	-	-	21
FEMALE	902	163	6	-	-	-	12
MALE	1,033	174	3	-	-	-	9
JAPANESE	4,155	357	35	1	-	1	56
FEMALE	2,005	177	20	1	-	-	24
MALE	2,150	180	15	-	-	1	32
KOREAN	3,658	253	5	2	-	-	27
FEMALE	1,773	118	3	-	-	-	16
MALE	1,885	135	2	2	-	-	11
PACIFIC ISLANDER	3,313	206	3	5	-	4	100
FEMALE	1,643	98	1	3	-	1	59
MALE	1,670	108	2	2	-	3	41
THAI	658	16	2	-	-	-	8
FEMALE	342	10	1	-	-	-	4
MALE	316	6	1	-	-	-	4
VIETNAMESE	4,938	964	4	1	-	-	7
FEMALE	2,352	460	1	1	-	-	4
MALE	2,586	504	3	-	-	-	3
WHITE	369,285	17,781	3,303	1,962	52	345	3,574
FEMALE	180,049	8,688	1,585	949	19	262	1,721
MALE	189,236	9,093	1,718	1,013	33	283	1,853
OTHER ASIAN	4,932	160	8	6	-	1	33
FEMALE	2,464	90	3	3	-	1	19
MALE	2,468	70	5	3	-	-	14
OTHER	707	63	3	-	-	-	9
FEMALE	331	30	2	-	-	-	5
MALE	376	33	1	-	-	-	4
NOT STATED	2,026	125	32	-	-	2	7
FEMALE	972	64	21	-	-	2	4
MALE	1,054	61	11	-	-	-	3

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE
ALL RACES	470,816	5,266	5,518	953	650	166	5,677
FEMALE	229,843	2,570	2,734	474	311	93	2,827
MALE	240,973	2,696	2,784	479	339	73	2,850
AMERICAN INDIAN	5,714	175	79	14	16	21	33
FEMALE	2,848	80	42	8	15	14	19
MALE	2,866	95	37	6	1	7	16
BLACK	46,137	124	112	25	3	-	110
FEMALE	22,907	61	49	14	2	-	58
MALE	23,230	63	63	11	1	-	52
CAMBODIAN	2,121	43	87	-	-	-	-
FEMALE	1,018	21	43	-	-	-	-
MALE	1,103	22	44	-	-	-	-
CHINESE	8,513	45	27	2	3	-	12
FEMALE	4,081	21	10	1	2	-	6
MALE	4,432	24	17	1	1	-	6
ESKIMO/ALEUT	32	1	-	-	-	-	-
FEMALE	15	-	-	-	-	-	-
MALE	17	1	-	-	-	-	-
FILIPINO	12,672	36	20	5	3	1	70
FEMALE	6,141	21	12	3	2	1	36
MALE	6,531	15	8	2	1	-	34
INDIAN (INDIA)	1,935	13	43	66	-	-	11
FEMALE	902	8	19	29	-	-	6
MALE	1,033	5	24	37	-	-	5
JAPANESE	4,155	29	17	4	1	1	13
FEMALE	2,005	14	5	2	1	1	5
MALE	2,150	15	12	2	-	-	8
KOREAN	3,636	15	3	3	1	-	2
FEMALE	1,773	10	3	1	-	-	1
MALE	1,863	5	2	2	1	-	1
PACIFIC ISLANDER	3,313	26	23	2	1	-	4
FEMALE	1,643	15	12	1	-	-	3
MALE	1,670	11	11	1	1	-	1
THAI	658	2	-	1	-	-	1
FEMALE	342	2	-	1	-	-	-
MALE	316	-	-	-	-	-	1
VIETNAMESE	4,938	16	24	-	1	-	4
FEMALE	2,352	11	8	-	1	-	4
MALE	2,586	5	16	-	-	-	-
WHITE	369,285	4,646	4,972	804	621	142	5,286
FEMALE	180,049	2,263	2,473	399	288	76	2,623
MALE	189,236	2,383	2,499	405	333	66	2,663
OTHER ASIAN	4,952	35	95	14	-	-	126
FEMALE	2,464	13	51	10	-	-	64
MALE	2,488	22	44	4	-	-	62
OTHER	707	5	10	10	-	-	2
FEMALE	331	2	5	4	-	-	1
MALE	376	3	5	6	-	-	1
NOT STATED	2,026	55	4	3	-	1	1
FEMALE	972	28	2	1	-	1	1
MALE	1,054	27	2	2	-	-	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	TUOLUMNE	VENTURA	YOLO	YUBA		
ALL RACES	470,816	477	10,387	1,930	1,074		
FEMALE	229,843	216	5,274	917	517		
MALE	240,973	261	5,313	1,013	557		
AMERICAN INDIAN	5,714	17	114	33	38		
FEMALE	2,848	10	54	15	22		
MALE	2,866	7	60	18	16		
BLACK	46,137	1	330	54	76		
FEMALE	22,907	1	154	23	43		
MALE	23,230	-	176	31	33		
CAMBODIAN	2,121	-	3	4	-		
FEMALE	1,018	-	-	3	-		
MALE	1,103	-	3	1	-		
CHINESE	8,513	-	69	19	1		
FEMALE	4,081	-	36	8	1		
MALE	4,432	-	33	11	-		
ESKIMO/ALEUT	32	-	1	-	-		
FEMALE	15	-	1	-	-		
MALE	17	-	-	-	-		
FILIPINO	12,672	1	235	16	10		
FEMALE	6,141	1	117	5	3		
MALE	6,531	-	118	11	7		
INDIAN (INDIA)	1,935	-	17	16	3		
FEMALE	902	-	8	8	1		
MALE	1,033	-	9	8	2		
JAPANESE	4,155	1	82	12	7		
FEMALE	2,005	-	40	6	4		
MALE	2,150	1	42	6	3		
KOREAN	3,658	-	37	12	14		
FEMALE	1,773	-	18	6	9		
MALE	1,885	-	19	6	5		
PACIFIC ISLANDER	3,313	4	44	9	8		
FEMALE	1,643	1	25	3	6		
MALE	1,670	3	19	6	2		
THAI	658	-	6	-	1		
FEMALE	342	-	2	-	-		
MALE	316	-	4	-	1		
VIETNAMESE	4,938	1	46	3	2		
FEMALE	2,352	1	20	1	1		
MALE	2,586	-	26	2	1		
WHITE	369,285	452	9,396	1,713	897		
FEMALE	180,049	202	4,693	820	420		
MALE	189,236	250	4,701	893	477		
OTHER ASIAN	4,932	-	48	13	13		
FEMALE	2,464	-	23	5	4		
MALE	2,468	-	25	8	9		
OTHER	707	-	4	14	1		
FEMALE	331	-	3	8	1		
MALE	376	-	1	6	-		
NOT STATED	2,026	-	135	12	3		
FEMALE	972	-	78	6	2		
MALE	1,054	-	77	6	1		

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-10

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	ALAMEDA	ALPINE	AMADOR	BUTTE	CALAVERAS	COLUSA
ALL ORIGINS	470,616	19,624	13	231	2,391	314	279
FEMALE	229,843	9,492	6	108	1,167	150	139
MALE	240,973	10,132	7	123	1,224	164	140
CUBAN	836	9	-	-	2	2	-
FEMALE	417	5	-	-	2	1	-
MALE	419	4	-	-	-	1	-
MEXICAN	129,479	2,314	1	9	174	12	106
FEMALE	63,325	1,126	1	4	92	7	54
MALE	66,154	1,188	-	5	82	5	52
PUERTO RICAN	1,636	139	-	-	4	1	-
FEMALE	813	68	-	-	4	-	-
MALE	823	71	-	-	-	1	-
OTHER SPANISH/HISPANIC	17,216	224	-	-	8	1	-
FEMALE	8,432	113	-	-	4	-	-
MALE	8,786	111	-	-	4	1	-
NOT SPANISH/HISPANIC	317,456	16,335	11	222	2,190	296	172
FEMALE	154,841	7,893	5	104	1,059	141	84
MALE	162,617	8,442	6	118	1,131	155	88
NOT STATED	4,167	603	1	-	13	2	1
FEMALE	2,015	287	-	-	6	1	1
MALE	2,152	316	1	-	7	1	-

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT
ALL ORIGINS	470,816	10,861	320	1,311	11,705	377	1,841
FEMALE	229,843	5,330	151	757	5,764	168	908
MALE	240,973	5,531	169	754	5,941	209	933
CUBAN	856	7	-	-	2	-	-
FEMALE	417	4	-	-	-	-	-
MALE	439	3	-	-	2	-	-
MEXICAN	129,479	981	26	96	4,867	98	53
FEMALE	63,325	491	9	51	2,366	52	23
MALE	66,154	490	17	45	2,501	46	28
PUERTO RICAN	1,638	45	-	1	6	-	1
FEMALE	813	13	-	1	1	-	-
MALE	825	32	-	-	5	-	1
OTHER SPANISH/HISPANIC	17,218	128	1	13	72	-	4
FEMALE	8,432	59	1	9	44	-	1
MALE	8,786	69	-	4	28	-	3
NOT SPANISH/HISPANIC	317,458	9,371	271	1,394	6,735	278	1,773
FEMALE	154,841	4,695	127	694	3,346	116	877
MALE	162,617	4,676	144	700	3,389	162	896
NOT STATED	4,167	129	22	7	23	1	10
FEMALE	2,013	68	14	2	7	-	5
MALE	2,152	61	8	5	16	1	5

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	IMPERIAL	INYO	KERN	KINGS	LAKE	LASSEN
ALL ORIGINS	470,816	2,186	217	9,999	1,847	662	340
FEMALE	229,843	1,055	111	4,918	928	318	169
MALE	240,973	1,131	106	5,081	919	344	171
CUBAN	836	-	-	3	1	-	-
FEMALE	417	-	-	1	-	-	-
MALE	439	-	-	2	1	-	-
MEXICAN	129,479	1,378	17	3,108	674	34	9
FEMALE	63,325	774	11	1,524	353	26	5
MALE	66,154	604	6	1,584	321	28	4
PUERTO RICAN	1,636	-	-	30	3	-	-
FEMALE	813	-	-	15	-	-	-
MALE	823	-	-	15	3	-	-
OTHER SPANISH/HISPANIC	17,218	3	-	61	7	1	-
FEMALE	8,432	1	-	37	3	1	-
MALE	8,786	2	-	44	4	-	-
NOT SPANISH/HISPANIC	317,458	592	198	6,397	1,161	603	329
FEMALE	154,841	272	100	3,148	571	289	164
MALE	162,617	320	98	3,249	590	316	165
NOT STATED	4,167	13	2	380	1	2	2
FEMALE	2,013	8	-	193	1	2	-
MALE	2,152	5	2	187	-	-	2

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	LOS ANGELES	MADERA	MARIN	MARIPOSA	MENDOCINO	MERCED
ALL ORIGINS	470,616	156,618	1,393	2,560	130	1,201	3,474
FEMALE	229,843	76,302	682	1,252	64	551	1,635
MALE	240,973	80,316	713	1,308	66	650	1,839
CUBAN	836	623	-	4	-	-	-
FEMALE	417	307	-	2	-	-	-
MALE	439	316	-	2	-	-	-
MEXICAN	129,479	38,393	622	114	6	133	1,154
FEMALE	63,325	28,631	308	66	2	62	570
MALE	66,154	29,964	314	48	4	71	584
PUERTO RICAN	1,638	619	2	4	-	-	4
FEMALE	813	319	1	2	-	-	2
MALE	825	300	1	2	-	-	2
OTHER SPANISH/HISPANIC	17,218	12,983	7	37	1	2	15
FEMALE	8,432	6,284	2	12	-	1	10
MALE	8,786	6,699	5	25	1	1	5
NOT SPANISH/HISPANIC	317,458	83,109	760	2,371	141	1,047	2,259
FEMALE	154,841	40,467	369	1,153	61	479	1,034
MALE	162,617	42,642	391	1,218	80	568	1,225
NOT STATED	4,167	889	4	30	2	19	42
FEMALE	2,015	294	2	17	1	9	19
MALE	2,152	395	2	13	1	10	23

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	MODOC	MONO	MONTEREY	NAPA	NEVADA	ORANGE
ALL ORIGINS	470,816	146	147	6,572	1,368	893	36,704
FEMALE	229,843	68	72	3,189	691	411	18,012
MALE	240,973	78	75	3,383	677	482	18,692
CUBAN	856	-	-	2	-	-	71
FEMALE	417	-	-	1	-	-	33
MALE	439	-	-	1	-	-	38
MEXICAN	129,479	19	12	2,476	247	39	9,433
FEMALE	63,325	8	5	1,201	114	16	4,576
MALE	66,154	11	7	1,275	133	23	4,839
PUERTO RICAN	1,638	-	-	47	2	-	78
FEMALE	813	-	-	25	-	-	37
MALE	825	-	-	22	2	-	41
OTHER SPANISH/HISPANIC	17,218	-	1	72	9	3	805
FEMALE	8,432	-	1	40	2	2	436
MALE	8,786	-	-	32	7	3	369
NOT SPANISH/HISPANIC	317,458	93	132	3,936	1,109	845	26,084
FEMALE	154,841	44	65	1,912	575	390	12,827
MALE	162,617	51	67	2,044	534	455	13,257
NOT STATED	4,167	32	2	19	1	4	231
FEMALE	2,015	16	1	10	-	3	103
MALE	2,152	16	1	9	1	1	128

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	PLACER	PLUMAS	RIVERSIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO
ALL ORIGINS	470,816	1,944	268	15,508	15,464	621	21,284
FEMALE	229,843	986	118	7,648	7,489	306	10,427
MALE	240,973	958	150	7,860	7,975	315	10,857
CUBAN	836	-	1	22	5	-	20
FEMALE	417	-	1	6	1	-	8
MALE	439	-	-	16	4	-	12
MEXICAN	129,479	153	7	4,443	1,742	319	5,025
FEMALE	63,323	75	2	2,213	851	156	2,467
MALE	66,156	78	5	2,230	891	163	2,558
PUERTO RICAN	1,638	2	-	51	48	-	69
FEMALE	813	1	-	23	23	-	35
MALE	825	1	-	28	23	-	34
OTHER SPANISH/HISPANIC	17,218	3	-	140	79	2	222
FEMALE	8,432	2	-	71	43	-	106
MALE	8,786	1	-	69	36	2	116
NOT SPANISH/HISPANIC	317,458	1,778	255	10,802	13,312	283	15,794
FEMALE	154,841	901	113	5,307	6,420	144	7,742
MALE	162,617	877	142	5,495	6,892	139	8,052
NOT STATED	4,167	8	5	50	278	17	154
FEMALE	2,015	7	2	28	149	6	69
MALE	2,152	1	3	22	129	11	85

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA
ALL ORIGINS	470,816	37,200	9,739	7,993	2,633	9,262	5,149
FEMALE	229,643	18,148	4,747	3,889	1,273	4,544	2,466
MALE	240,973	19,052	4,992	4,104	1,360	4,718	2,683
CUBAN	636	22	8	4	-	7	3
FEMALE	617	14	4	2	-	4	-
MALE	639	8	4	2	-	3	3
MEXICAN	129,479	8,518	986	1,868	377	1,410	1,618
FEMALE	63,325	4,166	495	887	170	706	763
MALE	66,154	4,352	491	981	207	704	855
PUERTO RICAN	1,638	163	56	16	1	37	15
FEMALE	813	80	34	9	1	13	7
MALE	825	83	22	7	-	24	8
OTHER SPANISH/HISPANIC	17,218	304	891	37	9	419	40
FEMALE	8,432	153	439	17	6	220	21
MALE	8,786	151	452	20	3	199	19
NOT SPANISH/HISPANIC	317,438	28,033	7,362	6,034	2,222	7,157	3,432
FEMALE	154,841	13,662	3,657	2,967	1,083	3,484	1,666
MALE	162,617	14,391	3,905	3,087	1,139	3,673	1,786
NOT STATED	4,167	140	236	14	24	232	21
FEMALE	2,015	73	118	7	13	117	9
MALE	2,152	67	118	7	11	115	12

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO
ALL ORIGINS	470,816	24,110	3,582	2,093	59	623	5,040
FEMALE	229,843	11,771	1,739	1,010	21	294	2,466
MALE	240,973	12,339	1,843	1,083	38	329	2,574
CUBAN	836	20	1	-	-	-	6
FEMALE	417	14	-	-	-	-	3
MALE	439	6	1	-	-	-	3
MEXICAN	129,479	5,678	1,106	73	2	33	493
FEMALE	63,325	2,787	515	33	1	10	247
MALE	66,154	2,891	591	40	1	23	246
PUERTO RICAN	1,638	114	6	1	-	-	22
FEMALE	813	55	3	1	-	-	11
MALE	825	59	3	-	-	-	11
OTHER SPANISH/HISPANIC	17,218	332	24	1	-	-	57
FEMALE	8,432	171	14	-	-	-	25
MALE	8,786	161	10	1	-	-	32
NOT SPANISH/HISPANIC	317,458	17,769	2,416	2,015	57	441	4,424
FEMALE	154,841	8,630	1,187	975	20	214	2,159
MALE	162,617	9,119	1,229	1,040	37	227	2,265
NOT STATED	4,167	197	29	3	-	149	38
FEMALE	2,015	94	20	1	-	70	21
MALE	2,152	103	9	2	-	79	17

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE
ALL ORIGINS	470,816	3,266	3,518	953	650	166	3,677
FEMALE	229,843	2,570	2,734	474	311	93	2,827
MALE	240,973	2,696	2,784	479	339	73	2,850
CUBAN	834	2	1	-	-	-	3
FEMALE	417	-	1	-	-	-	-
MALE	439	2	-	-	-	-	3
MEXICAN	129,479	388	1,283	162	71	4	2,639
FEMALE	63,325	279	640	89	34	3	1,260
MALE	66,154	309	643	73	37	1	1,379
PUERTO RICAN	1,638	6	9	-	1	-	8
FEMALE	813	2	5	-	1	-	4
MALE	825	4	4	-	-	-	4
OTHER SPANISH/HISPANIC	17,218	18	21	1	1	-	15
FEMALE	8,432	9	7	1	1	-	7
MALE	8,786	9	14	-	-	-	8
NOT SPANISH/HISPANIC	317,458	4,610	4,197	784	571	157	2,978
FEMALE	154,841	2,258	2,078	381	273	88	1,526
MALE	162,617	2,352	2,119	403	298	69	1,452
NOT STATED	4,167	42	7	6	6	5	14
FEMALE	2,015	22	3	3	2	2	10
MALE	2,152	20	4	3	4	3	4

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CAL[IFORNIA]	TUOLUMNE	VENTURA	YOLO	YUBA		
ALL ORIGINS	[4]70,816	477	10,387	1,930	1,074		
FEMALE	[2]29,843	216	5,274	917	517		
MALE	[2]40,973	261	5,313	1,013	557		
CUBAN	856	-	4	-	1		
FEMALE	417	-	2	-	1		
MALE	439	-	2	-	-		
MEXICAN	[1]29,479	21	3,291	426	94		
FEMALE	63,325	8	1,668	202	48		
MALE	66,154	13	1,623	224	46		
PUERTO RICAN	1,638	-	23	1	3		
FEMALE	813	-	13	1	1		
MALE	825	-	10	-	2		
OTHER SPANISH/HISPANIC	17,218	1	101	11	9		
FEMALE	8,432	-	46	7	3		
MALE	8,786	1	55	4	6		
NOT SPANISH/HISPANIC	[3]17,458	454	6,988	1,473	962		
FEMALE	[1]54,841	208	3,458	699	460		
MALE	[1]62,617	246	3,530	774	502		
NOT STATED	4,167	1	180	19	5		
FEMALE	2,015	-	87	8	4		
MALE	2,132	1	93	11	1		

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-11

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	470,816	890	2,554	5,630	9,323	13,824	19,034	136,983	149,523	94,067	33,578	4,953	220	20	213
AMERICAN INDIAN	5,714	12	62	89	173	237	326	2,057	1,565	829	292	51	-	-	1
BLACK	46,137	257	551	1,032	1,569	2,113	2,803	15,633	13,069	6,559	2,236	282	12	-	21
CAMBODIAN	2,121	-	5	12	30	30	59	483	631	463	238	126	21	1	2
CHINESE	6,513	1	1	7	15	25	31	761	3,045	3,261	1,248	113	4	1	-
ESKIMO/ALEUT	32	-	1	1	2	1	2	12	7	5	1	-	-	-	-
FILIPINO	12,672	13	31	65	122	217	245	2,526	4,137	3,535	1,357	213	7	1	3
INDIAN (INDIA)	1,935	-	1	2	6	7	19	439	784	505	160	11	-	-	1
JAPANESE	4,155	3	6	10	22	42	44	591	1,394	1,433	565	44	-	-	1
KOREAN	3,656	1	-	5	8	16	17	516	1,829	998	237	28	-	-	3
PACIFIC ISLANDER	3,313	2	21	38	74	103	148	1,170	1,024	498	201	27	2	1	2
THAI	658	1	2	5	4	8	9	74	165	239	131	20	-	-	-
VIETNAMESE	4,938	3	6	20	41	74	107	1,120	1,694	1,284	470	102	13	1	3
WHITE	369,265	568	1,817	4,248	7,104	10,703	14,970	109,612	117,919	72,773	23,560	3,776	125	6	102
OTHER ASIAN	4,952	21	43	76	106	158	187	1,377	1,389	1,014	408	118	36	9	10
OTHER	707	3	-	3	15	15	22	195	259	141	45	8	-	-	1
NOT STATED	2,026	5	7	17	32	31	45	419	612	530	229	34	-	-	65
ALAMEDA	19,624	46	98	212	284	474	683	5,080	6,307	4,403	1,785	226	10	-	14
AMERICAN INDIAN	158	-	1	2	7	5	7	58	40	26	11	1	-	-	-
BLACK	4,575	30	58	109	126	187	269	1,461	1,271	724	293	37	3	-	3
CAMBODIAN	146	-	1	-	1	2	7	37	40	33	16	6	1	-	-
CHINESE	773	-	-	1	1	-	1	62	292	286	121	9	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FILIPINO	892	2	2	4	6	18	16	175	315	239	107	8	-	-	-
INDIAN (INDIA)	185	-	-	-	2	-	1	37	73	54	16	2	-	-	-
JAPANESE	195	-	-	-	1	-	3	21	69	61	37	3	-	-	-
KOREAN	162	-	-	1	-	1	-	28	81	37	13	1	-	-	-
PACIFIC ISLANDER	197	1	1	3	1	9	10	66	60	34	11	1	-	-	-
THAI	17	-	-	-	-	-	1	1	4	7	4	-	-	-	-
VIETNAMESE	282	1	-	-	3	8	8	61	110	66	20	2	2	-	1
WHITE	11,564	11	33	89	124	238	349	2,959	3,807	2,724	1,071	148	4	-	7
OTHER ASIAN	252	1	2	-	9	5	8	58	82	58	25	3	-	-	1
OTHER	30	-	-	-	-	-	1	10	6	7	5	1	-	-	-
NOT STATED	195	-	-	3	3	1	1	46	57	49	33	2	-	-	-
ALPINE	13	-	-	-	-	-	1	1	3	4	2	-	-	-	-
AMERICAN INDIAN	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	9	-	-	-	-	-	-	1	4	3	1	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
AMADOR	231	-	-	1	4	7	15	63	63	37	15	4	-	-	-
AMERICAN INDIAN	8	-	-	-	-	-	2	2	1	2	1	-	-	-	-
BLACK	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	217	-	-	1	4	7	13	59	62	34	13	4	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	2,391	7	11	33	48	71	122	707	733	469	149	17	-	-	-
AMERICAN INDIAN	70	1	-	3	2	5	8	24	17	4	4	2	-	-	-
BLACK	59	2	-	2	1	1	1	21	22	5	4	-	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
CHINESE	11	-	-	-	-	-	-	-	3	5	3	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	1	1	-	-	2	-	-	-	-	-
JAPANESE	7	-	-	-	-	-	-	2	2	3	-	-	-	-	-
KOREAN	5	-	-	-	-	-	-	1	4	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	2,215	4	11	29	45	64	112	631	701	444	137	15	-	-	-
OTHER ASIAN	9	-	-	1	-	-	-	3	2	3	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CALAVERAS	314	-	2	1	8	11	16	85	93	76	19	3	-	-	-
AMERICAN INDIAN	11	-	-	1	2	1	1	1	3	1	1	-	-	-	-
BLACK	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
KOREAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	294	-	2	-	5	9	15	83	88	72	17	3	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	[illegible]	-	1	1	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
COLUSA	279	-	2	3	2	12	10	90	97	49	11	3	-	-	-
AMERICAN INDIAN	5	-	-	-	-	1	-	1	2	1	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	264	-	2	3	2	11	10	84	93	46	11	2	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CONTRA COSTA	10,861	26	52	101	170	261	309	2,668	3,606	2,578	978	108	2	-	2
AMERICAN INDIAN	100	-	3	2	3	4	8	40	20	12	8	-	-	-	-
BLACK	1,412	13	23	42	57	80	67	462	374	215	71	7	-	-	1
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	276	-	-	-	-	2	-	14	80	125	48	7	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	336	-	2	3	1	8	9	73	94	89	52	4	-	-	1
INDIAN (INDIA)	57	-	-	-	-	-	-	16	16	22	3	-	-	-	-
JAPANESE	124	1	-	1	-	1	-	13	35	54	18	1	-	-	-
KOREAN	48	-	-	-	-	-	-	8	20	12	8	-	-	-	-
PACIFIC ISLANDER	62	-	1	1	3	1	3	22	17	10	4	-	-	-	-
THAI	6	-	-	-	-	-	-	-	-	2	4	-	-	-	-
VIETNAMESE	39	-	-	-	-	-	2	7	12	12	4	2	-	-	-
WHITE	8,156	10	23	51	103	136	214	1,952	2,868	1,960	736	81	2	-	-
OTHER ASIAN	151	2	-	-	2	9	5	43	36	39	11	4	-	-	-
OTHER	19	-	-	-	-	-	-	4	11	4	-	-	-	-	-
NOT STATED	75	-	-	1	1	-	1	14	23	22	11	2	-	-	-
DEL NORTE	320	2	3	2	6	18	15	109	87	56	20	1	-	-	1
AMERICAN INDIAN	40	1	2	1	3	3	3	14	6	6	1	-	-	-	-
BLACK	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	266	1	1	1	3	15	12	90	77	47	18	1	-	-	-
OTHER ASIAN	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
EL DORADO	1,511	1	6	14	22	44	51	433	473	336	115	12	-	-	-
AMERICAN INDIAN	9	-	-	1	-	1	-	4	1	1	1	-	-	-	-
BLACK	19	-	-	-	-	2	-	4	9	2	1	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	28	-	-	-	-	-	-	6	13	3	4	2	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	-	2	4	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	1,427	1	6	13	22	39	50	413	444	320	108	9	-	-	-
OTHER ASIAN	8	-	-	-	-	2	-	-	1	4	1	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FRESNO	11,703	33	103	204	347	465	608	3,648	3,402	2,025	710	122	16	4	18
AMERICAN INDIAN	141	-	1	4	7	10	12	43	40	17	7	-	-	-	-
BLACK	742	9	6	23	35	36	52	258	177	100	44	1	-	-	1
CAMBODIAN	44	-	-	-	1	1	1	7	18	11	4	-	-	-	1
CHINESE	70	-	-	-	1	-	-	9	28	20	10	2	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	82	2	-	-	3	2	6	17	21	19	12	-	-	-	-
INDIAN (INDIA)	47	-	-	-	-	-	-	18	21	7	-	-	-	-	1
JAPANESE	78	1	-	-	-	1	1	7	28	24	14	2	-	-	-
KOREAN	18	-	-	-	-	-	-	3	6	7	2	-	-	-	-
PACIFIC ISLANDER	18	-	-	-	2	1	1	7	5	2	-	-	-	-	-
THAI	9	-	-	-	-	-	-	1	3	3	1	1	-	-	-
VIETNAMESE	41	-	-	1	2	-	1	15	9	10	1	2	-	-	-
WHITE	9,531	17	87	160	272	386	496	2,996	2,846	1,669	536	74	3	-	9
OTHER ASIAN	850	5	8	16	24	28	38	259	198	132	79	40	13	4	6
OTHER	13	-	-	-	-	-	-	6	4	3	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
GLENN	377	1	-	4	12	10	23	113	132	55	23	4	-	-	-
AMERICAN INDIAN	9	-	-	-	2	-	-	4	2	1	-	-	-	-	-
BLACK	6	-	-	-	1	-	-	1	3	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	6	-	-	-	-	-	-	1	3	1	1	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	334	1	-	4	9	10	23	106	124	51	22	4	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT	1,841	2	5	13	31	51	63	368	373	382	122	20	1	-	6
AMERICAN INDIAN	198	-	1	4	7	10	10	70	36	27	10	2	-	-	1
BLACK	32	-	-	-	1	2	1	15	7	2	3	1	-	-	-
CAMBODIAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	5	-	-	-	-	-	-	2	-	3	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	2	1	2	-	-	-	-	-
KOREAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
PACIFIC ISLANDER	9	-	-	-	-	1	1	4	3	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,535	2	4	10	20	36	32	464	495	343	105	17	1	-	4
OTHER ASIAN	28	-	-	1	2	-	1	10	7	3	3	-	-	-	1
OTHER	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-
IMPERIAL	2,186	3	14	33	38	68	110	443	473	390	138	34	-	-	-
AMERICAN INDIAN	37	-	-	-	1	1	2	16	6	10	1	-	-	-	-
BLACK	51	1	-	-	-	4	3	16	14	10	3	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	4	-	-	1	-	-	-	-	2	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	12	-	1	-	-	-	1	3	-	3	2	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	1	-	1	-	2	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-
KOREAN	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,062	2	13	34	57	83	103	403	445	339	129	34	-	-	-
OTHER ASIAN	8	-	-	-	-	-	-	3	1	3	1	-	-	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INYO	217	1	-	2	4	2	8	62	66	56	13	3	-	-	-
AMERICAN INDIAN	29	-	-	1	1	1	1	9	5	9	1	1	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	183	1	-	1	3	1	6	33	50	44	12	2	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KERN	9,999	34	78	171	287	442	540	3,509	2,971	1,415	469	76	5	-	2
AMERICAN INDIAN	144	1	-	3	3	4	3	44	41	15	8	-	-	-	-
BLACK	686	4	12	24	30	48	60	239	179	64	22	2	-	-	-
CAMBODIAN	6	-	-	-	-	-	-	1	4	-	1	-	-	-	-
CHINESE	33	-	-	-	-	1	2	1	10	13	4	1	1	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FILIPINO	200	-	1	-	6	7	6	44	63	52	16	2	1	-	-
INDIAN (INDIA)	30	-	-	-	-	1	-	6	10	8	4	1	-	-	-
JAPANESE	30	-	-	-	-	-	1	5	14	5	5	-	-	-	-
KOREAN	23	-	-	-	-	-	1	6	9	4	1	2	-	-	-
PACIFIC ISLANDER	23	-	-	1	1	-	1	10	3	6	1	-	-	-	-
THAI	6	-	-	1	-	-	-	-	3	1	1	-	-	-	-
VIETNAMESE	7	-	-	-	1	-	-	-	4	2	-	-	-	-	-
WHITE	8,701	29	65	130	244	381	465	3,115	2,626	1,239	403	67	3	-	2
OTHER ASIAN	18	-	-	2	-	-	-	8	4	3	1	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	10	-	-	-	-	-	-	6	-	3	-	1	-	-	-
KINGS	1,847	6	22	25	37	88	114	691	511	252	91	10	-	-	-
AMERICAN INDIAN	22	1	-	-	-	2	3	9	2	2	3	-	-	-	-
BLACK	123	1	4	-	-	8	9	51	31	14	5	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	56	-	-	1	-	1	1	11	18	16	8	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
KOREAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	1	-	2	-	2	-	-	-	-	-
THAI	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
WHITE	1,629	4	18	24	36	76	101	615	434	217	74	10	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	662	1	5	13	17	32	38	228	192	105	22	9	-	-	-
AMERICAN INDIAN	35	-	1	-	2	2	1	18	7	4	-	-	-	-	-
BLACK	12	-	-	-	-	-	2	2	6	1	-	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	1	-	3	2	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	598	1	4	13	15	30	34	[illegible]	173	94	21	8	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LASSEN	340	-	3	3	7	12	20	123	107	47	15	1	-	-	-
AMERICAN INDIAN	20	-	-	-	1	-	4	9	4	1	1	-	-	-	-
BLACK	13	-	-	-	-	-	-	4	6	2	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	6	-	-	-	-	2	-	1	1	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
KOREAN	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	295	-	3	3	6	10	15	106	94	44	13	1	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES	156,618	333	936	2,031	3,424	4,807	6,567	44,437	48,885	31,248	11,879	1,895	71	5	98
AMERICAN INDIAN	887	-	16	9	26	37	62	291	242	131	47	12	-	-	-
BLACK	22,041	113	274	501	781	1,048	1,408	7,214	6,220	3,207	1,112	149	4	-	13
CAMBODIAN	835	-	-	4	9	20	17	195	256	192	88	43	9	1	-
CHINESE	2,907	-	-	2	5	6	7	274	1,083	1,111	376	42	1	-	-
ESKIMO/ALEUT	7	-	-	-	1	-	-	1	3	2	-	-	-	-	-
FILIPINO	3,670	1	9	19	24	39	55	563	1,127	1,190	538	81	2	-	2
INDIAN (INDIA)	486	-	-	1	-	1	4	82	210	131	54	3	-	-	-
JAPANESE	1,476	1	-	4	7	7	10	151	470	555	251	18	-	-	1
KOREAN	1,981	1	-	3	2	4	3	234	1,011	580	126	12	-	-	3
PACIFIC ISLANDER	906	-	-	9	21	30	33	314	279	144	62	9	-	-	-
THAI	403	-	-	-	1	2	3	36	110	142	94	14	-	-	-
VIETNAMESE	1,136	-	-	4	7	13	16	241	407	295	130	21	2	-	-
WHITE	118,394	216	634	1,467	2,530	3,379	4,911	34,531	36,949	23,144	8,866	1,471	53	4	39
OTHER ASIAN	883	-	-	4	4	14	19	177	333	252	68	9	-	-	-
OTHER	196	-	-	-	3	3	5	46	76	30	9	4	-	-	-
NOT STATED	410	1	3	4	3	4	12	87	109	102	38	7	-	-	40
MADERA	1,395	6	9	29	48	63	67	480	398	202	72	14	3	-	2
AMERICAN INDIAN	27	-	-	-	1	3	2	9	8	2	2	-	-	-	-
BLACK	53	-	-	3	2	3	2	25	14	2	2	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	11	1	-	-	-	1	1	2	3	1	1	1	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,289	4	9	26	43	58	62	439	366	193	67	13	3	-	2
OTHER ASIAN	5	1	-	-	-	-	-	3	-	1	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIN	2,560	-	-	6	13	16	29	383	736	853	455	69	-	-	-
AMERICAN INDIAN	19	-	-	-	-	-	2	6	4	6	1	-	-	-	-
BLACK	103	-	-	2	2	2	2	32	31	23	9	-	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	34	-	-	-	-	-	-	4	9	11	9	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	23	-	-	-	-	-	-	7	7	7	2	-	-	-	-
INDIAN (INDIA)	6	-	-	-	-	-	-	1	1	3	1	-	-	-	-
JAPANESE	29	-	-	-	-	-	-	2	5	12	9	1	-	-	-
KOREAN	11	-	-	-	-	-	-	-	4	4	1	2	-	-	-
PACIFIC ISLANDER	8	-	-	-	-	-	-	2	4	1	1	-	-	-	-
THAI	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
VIETNAMESE	20	-	-	-	-	1	-	6	5	6	2	-	-	-	-
WHITE	2,240	-	-	4	10	13	22	314	645	761	411	60	-	-	-
OTHER ASIAN	13	-	-	-	-	-	2	2	2	6	1	-	-	-	-
OTHER	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
NOT STATED	44	-	-	-	-	-	1	4	13	11	8	5	-	-	-
MARIPOSA	150	-	-	1	3	2	9	39	48	33	13	2	-	-	-
AMERICAN INDIAN	6	-	-	-	-	-	-	2	1	2	1	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	144	-	-	1	3	2	9	37	47	31	12	2	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	1,201	-	7	15	24	36	62	377	307	243	115	14	-	-	1
AMERICAN INDIAN	93	-	2	2	5	10	5	30	18	13	5	3	-	-	-
BLACK	9	-	-	-	-	1	-	3	3	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	10	-	-	-	2	1	-	1	2	4	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	1	4	-	1	-	-	-	-
KOREAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	1	-	-	-	2	1	-	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
WHITE	1,058	-	4	13	17	24	55	333	273	216	105	11	-	-	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	12	-	-	-	-	-	-	3	3	3	3	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED	3,474	6	36	36	97	134	183	1,261	963	503	169	37	4	3	-
AMERICAN INDIAN	27	-	-	-	2	3	3	11	4	2	2	-	-	-	-
BLACK	199	-	2	3	4	16	14	79	57	19	5	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	1	-	1	-	-	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	25	-	-	-	1	1	2	5	8	6	2	-	-	-	-
INDIAN (INDIA)	24	-	-	-	-	-	-	7	11	4	2	-	-	-	-
JAPANESE	7	-	-	-	-	1	2	1	3	-	-	-	-	-	-
KOREAN	11	-	-	-	1	-	-	2	3	5	-	-	-	-	-
PACIFIC ISLANDER	13	-	-	2	1	-	-	5	5	-	-	-	-	-	-
THAI	3	-	-	1	-	1	-	-	-	1	-	-	-	-	-
VIETNAMESE	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
WHITE	2,773	5	26	42	80	112	134	1,032	780	396	122	23	1	-	-
OTHER ASIAN	363	1	8	10	7	18	10	117	89	68	35	14	3	3	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MODOC	146	2	2	-	4	1	6	52	44	26	9	-	-	-	-
AMERICAN INDIAN	6	-	-	-	-	-	-	3	2	1	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	136	2	2	-	4	1	6	48	41	24	8	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONO	147	-	-	1	-	3	10	32	50	40	11	-	-	-	-
AMERICAN INDIAN	10	-	-	1	-	-	3	4	-	2	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	131	-	-	-	-	3	7	27	49	34	11	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONTEREY	6,572	9	39	77	147	227	283	2,096	2,110	1,150	336	71	5	-	2
AMERICAN INDIAN	57	-	-	1	2	2	2	18	19	12	-	1	-	-	-
BLACK	594	2	4	8	9	23	25	250	197	57	16	3	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	26	-	-	-	-	-	-	3	8	9	6	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	227	-	-	4	8	5	6	60	70	49	22	3	-	-	-
INDIAN (INDIA)	12	-	-	1	-	-	-	1	2	8	-	-	-	-	-
JAPANESE	72	-	-	-	1	-	2	13	27	20	9	-	-	-	-
KOREAN	118	-	-	-	-	2	3	33	54	17	8	1	-	-	-
PACIFIC ISLANDER	96	-	1	2	1	6	3	35	34	10	4	-	-	-	-
THAI	8	1	-	-	-	1	-	-	1	5	-	-	-	-	-
VIETNAMESE	64	-	-	2	2	1	1	18	22	11	2	4	1	-	-
WHITE	5,271	6	34	59	123	185	243	1,636	1,671	944	289	59	2	-	-
OTHER ASIAN	13	-	-	-	-	1	-	6	3	3	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	13	-	-	-	1	1	-	2	2	5	-	-	-	-	2
NAPA	1,368	2	4	8	19	30	54	390	438	293	98	12	-	-	-
AMERICAN INDIAN	18	-	2	-	-	1	-	8	3	4	-	-	-	-	-
BLACK	7	-	-	-	-	-	1	1	1	1	3	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	5	-	-	-	-	-	-	1	-	3	-	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	9	-	-	-	-	-	-	2	3	3	1	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	1	1	4	-	-	-	-	-
KOREAN	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-
PACIFIC ISLANDER	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
WHITE	1,307	2	2	8	19	29	53	374	444	273	93	10	-	-	-
OTHER ASIAN	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	893	-	1	6	12	20	29	233	266	234	82	8	-	-	-
AMERICAN INDIAN	22	-	-	-	1	-	-	9	5	2	5	-	-	-	-
BLACK	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	838	-	1	6	11	20	28	220	261	228	75	8	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ORANGE	36,704	44	129	317	520	821	1,226	10,392	12,430	7,829	2,580	370	19	-	27
AMERICAN INDIAN	214	-	2	-	5	10	9	80	61	35	9	3	-	-	-
BLACK	962	3	4	14	28	40	39	327	313	144	44	5	1	-	-
CAMBODIAN	141	-	-	1	1	2	3	36	41	38	10	6	2	-	1
CHINESE	419	-	1	1	-	-	2	25	137	166	61	6	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	444	-	3	1	6	8	9	78	142	132	58	7	-	-	-
INDIAN (INDIA)	170	-	1	-	1	-	1	25	66	60	15	1	-	-	-
JAPANESE	412	-	-	-	-	6	1	50	146	161	43	5	-	-	-
KOREAN	391	-	-	1	2	1	1	37	204	107	17	2	-	-	-
PACIFIC ISLANDER	267	-	2	2	5	2	8	110	88	33	14	3	-	-	-
THAI	45	-	-	-	-	-	2	7	13	14	9	-	-	-	-
VIETNAMESE	1,051	-	-	4	5	13	28	228	353	270	104	35	3	-	-
WHITE	31,804	39	116	291	464	727	1,114	9,260	10,758	6,575	2,151	290	10	-	9
OTHER ASIAN	259	1	-	2	2	11	5	68	69	54	16	7	3	-	1
OTHER	40	-	-	-	1	-	2	10	11	12	4	-	-	-	-
NOT STATED	85	1	-	1	1	-	2	11	28	20	5	-	-	-	16
PLACER	1,944	3	4	22	32	53	62	361	607	436	140	23	1	-	-
AMERICAN INDIAN	41	-	-	2	2	1	2	14	11	5	2	-	-	-	-
BLACK	9	-	-	-	-	1	1	4	2	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	8	-	-	-	-	1	-	-	1	4	1	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	5	-	-	-	-	-	-	1	-	3	-	1	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	2	-	1	1	-	-	-	-
JAPANESE	13	-	-	-	-	-	-	2	6	6	1	-	-	-	-
KOREAN	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
PACIFIC ISLANDER	6	-	-	-	-	-	-	4	-	1	1	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	1,848	3	4	19	30	50	59	328	387	412	134	21	1	-	-
OTHER ASIAN	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
PLUMAS	268	-	1	1	3	7	10	91	78	57	17	3	-	-	-
AMERICAN INDIAN	13	-	-	1	-	-	-	3	6	2	-	1	-	-	-
BLACK	6	-	-	-	1	-	-	5	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	247	-	1	-	2	7	10	83	71	55	16	2	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
RIVERSIDE	15,308	26	95	233	384	496	697	3,201	3,069	2,478	696	124	3	-	4
AMERICAN INDIAN	238	-	1	7	7	8	10	93	70	31	8	3	-	-	-
BLACK	1,037	4	15	13	41	30	65	378	276	150	39	5	1	-	-
CAMBODIAN	14	-	-	-	-	-	-	4	5	1	3	1	-	-	-
CHINESE	38	-	-	-	-	-	-	7	14	14	2	1	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FILIPINO	126	-	-	2	1	4	4	32	38	33	11	1	-	-	-
INDIAN (INDIA)	30	-	-	-	-	-	-	6	11	9	4	-	-	-	-
JAPANESE	56	-	-	1	-	1	-	14	23	15	1	1	-	-	-
KOREAN	32	-	-	-	-	-	-	5	16	8	3	-	-	-	-
PACIFIC ISLANDER	55	-	-	2	1	-	3	16	20	7	6	-	-	-	-
THAI	12	-	-	-	-	-	-	2	4	1	2	3	-	-	-
VIETNAMESE	53	-	-	-	1	1	2	12	13	16	7	1	-	-	-
WHITE	13,694	21	79	207	328	429	608	4,391	4,352	2,164	599	108	4	-	4
OTHER ASIAN	92	1	-	1	2	2	4	30	21	22	9	-	-	-	-
OTHER	15	-	-	-	1	-	-	8	2	2	2	-	-	-	-
NOT STATED	15	-	-	-	2	1	1	3	4	4	-	-	-	-	-
SACRAMENTO	15,464	39	98	225	331	474	688	4,806	5,016	2,790	851	117	4	1	4
AMERICAN INDIAN	236	2	3	5	12	15	17	92	56	28	6	-	-	-	-
BLACK	1,964	11	28	47	78	91	144	700	564	232	55	13	-	-	1
CAMBODIAN	15	-	-	-	-	1	-	5	2	1	4	2	-	-	-
CHINESE	362	-	-	1	3	3	2	50	125	131	40	7	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	279	1	3	4	3	7	6	80	92	56	22	4	-	1	-
INDIAN (INDIA)	69	-	-	-	1	-	1	28	23	12	3	1	-	-	-
JAPANESE	168	-	-	1	3	5	2	30	53	64	9	1	-	-	-
KOREAN	50	-	-	-	-	-	2	9	22	15	3	-	-	-	-
PACIFIC ISLANDER	133	-	-	1	2	4	3	43	45	21	12	2	-	-	-
THAI	9	-	-	-	-	-	-	3	2	3	1	-	-	-	-
VIETNAMESE	160	-	-	1	2	1	2	38	53	52	6	3	-	-	-
WHITE	11,473	20	51	147	219	330	477	3,568	3,832	2,101	651	74	-	-	3
OTHER ASIAN	463	3	11	17	23	15	27	133	121	71	30	10	4	-	-
OTHER	31	2	-	-	1	1	-	14	7	1	5	-	-	-	-
NOT STATED	47	-	2	1	4	1	4	12	19	2	2	-	-	-	-
SAN BENITO	621	1	4	8	12	21	22	214	183	102	48	5	1	-	-
AMERICAN INDIAN	6	-	-	-	1	-	-	2	3	-	-	-	-	-	-
BLACK	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	389	1	4	8	10	19	20	203	173	98	48	4	1	-	-
OTHER ASIAN	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	15	-	-	-	1	2	1	5	4	1	-	1	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO	21,284	47	116	306	506	778	993	7,159	6,813	3,470	949	136	6	-	3
AMERICAN INDIAN	338	2	6	2	10	16	22	132	96	36	16	-	-	-	-
BLACK	1,936	13	20	36	81	77	114	713	337	243	83	16	1	-	-
CAMBODIAN	26	-	-	-	-	-	3	4	6	6	5	1	1	-	-
CHINESE	89	1	-	-	-	-	-	10	29	34	14	1	-	-	-
ESKIMO/ALEUT	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-
FILIPINO	203	-	-	-	9	4	4	46	63	55	19	3	-	-	-
INDIAN (INDIA)	38	-	-	-	-	-	-	7	18	9	4	-	-	-	-
JAPANESE	89	-	-	-	-	2	1	22	43	13	6	-	-	-	-
KOREAN	100	-	-	-	-	2	1	13	35	21	7	1	-	-	-
PACIFIC ISLANDER	117	-	-	-	2	3	6	41	39	20	6	-	-	-	-
THAI	31	-	-	1	1	1	-	5	5	13	5	-	-	-	-
VIETNAMESE	77	-	-	-	2	2	2	11	26	22	10	2	-	-	-
WHITE	17,698	28	89	260	388	659	827	6,047	5,795	2,930	760	109	4	-	2
OTHER ASIAN	50	-	-	-	2	-	1	15	17	15	-	-	-	-	-
OTHER	131	1	-	2	4	6	5	48	41	20	4	-	-	-	-
NOT STATED	158	-	1	4	7	6	7	44	44	31	10	3	-	-	1
SAN DIEGO	37,200	47	138	332	587	962	1,477	11,474	11,990	7,380	2,432	320	13	1	5
AMERICAN INDIAN	935	-	2	9	14	34	42	325	294	134	53	8	-	-	-
BLACK	3,333	18	30	61	95	135	203	1,299	933	417	114	6	2	-	-
CAMBODIAN	166	-	1	2	1	5	6	42	44	37	19	8	1	-	-
CHINESE	257	-	-	-	1	3	2	29	82	94	41	3	-	-	-
ESKIMO/ALEUT	4	-	-	-	-	-	-	2	-	1	1	-	-	-	-
FILIPINO	1,793	3	3	12	16	26	37	363	642	456	214	22	1	-	-
INDIAN (INDIA)	48	-	-	-	1	-	1	8	22	14	2	-	-	-	-
JAPANESE	336	1	2	3	3	4	7	91	118	72	31	2	-	-	-
KOREAN	124	-	-	-	1	1	-	26	64	24	6	2	-	-	-
PACIFIC ISLANDER	457	1	4	3	16	17	29	166	128	60	27	3	-	-	1
THAI	29	-	1	1	-	1	-	6	6	12	2	-	-	-	-
VIETNAMESE	362	-	2	-	4	6	6	96	112	94	35	4	-	1	-
WHITE	28,997	23	91	234	424	717	1,127	8,925	9,413	5,886	1,876	253	9	-	4
OTHER ASIAN	304	1	2	5	8	11	16	90	88	47	22	9	5	-	-
OTHER	20	-	-	-	-	-	-	4	8	4	4	-	-	-	-
NOT STATED	33	-	-	-	1	-	1	2	16	8	5	-	-	-	-
SAN FRANCISCO	9,739	18	42	87	129	193	253	1,983	2,980	2,661	1,220	164	4	1	-
AMERICAN INDIAN	63	-	1	1	1	-	2	14	20	17	7	-	-	-	-
BLACK	1,651	13	25	31	62	73	104	311	451	245	109	7	-	-	-
CAMBODIAN	111	-	-	1	4	5	2	26	33	24	7	9	-	-	-
CHINESE	1,429	-	-	-	1	2	7	150	308	326	216	16	2	1	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	905	1	4	1	4	17	14	202	296	234	106	23	1	-	-
INDIAN (INDIA)	42	-	-	-	-	-	-	15	13	9	5	-	-	-	-
JAPANESE	139	-	-	-	-	1	-	10	54	50	23	1	-	-	-
KOREAN	95	-	-	-	-	-	-	13	46	25	8	1	-	-	-
PACIFIC ISLANDER	141	-	-	6	3	2	5	48	40	29	7	1	-	-	-
THAI	14	-	-	-	-	-	-	-	5	7	2	-	-	-	-
VIETNAMESE	291	1	1	-	1	4	5	49	116	73	34	7	-	-	-
WHITE	4,482	3	9	27	49	81	112	864	1,284	1,309	653	90	1	-	-
OTHER ASIAN	96	-	1	-	-	4	3	24	32	23	8	1	-	-	-
OTHER	27	-	-	-	1	1	1	5	10	7	2	-	-	-	-
NOT STATED	253	-	1	-	3	3	-	30	72	83	33	6	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN JOAQUIN	7,993	26	71	120	197	301	393	2,628	2,379	1,317	434	98	8	-	1
AMERICAN INDIAN	162	1	3	-	4	9	7	39	56	17	5	1	-	-	-
BLACK	608	7	11	20	25	37	40	224	158	70	15	1	-	-	-
CAMBODIAN	327	-	-	2	3	8	9	68	99	36	49	29	4	-	-
CHINESE	50	-	-	1	-	1	-	5	19	13	11	-	-	-	-
ESKIMO/ALEUT	3	-	1	-	-	-	-	1	-	1	-	-	-	-	-
FILIPINO	298	1	-	5	5	14	13	81	82	72	16	7	-	-	-
INDIAN (INDIA)	31	-	-	-	-	1	1	10	11	7	1	-	-	-	-
JAPANESE	46	-	1	-	1	-	1	8	17	11	7	-	-	-	-
KOREAN	9	-	-	-	-	1	-	3	4	-	1	-	-	-	-
PACIFIC ISLANDER	27	-	-	-	-	-	1	12	9	1	2	2	-	-	-
THAI	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-
VIETNAMESE	226	-	-	1	4	6	5	68	83	42	14	3	-	-	-
WHITE	5,807	15	30	84	146	209	290	1,965	1,752	962	293	39	1	-	1
OTHER ASIAN	366	2	5	6	8	15	20	117	80	58	37	15	3	-	-
OTHER	24	-	-	1	1	-	2	4	8	6	2	-	-	-	-
NOT STATED	6	-	-	-	-	-	-	3	1	-	1	1	-	-	-
SAN LUIS OBISPO	2,633	2	17	17	39	63	79	702	909	603	166	32	1	-	1
AMERICAN INDIAN	67	-	1	-	2	2	1	21	17	19	4	-	-	-	-
BLACK	61	-	2	-	-	3	1	20	21	9	3	2	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	10	-	-	-	-	-	-	1	3	5	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	34	-	-	-	1	1	-	13	9	7	2	1	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
JAPANESE	18	-	-	-	1	1	-	3	9	4	-	-	-	-	-
KOREAN	11	-	-	-	-	-	-	1	5	5	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,407	2	14	16	35	36	77	638	839	544	135	29	1	-	1
OTHER ASIAN	5	-	-	-	-	-	-	1	-	2	2	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	7	-	-	-	-	-	-	2	2	3	-	-	-	-	-
SAN MATEO	9,262	4	18	34	91	166	198	2,003	3,121	2,496	991	104	8	1	3
AMERICAN INDIAN	72	-	-	1	5	3	6	17	27	7	5	1	-	-	-
BLACK	683	-	3	16	14	31	25	223	219	113	32	5	-	-	-
CAMBODIAN	4	-	-	-	1	-	-	-	3	-	-	-	-	-	-
CHINESE	463	-	-	-	-	-	2	33	157	178	88	5	-	-	-
ESKIMO/ALEUT	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FILIPINO	818	-	-	-	3	11	6	169	302	226	91	9	1	-	-
INDIAN (INDIA)	88	-	-	-	1	-	2	17	36	27	4	1	-	-	-
JAPANESE	134	-	-	-	-	2	1	13	42	48	27	1	-	-	-
KOREAN	47	-	-	-	-	-	-	6	21	11	7	2	-	-	-
PACIFIC ISLANDER	277	-	1	1	4	9	12	93	84	43	20	3	1	1	1
THAI	7	-	-	-	-	-	-	1	-	4	2	-	-	-	-
VIETNAMESE	30	-	-	-	-	-	-	5	13	8	3	-	-	-	-
WHITE	6,327	4	14	36	60	106	137	1,359	2,117	1,741	671	74	5	-	3
OTHER ASIAN	77	-	-	-	1	-	2	15	24	23	10	1	1	-	-
OTHER	24	-	-	-	-	1	-	6	9	2	4	-	-	-	-
NOT STATED	210	-	-	-	1	3	5	42	67	63	27	2	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA BARBARA	5,149	8	19	48	71	128	203	1,467	1,725	1,039	368	51	2	-	-
AMERICAN INDIAN	69	1	-	2	1	6	5	17	20	12	4	1	-	-	-
BLACK	208	-	1	2	5	4	15	73	64	32	12	-	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
CHINESE	30	-	-	-	-	-	-	2	18	8	1	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	107	-	-	-	2	4	2	26	31	26	13	3	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
JAPANESE	39	-	-	-	-	1	-	22	18	16	2	-	-	-	-
KOREAN	19	-	-	-	-	-	-	4	10	4	1	-	-	-	-
PACIFIC ISLANDER	17	-	-	1	-	-	-	5	8	3	-	-	-	-	-
THAI	7	-	-	-	-	1	-	-	1	4	-	1	-	-	-
VIETNAMESE	11	-	-	-	-	-	1	-	3	6	1	-	-	-	-
WHITE	4,345	6	18	41	62	110	177	1,297	1,331	933	324	44	2	-	-
OTHER ASIAN	48	1	-	2	1	2	2	17	12	6	5	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
NOT STATED	21	-	-	-	-	-	1	3	6	7	4	-	-	-	-
SANTA CLARA	24,110	30	108	230	387	563	776	6,311	8,070	5,300	1,877	237	11	2	6
AMERICAN INDIAN	266	1	2	6	8	9	17	92	78	33	19	1	-	-	-
BLACK	1,267	7	15	15	37	47	54	415	402	211	54	10	-	-	-
CAMBODIAN	137	-	2	1	4	4	5	29	37	26	17	9	3	-	-
CHINESE	946	-	-	-	-	3	3	54	341	398	139	8	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
FILIPINO	1,230	-	1	4	15	19	25	287	410	314	133	21	1	-	-
INDIAN (INDIA)	337	-	-	-	-	2	3	81	148	79	22	2	-	-	-
JAPANESE	357	-	-	-	2	3	6	43	124	128	43	6	-	-	-
KOREAN	253	-	-	1	3	1	2	21	128	76	20	1	-	-	-
PACIFIC ISLANDER	206	-	2	3	4	9	10	68	69	30	9	2	-	-	-
THAI	16	-	-	1	-	-	1	4	1	7	1	1	-	-	-
VIETNAMESE	964	1	3	5	7	14	25	334	320	254	82	14	2	-	1
WHITE	17,781	21	81	191	303	449	607	4,912	5,873	3,864	1,310	140	5	2	3
OTHER ASIAN	160	-	2	2	3	3	10	42	58	32	8	-	-	-	-
OTHER	63	-	-	-	-	1	2	7	33	17	2	-	-	-	1
NOT STATED	123	-	-	1	1	1	6	18	48	31	16	2	-	-	1
SANTA CRUZ	3,562	8	14	34	62	86	133	894	1,097	860	338	51	1	-	2
AMERICAN INDIAN	35	-	1	3	3	-	1	7	10	5	4	1	-	-	-
BLACK	68	-	1	-	1	1	4	20	25	9	7	-	-	-	-
CAMBODIAN	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
CHINESE	21	-	-	-	1	-	-	2	8	9	1	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	49	-	-	1	-	1	2	11	16	13	5	-	-	-	-
INDIAN (INDIA)	9	-	-	-	-	-	-	2	5	2	-	-	-	-	-
JAPANESE	35	-	-	-	-	-	1	3	8	20	3	-	-	-	-
KOREAN	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
THAI	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
VIETNAMESE	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
WHITE	3,303	7	12	30	57	82	127	837	1,008	783	307	30	1	-	2
OTHER ASIAN	8	-	-	-	-	-	-	-	3	2	3	-	-	-	-
OTHER	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
NOT STATED	32	1	-	-	-	1	-	6	7	11	6	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SHASTA	2,093	1	13	23	60	76	92	719	645	354	98	12	-	-	-
AMERICAN INDIAN	87	-	1	3	3	7	5	33	22	9	2	2	-	-	-
BLACK	21	-	1	1	-	1	2	8	4	3	1	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
KOREAN	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	1,962	1	11	19	37	67	85	671	611	337	93	10	-	-	-
OTHER ASIAN	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIERRA	39	-	1	-	1	1	2	13	22	14	3	-	-	-	-
AMERICAN INDIAN	6	-	1	-	1	-	-	-	1	2	1	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	32	-	-	-	-	1	2	13	21	11	2	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	623	-	3	9	10	19	20	207	195	114	38	4	-	-	2
AMERICAN INDIAN	33	-	-	2	1	3	2	30	9	6	2	-	-	-	-
BLACK	13	-	-	-	-	-	1	4	5	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	3	-	-	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	543	-	3	7	9	16	17	165	181	106	35	4	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO	5,040	4	28	41	81	141	224	1,623	1,685	900	276	34	2	-	1
AMERICAN INDIAN	57	-	2	1	-	-	3	23	14	7	3	2	-	-	-
BLACK	722	1	11	10	22	20	34	263	207	111	40	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	49	-	-	-	-	-	1	4	18	18	7	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	370	1	-	-	1	3	4	73	143	102	37	4	-	-	-
INDIAN (INDIA)	21	-	-	-	-	-	-	8	5	7	1	-	-	-	-
JAPANESE	56	-	-	-	1	2	-	20	18	11	3	1	-	-	-
KOREAN	27	-	-	-	-	1	1	10	11	3	1	-	-	-	-
PACIFIC ISLANDER	100	-	1	-	3	6	6	37	29	14	4	-	-	-	-
THAI	8	-	-	-	1	1	-	3	1	1	1	-	-	-	-
VIETNAMESE	7	-	-	1	-	-	1	2	1	2	-	-	-	-	-
WHITE	3,374	2	14	29	52	107	171	1,170	1,220	609	173	25	1	-	1
OTHER ASIAN	33	-	-	-	1	1	-	6	12	6	4	-	1	-	-
OTHER	9	-	-	-	-	-	3	-	3	1	2	-	-	-	-
NOT STATED	7	-	-	-	-	-	-	-	1	6	-	-	-	-	-
SONOMA	5,266	3	20	30	66	106	162	1,374	1,741	1,234	480	48	2	-	-
AMERICAN INDIAN	175	-	4	3	5	11	12	64	39	26	9	2	-	-	-
BLACK	124	-	1	2	3	3	7	39	38	24	5	2	-	-	-
CAMBODIAN	43	-	-	-	1	-	2	8	14	12	2	4	-	-	-
CHINESE	45	-	-	-	-	-	-	5	20	17	3	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	36	-	-	-	-	-	3	2	15	13	3	-	-	-	-
INDIAN (INDIA)	13	-	-	-	-	-	1	1	6	3	2	-	-	-	-
JAPANESE	29	-	-	-	-	1	-	6	7	11	3	1	-	-	-
KOREAN	15	-	-	-	-	-	1	7	4	3	-	-	-	-	-
PACIFIC ISLANDER	26	-	1	1	-	1	1	8	9	3	2	-	-	-	-
THAI	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
VIETNAMESE	16	-	-	-	-	-	-	4	4	6	2	-	-	-	-
WHITE	4,646	3	14	23	55	90	134	1,210	1,555	1,066	433	39	2	-	-
OTHER ASIAN	35	-	-	1	-	-	1	9	12	6	6	-	-	-	-
OTHER	5	-	-	-	1	-	-	1	2	1	-	-	-	-	-
NOT STATED	35	-	-	-	1	-	-	9	14	21	10	-	-	-	-
STANISLAUS	5,518	17	43	100	117	225	278	1,884	1,633	899	274	46	1	1	-
AMERICAN INDIAN	79	-	5	2	2	11	3	32	13	8	3	-	-	-	-
BLACK	112	1	1	6	4	4	5	38	27	17	8	1	-	-	-
CAMBODIAN	87	-	-	1	2	2	4	15	24	21	13	5	-	-	-
CHINESE	27	-	-	-	-	-	-	3	7	11	6	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	20	-	-	1	-	-	-	5	7	6	1	-	-	-	-
INDIAN (INDIA)	43	-	-	-	-	1	-	19	18	4	1	-	-	-	-
JAPANESE	17	-	-	-	-	-	1	4	3	6	3	-	-	-	-
KOREAN	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
PACIFIC ISLANDER	23	-	1	-	-	-	-	9	9	3	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	24	-	-	-	-	2	-	6	7	4	5	-	-	-	-
WHITE	4,972	13	35	87	103	198	260	1,715	1,493	798	228	38	-	-	-
OTHER ASIAN	95	1	1	3	5	7	5	28	18	19	4	2	1	1	-
OTHER	10	-	-	-	1	-	-	5	3	1	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SUTTER	953	1	7	10	27	36	55	349	285	131	45	7	-	-	-
AMERICAN INDIAN	14	-	-	-	-	-	3	7	3	1	-	-	-	-	-
BLACK	25	-	-	2	1	1	1	5	11	1	2	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	5	-	-	-	-	2	-	1	2	-	-	-	-	-	-
INDIAN (INDIA)	66	-	-	-	-	-	1	29	27	6	3	-	-	-	-
JAPANESE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
KOREAN	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	804	1	7	8	26	30	49	293	229	115	40	6	-	-	-
OTHER ASIAN	14	-	-	-	-	2	-	6	4	2	-	-	-	-	-
OTHER	10	-	-	-	-	1	-	4	5	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
TEHAMA	630	-	2	5	14	24	30	239	205	100	26	4	1	-	-
AMERICAN INDIAN	16	-	-	-	-	-	1	8	3	3	1	-	-	-	-
BLACK	3	-	-	-	-	2	-	1	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	621	-	2	5	14	22	28	228	198	94	25	4	1	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRINITY	166	-	2	4	5	4	5	33	51	34	8	-	-	-	-
AMERICAN INDIAN	21	-	-	2	1	1	1	9	4	2	1	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	142	-	2	2	4	3	4	44	44	32	7	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TULARE	3,677	21	34	103	180	234	343	1,963	1,391	831	294	34	4	1	2
AMERICAN INDIAN	33	-	4	-	2	2	4	11	7	2	2	1	-	-	-
BLACK	110	2	-	6	6	8	5	37	28	15	3	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	12	-	-	-	1	-	-	1	2	6	2	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	70	-	1	1	3	4	1	22	14	16	7	1	-	-	-
INDIAN (INDIA)	11	-	-	-	-	-	-	4	4	1	2	-	-	-	-
JAPANESE	13	-	-	-	-	-	-	1	3	8	1	-	-	-	-
KOREAN	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
WHITE	3,286	18	49	96	167	212	326	1,630	1,303	749	261	31	2	-	2
OTHER ASIAN	126	1	-	2	1	7	7	35	26	29	14	1	2	1	-
OTHER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TUOLUMNE	477	-	3	4	11	6	23	147	143	93	39	3	1	-	-
AMERICAN INDIAN	17	-	-	1	-	-	1	8	3	3	1	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	2	-	1	-	-	1	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	452	-	3	3	11	6	22	135	142	90	37	3	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	10,387	15	43	121	170	301	386	2,891	3,334	2,248	738	103	7	-	6
AMERICAN INDIAN	114	-	-	1	1	1	2	32	40	12	3	2	-	-	-
BLACK	330	-	-	9	13	17	15	114	98	48	14	2	-	-	-
CAMBODIAN	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
CHINESE	69	-	-	-	-	-	1	3	29	25	11	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	235	-	-	2	7	9	9	50	68	70	26	3	-	-	-
INDIAN (INDIA)	17	-	-	-	-	-	-	1	7	7	2	-	-	-	-
JAPANESE	82	-	-	-	2	1	1	17	25	28	9	-	-	-	-
KOREAN	37	-	-	-	-	1	1	8	17	10	1	-	-	-	-
PACIFIC ISLANDER	44	-	-	3	-	6	10	19	3	2	1	2	-	-	-
THAI	6	-	-	1	-	-	-	-	1	3	1	-	-	-	-
VIETNAMESE	46	-	-	-	1	1	1	11	15	14	1	2	1	-	-
WHITE	9,396	13	43	109	149	269	330	2,574	3,154	1,977	654	91	6	-	3
OTHER ASIAN	48	-	-	-	-	-	-	14	16	12	2	1	-	-	1
OTHER	4	-	-	-	-	-	-	-	3	-	-	1	-	-	-
NOT STATED	135	2	-	2	1	4	-	32	60	38	12	2	-	-	2

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YOLO	1,930	3	11	24	38	48	94	383	601	380	123	22	1	-	-
AMERICAN INDIAN	33	1	-	-	4	1	2	14	6	5	-	-	-	-	-
BLACK	54	-	1	1	1	2	3	21	16	6	-	3	-	-	-
CAMBODIAN	4	-	-	-	-	-	-	1	-	1	-	2	-	-	-
CHINESE	19	-	-	-	-	-	-	2	5	9	3	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	16	-	-	1	-	-	1	5	5	2	2	-	-	-	-
INDIAN (INDIA)	16	-	-	-	-	-	1	2	8	2	3	-	-	-	-
JAPANESE	12	-	1	-	-	1	-	2	4	3	1	-	-	-	-
KOREAN	12	-	-	-	-	-	-	2	8	2	-	-	-	-	-
PACIFIC ISLANDER	9	-	-	-	-	1	-	3	2	1	2	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
WHITE	1,713	2	9	22	30	42	84	316	531	347	111	18	1	-	-
OTHER ASIAN	13	-	-	-	1	-	-	5	5	1	1	-	-	-	-
OTHER	14	-	-	-	-	1	1	5	7	-	-	-	-	-	-
NOT STATED	12	-	-	-	1	-	1	6	3	1	-	-	-	-	-
YUBA	1,074	1	6	29	37	38	55	443	319	111	31	4	-	-	-
AMERICAN INDIAN	38	-	-	-	-	1	1	15	16	5	-	-	-	-	-
BLACK	76	-	1	1	1	4	3	38	22	6	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	10	-	1	1	-	-	-	1	2	3	2	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
JAPANESE	7	-	-	-	-	-	-	1	3	2	1	-	-	-	-
KOREAN	14	-	-	-	-	-	-	4	8	1	1	-	-	-	-
PACIFIC ISLANDER	8	-	-	-	-	1	1	3	1	2	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
WHITE	897	1	4	27	36	31	49	375	261	85	25	3	-	-	-
OTHER ASIAN	13	-	-	-	-	1	1	4	4	1	1	1	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-12

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	470,816	890	2,554	5,630	9,323	13,824	19,034	136,985	149,523	94,067	33,578	4,953	220	20	215
HISPANIC	149,191	423	1,194	2,658	4,209	6,068	7,939	49,517	42,685	23,537	9,035	1,771	69	5	41
NON-HISPANIC	317,458	455	1,335	2,926	5,038	7,672	10,949	86,342	105,525	69,645	24,170	3,135	151	15	100
NOT STATED	4,167	12	25	46	76	84	126	1,126	1,313	885	353	47	-	-	74
ALAMEDA	19,624	46	98	212	284	474	683	5,080	6,307	4,403	1,783	226	10	-	14
HISPANIC	2,686	7	11	44	68	92	136	894	808	433	161	29	-	-	3
NON-HISPANIC	16,335	37	86	161	207	373	535	4,013	5,309	3,846	1,555	192	10	-	11
NOT STATED	603	2	1	7	9	9	12	173	190	126	49	5	-	-	-
ALPINE	13	-	-	-	-	-	1	1	5	4	1	-	-	-	-
HISPANIC	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NON-HISPANIC	11	-	-	-	-	-	1	-	5	3	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
AMADOR	231	-	-	1	4	7	15	63	65	57	15	4	-	-	-
HISPANIC	9	-	-	1	-	-	-	2	2	4	-	-	-	-	-
NON-HISPANIC	222	-	-	-	4	7	15	61	63	53	15	4	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	2,391	7	11	35	46	71	122	707	735	469	149	17	-	-	-
HISPANIC	188	2	1	4	4	3	12	72	44	34	8	4	-	-	-
NON-HISPANIC	2,190	5	10	31	44	67	106	634	706	434	140	13	-	-	-
NOT STATED	13	-	-	-	-	1	4	1	5	1	1	-	-	-	-
CALAVERAS	314	-	2	1	8	11	16	85	93	76	19	3	-	-	-
HISPANIC	16	-	-	-	-	-	-	7	4	5	-	-	-	-	-
NON-HISPANIC	296	-	2	1	8	11	16	78	88	71	18	3	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
COLUSA	279	-	2	3	2	12	10	90	97	49	11	3	-	-	-
HISPANIC	106	-	2	2	-	8	6	34	28	15	9	2	-	-	-
NON-HISPANIC	172	-	-	1	2	4	4	56	68	34	2	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CONTRA COSTA	10,861	26	52	101	170	261	309	2,668	3,606	2,378	978	108	2	-	2
HISPANIC	1,161	7	7	11	31	47	47	389	346	202	69	5	-	-	-
NON-HISPANIC	9,571	18	44	88	137	212	260	2,251	3,226	2,341	891	99	2	-	2
NOT STATED	129	1	1	2	2	2	2	28	34	35	18	4	-	-	-
DEL NORTE	320	2	3	2	6	18	15	109	87	56	20	1	-	-	1
HISPANIC	27	-	-	1	-	2	1	9	9	4	1	-	-	-	-
NON-HISPANIC	271	2	3	1	6	15	13	93	73	46	18	1	-	-	-
NOT STATED	22	-	-	-	-	1	1	7	5	6	1	-	-	-	1
EL DORADO	1,511	1	6	14	22	44	51	433	475	338	115	12	-	-	-
HISPANIC	110	-	2	1	3	3	4	34	43	11	6	1	-	-	-
NON-HISPANIC	1,394	1	3	13	19	41	46	397	428	326	109	11	-	-	-
NOT STATED	7	-	1	-	-	-	1	2	2	1	-	-	-	-	-
FRESNO	11,705	33	103	204	347	465	608	3,648	3,402	2,025	710	122	16	4	18
HISPANIC	4,947	17	69	111	174	268	316	1,662	1,268	724	279	48	3	-	8
NON-HISPANIC	6,735	16	34	93	172	197	290	1,978	2,125	1,298	431	74	13	4	10
NOT STATED	23	-	-	-	1	-	2	8	9	3	-	-	-	-	-
GLENN	377	1	-	4	12	10	23	113	132	55	23	4	-	-	-
HISPANIC	98	1	-	2	6	4	7	20	24	20	11	3	-	-	-
NON-HISPANIC	278	-	-	2	6	6	16	93	108	34	12	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT	1,641	2	5	15	31	51	65	368	373	382	122	20	1	-	6
HISPANIC	38	-	-	1	-	2	1	18	22	12	1	1	-	-	-
NON-HISPANIC	1,773	2	5	14	31	49	64	346	349	369	118	19	1	-	6
NOT STATED	10	-	-	-	-	-	-	4	2	1	3	-	-	-	-
IMPERIAL	2,186	3	14	35	58	88	110	643	673	390	138	34	-	-	-
HISPANIC	1,581	2	11	27	47	65	83	463	470	274	109	28	-	-	-
NON-HISPANIC	592	1	3	7	10	23	27	172	199	113	29	6	-	-	-
NOT STATED	13	-	-	1	1	-	-	8	4	1	-	-	-	-	-
INYO	217	1	-	2	4	2	8	62	66	36	13	3	-	-	-
HISPANIC	17	-	-	-	1	-	1	3	6	3	3	-	-	-	-
NON-HISPANIC	198	1	-	2	3	2	7	58	60	32	10	3	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
KERN	9,999	34	78	171	287	442	540	3,309	2,971	1,413	469	76	5	-	2
HISPANIC	3,222	20	32	71	114	159	201	1,113	829	449	193	36	2	-	1
NON-HISPANIC	6,397	13	43	99	171	274	328	2,276	2,007	883	262	37	3	-	1
NOT STATED	380	1	3	1	2	9	11	118	135	83	14	3	-	-	-
KINGS	1,847	6	22	25	37	88	114	691	511	252	91	10	-	-	-
HISPANIC	685	1	10	15	18	37	53	229	168	109	39	6	-	-	-
NON-HISPANIC	1,161	5	12	10	19	51	61	461	343	143	32	4	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
LAKE	662	1	5	13	17	32	38	228	192	105	22	9	-	-	-
HISPANIC	55	-	1	2	2	2	3	22	7	11	4	1	-	-	-
NON-HISPANIC	605	1	4	11	15	30	35	205	184	94	18	8	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
LASSEN	340	-	3	3	7	12	20	125	107	47	15	1	-	-	-
HISPANIC	9	-	-	-	-	1	-	3	4	1	-	-	-	-	-
NON-HISPANIC	329	-	3	3	7	11	20	120	103	46	15	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
LOS ANGELES	156,618	333	938	2,031	3,424	4,807	6,367	44,437	48,883	31,248	11,879	1,895	71	5	98
HISPANIC	72,820	186	504	1,169	1,970	2,800	3,731	23,639	20,981	12,005	4,838	937	41	3	16
NON-HISPANIC	83,109	145	427	852	1,441	1,998	2,607	20,630	27,705	19,101	6,987	950	30	2	34
NOT STATED	689	2	7	10	13	9	29	168	199	142	54	8	-	-	48
MADERA	1,395	6	9	29	48	65	67	480	398	202	72	14	3	-	2
HISPANIC	631	5	7	14	25	31	40	220	157	83	34	9	2	-	2
NON-HISPANIC	760	1	2	14	22	34	27	258	241	117	38	5	1	-	-
NOT STATED	4	-	-	1	1	-	-	2	-	-	-	-	-	-	-
MARIN	2,560	-	-	6	13	16	29	383	736	853	455	69	-	-	-
HISPANIC	159	-	-	1	2	4	3	51	49	37	11	1	-	-	-
NON-HISPANIC	2,371	-	-	5	10	12	26	330	679	806	438	65	-	-	-
NOT STATED	30	-	-	-	1	-	-	2	8	10	6	3	-	-	-
MARIPOSA	150	-	-	1	3	2	9	39	48	33	13	2	-	-	-
HISPANIC	7	-	-	-	-	-	-	1	2	2	2	-	-	-	-
NON-HISPANIC	141	-	-	1	3	2	9	38	44	31	11	2	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
MENDOCINO	1,201	-	7	15	24	36	62	377	307	243	115	14	-	-	1
HISPANIC	135	-	-	3	5	1	12	56	29	19	7	2	-	-	1
NON-HISPANIC	1,047	-	7	12	19	35	50	316	275	218	103	12	-	-	-
NOT STATED	19	-	-	-	-	-	-	5	3	6	5	-	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED	3,474	6	36	56	97	154	185	1,261	963	503	169	37	4	3	-
HISPANIC	1,173	3	19	24	46	51	61	406	326	176	48	11	-	-	-
NON-HISPANIC	2,259	3	16	32	49	101	123	838	624	324	116	26	4	3	-
NOT STATED	42	-	1	-	-	2	1	17	13	3	5	-	-	-	-
MODOC	146	2	2	-	4	1	6	52	44	26	9	-	-	-	-
HISPANIC	19	1	1	-	2	-	1	5	8	-	1	-	-	-	-
NON-HISPANIC	93	1	-	-	1	1	4	40	19	22	7	-	-	-	-
NOT STATED	32	-	1	-	1	-	1	7	17	4	1	-	-	-	-
MONO	147	-	-	1	-	3	10	32	50	40	11	-	-	-	-
HISPANIC	13	-	-	-	-	1	1	6	4	-	1	-	-	-	-
NON-HISPANIC	132	-	-	1	-	2	9	25	45	40	10	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
MONTEREY	6,372	9	39	77	147	227	285	2,096	2,110	1,150	356	71	3	-	2
HISPANIC	2,597	6	22	43	78	110	131	864	770	391	135	45	2	-	-
NON-HISPANIC	3,956	3	17	34	68	116	154	1,226	1,335	755	220	26	1	-	1
NOT STATED	19	-	-	-	1	1	-	6	5	4	1	-	-	-	1
NAPA	1,368	2	4	8	19	30	34	390	458	293	98	12	-	-	-
HISPANIC	258	2	1	3	7	11	16	87	77	37	16	1	-	-	-
NON-HISPANIC	1,109	-	3	5	12	19	37	303	381	256	82	11	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NEVADA	893	-	1	6	12	20	29	235	266	234	82	8	-	-	-
HISPANIC	44	-	-	-	-	2	4	14	14	6	1	3	-	-	-
NON-HISPANIC	845	-	1	6	11	18	25	220	252	228	79	5	-	-	-
NOT STATED	4	-	-	-	1	-	-	1	-	-	2	-	-	-	-
ORANGE	36,704	44	129	317	520	821	1,226	10,392	12,430	7,829	2,580	370	19	-	27
HISPANIC	10,389	28	73	179	251	402	554	3,667	3,002	1,540	573	112	5	-	3
NON-HISPANIC	26,084	15	55	136	266	417	666	6,663	9,354	6,243	1,991	256	14	-	8
NOT STATED	231	1	1	2	3	2	6	62	74	46	16	2	-	-	16
PLACER	1,944	3	4	22	32	53	62	561	607	436	140	23	1	-	-
HISPANIC	158	2	1	7	4	7	10	49	44	24	9	1	-	-	-
NON-HISPANIC	1,778	1	3	15	27	46	52	510	561	410	130	22	1	-	-
NOT STATED	8	-	-	-	1	-	-	2	2	2	1	-	-	-	-
PLUMAS	268	-	1	1	3	7	10	91	78	57	17	3	-	-	-
HISPANIC	8	-	-	-	-	1	1	4	1	-	1	-	-	-	-
NON-HISPANIC	255	-	1	-	2	6	8	85	77	57	16	3	-	-	-
NOT STATED	5	-	-	1	1	-	1	2	-	-	-	-	-	-	-
RIVERSIDE	15,508	26	95	233	384	496	697	5,201	5,069	2,478	696	124	5	-	4
HISPANIC	4,636	13	38	115	162	194	267	1,667	1,293	645	204	33	3	-	-
NON-HISPANIC	10,802	13	57	116	221	301	426	3,513	3,763	1,827	488	69	2	-	4
NOT STATED	30	-	-	-	1	1	4	21	13	6	4	-	-	-	-
SACRAMENTO	15,464	39	98	225	351	474	688	4,806	5,016	2,790	851	117	4	1	4
HISPANIC	1,874	8	23	36	62	93	112	650	544	258	76	12	-	-	-
NON-HISPANIC	13,312	29	71	181	275	370	562	4,046	4,402	2,499	764	103	4	1	3
NOT STATED	278	2	4	8	14	11	14	110	70	33	11	-	-	-	1
SAN BENITO	621	1	4	8	12	21	22	214	183	102	48	5	1	-	-
HISPANIC	321	1	2	6	7	13	17	122	82	40	26	4	1	-	-
NON-HISPANIC	283	-	2	2	4	6	4	87	96	60	22	-	-	-	-
NOT STATED	17	-	-	-	1	2	1	5	5	2	-	1	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO	21,284	47	116	306	306	778	993	7,139	6,815	3,470	949	136	6	-	3
HISPANIC	5,336	19	51	119	173	273	282	1,807	1,490	821	252	46	3	-	-
NON-HISPANIC	15,794	28	65	184	329	500	706	5,310	5,273	2,620	687	87	3	-	2
NOT STATED	154	-	-	3	4	5	5	42	52	29	10	3	-	-	1
SAN DIEGO	37,200	47	138	352	587	962	1,477	11,474	11,990	7,380	2,432	320	15	1	5
HISPANIC	9,007	15	60	143	224	348	472	3,039	2,707	1,388	496	93	-	-	2
NON-HISPANIC	28,053	32	77	207	362	611	997	8,385	9,223	5,965	1,947	226	15	1	3
NOT STATED	140	-	1	2	1	3	8	30	58	27	9	1	-	-	-
SAN FRANCISCO	9,739	18	42	87	129	193	255	1,983	2,980	2,661	1,220	164	4	1	-
HISPANIC	1,941	3	10	25	39	66	88	376	631	341	142	20	-	-	-
NON-HISPANIC	7,562	15	29	59	86	124	166	1,356	2,285	2,250	1,049	138	4	1	-
NOT STATED	236	-	3	3	4	3	1	51	64	70	29	6	-	-	-
SAN JOAQUIN	7,993	26	71	120	197	301	393	2,628	2,379	1,317	454	98	8	-	1
HISPANIC	1,925	8	23	45	65	90	115	659	511	285	103	20	-	-	1
NON-HISPANIC	6,054	18	48	75	132	211	278	1,963	1,865	1,028	350	78	8	-	-
NOT STATED	14	-	-	-	-	-	-	6	3	4	1	-	-	-	-
SAN LUIS OBISPO	2,633	2	17	17	39	63	79	702	909	603	168	32	1	-	1
HISPANIC	387	1	6	8	11	15	22	125	102	68	24	4	-	-	1
NON-HISPANIC	2,222	1	11	9	28	48	57	568	798	530	143	28	1	-	-
NOT STATED	24	-	-	-	-	-	-	9	9	5	1	-	-	-	-
SAN MATEO	9,262	4	18	54	91	166	198	2,005	3,121	2,496	991	104	8	1	3
HISPANIC	1,873	4	10	22	41	63	82	590	574	312	148	25	1	-	1
NON-HISPANIC	7,157	-	8	31	45	102	111	1,367	2,471	2,110	817	75	7	1	1
NOT STATED	232	-	-	1	5	1	5	48	76	66	26	4	-	-	-
SANTA BARBARA	5,149	8	19	48	71	128	203	1,467	1,725	1,039	368	51	2	-	-
HISPANIC	1,676	6	13	30	39	58	110	584	475	237	87	16	1	-	-
NON-HISPANIC	3,452	2	6	18	32	70	92	881	1,244	794	277	35	1	-	-
NOT STATED	21	-	-	-	-	-	1	2	6	8	4	-	-	-	-
SANTA CLARA	24,110	30	108	230	387	565	776	6,311	8,070	5,300	1,877	237	11	2	6
HISPANIC	6,144	19	62	150	203	264	347	2,113	1,771	842	312	38	1	2	-
NON-HISPANIC	17,769	11	46	79	182	295	422	4,160	6,226	4,610	1,547	176	10	-	5
NOT STATED	197	-	-	1	2	6	7	38	73	48	18	3	-	-	1
SANTA CRUZ	3,582	8	14	34	62	86	135	894	1,097	860	338	51	1	-	2
HISPANIC	1,137	5	7	24	35	53	70	337	320	182	67	16	1	-	-
NON-HISPANIC	2,416	2	7	10	27	31	64	553	771	670	244	35	-	-	2
NOT STATED	29	1	-	-	-	2	1	4	6	8	7	-	-	-	-
SHASTA	2,093	1	13	23	60	76	92	719	643	334	98	12	-	-	-
HISPANIC	75	-	3	1	1	6	4	21	22	12	5	-	-	-	-
NON-HISPANIC	2,015	1	10	22	58	70	88	697	623	342	93	11	-	-	-
NOT STATED	3	-	-	-	1	-	-	1	-	-	-	1	-	-	-
SIERRA	59	-	1	-	1	1	2	15	22	14	3	-	-	-	-
HISPANIC	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NON-HISPANIC	57	-	1	-	1	1	2	15	20	14	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	623	-	5	9	10	19	20	207	195	114	38	4	-	-	2
HISPANIC	33	-	-	1	-	4	-	15	8	3	2	-	-	-	-
NON-HISPANIC	441	-	4	6	10	10	18	143	128	90	29	3	-	-	-
NOT STATED	149	-	1	2	-	5	2	49	39	21	7	1	-	-	2

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO	5,040	4	28	41	81	141	224	1,623	1,685	900	276	34	2	-	1
HISPANIC	578	-	5	10	11	21	24	208	180	88	28	3	-	-	-
NON-HISPANIC	4,424	4	23	31	70	120	198	1,399	1,497	803	245	31	2	-	1
NOT STATED	38	-	-	-	-	-	2	16	8	9	3	-	-	-	-
SONOMA	5,266	3	20	30	66	106	162	1,374	1,741	1,234	480	48	2	-	-
HISPANIC	614	-	9	11	21	20	36	227	172	76	36	6	-	-	-
NON-HISPANIC	4,610	3	11	19	44	86	125	1,141	1,559	1,141	437	42	2	-	-
NOT STATED	42	-	-	-	1	-	1	6	10	17	7	-	-	-	-
STANISLAUS	5,518	17	43	100	117	225	278	1,684	1,633	899	274	46	1	1	-
HISPANIC	1,314	7	19	36	32	62	73	437	374	194	64	16	-	-	-
NON-HISPANIC	4,197	10	24	64	85	163	205	1,444	1,258	703	209	30	1	1	-
NOT STATED	7	-	-	-	-	-	-	3	1	2	1	-	-	-	-
SUTTER	953	1	7	10	27	36	55	349	285	131	45	7	-	-	-
HISPANIC	163	-	-	2	8	6	11	50	51	25	10	-	-	-	-
NON-HISPANIC	784	1	7	8	19	30	44	295	233	105	35	7	-	-	-
NOT STATED	6	-	-	-	-	-	-	4	1	1	-	-	-	-	-
TEHAMA	630	-	2	5	14	24	30	239	205	100	26	4	1	-	-
HISPANIC	73	-	-	1	4	3	5	24	20	13	3	-	-	-	-
NON-HISPANIC	571	-	2	4	10	20	25	213	185	85	22	4	1	-	-
NOT STATED	6	-	-	-	-	1	-	2	-	2	1	-	-	-	-
TRINITY	166	-	2	4	5	4	5	53	51	34	8	-	-	-	-
HISPANIC	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-
NON-HISPANIC	157	-	2	4	5	4	5	50	48	31	8	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
TULARE	5,677	21	54	105	160	234	343	1,963	1,391	831	294	54	4	1	2
HISPANIC	2,685	12	41	63	93	129	173	948	658	378	151	38	-	-	1
NON-HISPANIC	2,978	9	13	42	66	103	170	1,010	932	449	142	16	4	1	1
NOT STATED	14	-	-	-	1	2	-	5	1	4	1	-	-	-	-
TUOLUMNE	477	-	3	4	11	6	23	147	143	93	39	3	1	-	-
HISPANIC	22	-	-	-	1	1	-	10	4	3	1	-	-	-	-
NON-HISPANIC	454	-	3	4	10	5	22	137	141	90	38	3	1	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VENTURA	10,587	15	45	121	170	301	386	2,891	3,554	2,248	738	103	7	-	6
HISPANIC	3,419	10	29	67	94	156	178	1,054	987	390	201	49	3	-	1
NON-HISPANIC	6,988	3	16	53	75	141	207	1,804	2,492	1,615	522	54	4	-	2
NOT STATED	180	2	-	1	1	4	1	33	75	43	15	2	-	-	3
YOLO	1,930	3	11	24	38	48	94	585	601	380	123	22	1	-	-
HISPANIC	438	2	7	5	17	13	27	144	132	63	22	4	-	-	-
NON-HISPANIC	1,473	1	4	19	19	35	67	433	462	313	101	18	1	-	-
NOT STATED	19	-	-	-	2	-	-	8	7	2	-	-	-	-	-
YUBA	1,074	1	6	29	37	38	55	443	319	111	31	4	-	-	-
HISPANIC	107	-	2	2	6	3	8	40	27	14	5	-	-	-	-
NON-HISPANIC	962	1	4	27	31	35	47	398	292	97	26	4	-	-	-
NOT STATED	5	-	-	-	-	-	-	5	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-13

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER, CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	470,816	890	2,534	5,630	9,323	13,824	19,034	136,985	149,523	94,067	33,578	4,953	220	20	213
AMERICAN INDIAN	5,714	12	62	89	173	257	326	2,057	1,565	829	292	51	-	-	1
NONE	2,323	12	56	83	143	193	221	915	459	171	61	8	-	-	1
ONE	1,710	-	5	5	24	55	81	709	516	238	66	9	-	-	-
TWO	945	-	1	1	5	8	21	292	346	195	65	11	-	-	-
THREE	452	-	-	-	-	1	1	102	164	131	44	9	-	-	-
FOUR OR MORE	265	-	-	-	-	-	-	31	76	89	35	14	-	-	-
NOT STATED	19	-	-	-	1	-	2	8	2	5	1	-	-	-	-
BLACK	46,137	257	551	1,032	1,369	2,113	2,803	13,633	13,069	6,559	2,236	282	12	-	21
NONE	18,679	250	527	932	1,317	1,562	1,902	6,967	3,736	1,272	367	43	-	-	4
ONE	13,635	2	20	94	217	463	694	5,391	4,361	1,974	361	49	1	-	8
TWO	7,504	1	1	3	26	70	168	2,220	2,867	1,585	496	58	2	-	7
THREE	3,315	-	-	-	6	9	24	736	1,261	885	349	42	3	-	-
FOUR OR MORE	2,397	-	-	-	1	2	3	259	782	810	446	87	6	-	1
NOT STATED	207	4	3	3	2	7	12	60	62	33	17	3	-	-	1
CAMBODIAN	2,121	-	5	12	30	50	59	483	631	463	238	126	21	1	2
NONE	414	-	5	9	25	36	39	163	96	26	12	1	2	-	-
ONE	316	-	-	3	4	12	17	135	84	50	7	4	-	-	-
TWO	452	-	-	-	1	1	2	118	202	93	27	7	1	-	-
THREE	362	-	-	-	-	1	-	51	157	105	30	14	4	-	-
FOUR OR MORE	562	-	-	-	-	-	-	8	90	187	162	99	14	1	1
NOT STATED	15	-	-	-	-	-	1	8	2	2	-	1	-	-	1
CHINESE	8,513	1	1	7	15	25	31	761	3,045	3,261	1,248	113	4	1	-
NONE	4,028	1	1	7	15	24	28	501	1,793	1,308	324	25	1	-	-
ONE	2,974	-	-	-	-	-	3	196	902	1,321	515	36	-	1	-
TWO	1,005	-	-	-	-	1	-	47	236	432	267	21	1	-	-
THREE	328	-	-	-	-	-	-	9	82	137	85	15	-	-	-
FOUR OR MORE	151	-	-	-	-	-	-	4	22	55	52	16	2	-	-
NOT STATED	27	-	-	-	-	-	-	4	10	8	5	-	-	-	-
ESKIMO/ALEUT	32	-	1	1	2	1	2	12	7	5	1	-	-	-	-
NONE	13	-	-	1	2	1	2	3	4	-	-	-	-	-	-
ONE	7	-	1	-	-	-	-	5	-	1	-	-	-	-	-
TWO	9	-	-	-	-	-	-	3	2	3	1	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	12,672	13	31	65	122	217	245	2,526	4,137	3,535	1,557	213	7	1	3
NONE	5,504	12	30	62	111	185	194	1,509	1,884	1,102	375	37	1	1	1
ONE	4,170	1	1	2	10	29	41	745	1,432	1,347	501	59	2	-	-
TWO	2,048	-	-	-	1	2	9	212	623	752	397	51	-	-	1
THREE	635	-	-	-	-	1	-	42	143	228	193	26	2	-	-
FOUR OR MORE	274	-	-	-	-	-	-	11	42	94	86	39	2	-	-
NOT STATED	41	-	-	1	-	-	1	7	13	12	5	1	-	-	1
INDIAN (INDIA)	1,935	-	1	2	6	7	19	439	784	505	160	11	-	-	1
NONE	862	-	1	2	6	5	17	294	355	142	36	4	-	-	-
ONE	726	-	-	-	-	2	2	119	317	221	63	2	-	-	-
TWO	247	-	-	-	-	-	-	20	76	113	36	2	-	-	-
THREE	67	-	-	-	-	-	-	4	23	22	15	3	-	-	-
FOUR OR MORE	21	-	-	-	-	-	-	-	8	4	9	-	-	-	-
NOT STATED	12	-	-	-	-	-	-	2	5	3	1	-	-	-	1
JAPANESE	4,155	3	6	10	22	42	44	391	1,396	1,433	565	44	-	-	1
NONE	1,982	3	6	10	21	37	37	370	763	546	173	16	-	-	-
ONE	1,323	-	-	-	-	3	7	169	481	623	227	10	-	-	1
TWO	489	-	-	-	1	-	-	45	117	203	113	10	-	-	-
THREE	116	-	-	-	-	-	-	7	24	46	37	2	-	-	-
FOUR OR MORE	36	-	-	-	-	-	-	-	4	13	13	6	-	-	-
NOT STATED	9	-	-	-	-	-	-	-	5	2	2	-	-	-	-

TABLE 2-13 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER, CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	470,816	890	2,554	5,630	9,323	13,824	19,034	136,983	149,523	94,067	33,578	4,933	220	20	215
KOREAN	3,658	1	-	5	8	16	17	516	1,829	998	237	28	-	-	3
NONE	1,833	1	-	5	7	14	16	397	1,011	315	59	6	-	-	2
ONE	1,446	-	-	-	1	1	1	105	723	303	101	10	-	-	1
TWO	291	-	-	-	-	1	-	10	81	139	54	6	-	-	-
THREE	50	-	-	-	-	-	-	2	6	27	14	1	-	-	-
FOUR OR MORE	25	-	-	-	-	-	-	2	1	10	7	3	-	-	-
NOT STATED	13	-	-	-	-	-	-	-	7	4	2	-	-	-	-
PACIFIC ISLANDER	3,313	2	21	38	74	105	148	1,170	1,024	498	201	27	2	1	2
NONE	1,310	2	21	35	63	87	118	571	278	100	30	4	-	-	1
ONE	893	-	-	2	10	14	27	366	324	112	35	5	-	-	-
TWO	538	-	-	1	-	4	2	169	220	96	41	4	-	1	-
THREE	291	-	-	-	-	-	1	44	121	88	31	4	1	-	1
FOUR OR MORE	268	-	-	-	-	-	-	16	78	100	63	10	1	-	-
NOT STATED	11	-	-	-	1	-	-	4	3	2	1	-	-	-	-
THAI	658	1	2	3	4	8	9	74	165	239	131	20	-	-	-
NONE	304	1	2	3	4	7	6	53	91	92	39	4	-	-	-
ONE	248	-	-	-	-	1	2	20	59	101	36	9	-	-	-
TWO	82	-	-	-	-	-	1	1	13	36	26	5	-	-	-
THREE	14	-	-	-	-	-	-	-	1	6	7	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	1	3	1	2	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-
VIETNAMESE	4,938	3	6	20	41	74	107	1,120	1,694	1,284	470	102	13	1	3
NONE	1,773	2	5	19	37	63	81	588	557	309	101	10	-	-	1
ONE	1,326	1	1	-	4	10	21	347	475	355	94	17	-	-	1
TWO	840	-	-	-	-	-	5	139	308	279	93	12	2	-	-
THREE	476	-	-	-	-	-	-	29	227	149	59	11	-	-	1
FOUR OR MORE	495	-	-	-	-	-	-	13	118	186	116	30	11	1	-
NOT STATED	28	-	-	1	-	1	-	4	9	6	5	2	-	-	-
WHITE	369,285	568	1,817	4,248	7,104	10,705	14,970	109,612	117,919	72,773	25,560	3,776	125	6	102
NONE	149,684	548	1,726	3,870	5,997	8,182	10,496	54,150	40,242	18,731	5,142	541	15	1	43
ONE	119,741	16	88	349	985	2,163	3,665	37,734	42,461	24,392	7,150	704	11	1	22
TWO	58,524	1	2	18	95	294	666	13,225	22,310	15,584	5,450	649	16	1	13
THREE	23,566	-	-	-	7	26	91	3,316	8,354	7,820	3,394	333	17	-	6
FOUR OR MORE	16,743	-	-	-	-	3	13	909	4,061	6,021	4,329	1,334	66	3	4
NOT STATED	1,027	3	1	11	20	37	39	278	291	225	93	13	-	-	14
OTHER ASIAN	4,952	21	43	76	106	158	187	1,377	1,389	1,014	408	118	36	9	10
NONE	1,323	18	30	50	60	73	73	391	375	197	68	8	-	-	-
ONE	1,037	3	13	21	35	42	48	310	278	220	61	4	1	-	1
TWO	708	-	-	5	9	31	44	272	189	106	42	10	-	-	-
THREE	535	-	-	-	2	11	15	228	145	82	43	7	1	-	1
FOUR OR MORE	1,330	-	-	-	-	-	7	174	398	400	212	89	34	9	7
NOT STATED	19	-	-	-	-	1	-	2	4	9	2	-	-	-	1
OTHER	707	3	-	3	15	15	22	195	259	141	45	8	-	-	1
NONE	284	3	-	3	11	8	15	107	96	31	9	1	-	-	-
ONE	240	-	-	-	3	4	4	59	98	59	12	-	-	-	1
TWO	107	-	-	-	-	2	2	21	44	28	3	5	-	-	-
THREE	46	-	-	-	-	1	-	4	16	13	11	1	-	-	-
FOUR OR MORE	25	-	-	-	-	-	-	2	5	9	8	1	-	-	-
NOT STATED	5	-	-	-	1	-	1	2	-	1	-	-	-	-	-
NOT STATED	2,026	5	7	17	32	31	45	419	612	530	229	34	-	-	65
NONE	829	3	7	13	27	24	25	203	260	160	67	6	-	-	14
ONE	609	1	-	2	4	5	16	142	202	158	68	11	-	-	-
TWO	278	-	-	-	-	1	1	47	83	93	46	3	-	-	4
THREE	97	-	-	-	-	-	-	8	29	41	14	5	-	-	-
FOUR OR MORE	65	-	-	-	-	-	-	4	17	24	14	5	-	-	1
NOT STATED	148	1	-	2	1	1	3	15	21	34	20	4	-	-	46

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-14

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER, CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	470,816	890	2,554	5,630	9,323	13,824	19,034	136,985	149,523	94,067	33,578	4,953	220	20	215
HISPANIC	149,191	423	1,194	2,658	4,209	6,068	7,959	49,517	42,685	23,537	9,055	1,771	69	5	41
CUBAN	856	-	-	4	7	7	34	293	296	155	48	10	2	-	-
NONE	369	-	-	4	7	7	24	159	114	42	9	3	-	-	-
ONE	318	-	-	-	-	-	8	100	117	74	14	4	1	-	-
TWO	117	-	-	-	-	-	2	29	44	25	15	1	1	-	-
THREE	30	-	-	-	-	-	-	4	12	8	5	1	-	-	-
FOUR OR MORE	22	-	-	-	-	-	-	1	9	6	5	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	129,479	392	1,120	2,466	3,886	5,353	7,178	43,531	36,338	19,756	7,617	1,538	63	5	36
NONE	44,378	375	1,046	2,193	3,155	3,991	4,633	16,141	7,731	2,382	622	86	9	1	13
ONE	37,586	13	72	254	643	1,312	2,039	15,817	11,653	4,350	1,072	150	3	-	8
TWO	24,010	1	2	13	74	205	420	6,818	9,405	5,243	1,398	215	8	1	5
THREE	12,312	-	-	-	5	24	65	2,013	4,576	3,834	1,346	238	7	-	4
FOUR OR MORE	10,875	-	-	-	-	2	7	627	2,708	3,883	2,758	847	36	3	4
NOT STATED	318	3	-	6	9	19	14	115	65	62	21	2	-	-	2
PUERTO RICAN	1,638	2	9	33	45	69	104	538	470	264	96	8	-	-	-
NONE	641	2	8	30	37	52	65	239	143	48	14	3	-	-	-
ONE	544	-	1	2	8	14	26	205	171	93	22	2	-	-	-
TWO	261	-	-	1	-	3	11	66	99	57	23	1	-	-	-
THREE	122	-	-	-	-	-	1	16	37	49	18	1	-	-	-
FOUR OR MORE	66	-	-	-	-	-	-	9	20	17	19	1	-	-	-
NOT STATED	4	-	-	-	-	-	1	3	-	-	-	-	-	-	-
OTHER HISPANIC	17,218	29	65	155	271	439	643	3,155	3,581	3,362	1,294	215	4	-	5
NONE	6,531	28	63	137	229	327	481	2,730	1,720	618	171	26	-	-	1
ONE	5,462	1	2	17	39	102	139	1,683	2,065	1,054	317	42	1	-	-
TWO	3,076	-	-	-	3	9	23	562	1,161	909	358	47	1	-	3
THREE	1,273	-	-	-	-	-	-	138	449	442	211	32	-	-	1
FOUR OR MORE	842	-	-	-	-	-	-	36	173	330	233	68	2	-	-
NOT STATED	34	-	-	1	-	1	-	6	13	9	4	-	-	-	-
NON-HISPANIC	317,458	455	1,335	2,926	5,038	7,672	10,949	86,342	105,525	69,645	24,170	3,135	151	15	100
NONE	137,676	442	1,278	2,699	4,348	6,057	7,975	43,356	41,792	21,160	5,933	567	10	1	38
ONE	105,611	9	51	204	602	1,365	2,391	28,374	38,049	25,810	8,000	717	10	2	27
TWO	46,018	1	2	14	61	197	461	9,243	17,005	13,333	5,090	587	12	1	11
THREE	16,396	-	-	-	10	26	66	2,374	5,610	5,377	2,515	393	21	-	4
FOUR OR MORE	10,725	-	-	-	1	3	16	749	2,749	3,732	2,524	833	98	11	9
NOT STATED	1,032	3	4	9	16	24	40	246	320	233	108	18	-	-	11
NOT STATED	4,167	12	25	46	76	84	126	1,126	1,313	885	353	47	-	-	74
NONE	1,750	9	22	43	70	67	92	557	500	272	94	9	-	-	15
ONE	1,262	1	3	1	5	13	26	373	460	294	92	14	-	-	-
TWO	585	-	-	-	-	1	4	123	203	168	77	3	-	-	6
THREE	219	-	-	-	-	-	-	38	70	70	31	10	-	-	-
FOUR OR MORE	135	-	-	-	-	-	-	11	44	38	34	7	-	-	1
NOT STATED	196	2	-	2	1	3	4	24	36	43	25	4	-	-	32

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-15

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985,
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL LIVE BIRTHS	470,616	3,714	46,137	2,121	8,513	32	12,672	1,935	4,135
UNDER 1,500 GRAMS	5,123	56	1,140	22	52	-	108	25	30
UNDER 37 WEEKS	4,010	49	909	11	40	-	85	19	26
37-42 WEEKS	355	1	76	4	7	-	8	2	1
43 WEEKS AND OVER	54	-	11	4	1	-	-	-	-
NOT STATED	704	6	144	3	4	-	15	4	3
1,500-2,499 GRAMS	23,264	266	4,359	127	394	2	736	129	200
UNDER 37 WEEKS	11,209	124	2,137	50	214	1	341	68	89
37-42 WEEKS	9,634	104	1,779	53	152	1	346	55	94
43 WEEKS AND OVER	643	15	120	6	7	-	20	4	2
NOT STATED	1,778	23	323	18	21	-	29	2	15
2,500 GRAMS OR MORE	442,083	3,390	40,599	1,966	8,065	30	11,826	1,777	3,923
UNDER 37 WEEKS	28,343	353	4,065	219	365	1	848	117	196
37-42 WEEKS	358,239	4,135	31,431	1,267	6,873	24	9,915	1,495	3,312
43 WEEKS AND OVER	32,979	541	3,012	166	394	2	652	80	236
NOT STATED	22,500	341	2,091	314	433	3	411	85	179
NOT STATED	346	2	39	6	2	-	2	4	2
UNDER 37 WEEKS	79	-	12	-	-	-	1	2	1
37-42 WEEKS	166	1	17	1	1	-	1	1	1
43 WEEKS AND OVER	14	-	-	1	1	-	-	-	-
NOT STATED	87	1	10	4	-	-	-	1	-

TABLE 2-15 (CONTINUED)

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985,
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL LIVE BIRTHS	470,816	3,658	3,313	658	4,938	369,283	4,932	707	2,026
UNDER 1,500 GRAMS	5,123	34	41	13	36	3,461	43	6	36
UNDER 37 WEEKS	4,010	26	30	10	24	2,728	21	6	26
37-42 WEEKS	355	2	2	1	3	243	3	-	2
43 WEEKS AND OVER	54	-	1	-	1	34	2	-	-
NOT STATED	704	6	8	2	8	456	17	-	28
1,500-2,499 GRAMS	23,264	115	147	27	238	16,110	272	48	94
UNDER 37 WEEKS	11,209	66	83	14	98	7,767	106	23	28
37-42 WEEKS	9,634	37	51	12	100	6,688	103	19	40
43 WEEKS AND OVER	643	4	3	-	7	446	7	-	2
NOT STATED	1,778	8	10	1	33	1,209	56	6	24
2,500 GRAMS OR MORE	442,083	3,309	3,122	618	4,663	349,447	4,634	632	1,862
UNDER 37 WEEKS	28,345	131	292	37	368	20,817	360	54	82
37-42 WEEKS	358,259	2,903	2,431	488	3,543	283,354	3,130	520	1,418
43 WEEKS AND OVER	32,979	221	226	38	271	26,694	307	34	105
NOT STATED	22,500	234	173	55	481	16,582	837	44	257
NOT STATED	346	-	3	-	1	267	3	1	14
UNDER 37 WEEKS	79	-	1	-	-	62	-	-	-
37-42 WEEKS	166	-	2	-	1	138	1	1	-
43 WEEKS AND OVER	14	-	-	-	-	11	1	-	-
NOT STATED	87	-	-	-	-	56	1	-	14

NOTE: 'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 186 LIVE BIRTHS OF 16 WEEKS OR LESS GESTATION AND 3904 LIVE BIRTHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES IN THE FILE RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-16

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985,
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL LIVE BIRTHS	470,816	836	129,479	1,638	17,218	317,438	4,167
UNDER 1,500 GRAMS	5,123	7	1,242	19	163	3,614	76
UNDER 37 WEEKS	4,010	5	952	17	124	2,874	38
37-42 WEEKS	355	-	82	-	16	252	5
43 WEEKS AND OVER	54	-	15	-	1	38	-
NOT STATED	704	2	193	2	24	450	33
1,500-2,499 GRAMS	23,264	44	3,636	115	844	16,416	189
UNDER 37 WEEKS	11,209	18	2,748	37	385	7,936	65
37-42 WEEKS	9,634	22	2,287	49	376	6,611	89
43 WEEKS AND OVER	643	1	156	3	25	456	2
NOT STATED	1,778	3	465	6	58	1,213	33
2,500 GRAMS OR MORE	442,083	803	122,467	1,501	16,191	297,244	3,877
UNDER 37 WEEKS	28,345	30	8,984	114	1,239	17,761	197
37-42 WEEKS	358,259	667	97,674	1,216	13,120	242,362	3,020
43 WEEKS AND OVER	32,979	54	9,150	105	1,062	22,342	266
NOT STATED	22,500	32	6,459	66	770	14,779	394
NOT STATED	346	2	114	3	18	184	25
UNDER 37 WEEKS	79	-	28	2	7	42	-
37-42 WEEKS	166	2	57	1	7	91	8
43 WEEKS AND OVER	14	-	4	-	-	10	-
NOT STATED	87	-	25	-	4	41	17

NOTE: 'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 186 LIVE BIRTHS OF 16 WEEKS OR LESS GESTATION AND 3904 LIVE BIRTHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES IN THE FILE RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-17

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	470,816	890	2,554	5,630	9,323	13,824	19,034	136,985	149,323	94,067	33,578	4,953	220	20	213
AMERICAN INDIAN	3,714	12	62	89	173	257	326	2,057	1,565	829	292	51	-	-	1
UNDER 1,500 GRAMS	56	-	-	1	7	5	2	20	15	4	2	-	-	-	-
1,500-2,499 GRAMS	266	2	4	5	7	12	16	80	73	44	15	6	-	-	-
2,500-3,499 GRAMS	2,840	7	42	59	99	139	163	1,058	746	382	123	21	-	-	1
3,500-4,499 GRAMS	2,403	3	15	22	58	94	140	855	694	364	135	23	-	-	-
4500 GRAMS OR MORE	147	-	1	2	2	7	3	43	36	35	17	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
BLACK	46,137	257	551	1,032	1,569	2,113	2,803	15,633	13,069	6,559	2,236	282	12	-	21
UNDER 1,500 GRAMS	1,140	16	24	27	38	51	71	322	338	183	56	11	2	-	1
1,500-2,499 GRAMS	4,359	19	47	114	152	196	273	1,424	1,268	618	210	33	1	-	2
2,500-3,499 GRAMS	27,423	177	370	657	1,008	1,404	1,768	9,670	7,470	3,563	1,171	144	6	-	15
3,500-4,499 GRAMS	12,659	43	109	228	365	451	670	4,070	3,824	2,065	741	88	3	-	2
4500 GRAMS OR MORE	517	1	1	6	6	10	15	139	153	125	54	6	-	-	1
NOT STATED	39	1	-	-	-	1	4	8	16	5	4	-	-	-	-
CAMBODIAN	2,121	-	5	12	30	30	39	483	631	463	236	126	21	1	2
UNDER 1,500 GRAMS	22	-	-	-	-	-	2	6	2	7	1	3	-	-	1
1,500-2,499 GRAMS	127	-	-	-	1	3	3	34	36	30	9	9	-	-	-
2,500-3,499 GRAMS	1,485	-	3	10	26	38	44	366	435	308	158	76	17	1	1
3,500-4,499 GRAMS	473	-	-	2	3	7	10	73	156	113	68	37	4	-	-
4500 GRAMS OR MORE	8	-	-	-	-	-	-	1	1	4	1	1	-	-	-
NOT STATED	6	-	-	-	-	-	-	3	1	1	1	-	-	-	-
CHINESE	8,513	1	1	7	15	23	31	761	3,045	3,261	1,248	113	4	1	-
UNDER 1,500 GRAMS	52	-	-	-	-	-	-	5	16	20	8	3	-	-	-
1,500-2,499 GRAMS	394	-	-	-	1	1	2	40	127	154	59	10	-	-	-
2,500-3,499 GRAMS	5,328	1	-	4	11	18	23	502	1,974	2,012	718	60	4	1	-
3,500-4,499 GRAMS	2,662	-	1	3	3	4	6	209	912	1,037	446	39	-	-	-
4500 GRAMS OR MORE	75	-	-	-	-	-	-	5	15	37	17	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ESKIMO/ALEUT	32	-	1	1	2	1	2	12	7	5	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
2,500-3,499 GRAMS	15	-	-	1	1	-	2	7	2	2	-	-	-	-	-
3,500-4,499 GRAMS	14	-	1	-	-	1	-	5	3	3	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	12,672	13	31	65	122	217	245	2,526	4,137	3,535	1,357	213	7	1	3
UNDER 1,500 GRAMS	108	-	2	1	1	1	5	16	29	34	13	5	1	-	-
1,500-2,499 GRAMS	736	1	3	5	8	23	22	147	169	193	124	18	-	-	1
2,500-3,499 GRAMS	8,005	10	18	46	84	129	160	1,673	2,632	2,200	924	121	5	1	2
3,500-4,499 GRAMS	3,711	2	5	13	28	64	58	673	1,251	1,073	476	67	1	-	-
4500 GRAMS OR MORE	110	-	1	-	1	-	-	17	34	35	20	2	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
INDIAN (INDIA)	1,935	-	1	2	6	7	19	439	784	503	160	11	-	-	1
UNDER 1,500 GRAMS	25	-	-	-	-	-	-	4	12	6	2	1	-	-	-
1,500-2,499 GRAMS	129	-	-	-	-	-	2	43	52	24	8	-	-	-	-
2,500-3,499 GRAMS	1,254	-	1	2	5	4	13	289	514	322	98	6	-	-	-
3,500-4,499 GRAMS	504	-	-	-	1	2	3	101	198	146	49	4	-	-	-
4500 GRAMS OR MORE	19	-	-	-	-	-	-	2	8	6	3	-	-	-	-
NOT STATED	4	-	-	-	-	1	1	-	-	1	-	-	-	-	1
JAPANESE	4,155	3	6	10	22	42	44	591	1,394	1,433	365	44	-	-	1
UNDER 1,500 GRAMS	30	-	-	-	-	-	-	5	8	14	3	-	-	-	-
1,500-2,499 GRAMS	200	-	-	-	2	4	3	29	65	66	30	1	-	-	-
2,500-3,499 GRAMS	2,508	3	5	10	13	22	22	338	876	883	312	24	-	-	-
3,500-4,499 GRAMS	1,368	-	1	-	7	16	19	213	432	456	205	18	-	-	1
4500 GRAMS OR MORE	47	-	-	-	-	-	-	6	12	13	13	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-

TABLE 2-17 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	470,816	890	2,334	5,630	9,323	13,824	19,034	136,985	149,523	94,067	33,578	4,953	220	20	215
KOREAN	3,658	1	-	5	8	16	17	316	1,829	998	237	28	-	-	3
UNDER 1,500 GRAMS	34	-	-	1	-	-	1	5	11	11	3	2	-	-	-
1,500-2,499 GRAMS	115	-	-	-	-	-	-	15	44	42	13	1	-	-	-
2,500-3,499 GRAMS	2,135	-	-	2	7	10	11	310	1,128	530	121	13	-	-	3
3,500-4,499 GRAMS	1,318	1	-	2	1	6	5	179	624	393	95	12	-	-	-
4500 GRAMS OR MORE	56	-	-	-	-	-	-	7	22	22	5	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3,313	2	21	38	74	103	148	1,170	1,024	498	201	27	2	1	2
UNDER 1,500 GRAMS	41	1	-	-	1	2	3	17	10	2	5	-	-	-	-
1,500-2,499 GRAMS	147	-	2	3	3	3	5	56	31	29	14	1	-	-	-
2,500-3,499 GRAMS	1,601	1	13	22	38	60	85	592	476	218	80	12	2	-	2
3,500-4,499 GRAMS	1,416	-	6	12	32	36	51	481	467	227	89	12	-	1	-
4500 GRAMS OR MORE	105	-	-	1	-	2	3	23	39	22	13	2	-	-	-
NOT STATED	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
THAI	658	1	2	5	4	8	9	74	163	239	131	20	-	-	-
UNDER 1,500 GRAMS	13	-	-	1	-	-	-	-	2	7	3	-	-	-	-
1,500-2,499 GRAMS	27	-	1	2	1	-	-	2	4	9	7	1	-	-	-
2,500-3,499 GRAMS	414	1	1	1	3	5	7	50	113	140	80	13	-	-	-
3,500-4,499 GRAMS	201	-	-	1	-	3	2	22	45	83	39	6	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	4,938	3	6	20	41	74	107	1,120	1,694	1,284	470	102	13	1	3
UNDER 1,500 GRAMS	36	-	-	-	1	-	3	7	9	11	5	-	-	-	-
1,500-2,499 GRAMS	238	-	2	-	4	5	8	67	75	52	18	6	-	1	-
2,500-3,499 GRAMS	3,409	2	3	20	29	52	80	848	1,166	845	298	57	6	-	3
3,500-4,499 GRAMS	1,224	1	1	-	7	17	16	196	436	365	139	39	7	-	-
4500 GRAMS OR MORE	30	-	-	-	-	-	-	2	7	11	10	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	369,285	568	1,617	4,248	7,104	10,705	14,970	109,612	117,919	72,773	25,360	3,776	125	6	102
UNDER 1,500 GRAMS	3,461	14	31	54	74	123	145	973	1,007	727	271	37	2	-	3
1,500-2,499 GRAMS	16,110	42	113	266	378	604	782	4,723	4,730	3,067	1,157	228	9	1	8
2,500-3,499 GRAMS	180,826	336	1,073	2,550	4,090	6,110	8,297	56,674	56,205	32,425	11,157	1,604	53	4	46
3,500-4,499 GRAMS	139,894	171	381	1,343	2,487	3,748	5,541	44,998	53,006	34,204	11,981	1,742	54	1	37
4500 GRAMS OR MORE	8,727	4	14	32	67	113	191	1,960	2,899	2,301	976	160	7	-	3
NOT STATED	267	1	3	3	8	7	14	82	72	49	18	5	-	-	5
OTHER ASIAN	4,952	21	43	76	106	158	187	1,377	1,389	1,014	408	118	36	9	10
UNDER 1,500 GRAMS	43	1	2	2	1	-	1	12	10	9	3	1	-	-	1
1,500-2,499 GRAMS	272	4	3	14	16	15	14	79	62	37	19	4	4	1	-
2,500-3,499 GRAMS	3,172	11	32	49	78	109	123	936	894	610	231	68	21	5	5
3,500-4,499 GRAMS	1,412	5	6	11	11	34	49	340	410	344	144	41	10	3	4
4500 GRAMS OR MORE	50	-	-	-	-	-	-	10	12	13	10	4	1	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
OTHER	707	3	-	3	15	15	22	195	259	141	45	8	-	-	1
UNDER 1,500 GRAMS	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
1,500-2,499 GRAMS	48	1	-	-	1	2	1	18	15	9	1	-	-	-	-
2,500-3,499 GRAMS	414	2	-	2	12	8	13	112	132	83	25	5	-	-	-
3,500-4,499 GRAMS	233	-	-	1	2	5	8	63	86	45	19	3	-	-	1
4500 GRAMS OR MORE	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	2,026	3	7	17	32	31	45	419	612	330	229	34	-	-	65
UNDER 1,500 GRAMS	56	-	1	-	2	1	-	12	8	13	5	2	-	-	12
1,500-2,499 GRAMS	94	-	-	2	3	2	2	18	28	14	15	2	-	-	8
2,500-3,499 GRAMS	996	3	3	7	19	20	23	243	306	238	96	12	-	-	26
3,500-4,499 GRAMS	820	2	2	7	8	8	19	139	246	249	105	17	-	-	16
4500 GRAMS OR MORE	46	-	1	-	-	-	-	4	19	14	7	-	-	-	1
NOT STATED	14	-	-	1	-	-	1	3	5	2	1	1	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-18

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	470,816	890	2,554	5,630	9,323	13,824	19,034	136,985	149,523	94,067	33,578	4,953	220	20	215
HISPANIC	149,191	423	1,194	2,658	4,209	6,068	7,939	49,517	42,685	23,537	9,055	1,771	69	5	41
CUBAN	856	-	-	4	7	7	34	293	296	135	48	10	2	-	-
UNDER 1,500 GRAMS	7	-	-	-	-	-	-	3	2	2	-	-	-	-	-
1,500-2,499 GRAMS	44	-	-	-	-	-	-	17	13	11	3	-	-	-	-
2,500-3,499 GRAMS	405	-	-	2	2	4	17	148	128	74	21	8	1	-	-
3,500-4,499 GRAMS	384	-	-	2	4	3	17	119	147	66	23	2	1	-	-
4500 GRAMS OR MORE	14	-	-	-	1	-	-	5	5	2	1	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
MEXICAN	129,479	392	1,120	2,466	3,886	5,553	7,178	43,531	36,338	19,736	7,617	1,338	63	5	36
UNDER 1,500 GRAMS	1,242	11	23	28	42	56	57	381	317	230	78	17	1	-	1
1,500-2,499 GRAMS	3,656	29	57	160	193	316	367	1,790	1,405	892	352	86	6	-	3
2,500-3,499 GRAMS	66,538	235	714	1,532	2,318	3,292	4,141	23,725	17,850	8,802	3,239	645	25	4	16
3,500-4,499 GRAMS	53,224	114	321	727	1,292	1,849	2,540	16,998	15,907	9,142	3,582	709	27	1	15
4500 GRAMS OR MORE	2,705	2	3	18	37	37	66	603	824	671	362	77	4	-	1
NOT STATED	114	1	2	1	4	3	7	34	35	19	4	4	-	-	-
PUERTO RICAN	1,638	2	9	33	45	69	104	338	470	264	96	8	-	-	-
UNDER 1,500 GRAMS	19	-	-	1	-	-	2	6	6	3	1	-	-	-	-
1,500-2,499 GRAMS	115	-	1	3	5	4	14	35	35	7	9	-	-	-	-
2,500-3,499 GRAMS	904	1	8	19	26	49	52	308	248	149	39	5	-	-	-
3,500-4,499 GRAMS	579	1	-	8	14	16	36	178	173	101	47	3	-	-	-
4500 GRAMS OR MORE	18	-	-	-	-	-	-	11	4	3	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
OTHER HISPANIC	17,218	29	65	153	271	439	643	5,153	5,381	3,362	1,294	215	4	-	5
UNDER 1,500 GRAMS	165	-	-	1	1	3	7	45	44	42	21	1	-	-	-
1,500-2,499 GRAMS	844	3	4	8	24	29	36	247	239	152	66	14	-	-	-
2,500-3,499 GRAMS	9,472	22	43	117	172	299	405	3,014	2,983	1,662	642	106	4	-	3
3,500-4,499 GRAMS	6,447	4	18	29	72	106	188	1,797	2,189	1,429	528	85	-	-	2
4500 GRAMS OR MORE	272	-	-	-	1	2	5	47	104	73	33	7	-	-	-
NOT STATED	18	-	-	-	1	-	2	5	2	4	4	-	-	-	-
NON-HISPANIC	317,458	455	1,335	2,926	5,038	7,672	10,949	86,342	103,525	69,643	24,170	3,135	151	15	100
UNDER 1,500 GRAMS	3,614	19	36	53	78	123	167	955	1,101	733	275	44	4	-	4
1,500-2,499 GRAMS	16,416	37	113	234	352	517	710	4,643	5,037	3,289	1,252	213	8	3	6
2,500-3,499 GRAMS	162,395	291	790	1,749	2,956	4,438	6,151	46,042	53,216	33,668	11,496	1,451	84	8	55
3,500-4,499 GRAMS	127,993	105	382	863	1,611	2,496	3,771	33,113	43,826	30,030	10,383	1,330	51	4	26
4500 GRAMS OR MORE	6,856	3	13	23	38	93	140	1,537	2,291	1,871	746	94	4	-	3
NOT STATED	184	-	1	2	3	5	10	52	54	34	16	1	-	-	6
NOT STATED	4,167	12	25	46	76	84	126	1,126	1,313	883	333	47	-	-	74
UNDER 1,500 GRAMS	76	2	1	2	4	1	-	15	10	20	5	3	-	-	13
1,500-2,499 GRAMS	189	-	2	4	3	6	10	45	52	37	17	3	-	-	10
2,500-3,499 GRAMS	2,111	5	13	23	49	46	68	631	664	406	155	21	-	-	30
3,500-4,499 GRAMS	1,685	4	7	16	20	30	45	412	546	399	167	19	-	-	20
4500 GRAMS OR MORE	81	-	2	-	-	-	1	17	32	20	8	-	-	-	1
NOT STATED	25	1	-	1	-	1	2	6	9	3	1	1	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-19

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALAMEDA	19,624	46	98	212	284	474	683	5,080	6,307	4,405	1,765	226	10	-	14
AMERICAN INDIAN	158	-	1	2	7	5	7	58	40	26	11	1	-	-	-
UNDER 1,500 GRAMS	3	-	-	1	1	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	1	1	1	4	-	-	-	-	-
2,500-3,499 GRAMS	77	-	-	1	6	4	4	31	18	8	4	1	-	-	-
3,500-4,499 GRAMS	67	-	-	-	-	1	2	24	20	13	7	-	-	-	-
4500 GRAMS OR MORE	4	-	1	-	-	-	-	1	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	4,575	30	58	109	126	187	269	1,461	1,271	724	293	37	3	-	3
UNDER 1,500 GRAMS	103	4	1	3	3	6	4	29	32	15	6	-	-	-	-
1,500-2,499 GRAMS	484	4	4	15	8	15	29	151	133	86	32	6	-	-	1
2,500-3,499 GRAMS	2,695	17	46	69	87	122	168	918	725	373	147	18	1	-	4
3,500-4,499 GRAMS	1,235	5	7	22	28	43	67	345	368	234	101	13	2	-	-
4500 GRAMS OR MORE	53	-	-	-	-	1	-	16	11	16	9	-	-	-	-
NOT STATED	5	-	-	-	-	-	1	2	2	-	-	-	-	-	-
CAMBODIAN	146	-	1	-	1	2	7	37	40	33	16	8	1	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	1	-	-	-	2	-	-	-
1,500-2,499 GRAMS	14	-	-	-	1	-	-	3	5	4	-	1	-	-	-
2,500-3,499 GRAMS	102	-	1	-	-	1	7	28	27	23	10	4	1	-	-
3,500-4,499 GRAMS	23	-	-	-	-	1	-	2	7	6	6	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
CHINESE	773	-	-	1	1	-	1	62	292	286	121	9	-	-	-
UNDER 1,500 GRAMS	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
1,500-2,499 GRAMS	34	-	-	-	-	-	-	3	17	9	4	1	-	-	-
2,500-3,499 GRAMS	466	-	-	1	1	-	1	44	179	169	67	4	-	-	-
3,500-4,499 GRAMS	260	-	-	-	-	-	-	15	90	102	49	4	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	-	-	2	4	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	892	2	2	4	6	18	16	175	315	239	107	8	-	-	-
UNDER 1,500 GRAMS	4	-	1	-	-	-	1	1	-	1	-	-	-	-	-
1,500-2,499 GRAMS	51	-	-	-	1	-	1	14	14	15	6	-	-	-	-
2,500-3,499 GRAMS	573	2	1	3	3	11	13	114	203	151	65	7	-	-	-
3,500-4,499 GRAMS	259	-	-	1	2	7	1	46	96	69	36	1	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	-	2	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	185	-	-	-	2	-	1	37	73	54	16	2	-	-	-
UNDER 1,500 GRAMS	6	-	-	-	-	-	-	1	2	2	-	1	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	-	-	4	1	2	-	-	-	-
2,500-3,499 GRAMS	111	-	-	-	2	-	1	28	39	36	5	-	-	-	-
3,500-4,499 GRAMS	59	-	-	-	-	-	-	8	28	14	8	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	195	-	-	-	1	-	3	21	69	61	37	3	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	14	-	-	-	-	-	-	1	6	5	2	-	-	-	-
2,500-3,499 GRAMS	100	-	-	-	1	-	2	10	37	34	16	-	-	-	-
3,500-4,499 GRAMS	75	-	-	-	-	-	1	10	25	19	17	3	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALAMEDA (CONTINUED)	19,624	46	98	212	284	474	683	3,080	6,307	4,403	1,785	226	10	-	14
KOREAN	162	-	-	1	-	1	-	28	81	37	13	1	-	-	-
UNDER 1,500 GRAMS	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
2,500-3,499 GRAMS	94	-	-	-	-	-	-	17	43	23	10	1	-	-	-
3,500-4,499 GRAMS	56	-	-	1	-	1	-	8	33	11	2	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	197	1	1	3	1	9	10	66	60	34	11	1	-	-	-
UNDER 1,500 GRAMS	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	11	-	1	-	-	-	1	4	3	1	1	-	-	-	-
2,500-3,499 GRAMS	94	-	-	2	1	7	5	31	28	15	5	-	-	-	-
3,500-4,499 GRAMS	82	-	-	1	-	2	3	28	28	16	3	1	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	-	2	1	2	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	17	-	-	-	-	-	1	1	4	7	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	1	1	1	2	1	-	-	-	-
3,500-4,499 GRAMS	10	-	-	-	-	-	-	-	3	4	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	282	1	-	-	3	8	8	61	110	66	20	2	2	-	1
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	15	-	-	-	-	2	-	5	4	3	1	-	-	-	-
2,500-3,499 GRAMS	188	-	-	-	3	5	7	42	75	43	10	1	1	-	1
3,500-4,499 GRAMS	76	1	-	-	-	1	1	14	30	18	9	1	1	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	11,564	11	33	89	124	238	349	2,959	3,807	2,724	1,071	148	4	-	7
UNDER 1,500 GRAMS	110	-	2	3	2	1	8	25	30	27	10	2	-	-	-
1,500-2,499 GRAMS	311	-	2	9	4	13	26	127	173	108	39	9	1	-	-
2,500-3,499 GRAMS	5,511	5	18	46	74	120	174	1,526	1,789	1,211	474	65	2	-	2
3,500-4,499 GRAMS	5,132	6	11	29	43	101	134	1,223	1,716	1,281	320	65	1	-	-
4500 GRAMS OR MORE	269	-	-	2	-	3	6	53	95	95	28	7	-	-	-
NOT STATED	11	-	-	-	1	-	1	5	2	2	-	-	-	-	-
OTHER ASIAN	252	1	2	-	9	5	8	58	82	38	25	3	-	-	1
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	10	-	-	-	-	2	-	1	3	3	1	-	-	-	-
2,500-3,499 GRAMS	171	1	2	-	6	3	8	44	60	32	14	1	-	-	-
3,500-4,499 GRAMS	63	-	-	-	3	-	-	11	18	21	7	2	-	-	1
4500 GRAMS OR MORE	7	-	-	-	-	-	-	1	1	2	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	30	-	-	-	-	-	1	10	6	7	5	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
2,500-3,499 GRAMS	18	-	-	-	-	-	1	6	4	4	2	1	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	3	1	1	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	193	-	-	3	3	1	1	46	57	49	33	2	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	-	-	-	3	-	-	1	-	-	-
1,500-2,499 GRAMS	8	-	-	-	-	-	-	1	4	2	1	-	-	-	-
2,500-3,499 GRAMS	96	-	-	1	3	1	-	24	30	18	19	-	-	-	-
3,500-4,499 GRAMS	81	-	-	2	-	-	1	20	18	27	12	1	-	-	-
4500 GRAMS OR MORE	6	-	-	-	-	-	-	1	2	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALPINE	13	-	-	-	-	-	1	1	5	4	2	-	-	-	-
AMERICAN INDIAN	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALPINE (CONTINUED)	13	-	-	-	-	-	1	1	5	4	2	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	9	-	-	-	-	-	-	1	4	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	1	2	2	1	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
AMADOR	231	-	-	1	4	7	13	63	65	57	15	4	-	-	-
AMERICAN INDIAN	8	-	-	-	-	-	2	2	1	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
AMADOR (CONTINUED)	231	-	-	1	4	7	13	63	65	57	13	4	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	217	-	-	1	4	7	13	54	62	54	13	4	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	11	-	-	-	-	1	1	4	2	2	-	1	-	-	-
2,500-3,499 GRAMS	91	-	-	1	1	3	4	31	27	19	5	-	-	-	-
3,500-4,499 GRAMS	110	-	-	-	3	3	8	21	32	32	8	3	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
BUTTE	2,391	7	11	35	48	71	122	707	755	469	149	17	-	-	-
AMERICAN INDIAN	70	1	-	3	2	5	8	24	17	4	4	2	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	30	1	-	2	1	3	5	11	5	2	1	1	-	-	-
3,500-4,499 GRAMS	36	-	-	1	1	2	2	13	11	2	3	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	39	2	-	2	1	1	1	21	22	5	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	-	1	5	-	-	-	-	-	-	-
2,500-3,499 GRAMS	36	2	-	2	1	1	-	9	17	2	2	-	-	-	-
3,500-4,499 GRAMS	16	-	-	-	-	-	-	7	5	2	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	11	-	-	-	-	-	-	-	3	5	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	-	2	2	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	1	1	-	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
JAPANESE	7	-	-	-	-	-	-	2	2	3	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
BUTTE (CONTINUED)	2,391	7	11	35	48	71	122	707	755	469	149	17	-	-	-
KOREAN	5	-	-	-	-	-	-	1	4	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,215	4	11	29	45	64	112	653	701	444	137	13	-	-	-
UNDER 1,500 GRAMS	24	-	-	-	1	-	1	4	6	11	1	-	-	-	-
1,500-2,499 GRAMS	95	1	2	1	3	3	4	32	27	16	4	-	-	-	-
2,500-3,499 GRAMS	1,127	2	8	11	27	35	66	354	361	201	53	9	-	-	-
3,500-4,499 GRAMS	915	1	1	15	14	23	37	255	290	200	73	6	-	-	-
4500 GRAMS OR MORE	54	-	-	2	-	1	4	8	17	16	6	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	9	-	-	1	-	-	-	3	2	3	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	1	-	-	-	3	1	2	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALAVERAS	314	-	2	1	8	11	16	85	93	76	19	3	-	-	-
AMERICAN INDIAN	11	-	-	1	2	1	1	1	3	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	1	2	-	1	1	2	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALAVERAS (CONTINUED)	314	-	2	1	8	11	16	85	93	76	19	3	-	-	-
KOREAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	294	-	2	-	5	9	15	83	88	72	17	3	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	16	-	-	-	-	1	1	2	6	5	-	1	-	-	-
2,500-3,499 GRAMS	143	-	-	-	3	4	11	37	30	33	4	1	-	-	-
3,500-4,499 GRAMS	130	-	2	-	2	4	3	43	31	32	12	1	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19[9] (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
COLUSA	279	-	2	3	2	12	10	90	97	49	11	3	-	-	-
AMERICAN INDIAN	5	-	-	-	-	1	-	1	2	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
COLUSA (CONTINUED)	279	-	2	3	2	12	10	90	97	49	11	3	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	264	-	2	3	2	11	10	84	93	46	11	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
2,500-3,499 GRAMS	116	-	1	2	1	5	6	36	39	16	7	1	-	-	-
3,500-4,499 GRAMS	131	-	1	1	1	6	2	41	50	24	4	1	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	-	5	2	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

RACE/ BI	OUNTY, ETHNICITY AND THWEIGHT	TOTAL	AGE OF MOTHER													
			UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CONTRA	COSTA	10,861	26	52	101	170	261	309	2,668	3,606	2,378	978	108	2	-	2
AMER	CAN INDIAN	100	-	3	2	3	4	8	40	20	12	8	-	-	-	-
UNDER	,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-	,499 GRAMS	4	-	1	-	-	-	-	1	1	1	-	-	-	-	-
2,500-	,499 GRAMS	46	-	2	2	2	-	4	20	8	5	3	-	-	-	-
3,500-	AMS OR MORE	48	-	-	-	1	4	4	16	11	5	5	-	-	-	-
4500 G	TED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
NOT ST		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLAC	,500 GRAMS	1,412	13	23	42	37	80	67	462	374	215	71	7	-	-	1
UNDER	,499 GRAMS	37	3	2	1	1	3	4	9	6	2	2	-	-	-	-
1,500-	,499 GRAMS	133	-	4	5	10	6	9	43	32	19	4	1	-	-	-
2,500-	,499 GRAMS	833	7	13	26	36	51	42	277	221	116	39	4	-	-	1
3,500-	AMS OR MORE	384	2	4	10	10	20	12	124	110	68	23	1	-	-	-
4500 G	TED	24	-	-	-	-	-	-	9	7	4	3	1	-	-	-
NOT ST		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	DIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMB	,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER	,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-	,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-	,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-	AMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 G	TED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT ST		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SE	276	-	-	-	-	2	-	14	80	125	48	7	-	-	-
CHIN	,500 GRAMS	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
UNDER	,499 GRAMS	26	-	-	-	-	-	-	4	4	12	4	2	-	-	-
1,500-	,499 GRAMS	162	-	-	-	-	2	-	8	47	76	27	2	-	-	-
2,500-	,499 GRAMS	84	-	-	-	-	-	-	2	28	36	16	2	-	-	-
3,500-	AMS OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
4500 G	TED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT ST		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKI	,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER	,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-	,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-	,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-	AMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 G	TED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT ST		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	INO	336	-	2	3	1	8	9	73	94	89	52	4	-	-	1
FILI	,500 GRAMS	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
UNDER	,499 GRAMS	15	-	-	1	-	-	-	6	5	2	1	-	-	-	-
1,500-	,499 GRAMS	215	-	1	1	1	7	6	41	59	59	36	1	-	-	1
2,500-	,499 GRAMS	97	-	1	1	-	1	3	23	28	25	12	3	-	-	-
3,500-	AMS OR MORE	7	-	-	-	-	-	-	3	2	2	-	-	-	-	-
4500 G	TED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT ST		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	AN (INDIA)	57	-	-	-	-	-	-	16	16	22	3	-	-	-	-
INDI	,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER	,499 GRAMS	5	-	-	-	-	-	-	3	-	1	1	-	-	-	-
1,500-	,499 GRAMS	35	-	-	-	-	-	-	11	8	16	-	-	-	-	-
2,500-	,499 GRAMS	17	-	-	-	-	-	-	2	8	5	2	-	-	-	-
3,500-	AMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 G	TED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT ST		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NESE	124	1	-	1	-	1	-	13	33	54	18	1	-	-	-
JAPA	,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER	,499 GRAMS	7	-	-	-	-	-	-	-	2	4	1	-	-	-	-
1,500-	,499 GRAMS	73	1	-	1	-	1	-	8	19	35	10	-	-	-	-
2,500-	,499 GRAMS	41	-	-	-	-	-	-	4	14	15	7	1	-	-	-
3,500-	AMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 G	TED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT ST		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CONTRA COSTA (CONTINUED)	10,861	26	32	101	170	261	309	2,668	3,606	2,578	978	108	2	-	2
KOREAN	48	-	-	-	-	-	-	8	20	12	8	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-
2,500-3,499 GRAMS	28	-	-	-	-	-	-	3	13	8	4	-	-	-	-
3,500-4,499 GRAMS	17	-	-	-	-	-	-	5	7	3	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	62	-	1	1	3	1	3	22	17	10	4	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	23	-	-	-	1	-	-	14	3	4	1	-	-	-	-
3,500-4,499 GRAMS	32	-	1	-	2	1	2	8	11	5	2	-	-	-	-
4500 GRAMS OR MORE	5	-	-	1	-	-	1	-	2	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	6	-	-	-	-	-	-	-	-	2	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	-	-	1	4	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	39	-	-	-	-	-	2	7	12	12	4	2	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2,500-3,499 GRAMS	34	-	-	-	-	-	2	7	11	10	3	1	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	8,156	10	23	51	103	136	214	1,932	2,868	1,960	736	81	2	-	-
UNDER 1,500 GRAMS	74	3	-	-	3	-	1	21	26	13	6	1	-	-	-
1,500-2,499 GRAMS	354	-	2	4	6	13	12	84	118	76	33	4	-	-	-
2,500-3,499 GRAMS	3,682	7	11	31	59	83	104	960	1,304	799	297	26	1	-	-
3,500-4,499 GRAMS	3,807	-	10	15	33	58	91	830	1,345	1,011	368	45	1	-	-
4500 GRAMS OR MORE	234	-	-	1	2	-	6	53	74	61	32	5	-	-	-
NOT STATED	5	-	-	-	-	-	-	4	1	-	-	-	-	-	-
OTHER ASIAN	151	2	-	-	2	9	3	43	36	39	11	4	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	9	1	-	-	-	-	-	3	-	3	-	-	-	-	-
2,500-3,499 GRAMS	98	1	-	-	2	8	3	27	24	22	8	3	-	-	-
3,500-4,499 GRAMS	43	-	-	-	-	1	2	10	12	14	3	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	19	-	-	-	-	-	-	4	11	4	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
2,500-3,499 GRAMS	12	-	-	-	-	-	-	2	7	3	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	75	-	-	1	1	-	1	14	23	22	11	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2,500-3,499 GRAMS	37	-	-	1	1	-	1	5	13	9	4	1	-	-	-
3,500-4,499 GRAMS	34	-	-	-	-	-	-	7	7	13	6	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
DEL NORTE	320	2	3	2	6	18	13	109	87	34	20	1	-	-	1
AMERICAN INDIAN	40	1	2	1	3	3	3	14	6	6	1	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	22	1	2	1	3	3	1	7	3	1	-	-	-	-	-
3,500-4,499 GRAMS	15	-	-	-	-	-	2	6	2	5	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
DEL NORTE (CONTINUED)	320	2	3	2	6	18	13	109	87	56	20	1	-	-	1
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	266	1	1	1	3	15	12	90	77	47	18	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	1	1	2	2	2	1	-	-	-	-
2,500-3,499 GRAMS	103	1	-	-	1	10	3	39	24	18	6	1	-	-	-
3,500-4,499 GRAMS	144	-	1	1	2	4	6	47	48	25	10	-	-	-	-
4500 GRAMS OR MORE	9	-	-	-	-	-	2	1	3	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
EL DORADO	1,511	1	6	14	22	44	51	433	475	338	113	12	-	-	-
AMERICAN INDIAN	9	-	-	1	-	1	-	4	1	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2,500-3,499 GRAMS	4	-	-	1	-	1	-	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	19	-	-	-	-	2	-	4	9	2	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	13	-	-	-	-	-	-	3	7	2	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	1	-	1	1	-	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	28	-	-	-	-	-	-	6	13	3	4	2	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
2,500-3,499 GRAMS	20	-	-	-	-	-	-	5	8	3	3	1	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	1	3	-	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	-	2	4	-	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2 -19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
EL DORADO (CONTINUED)	1,511	1	6	14	22	44	51	433	475	338	115	12	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,427	1	6	13	22	39	30	415	444	320	108	9	-	-	-
UNDER 1,500 GRAMS	22	-	-	-	-	-	5	7	6	3	1	-	-	-	-
1,500-2,499 GRAMS	65	-	-	-	1	2	1	13	24	13	10	1	-	-	-
2,500-3,499 GRAMS	753	1	4	7	15	21	28	240	234	151	47	5	-	-	-
3,500-4,499 GRAMS	563	-	2	6	6	15	15	144	175	150	48	2	-	-	-
4500 GRAMS OR MORE	23	-	-	-	-	1	1	10	3	3	2	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER ASIAN	8	-	-	-	-	2	-	-	1	4	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	1	-	-	-	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
FRESNO	11,705	33	103	204	347	465	608	3,648	3,402	2,025	710	122	16	4	18
AMERICAN INDIAN	141	-	1	4	7	10	12	43	40	17	7	-	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	1	4	2	-	-	-	-	-	-
2,500-3,499 GRAMS	65	-	1	3	4	6	4	23	15	7	2	-	-	-	-
3,500-4,499 GRAMS	62	-	-	1	3	3	7	12	22	9	5	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	1	-	2	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	742	9	6	23	35	36	52	258	177	100	44	1	-	-	1
UNDER 1,500 GRAMS	30	-	-	1	-	1	2	7	6	8	5	-	-	-	-
1,500-2,499 GRAMS	92	-	1	5	4	7	5	29	14	16	8	1	-	-	-
2,500-3,499 GRAMS	453	8	4	15	23	23	36	162	114	48	19	-	-	-	1
3,500-4,499 GRAMS	159	1	1	2	8	5	8	59	36	26	11	-	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	1	1	2	2	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	44	-	-	-	1	1	1	7	18	11	4	-	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
2,500-3,499 GRAMS	26	-	-	-	-	1	1	5	11	6	1	-	-	-	1
3,500-4,499 GRAMS	16	-	-	-	1	-	-	2	7	3	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	70	-	-	-	1	-	-	9	28	20	10	2	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	-	-	3	2	2	-	-	-	-
2,500-3,499 GRAMS	41	-	-	-	1	-	-	4	18	14	4	-	-	-	-
3,500-4,499 GRAMS	21	-	-	-	-	-	-	5	7	4	3	2	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	82	2	-	-	3	2	6	17	21	19	12	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	-	2	2	-	-	2	-	-	-	-
2,500-3,499 GRAMS	54	2	-	-	1	1	4	11	17	10	8	-	-	-	-
3,500-4,499 GRAMS	22	-	-	-	2	1	-	4	4	9	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	47	-	-	-	-	-	-	18	21	7	-	-	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
2,500-3,499 GRAMS	31	-	-	-	-	-	-	12	15	4	-	-	-	-	-
3,500-4,499 GRAMS	13	-	-	-	-	-	-	4	6	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
JAPANESE	78	-	1	-	-	1	1	7	28	24	14	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	-	2	-	2	1	-	-	-
2,500-3,499 GRAMS	52	-	-	-	-	1	1	6	18	14	11	1	-	-	-
3,500-4,499 GRAMS	19	-	1	-	-	-	-	1	7	9	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
FRESNO (CONTINUED)	11,705	33	103	204	347	465	608	3,648	3,402	2,025	710	122	16	4	18
KOREAN	18	-	-	-	-	-	-	3	6	7	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	-	-	-	-	2	3	2	-	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	-	-	1	1	3	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	18	-	-	-	2	1	1	7	5	2	-	-	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	2	1	1	4	3	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	2	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	9	-	-	-	-	-	-	3	1	3	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	1	1	1	1	1	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	41	-	-	1	2	-	1	15	9	10	1	2	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	35	-	-	1	1	-	1	14	8	7	1	2	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	1	1	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	9,551	17	87	160	272	386	496	2,996	2,846	1,669	536	74	3	-	9
UNDER 1,500 GRAMS	118	-	4	2	6	10	4	29	33	18	9	2	-	-	1
1,500-2,499 GRAMS	470	1	6	12	13	24	35	134	131	79	26	6	-	-	1
2,500-3,499 GRAMS	4,851	11	59	102	158	230	286	1,615	1,406	722	226	32	1	-	3
3,500-4,499 GRAMS	3,865	5	17	43	90	118	163	1,160	1,194	789	249	29	2	-	4
4500 GRAMS OR MORE	214	-	-	-	1	1	4	53	71	55	25	6	-	-	-
NOT STATED	33	-	1	1	2	3	2	5	11	6	1	1	-	-	-
OTHER ASIAN	850	5	8	16	24	28	38	239	198	132	79	40	13	4	6
UNDER 1,500 GRAMS	9	-	-	1	-	-	-	3	2	3	-	-	-	-	-
1,500-2,499 GRAMS	53	-	-	2	3	5	5	14	13	7	1	1	1	1	-
2,500-3,499 GRAMS	578	3	6	11	19	21	20	188	134	88	48	26	9	2	3
3,500-4,499 GRAMS	203	2	2	2	2	2	13	54	46	32	29	12	3	1	3
4500 GRAMS OR MORE	5	-	-	-	-	-	-	-	2	2	-	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
OTHER	13	-	-	-	-	-	-	6	4	3	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
2,500-3,499 GRAMS	8	-	-	-	-	-	-	2	3	3	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
GLENN	377	1	-	4	12	10	23	113	132	55	23	4	-	-	-
AMERICAN INDIAN	9	-	-	-	2	-	-	4	2	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	1	-	-	3	-	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	6	-	-	-	1	-	-	1	3	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	1	-	-	-	2	1	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	6	-	-	-	-	-	-	1	3	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
GLENN (CONTINUED)	377	1	-	4	12	10	23	113	132	55	23	4	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	354	1	-	4	9	10	23	106	124	51	22	4	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	1	-	2	1	-	-	-	-	-	-
1,500-2,499 GRAMS	22	-	-	-	1	2	2	4	8	3	-	-	-	-	-
2,500-3,499 GRAMS	165	1	-	2	6	5	13	54	50	20	11	3	-	-	-
3,500-4,499 GRAMS	152	-	-	1	2	2	8	44	59	25	10	1	-	-	-
4500 GRAMS OR MORE	10	-	-	1	-	-	-	2	5	1	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT	1,841	2	5	13	31	51	65	368	373	382	122	20	1	-	6
AMERICAN INDIAN	198	-	1	4	7	10	10	70	36	27	10	2	-	-	1
UNDER 1,500 GRAMS	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	1	2	-	2	1	1	1	1	-	-	1
2,500-3,499 GRAMS	92	-	-	3	3	5	1	36	25	14	4	-	-	-	-
3,500-4,499 GRAMS	90	-	1	1	3	2	9	30	28	11	4	1	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	32	-	-	-	1	2	1	15	7	2	3	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
2,500-3,499 GRAMS	17	-	-	-	1	-	1	9	4	-	2	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	2	-	4	2	1	1	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	3	-	-	-	-	-	-	2	-	3	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	2	1	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	2	1	2	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT (CONTINUED)	1,841	2	5	15	31	51	63	368	373	382	122	20	1	-	6
KOREAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	9	-	-	-	-	1	1	4	3	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	1	1	2	1	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,535	2	4	10	20	38	52	464	495	343	103	17	1	-	4
UNDER 1,500 GRAMS	13	-	-	-	-	1	2	-	7	2	1	-	-	-	-
1,500-2,499 GRAMS	68	-	-	1	-	3	2	22	27	8	3	2	-	-	-
2,500-3,499 GRAMS	659	1	1	4	8	15	23	219	200	135	42	9	-	-	2
3,500-4,499 GRAMS	766	1	3	5	11	19	25	212	245	184	52	6	1	-	2
4500 GRAMS OR MORE	48	-	-	-	1	-	-	11	16	14	6	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER ASIAN	28	-	-	1	2	-	1	10	7	3	3	-	-	-	1
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	20	-	-	-	2	-	-	9	5	2	1	-	-	-	1
3,500-4,499 GRAMS	6	-	-	-	-	-	1	1	1	1	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
IMPERIAL	2,186	3	14	35	58	88	110	643	673	390	138	34	-	-	-
AMERICAN INDIAN	37	-	-	-	1	1	2	16	6	10	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
2,500-3,499 GRAMS	17	-	-	-	1	-	1	8	3	3	1	-	-	-	-
3,500-4,499 GRAMS	17	-	-	-	-	1	1	5	3	7	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	31	1	-	-	-	4	3	16	14	10	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	1	-	5	2	1	-	-	-	-	-
2,500-3,499 GRAMS	38	1	-	-	-	2	3	6	6	7	3	-	-	-	-
3,500-4,499 GRAMS	14	-	-	-	-	1	-	5	6	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	4	-	-	1	-	-	-	-	2	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	12	-	1	-	-	-	1	3	-	5	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	1	-	-	4	1	-	-	-	-
3,500-4,499 GRAMS	6	-	1	-	-	-	-	3	-	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
IMPERIAL (CONTINUED)	2,186	3	14	33	38	88	110	643	673	390	138	34	-	-	-
KOREAN	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,062	2	13	34	57	83	103	603	645	339	129	34	-	-	-
UNDER 1,500 GRAMS	17	-	1	-	-	-	-	5	5	6	-	-	-	-	-
1,500-2,499 GRAMS	77	-	-	1	3	2	4	24	21	12	6	2	-	-	-
2,500-3,499 GRAMS	1,064	1	7	23	38	49	58	340	317	162	57	10	-	-	-
3,500-4,499 GRAMS	851	1	5	7	14	31	39	225	283	163	63	20	-	-	-
4500 GRAMS OR MORE	48	-	-	1	-	-	1	7	18	16	3	2	-	-	-
NOT STATED	5	-	-	-	-	1	1	2	1	-	-	-	-	-	-
OTHER ASIAN	8	-	-	-	-	-	-	3	1	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	2	1	2	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
INYO	217	1	-	2	4	2	8	62	66	56	13	3	-	-	-
AMERICAN INDIAN	29	-	-	1	1	1	1	9	5	9	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2,500-3,499 GRAMS	12	-	-	1	1	1	1	3	1	4	-	-	-	-	-
3,500-4,499 GRAMS	16	-	-	-	-	-	-	6	4	5	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
INYO (CONTINUED)	217	1	-	2	4	2	8	62	66	56	13	3	-	-	-
KOREAN	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
UNDER 1,500 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1,500-2,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2,500-3,499 GRAMS	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
3,500-4,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4500 GRAMS OR MORE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NOT STATED	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PACIFIC ISLANDER	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UNDER 1,500 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1,500-2,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2,500-3,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3,500-4,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4500 GRAMS OR MORE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NOT STATED	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
THAI	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UNDER 1,500 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1,500-2,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2,500-3,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3,500-4,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4500 GRAMS OR MORE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NOT STATED	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIETNAMESE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UNDER 1,500 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1,500-2,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2,500-3,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3,500-4,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4500 GRAMS OR MORE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NOT STATED	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WHITE	183	1	-	1	3	1	6	53	60	44	12	2	-	-	-
UNDER 1,500 GRAMS	3	.	.	.	.	1	.	1	.	1	.	.	.	.	.
1,500-2,499 GRAMS	11	1	.	.	.	.	1	3	3	2	1	.	.	.	.
2,500-3,499 GRAMS	95	.	.	1	2	.	4	27	34	20	6	1	.	.	.
3,500-4,499 GRAMS	73	.	.	.	1	.	1	21	23	21	5	1	.	.	.
4500 GRAMS OR MORE	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
NOT STATED	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
OTHER ASIAN	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
UNDER 1,500 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1,500-2,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2,500-3,499 GRAMS	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
3,500-4,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4500 GRAMS OR MORE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NOT STATED	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
OTHER	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UNDER 1,500 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1,500-2,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2,500-3,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3,500-4,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4500 GRAMS OR MORE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NOT STATED	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NOT STATED	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UNDER 1,500 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1,500-2,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2,500-3,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3,500-4,499 GRAMS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4500 GRAMS OR MORE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NOT STATED	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KERN	9,999	34	78	171	287	442	540	3,509	2,971	1,415	469	76	5	-	2
AMERICAN INDIAN	144	1	-	3	3	4	3	66	41	15	8	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	1	-	1	-	3	-	1	1	-	-	-	-
2,500-3,499 GRAMS	75	-	-	1	2	3	3	34	20	7	5	-	-	-	-
3,500-4,499 GRAMS	60	1	-	1	1	-	-	29	19	7	2	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	686	4	12	26	30	48	60	239	179	64	22	2	-	-	-
UNDER 1,500 GRAMS	20	-	1	1	1	2	-	9	3	3	-	-	-	-	-
1,500-2,499 GRAMS	85	1	1	3	4	8	9	26	24	8	1	-	-	-	-
2,500-3,499 GRAMS	412	3	6	13	18	27	35	153	105	37	12	1	-	-	-
3,500-4,499 GRAMS	165	-	4	7	7	11	16	51	46	16	6	1	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	1	-	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	6	-	-	-	-	-	-	1	4	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	1	3	-	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	33	-	-	-	-	1	2	1	10	13	4	1	1	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	18	-	-	-	-	-	-	1	6	8	1	1	1	-	-
3,500-4,499 GRAMS	15	-	-	-	-	1	2	-	4	5	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	200	-	1	-	6	7	6	46	63	32	16	2	1	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	18	-	-	-	1	1	-	4	6	4	1	1	-	-	-
2,500-3,499 GRAMS	119	-	1	-	4	3	5	29	36	32	8	-	1	-	-
3,500-4,499 GRAMS	61	-	-	-	1	3	1	11	21	16	7	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	30	-	-	-	-	1	-	6	10	8	4	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
2,500-3,499 GRAMS	23	-	-	-	-	-	-	3	9	8	2	1	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	1	-	2	-	-	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	30	-	-	-	-	-	1	5	14	5	5	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	13	-	-	-	-	-	-	1	8	1	3	-	-	-	-
3,500-4,499 GRAMS	14	-	-	-	-	-	1	4	5	2	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KERN (CONTINUED)	9,999	34	78	171	287	442	540	3,309	2,971	1,413	469	76	3	-	2
KOREAN	23	-	-	-	-	-	1	6	9	4	1	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	16	-	-	-	-	-	1	5	5	4	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	23	-	-	1	1	-	1	10	3	6	1	-	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	1	1	-	1	1	1	4	-	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	5	2	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	6	-	-	1	-	-	-	-	3	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	-	3	-	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	7	-	-	-	1	-	-	-	4	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	1	-	-	-	3	1	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	8,781	29	65	138	246	381	465	3,115	2,626	1,239	403	67	3	-	2
UNDER 1,500 GRAMS	103	1	4	2	2	3	9	37	27	12	5	1	-	-	-
1,500-2,499 GRAMS	427	4	3	7	11	26	41	132	112	60	25	6	-	-	-
2,500-3,499 GRAMS	4,336	14	35	86	156	218	245	1,608	1,225	543	173	29	2	-	-
3,500-4,499 GRAMS	3,694	10	22	42	74	129	162	1,287	1,196	561	179	30	1	-	1
4500 GRAMS OR MORE	213	-	1	1	3	5	8	51	62	60	23	1	-	-	-
NOT STATED	6	-	-	-	-	-	-	-	4	1	-	-	-	-	1
OTHER ASIAN	18	-	-	2	-	-	-	8	4	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	1	-	-	-	4	4	1	1	-	-	-	-
3,500-4,499 GRAMS	6	-	-	1	-	-	-	3	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	10	-	-	-	-	-	-	6	-	3	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	1	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	2	-	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KINGS	1,847	6	22	25	37	68	114	691	511	252	91	10	-	-	-
AMERICAN INDIAN	22	1	-	-	-	2	3	9	2	2	3	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	1	-	-	-	-	2	-	-	-	1	-	-	-	-
2,500-3,499 GRAMS	9	-	-	-	-	1	1	4	-	2	1	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	1	-	4	2	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	123	1	4	-	-	8	9	31	31	14	5	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	-	1	4	4	-	-	-	-	-	-
2,500-3,499 GRAMS	82	1	4	-	-	7	5	34	16	11	4	-	-	-	-
3,500-4,499 GRAMS	30	-	-	-	-	1	3	13	9	3	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	56	-	-	1	-	1	1	11	18	16	8	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
2,500-3,499 GRAMS	26	-	-	1	-	-	1	7	8	6	3	-	-	-	-
3,500-4,499 GRAMS	28	-	-	-	-	1	-	4	9	9	5	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KINGS (CONTINUED)	1,847	6	22	25	37	66	114	691	511	252	91	10	-	-	-
KOREAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	1	-	2	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,629	4	18	24	36	76	101	615	434	217	74	10	-	-	-
UNDER 1,500 GRAMS	15	-	-	-	-	-	-	3	7	5	-	-	-	-	-
1,500-2,499 GRAMS	75	-	2	3	3	3	3	26	19	10	5	1	-	-	-
2,500-3,499 GRAMS	829	3	8	13	23	45	64	325	214	99	29	6	-	-	-
3,500-4,499 GRAMS	686	1	8	8	10	27	34	256	207	96	37	2	-	-	-
4500 GRAMS OR MORE	24	-	-	-	-	1	-	5	7	7	3	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LAKE	662	1	5	13	17	32	38	228	192	103	22	9	-	-	-
AMERICAN INDIAN	35	-	1	-	2	2	1	18	7	4	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	17	-	1	-	2	1	-	9	3	1	-	-	-	-	-
3,500-4,499 GRAMS	15	-	-	-	-	1	1	8	2	3	-	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	12	-	-	-	-	-	2	2	6	1	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	-	1	1	4	1	-	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	1	1	2	-	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	1	-	3	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	1	-	2	1	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LAKE (CONTINUED)	662	1	5	13	17	32	38	228	192	105	22	9	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	398	1	4	13	15	30	34	205	173	94	21	8	-	-	-
UNDER 1,500 GRAMS	7	-	-	-	-	1	-	3	-	3	-	-	-	-	-
1,500-2,499 GRAMS	26	-	-	3	-	1	-	8	8	5	1	-	-	-	-
2,500-3,499 GRAMS	307	1	3	6	8	18	23	107	93	40	5	3	-	-	-
3,500-4,499 GRAMS	248	-	1	4	7	10	10	83	70	44	14	5	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	1	4	2	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LASSEN	340	-	3	3	7	12	20	123	107	47	15	1	-	-	-
AMERICAN INDIAN	20	-	-	-	1	-	4	9	4	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	1	-	3	4	3	-	-	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	1	4	1	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	13	-	-	-	-	-	-	4	6	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	1	4	-	1	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	2	1	2	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	-	2	-	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LASSEN (CONTINUED)	340	-	3	3	7	12	20	125	107	47	13	1	-	-	-
KOREAN	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	295	-	3	3	6	10	15	106	94	44	13	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
1,500-2,499 GRAMS	15	-	1	-	-	-	-	4	7	3	-	-	-	-	-
2,500-3,499 GRAMS	173	-	1	3	5	6	11	62	52	26	7	-	-	-	-
3,500-4,499 GRAMS	100	-	1	-	1	4	4	37	35	13	5	-	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	2	-	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LOS ANGELES	156,618	333	938	2,031	3,424	4,807	6,567	44,437	48,885	31,248	11,879	1,895	71	5	98
AMERICAN INDIAN	887	-	10	9	26	37	62	291	242	151	47	12	-	-	-
UNDER 1,500 GRAMS	11	-	-	-	2	1	2	3	3	-	-	-	-	-	-
1,500-2,499 GRAMS	29	-	-	-	-	-	3	12	5	8	-	1	-	-	-
2,500-3,499 GRAMS	445	-	6	8	14	26	30	138	114	78	26	3	-	-	-
3,500-4,499 GRAMS	378	-	2	1	10	8	27	130	116	58	18	8	-	-	-
4500 GRAMS OR MORE	23	-	-	-	-	2	-	8	3	7	3	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BLACK	22,041	113	271	501	781	1,048	1,408	7,214	6,220	3,207	1,112	149	4	-	13
UNDER 1,500 GRAMS	608	6	13	15	19	24	45	169	179	100	32	4	1	-	1
1,500-2,499 GRAMS	2,207	6	22	49	60	93	134	716	652	326	112	16	-	-	1
2,500-3,499 GRAMS	13,140	80	179	321	500	708	887	4,463	3,573	1,748	582	85	3	-	9
3,500-4,499 GRAMS	5,831	20	56	112	178	217	333	1,801	1,736	977	360	40	-	-	1
4500 GRAMS OR MORE	233	1	1	4	4	5	6	63	69	32	23	4	-	-	1
NOT STATED	22	-	-	-	-	1	3	2	9	4	3	-	-	-	-
CAMBODIAN	835	-	1	6	9	20	17	195	236	192	88	43	9	1	-
UNDER 1,500 GRAMS	9	-	-	-	-	-	-	4	1	2	1	1	-	-	-
1,500-2,499 GRAMS	45	-	-	-	-	2	-	13	10	11	3	4	-	-	-
2,500-3,499 GRAMS	388	-	1	6	9	15	13	147	185	126	56	23	8	1	-
3,500-4,499 GRAMS	187	-	-	-	-	3	4	28	59	51	27	14	1	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
CHINESE	2,907	-	-	2	5	6	7	274	1,083	1,111	376	42	1	-	-
UNDER 1,500 GRAMS	18	-	-	-	-	-	-	3	3	8	2	2	-	-	-
1,500-2,499 GRAMS	124	-	-	-	1	-	-	13	40	51	17	2	-	-	-
2,500-3,499 GRAMS	1,819	-	-	2	4	5	6	187	700	656	237	21	1	-	-
3,500-4,499 GRAMS	924	-	-	-	-	1	1	69	334	387	115	17	-	-	-
4500 GRAMS OR MORE	22	-	-	-	-	-	-	2	6	9	5	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	7	-	-	-	1	-	-	1	3	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	3,670	1	9	19	24	39	55	563	1,127	1,190	538	81	2	-	2
UNDER 1,500 GRAMS	42	-	-	-	-	-	-	5	14	15	4	4	-	-	-
1,500-2,499 GRAMS	217	-	1	4	-	1	2	29	62	74	39	6	-	-	1
2,500-3,499 GRAMS	2,331	1	7	12	17	22	34	382	726	737	343	48	1	-	1
3,500-4,499 GRAMS	1,049	-	1	3	7	16	19	143	318	354	164	23	1	-	-
4500 GRAMS OR MORE	31	-	-	-	-	-	-	4	7	10	8	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	486	-	-	1	-	1	4	82	210	131	54	3	-	-	-
UNDER 1,500 GRAMS	7	-	-	-	-	-	-	-	4	1	2	-	-	-	-
1,500-2,499 GRAMS	31	-	-	-	-	-	-	3	23	3	2	-	-	-	-
2,500-3,499 GRAMS	325	-	-	1	-	1	3	57	135	88	30	2	-	-	-
3,500-4,499 GRAMS	119	-	-	-	-	-	1	22	45	38	12	1	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
JAPANESE	1,476	1	1	4	7	7	10	131	470	353	231	18	-	-	1
UNDER 1,500 GRAMS	14	-	-	-	-	-	-	3	2	7	2	-	-	-	-
1,500-2,499 GRAMS	79	-	-	-	2	1	2	7	26	28	13	-	-	-	-
2,500-3,499 GRAMS	930	1	1	4	2	2	3	93	303	354	131	12	-	-	-
3,500-4,499 GRAMS	438	-	-	-	3	4	5	45	131	141	82	6	-	-	1
4500 GRAMS OR MORE	14	-	-	-	-	-	-	1	4	4	3	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LOS ANGELES (CONTINUED)	156,618	333	938	2,031	3,424	4,807	6,567	44,437	46,885	31,248	11,879	1,895	71	5	98
KOREAN	1,981	1	-	3	2	4	5	234	1,011	580	126	12	-	-	3
UNDER 1,500 GRAMS	15	-	-	1	-	-	1	1	7	4	1	-	-	-	-
1,500-2,499 GRAMS	67	-	-	-	-	-	-	7	29	26	4	1	-	-	-
2,500-3,499 GRAMS	1,186	-	-	1	2	2	3	152	633	307	77	9	-	-	3
3,500-4,499 GRAMS	684	1	-	1	-	2	1	72	332	229	41	5	-	-	-
4500 GRAMS OR MORE	29	-	-	-	-	-	-	2	10	14	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	906	-	5	9	21	30	33	314	279	144	62	9	-	-	-
UNDER 1,500 GRAMS	9	-	-	-	1	-	-	2	3	1	2	-	-	-	-
1,500-2,499 GRAMS	43	-	-	1	-	-	-	21	7	11	3	-	-	-	-
2,500-3,499 GRAMS	404	-	4	4	7	16	22	141	123	56	24	5	-	-	-
3,500-4,499 GRAMS	416	-	1	4	13	11	11	136	135	72	28	3	-	-	-
4500 GRAMS OR MORE	32	-	-	-	-	1	-	12	11	4	3	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	403	-	1	-	1	2	3	36	110	142	94	14	-	-	-
UNDER 1,500 GRAMS	8	-	-	-	-	-	-	-	1	4	3	-	-	-	-
1,500-2,499 GRAMS	16	-	1	-	-	-	-	1	3	5	5	1	-	-	-
2,500-3,499 GRAMS	261	-	-	-	1	2	3	22	79	80	56	10	-	-	-
3,500-4,499 GRAMS	117	-	-	-	-	-	-	13	27	45	29	3	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1,136	-	-	4	7	13	16	241	407	293	130	21	2	-	-
UNDER 1,500 GRAMS	7	-	-	-	-	-	-	1	1	4	1	-	-	-	-
1,500-2,499 GRAMS	61	-	-	-	1	-	1	20	23	8	6	2	-	-	-
2,500-3,499 GRAMS	738	-	-	4	5	10	14	173	270	186	83	11	2	-	-
3,500-4,499 GRAMS	302	-	-	-	1	3	1	46	112	93	36	8	-	-	-
4500 GRAMS OR MORE	8	-	-	-	-	-	-	1	1	2	4	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	118,394	216	634	1,467	2,330	3,379	4,911	34,331	36,949	23,144	8,866	1,471	53	4	39
UNDER 1,500 GRAMS	1,155	3	9	22	26	32	50	309	352	231	92	7	1	-	1
1,500-2,499 GRAMS	3,179	20	38	87	124	167	244	1,459	1,495	1,007	415	94	5	1	3
2,500-3,499 GRAMS	59,087	128	383	905	1,488	2,102	2,768	18,330	17,749	10,367	3,967	634	23	2	21
3,500-4,499 GRAMS	50,229	63	199	447	863	1,227	1,788	13,646	16,436	10,629	4,044	632	19	1	13
4500 GRAMS OR MORE	2,672	2	3	5	25	31	56	358	904	679	340	63	3	-	1
NOT STATED	72	-	2	1	2	-	3	29	13	11	8	1	-	-	-
OTHER ASIAN	883	-	3	4	4	14	19	177	333	232	68	9	-	-	-
UNDER 1,500 GRAMS	9	-	-	-	-	-	-	1	5	1	2	-	-	-	-
1,500-2,499 GRAMS	50	-	-	-	1	-	-	12	20	10	7	-	-	-	-
2,500-3,499 GRAMS	525	-	2	3	2	6	14	111	199	148	34	6	-	-	-
3,500-4,499 GRAMS	290	-	1	1	1	8	5	50	108	90	23	3	-	-	-
4500 GRAMS OR MORE	8	-	-	-	-	-	-	3	1	2	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	196	-	-	-	3	3	5	46	76	50	9	4	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	-	-	3	4	2	-	-	-	-	-
2,500-3,499 GRAMS	115	-	-	-	2	2	4	26	43	28	8	2	-	-	-
3,500-4,499 GRAMS	67	-	-	-	1	1	1	16	27	18	1	2	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	410	1	3	4	3	4	12	87	109	102	38	7	-	-	40
UNDER 1,500 GRAMS	28	-	-	-	1	1	-	2	4	7	2	1	-	-	10
1,500-2,499 GRAMS	26	-	-	-	-	1	-	5	7	3	4	-	-	-	6
2,500-3,499 GRAMS	179	1	1	-	1	2	6	36	46	39	12	2	-	-	29
3,500-4,499 GRAMS	168	-	2	3	1	-	5	24	51	49	19	3	-	-	11
4500 GRAMS OR MORE	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-
NOT STATED	4	-	-	1	-	-	1	-	-	1	-	1	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MADERA	1,395	6	9	29	48	63	67	480	398	202	72	14	3	-	2
AMERICAN INDIAN	27	-	-	-	1	3	2	9	8	2	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	15	-	-	-	1	2	1	1	5	2	-	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	-	-	1	5	2	-	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	53	-	-	3	2	3	2	23	14	2	2	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
2,500-3,499 GRAMS	39	-	-	3	2	1	1	19	10	1	2	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	2	1	3	2	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	11	1	-	-	-	1	1	2	3	1	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	1	-	-	-	-	1	-	-	1	1	1	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	1	-	2	3	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MADERA (CONTINUED)	1,395	6	9	29	48	63	67	480	398	202	72	14	3	-	2
KOREAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,289	4	9	26	43	58	62	439	364	193	67	13	3	-	2
UNDER 1,500 GRAMS	11	-	1	-	-	-	1	2	5	1	1	-	-	-	-
1,500-2,499 GRAMS	57	-	-	-	7	3	4	21	14	6	2	-	-	-	-
2,500-3,499 GRAMS	632	3	4	17	22	37	35	227	163	87	29	6	1	-	1
3,500-4,499 GRAMS	554	1	4	9	16	17	22	177	173	95	32	6	1	-	1
4500 GRAMS OR MORE	33	-	-	-	-	1	-	11	10	6	3	1	1	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
OTHER ASIAN	5	1	-	-	-	-	-	3	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
3,500-4,499 GRAMS	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIN	2,560	-	-	6	13	16	29	383	736	853	455	69	-	-	-
AMERICAN INDIAN	19	-	-	-	-	-	2	6	4	6	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	1	4	-	1	-	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	-	-	2	4	4	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	103	-	-	2	2	2	2	32	31	23	9	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	11	-	-	1	1	-	-	5	2	-	2	-	-	-	-
2,500-3,499 GRAMS	55	-	-	1	1	2	2	19	15	12	3	-	-	-	-
3,500-4,499 GRAMS	33	-	-	-	-	-	-	8	11	10	4	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	34	-	-	-	-	-	-	4	9	11	9	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	17	-	-	-	-	-	-	3	7	3	2	-	-	-	-
3,500-4,499 GRAMS	16	-	-	-	-	-	-	1	2	5	7	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	23	-	-	-	-	-	-	7	7	7	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	13	-	-	-	-	-	-	6	3	2	2	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	1	2	5	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	6	-	-	-	-	-	-	1	1	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	29	-	-	-	-	-	-	2	3	12	9	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	21	-	-	-	-	-	-	1	3	9	7	1	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	-	-	1	2	2	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIN (CONTINUED)	2,360	-	-	6	13	16	29	383	736	853	455	69	-	-	-
KOREAN	11	-	-	-	-	-	-	-	4	4	1	2	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	-	-	-	3	2	1	1	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	8	-	-	-	-	-	-	2	4	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	2	2	-	1	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	20	-	-	-	-	1	-	6	5	6	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	15	-	-	-	-	1	-	4	3	5	2	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,240	-	-	6	10	13	22	314	643	761	411	60	-	-	-
UNDER 1,500 GRAMS	11	-	-	-	-	-	-	-	3	3	5	-	-	-	-
1,500-2,499 GRAMS	79	-	-	1	-	-	-	6	26	23	20	3	-	-	-
2,500-3,499 GRAMS	1,032	-	-	3	4	11	14	151	306	349	176	18	-	-	-
3,500-4,499 GRAMS	1,062	-	-	6	2	7	7	153	292	366	198	38	-	-	-
4500 GRAMS OR MORE	54	-	-	-	-	-	1	4	17	19	12	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
OTHER ASIAN	13	-	-	-	-	-	2	2	2	6	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	8	-	-	-	-	-	1	2	2	3	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	44	-	-	-	-	-	1	4	15	11	8	5	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
2,500-3,499 GRAMS	19	-	-	-	-	-	-	1	8	5	2	3	-	-	-
3,500-4,499 GRAMS	21	-	-	-	-	-	1	2	6	5	6	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIPOSA	130	-	-	1	3	2	9	39	48	33	13	2	-	-	-
AMERICAN INDIAN	6	-	-	-	-	-	-	2	1	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIPOSA (CONTINUED)	130	-	-	1	3	2	9	39	48	33	13	2	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	144	-	-	1	3	2	9	37	47	31	12	2	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
2,500-3,499 GRAMS	69	-	-	-	1	2	4	18	27	13	3	1	-	-	-
3,500-4,499 GRAMS	67	-	-	1	1	-	5	17	19	15	8	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MENDOCINO	1,201	-	7	13	24	36	62	37.	307	243	113	14	-	-	1
AMERICAN INDIAN	93	-	2	2	5	10	5	30	18	13	5	3	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	-	-	4	1	-	-	1	-	-	-
2,500-3,499 GRAMS	40	-	-	1	4	3	3	12	10	5	1	1	-	-	-
3,500-4,499 GRAMS	41	-	2	1	-	6	2	12	7	7	3	1	-	-	-
4500 GRAMS OR MORE	6	-	-	-	1	1	-	2	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	9	-	-	-	-	1	-	3	3	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	1	-	3	2	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	10	-	-	-	2	1	-	1	2	4	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	1	1	-	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	1	-	-	-	2	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	1	4	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	-	4	-	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MENDOCINO (CONTINUED)	1,201	-	7	15	24	36	62	377	307	243	115	14	-	-	1
KOREAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	1	-	-	-	2	1	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,058	-	4	13	17	24	55	335	275	218	105	11	-	-	1
UNDER 1,500 GRAMS	10	-	-	-	-	-	-	4	4	1	1	-	-	-	-
1,500-2,499 GRAMS	36	-	1	-	1	-	1	11	10	10	2	-	-	-	-
2,500-3,499 GRAMS	323	-	2	7	10	14	34	192	142	83	36	3	-	-	-
3,500-4,499 GRAMS	458	-	1	6	6	10	19	123	113	113	59	7	-	-	1
4500 GRAMS OR MORE	23	-	-	-	-	-	1	3	6	7	5	1	-	-	-
NOT STATED	8	-	-	-	-	-	-	2	-	4	2	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	12	-	-	-	-	-	-	3	3	3	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	2	2	-	1	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED	3,474	6	36	56	97	154	185	1,261	963	503	169	37	4	3	-
AMERICAN INDIAN	27	-	-	-	2	3	3	11	4	2	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	3	1	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	-	-	-	1	6	2	-	-	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	2	-	1	4	2	1	1	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	199	-	2	3	4	16	14	79	57	19	5	-	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
1,500-2,499 GRAMS	13	-	-	-	-	1	-	6	5	1	-	-	-	-	-
2,500-3,499 GRAMS	115	1	2	3	3	12	9	44	30	11	3	-	-	-	-
3,500-4,499 GRAMS	62	1	1	1	1	3	4	24	20	6	2	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	1	-	1	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	25	-	-	-	1	1	2	5	8	6	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
2,500-3,499 GRAMS	10	-	-	-	1	-	1	2	4	2	-	-	-	-	-
3,500-4,499 GRAMS	10	-	-	-	-	1	1	2	3	2	1	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	24	-	-	-	-	-	-	7	11	4	2	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	17	-	-	-	-	-	-	5	7	3	2	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	2	3	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	7	-	-	-	-	1	2	1	3	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	1	1	-	3	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED (CONTINUED)	3,474	6	36	56	97	154	183	1,261	963	503	169	37	6	3	-
KOREAN	11	-	-	-	1	-	-	2	3	3	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	1	-	-	1	3	2	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	13	-	-	-	2	1	-	3	3	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	1	1	-	3	4	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	3	-	-	1	-	1	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,773	5	26	42	80	112	134	1,032	780	396	188	83	1	-	-
UNDER 1,500 GRAMS	21	-	-	1	1	1	-	3	3	6	2	-	-	-	-
1,500-2,499 GRAMS	124	-	-	4	4	8	9	43	33	10	11	-	-	-	-
2,500-3,499 GRAMS	1,313	3	17	28	44	64	77	324	346	138	64	8	-	-	-
3,500-4,499 GRAMS	1,234	2	9	9	31	39	47	439	371	199	96	13	1	-	-
4500 GRAMS OR MORE	79	-	-	-	-	-	1	21	23	21	11	3	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
OTHER ASIAN	383	1	8	10	7	18	10	117	89	48	38	14	3	3	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	10	-	1	2	1	1	-	1	3	1	-	-	-	-	-
2,500-3,499 GRAMS	242	1	5	6	6	9	8	80	57	44	21	9	1	2	-
3,500-4,499 GRAMS	122	-	2	2	-	8	2	34	27	24	16	4	2	1	-
4500 GRAMS OR MORE	7	-	-	-	-	-	-	-	2	1	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MODOC	146	2	2	-	4	1	6	32	44	26	9	-	-	-	-
AMERICAN INDIAN	6	-	-	-	-	-	-	3	2	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MODOC (CONTINUED)	146	2	2	-	4	1	6	52	44	26	9	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	136	2	2	-	4	1	6	48	41	24	8	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	-	1	1	2	2	-	-	-	-	-
2,500-3,499 GRAMS	72	2	1	-	3	1	2	26	23	12	2	-	-	-	-
3,500-4,499 GRAMS	53	-	1	-	-	-	3	20	15	8	6	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	1	-	-	-	-	2	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONO	147	-	-	1	-	3	10	32	30	40	11	-	-	-	-
AMERICAN INDIAN	10	-	-	1	-	-	3	4	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	1	-	-	2	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	1	3	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONO (CONTINUED)	147	-	-	1	-	3	10	32	50	40	11	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	131	-	-	-	-	3	7	27	49	34	11	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	13	-	-	-	-	1	-	4	3	3	-	-	-	-	-
2,500-3,499 GRAMS	78	-	-	-	-	1	3	18	30	20	6	-	-	-	-
3,500-4,499 GRAMS	38	-	-	-	-	1	4	5	13	10	5	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONTEREY	6,572	9	39	77	147	227	285	2,096	2,110	1,150	356	71	3	-	2
AMERICAN INDIAN	57	-	-	1	2	2	2	16	19	12	-	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
2,500-3,499 GRAMS	26	-	-	1	1	1	-	9	9	5	-	-	-	-	-
3,500-4,499 GRAMS	24	-	-	-	1	1	2	6	7	4	-	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	394	2	4	8	9	23	25	230	197	57	16	3	-	-	-
UNDER 1,500 GRAMS	9	-	-	-	-	-	1	2	3	2	1	-	-	-	-
1,500-2,499 GRAMS	37	-	1	1	1	2	1	13	12	4	2	-	-	-	-
2,500-3,499 GRAMS	317	2	1	5	7	12	16	143	92	30	7	2	-	-	-
3,500-4,499 GRAMS	214	-	2	2	1	9	7	66	83	19	6	1	-	-	-
4500 GRAMS OR MORE	16	-	-	-	-	-	-	6	7	2	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	26	-	-	-	-	-	-	3	8	9	6	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	-	-	-	1	3	2	5	-	-	-	-
3,500-4,499 GRAMS	15	-	-	-	-	-	-	2	5	7	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	227	-	-	4	8	5	6	60	70	49	22	3	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	14	-	-	-	-	1	2	3	2	1	5	-	-	-	-
2,500-3,499 GRAMS	143	-	-	3	5	1	2	34	46	33	14	3	-	-	-
3,500-4,499 GRAMS	68	-	-	1	3	2	2	23	22	12	3	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	12	-	-	1	-	-	-	1	2	8	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	8	-	-	1	-	-	-	1	2	4	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	72	-	-	-	1	-	2	13	27	20	9	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
2,500-3,499 GRAMS	38	-	-	-	1	-	2	3	17	9	6	-	-	-	-
3,500-4,499 GRAMS	30	-	-	-	-	-	-	9	9	9	3	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONTEREY (CONTINUED)	6,572	9	39	77	147	227	285	2,096	2,110	1,130	356	71	3	-	2
KOREAN	118	-	-	-	-	2	3	33	54	17	8	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	1	1	-	2	-	-	-	-
2,500-3,499 GRAMS	58	-	-	-	-	1	1	16	31	5	4	-	-	-	-
3,500-4,499 GRAMS	51	-	-	-	-	1	2	15	19	11	2	1	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	96	-	1	2	1	6	3	35	34	10	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	1	-	1	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	45	-	1	1	1	2	2	16	14	6	2	-	-	-	-
3,500-4,499 GRAMS	45	-	-	-	-	3	1	17	18	4	2	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	8	1	-	-	-	1	-	-	1	5	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	1	-	-	-	1	-	-	1	3	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	64	-	-	2	2	1	1	18	22	11	2	4	1	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	1	-	-	1	1	-	-	-	-	-	-
2,500-3,499 GRAMS	43	-	-	2	1	1	1	13	13	6	2	3	1	-	-
3,500-4,499 GRAMS	17	-	-	-	-	-	-	4	8	4	-	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	5,271	6	34	59	123	185	243	1,636	1,671	944	289	39	2	-	-
UNDER 1,500 GRAMS	52	1	-	-	4	2	13	14	11	6	1	-	-	-	-
1,500-2,499 GRAMS	191	1	1	5	5	8	13	67	44	29	14	4	1	-	-
2,500-3,499 GRAMS	2,379	3	19	30	67	97	140	773	732	368	109	21	-	-	-
3,500-4,499 GRAMS	2,501	3	13	22	50	74	85	739	811	506	148	29	1	-	-
4500 GRAMS OR MORE	143	-	-	2	1	2	3	42	48	29	12	4	-	-	-
NOT STATED	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
OTHER ASIAN	13	-	-	-	-	1	-	6	3	3	-	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	-	-	-	4	2	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	13	-	-	-	1	1	-	2	2	3	-	-	-	-	2
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	8	-	-	-	1	1	-	-	-	4	-	-	-	-	2
3,500-4,499 GRAMS	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE B-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	NOT STATED
NAPA	1,368	2	4	8	19	30	54	300	458	293	98	32	-	-
AMERICAN INDIAN	18	-	2	-	-	1	-	8	3	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	9	-	2	-	-	-	-	5	-	2	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	1	-	3	3	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	7	-	-	-	-	-	1	1	2	1	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	-	-	1	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	1	1	1	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	1	-	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	9	-	-	-	-	-	-	3	3	2	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	3	2	1	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	1	1	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	3	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
NAPA (CONTINUED)	1,360	2	4	8	19	30	84	390	458	293	98	12	-	-	-
KOREAN	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,307	2	2	8	19	29	53	374	444	273	93	10	-	-	-
UNDER 1,500 GRAMS	19	-	-	-	2	1	3	3	4	9	-	-	-	-	-
1,500-2,499 GRAMS	46	-	-	1	1	-	3	13	12	12	4	-	-	-	-
2,500-3,499 GRAMS	609	1	2	6	10	9	29	176	217	111	43	5	-	-	-
3,500-4,499 GRAMS	603	1	-	1	6	17	20	173	201	136	42	4	-	-	-
4500 GRAMS OR MORE	28	-	-	-	-	1	-	8	9	5	4	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
OTHER ASIAN	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
NEVADA	893	-	1	6	12	20	29	235	266	234	82	8	-	-	-
AMERICAN INDIAN	22	-	-	-	1	-	-	9	3	2	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	1	-	-	3	3	1	1	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	4	-	1	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
NEVADA (CONTINUED)	893	-	1	6	12	20	29	235	266	234	82	8	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	858	-	1	6	11	20	28	220	261	228	73	8	-	-	-
UNDER 1,500 GRAMS	8	-	-	-	-	-	-	-	5	2	1	-	-	-	-
1,500-2,499 GRAMS	37	-	-	-	2	-	1	12	9	9	4	-	-	-	-
2,500-3,499 GRAMS	432	-	-	3	3	13	13	121	136	103	33	2	-	-	-
3,500-4,499 GRAMS	360	-	1	3	6	6	13	83	104	102	36	6	-	-	-
4500 GRAMS OR MORE	20	-	-	-	-	1	1	-	7	10	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ORANGE	36,704	44	129	317	528	821	1,226	10,392	12,430	7,829	2,580	370	19	-	27
AMERICAN INDIAN	214	-	2	-	5	10	9	60	61	35	9	3	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	-	2	2	3	-	-	-	-	-
2,500-3,499 GRAMS	121	-	2	-	3	6	5	48	33	17	5	2	-	-	-
3,500-4,499 GRAMS	75	-	-	-	2	4	4	29	20	11	4	1	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	-	1	6	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	962	3	4	14	28	40	39	327	313	144	44	5	1	-	-
UNDER 1,500 GRAMS	8	-	-	-	-	1	-	2	3	2	-	-	-	-	-
1,500-2,499 GRAMS	76	-	1	2	3	2	1	18	30	17	2	-	-	-	-
2,500-3,499 GRAMS	545	2	2	7	20	25	24	191	176	74	20	3	1	-	-
3,500-4,499 GRAMS	320	1	1	5	4	11	14	112	100	48	22	2	-	-	-
4500 GRAMS OR MORE	13	-	-	-	1	1	-	4	4	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	141	-	-	1	1	2	3	36	41	38	10	6	2	-	1
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
1,500-2,499 GRAMS	6	-	-	-	-	-	-	-	3	2	1	-	-	-	-
2,500-3,499 GRAMS	94	-	-	1	1	1	2	29	20	28	5	5	2	-	-
3,500-4,499 GRAMS	40	-	-	-	-	1	1	7	18	8	4	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	419	-	1	1	-	-	2	25	137	166	81	6	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1,500-2,499 GRAMS	16	-	-	-	-	-	1	-	6	3	4	2	-	-	-
2,500-3,499 GRAMS	265	-	-	-	-	-	1	16	93	114	40	1	-	-	-
3,500-4,499 GRAMS	132	-	1	1	-	-	-	8	38	47	34	3	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	1	-	2	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	444	-	3	1	6	8	9	78	142	132	58	7	-	-	-
UNDER 1,500 GRAMS	6	-	-	-	-	-	-	-	4	2	-	-	-	-	-
1,500-2,499 GRAMS	12	-	1	-	-	-	-	3	6	1	1	-	-	-	-
2,500-3,499 GRAMS	281	-	1	1	6	4	5	48	102	82	29	3	-	-	-
3,500-4,499 GRAMS	142	-	-	-	-	4	4	27	30	47	26	4	-	-	-
4500 GRAMS OR MORE	3	-	1	-	-	-	-	-	-	-	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	170	-	1	-	1	-	1	25	66	60	15	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
2,500-3,499 GRAMS	111	-	1	-	1	-	1	13	47	35	12	1	-	-	-
3,500-4,499 GRAMS	53	-	-	-	-	-	-	11	19	21	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	412	-	-	-	-	6	1	30	146	161	43	5	-	-	-
UNDER 1,500 GRAMS	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	-	-	2	2	4	1	-	-	-	-
2,500-3,499 GRAMS	256	-	-	-	-	3	-	30	97	102	23	1	-	-	-
3,500-4,499 GRAMS	138	-	-	-	-	3	1	18	45	51	17	3	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	-	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ORANGE (CONTINUED)	36,704	44	129	317	520	821	1,226	10,392	12,430	7,829	2,380	370	19	-	27
KOREAN	391	-	-	-	1	2	1	57	204	107	17	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	10	-	-	-	-	-	-	1	3	5	1	-	-	-	-
2,500-3,499 GRAMS	230	-	-	-	1	1	1	34	136	52	4	1	-	-	-
3,500-4,499 GRAMS	143	-	-	-	-	1	-	22	63	45	11	1	-	-	-
4500 GRAMS OR MORE	6	-	-	-	-	-	-	-	2	3	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	267	-	2	2	3	2	8	110	88	33	14	3	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	12	-	-	1	1	-	-	4	4	1	-	1	-	-	-
2,500-3,499 GRAMS	136	-	2	-	3	1	4	55	51	13	6	1	-	-	-
3,500-4,499 GRAMS	105	-	-	1	1	1	3	46	29	13	8	1	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	-	3	3	4	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
THAI	45	-	-	-	-	-	2	7	13	14	9	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2,500-3,499 GRAMS	33	-	-	-	-	-	1	7	9	9	7	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	-	1	-	4	5	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1,051	-	-	4	5	13	28	228	353	278	104	35	3	-	-
UNDER 1,500 GRAMS	11	-	-	-	-	-	1	5	3	2	-	-	-	-	-
1,500-2,499 GRAMS	50	-	-	-	-	1	2	15	11	15	3	3	-	-	-
2,500-3,499 GRAMS	716	-	-	4	4	6	22	168	238	189	70	15	-	-	-
3,500-4,499 GRAMS	268	-	-	-	1	6	3	40	98	71	29	17	3	-	-
4500 GRAMS OR MORE	6	-	-	-	-	-	-	-	3	1	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	31,804	39	116	291	464	727	1,114	9,260	10,758	6,575	2,151	290	10	-	9
UNDER 1,500 GRAMS	284	3	-	2	3	8	8	89	82	57	27	4	1	-	-
1,500-2,499 GRAMS	1,346	1	6	18	24	36	59	394	409	292	92	13	1	-	1
2,500-3,499 GRAMS	15,420	21	66	164	270	407	615	4,730	5,139	2,926	939	113	4	-	6
3,500-4,499 GRAMS	13,968	13	43	105	160	268	413	3,867	4,881	3,070	996	145	4	-	2
4500 GRAMS OR MORE	755	-	1	2	6	8	15	172	238	222	77	14	-	-	2
NOT STATED	31	1	-	-	1	-	2	8	9	8	-	1	-	-	1
OTHER ASIAN	259	1	-	2	2	11	5	58	69	34	16	7	3	-	1
UNDER 1,500 GRAMS	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-
1,500-2,499 GRAMS	11	1	-	1	-	-	-	3	2	2	2	-	-	-	-
2,500-3,499 GRAMS	163	-	-	1	2	10	3	38	44	31	6	4	3	-	1
3,500-4,499 GRAMS	76	-	-	-	-	1	2	26	20	16	6	3	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	40	-	-	-	1	-	2	10	11	12	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
2,500-3,499 GRAMS	20	-	-	-	1	-	-	6	5	6	2	-	-	-	-
3,500-4,499 GRAMS	17	-	-	-	-	-	2	3	5	5	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	85	1	-	1	1	-	2	11	28	20	5	-	-	-	14
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1,500-2,499 GRAMS	7	-	-	-	-	-	1	-	3	1	-	-	-	-	2
2,500-3,499 GRAMS	40	1	-	-	1	-	1	6	15	4	2	-	-	-	10
3,500-4,499 GRAMS	32	-	-	1	-	-	-	5	7	13	3	-	-	-	3
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	2	-	-	-	-	-	1
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
PLACER	1,944	3	4	22	32	33	62	361	607	436	140	23	1	-	-
AMERICAN INDIAN	41	-	-	2	2	1	2	16	11	5	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	21	-	-	1	1	-	1	8	6	3	1	-	-	-	-
3,500-4,499 GRAMS	20	-	-	1	1	1	1	8	5	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	9	-	-	-	-	1	1	4	2	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	8	-	-	-	-	1	-	-	1	4	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	-	1	3	-	1	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	5	-	-	-	-	-	-	1	-	3	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	2	-	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	15	-	-	-	-	-	-	2	6	6	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	8	-	-	-	-	-	-	2	4	2	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	-	1	4	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	[illegible]	[illegible]
PLACER (CONTINUED)	1,944	3	4	28	30	93	68	391	607	430	140	60	5	-	-
KOREAN	3	-	-	-	-	-	-	0	0	0	0	0	0	0	0
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	0	0	0	0	0	0	0	0
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	0	-	-	-	-	-	-	0	0	0	0	0	0	0	0
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	3	-	-	-	-	-	-	0	0	0	0	0	0	0	0
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	0	0	0	0	0	0	0	0
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	5	-	-	-	-	-	-	0	0	0	0	0	0	0	0
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	0	0	0	0	0	0	0	0
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,660	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
UNDER 1,500 GRAMS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1,500-2,499 GRAMS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2,500-3,499 GRAMS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
3,500-4,499 GRAMS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
4500 GRAMS OR MORE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
NOT STATED	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
OTHER ASIAN	5	-	-	-	-	-	-	0	0	0	0	0	0	0	0
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	0	0	0	0	0	0	0	0
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	0	-	-	-	-	-	-	0	0	0	0	0	0	0	0
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
PLUMAS	266	-	1	1	3	7	10	91	78	57	17	3	-	-	-
AMERICAN INDIAN	13	-	-	1	-	-	-	3	6	2	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	2	3	2	-	-	-	-	-
3,500-4,499 GRAMS	7	-	-	1	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	8	-	-	-	1	-	-	3	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
PLUMAS (CONTINUED)	268	-	1	1	3	7	10	91	78	57	17	3	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	247	-	1	-	2	7	10	83	71	55	16	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	20	-	-	-	-	1	-	9	6	4	-	-	-	-	-
2,500-3,499 GRAMS	135	-	1	-	2	3	7	44	35	33	7	1	-	-	-
3,500-4,499 GRAMS	89	-	-	-	-	3	2	27	29	18	9	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
RIVERSIDE	15,508	26	93	233	384	496	697	3,201	3,069	2,478	696	124	3	-	4
AMERICAN INDIAN	238	-	1	7	7	8	10	93	70	31	8	3	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
1,500-2,499 GRAMS	10	-	-	-	1	-	-	4	4	1	-	-	-	-	-
2,500-3,499 GRAMS	112	-	1	4	3	3	8	46	34	8	4	1	-	-	-
3,500-4,499 GRAMS	111	-	-	2	3	5	2	40	32	21	4	2	-	-	-
4500 GRAMS OR MORE	3	-	-	1	-	-	-	2	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1,037	4	15	13	41	30	65	378	276	150	39	5	1	-	-
UNDER 1,500 GRAMS	24	-	1	-	-	1	1	7	7	6	-	1	-	-	-
1,500-2,499 GRAMS	77	-	2	4	1	5	5	23	23	10	6	2	1	-	-
2,500-3,499 GRAMS	621	4	12	6	27	31	44	234	151	89	20	1	-	-	-
3,500-4,499 GRAMS	304	-	2	3	10	17	13	112	89	44	13	1	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	2	2	6	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CAMBODIAN	14	-	-	-	-	-	-	4	5	1	3	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	14	-	-	-	-	-	-	4	5	1	3	1	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	38	-	-	-	-	-	-	7	14	14	2	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	26	-	-	-	-	-	-	6	10	10	-	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	-	-	-	1	2	3	2	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	126	-	-	2	1	4	4	32	38	33	11	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
2,500-3,499 GRAMS	85	-	-	2	1	3	3	24	23	21	8	-	-	-	-
3,500-4,499 GRAMS	33	-	-	-	-	1	1	6	13	9	2	1	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	30	-	-	-	-	-	-	6	11	9	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
2,500-3,499 GRAMS	19	-	-	-	-	-	-	3	9	5	2	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	3	1	3	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	36	-	-	1	-	1	-	14	23	15	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	29	-	-	1	-	-	-	9	11	7	-	1	-	-	-
3,500-4,499 GRAMS	26	-	-	-	-	1	-	5	11	8	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
RIVERSIDE (CONTINUED)	15,508	26	95	233	384	496	697	3,201	3,069	2,478	696	124	5	-	4
KOREAN	32	-	-	-	-	-	-	5	16	8	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
2,500-3,499 GRAMS	13	-	-	-	-	-	-	1	7	5	-	-	-	-	-
3,500-4,499 GRAMS	16	-	-	-	-	-	-	3	8	3	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	55	-	-	2	1	-	3	16	20	7	6	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
2,500-3,499 GRAMS	30	-	-	1	1	-	2	9	9	5	3	-	-	-	-
3,500-4,499 GRAMS	17	-	-	1	-	-	1	6	7	1	1	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	12	-	-	-	-	-	-	2	4	1	2	3	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	-	-	1	3	1	1	1	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	1	1	-	1	2	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	53	-	-	-	1	1	2	12	13	16	7	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	39	-	-	-	1	-	1	10	11	12	3	1	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	1	1	2	1	3	3	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	13,694	21	79	207	328	429	608	4,391	4,552	2,164	599	108	4	-	4
UNDER 1,500 GRAMS	141	-	1	4	6	8	5	49	37	21	7	3	-	-	-
1,500-2,499 GRAMS	632	3	7	12	22	24	36	211	176	91	41	7	-	-	2
2,500-3,499 GRAMS	7,007	12	41	134	177	257	350	2,505	2,224	1,004	255	45	2	-	1
3,500-4,499 GRAMS	5,625	6	30	55	120	133	214	1,754	2,005	981	275	51	1	-	-
4500 GRAMS OR MORE	284	-	-	2	2	7	3	71	107	67	21	2	1	-	1
NOT STATED	5	-	-	-	1	-	-	1	3	-	-	-	-	-	-
OTHER ASIAN	92	1	-	1	2	2	4	30	21	22	9	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	1	-	-	1	-	3	1	-	-	-	-
2,500-3,499 GRAMS	54	1	-	1	-	1	4	16	15	12	4	-	-	-	-
3,500-4,499 GRAMS	29	-	-	-	1	1	-	11	5	7	4	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	15	-	-	-	1	-	-	8	2	2	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	1	-	-	2	-	1	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	-	-	4	1	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	15	-	-	-	2	1	1	3	4	4	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	-	1	1	1	1	4	2	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SACRAMENTO	15,464	39	98	225	351	474	688	4,606	5,016	2,790	851	117	4	1	4
AMERICAN INDIAN	236	2	3	5	12	15	17	92	56	28	6	-	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	-	-	6	2	1	-	-	-	-	-
2,500-3,499 GRAMS	130	2	3	4	8	8	12	50	31	12	-	-	-	-	-
3,500-4,499 GRAMS	89	-	-	-	4	7	4	34	21	13	6	-	-	-	-
4500 GRAMS OR MORE	6	-	-	1	-	-	1	1	1	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1,964	11	28	47	78	91	144	700	364	232	55	13	-	-	1
UNDER 1,500 GRAMS	45	1	1	2	2	2	2	18	10	2	4	1	-	-	-
1,500-2,499 GRAMS	157	1	-	7	3	12	12	56	47	14	5	-	-	-	-
2,500-3,499 GRAMS	1,193	6	18	30	55	60	92	437	324	133	33	5	-	-	-
3,500-4,499 GRAMS	546	3	9	8	18	16	37	181	178	77	11	7	-	-	1
4500 GRAMS OR MORE	22	-	-	-	-	1	1	8	4	6	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	15	-	-	-	-	1	-	5	2	1	4	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	12	-	-	-	-	1	-	3	2	-	4	2	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	362	-	-	1	3	3	2	30	125	131	40	7	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-
1,500-2,499 GRAMS	16	-	-	-	-	-	-	5	4	4	2	1	-	-	-
2,500-3,499 GRAMS	236	-	-	-	2	2	2	21	87	87	20	5	-	-	-
3,500-4,499 GRAMS	102	-	-	1	1	1	-	4	32	38	14	1	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	-	2	1	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	279	1	3	4	3	7	6	80	92	36	22	4	-	1	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
1,500-2,499 GRAMS	19	-	-	-	-	1	1	7	3	3	1	1	-	-	-
2,500-3,499 GRAMS	177	1	3	2	2	3	3	34	57	37	13	2	-	1	-
3,500-4,499 GRAMS	80	-	-	2	1	3	2	18	31	15	6	2	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	69	-	-	-	1	-	1	20	23	12	3	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	1	2	2	-	-	-	-	-	-
2,500-3,499 GRAMS	45	-	-	-	-	-	-	18	16	7	3	1	-	-	-
3,500-4,499 GRAMS	16	-	-	1	-	-	-	7	3	5	-	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	168	-	-	1	3	5	2	30	33	64	9	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	10	-	-	-	-	1	1	-	3	5	-	-	-	-	-
2,500-3,499 GRAMS	91	-	-	1	3	1	-	16	14	33	2	1	-	-	-
3,500-4,499 GRAMS	66	-	-	-	-	3	1	14	16	26	6	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SACRAMENTO (CONTINUED)	13,464	39	98	225	351	474	686	4,806	5,016	2,790	651	117	4	1	4
KOREAN	50	-	-	-	-	-	1	9	32	13	3	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
2,500-3,499 GRAMS	28	-	-	-	-	-	-	7	13	6	-	-	-	-	-
3,500-4,499 GRAMS	17	-	-	-	-	-	1	1	7	3	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	135	-	-	1	2	6	5	43	45	21	12	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	-	3	1	1	2	-	-	-	-
2,500-3,499 GRAMS	73	-	-	1	-	3	3	29	19	10	7	1	-	-	-
3,500-4,499 GRAMS	50	-	-	-	2	-	2	11	21	10	3	1	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	1	-	-	3	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	9	-	-	-	-	-	-	3	2	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	160	-	-	1	2	1	2	38	33	32	8	3	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	1	-	-	3	1	1	-	-	-	-
2,500-3,499 GRAMS	120	-	-	1	2	-	1	34	41	34	6	1	-	-	-
3,500-4,499 GRAMS	34	-	-	-	-	-	1	4	9	17	1	2	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	11,473	20	51	147	319	330	477	3,368	3,032	2,101	631	74	-	-	3
UNDER 1,500 GRAMS	115	-	1	3	2	3	6	43	22	24	9	1	-	-	1
1,500-2,499 GRAMS	523	1	5	11	10	10	24	150	133	104	36	3	-	-	1
2,500-3,499 GRAMS	5,389	12	26	86	121	106	243	1,736	1,795	879	273	30	-	-	-
3,500-4,499 GRAMS	5,159	7	17	47	83	121	197	1,366	1,760	1,014	307	38	-	-	1
4500 GRAMS OR MORE	286	-	2	-	3	1	7	65	102	80	24	2	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
OTHER ASIAN	465	3	11	17	23	15	27	133	121	71	30	10	4	-	-
UNDER 1,500 GRAMS	6	1	2	-	-	-	-	1	1	-	1	-	-	-	-
1,500-2,499 GRAMS	35	1	1	4	3	1	3	10	4	1	3	1	1	-	-
2,500-3,499 GRAMS	298	1	7	11	16	11	13	88	78	44	16	7	2	-	-
3,500-4,499 GRAMS	124	-	1	2	2	3	9	33	38	23	10	2	1	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	31	2	-	-	1	1	-	14	7	1	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	1	-	-	-	-	-	2	-	-	-	-	-	-	-
2,500-3,499 GRAMS	20	1	-	-	1	-	-	9	3	1	3	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	1	-	3	1	-	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	47	-	2	1	6	1	4	12	19	8	2	-	-	-	-
UNDER 1,500 GRAMS	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	23	-	-	1	3	1	1	6	11	2	-	-	-	-	-
3,500-4,499 GRAMS	18	-	-	-	1	-	3	5	7	-	2	-	-	-	-
4500 GRAMS OR MORE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

TABLE 8-17 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	NOT STATED	
SAN BENITO	441	1	4	8	10	31	20	114	100	104	48	0	1	0	0
AMERICAN INDIAN	4	0	0	0	1	0	0	0	0	0	0	0	0	0	0
UNDER 1,000 GRAMS	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
1,000-1,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,500-2,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2,500-3,999 GRAMS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4,000 GRAMS OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BLACK	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNDER 1,000 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,000-1,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,500-2,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2,500-3,999 GRAMS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4,000 GRAMS OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CAMBODIAN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNDER 1,000 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,000-1,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,500-2,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2,500-3,999 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4,000 GRAMS OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINESE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNDER 1,000 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,000-1,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,500-2,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2,500-3,999 GRAMS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4,000 GRAMS OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KOREAN/ALEUT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNDER 1,000 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,000-1,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,500-2,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2,500-3,999 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4,000 GRAMS OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FILIPINO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNDER 1,000 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,000-1,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,500-2,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2,500-3,999 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4,000 GRAMS OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INDIAN (INDIA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNDER 1,000 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,000-1,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,500-2,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2,500-3,999 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4,000 GRAMS OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAPANESE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNDER 1,000 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,000-1,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,500-2,499 GRAMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2,500-3,999 GRAMS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4,000 GRAMS OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BENITO (CONTINUED)	621	1	4	8	12	21	32	214	183	102	48	5	1	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	589	1	4	8	10	19	20	203	173	98	48	4	1	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
1,500-2,499 GRAMS	20	-	-	-	-	2	-	4	10	-	4	-	-	-	-
2,500-3,499 GRAMS	289	1	3	6	4	8	15	100	82	43	22	3	-	-	-
3,500-4,499 GRAMS	261	-	1	2	6	8	5	94	75	49	19	1	1	-	-
4500 GRAMS OR MORE	16	-	-	-	-	1	-	4	5	4	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	15	-	-	-	1	2	1	5	4	1	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	-	-	2	1	4	2	-	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	1	-	-	1	2	1	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO	21,284	47	116	306	506	778	993	7,139	6,815	3,470	949	136	6	-	3
AMERICAN INDIAN	338	2	6	2	10	16	22	132	96	36	16	-	-	-	-
UNDER 1,500 GRAMS	5	-	-	-	-	-	-	2	2	-	1	-	-	-	-
1,500-2,499 GRAMS	20	-	1	-	2	-	1	3	9	2	2	-	-	-	-
2,500-3,499 GRAMS	177	1	2	1	8	10	11	69	47	19	9	-	-	-	-
3,500-4,499 GRAMS	126	1	3	1	-	6	10	53	36	12	4	-	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	-	3	2	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1,936	15	20	36	81	77	114	713	537	243	83	16	1	-	-
UNDER 1,500 GRAMS	48	-	1	1	3	2	2	17	13	4	1	2	-	-	-
1,500-2,499 GRAMS	158	2	4	2	4	7	15	54	45	16	8	1	-	-	-
2,500-3,499 GRAMS	1,187	10	12	23	49	54	71	464	328	125	46	5	-	-	-
3,500-4,499 GRAMS	522	3	3	10	23	12	25	169	150	92	27	7	1	-	-
4500 GRAMS OR MORE	19	-	-	-	-	2	1	7	1	6	1	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
CAMBODIAN	26	-	-	-	-	-	3	4	6	6	3	1	1	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	20	-	-	-	-	-	2	4	5	4	4	-	1	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	1	-	1	2	1	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	89	1	-	-	-	-	-	10	29	34	14	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	-	2	-	3	2	-	-	-	-
2,500-3,499 GRAMS	50	1	-	-	-	-	-	5	19	22	3	-	-	-	-
3,500-4,499 GRAMS	32	-	-	-	-	-	-	3	10	9	9	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	203	-	-	-	9	4	4	46	63	55	19	3	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	2	-	1	2	-	-	-	-
2,500-3,499 GRAMS	136	-	-	-	5	4	2	32	39	39	12	3	-	-	-
3,500-4,499 GRAMS	57	-	-	-	3	-	2	11	23	13	5	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	1	-	-	1	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	38	-	-	-	-	-	-	7	18	9	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	29	-	-	-	-	-	-	5	16	6	2	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	-	-	-	2	2	3	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	89	-	-	-	-	2	1	22	43	13	6	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-
2,500-3,499 GRAMS	62	-	-	-	-	1	1	14	30	11	5	-	-	-	-
3,500-4,499 GRAMS	24	-	-	-	-	-	-	8	11	4	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO (CONTINUED)	21,284	47	116	306	506	778	993	7,159	6,815	3,470	949	136	6	-	3
KOREAN	100	-	-	-	-	2	1	13	33	21	7	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
2,500-3,499 GRAMS	62	-	-	-	-	2	1	9	34	12	3	1	-	-	-
3,500-4,499 GRAMS	34	-	-	-	-	-	-	4	19	8	3	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	117	-	-	-	2	3	6	41	39	20	6	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	1	-	-	2	1	1	-	-	-	-	-
2,500-3,499 GRAMS	58	-	-	-	1	2	3	22	20	7	3	-	-	-	-
3,500-4,499 GRAMS	50	-	-	-	-	1	3	16	18	9	3	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	31	-	-	1	1	1	-	5	5	13	5	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	18	-	-	-	1	1	-	5	3	5	3	-	-	-	-
3,500-4,499 GRAMS	10	-	-	-	-	-	-	-	2	6	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	77	-	-	-	2	2	2	11	26	22	10	2	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	1	-	-	-	3	1	1	-	-	-	-
2,500-3,499 GRAMS	52	-	-	-	1	2	2	9	18	14	4	2	-	-	-
3,500-4,499 GRAMS	18	-	-	-	-	-	-	2	5	6	5	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	17,898	28	89	260	388	639	827	6,047	5,795	2,930	760	109	6	-	2
UNDER 1,500 GRAMS	147	1	-	1	2	5	10	44	30	24	9	1	-	-	-
1,500-2,499 GRAMS	884	3	1	11	16	46	49	299	273	149	29	6	-	-	-
2,500-3,499 GRAMS	9,219	18	54	135	226	393	458	3,233	2,917	1,362	359	42	-	-	-
3,500-4,499 GRAMS	7,285	5	32	88	140	209	298	2,368	2,440	1,311	337	51	4	-	2
4500 GRAMS OR MORE	357	1	2	4	4	4	11	100	115	84	25	7	2	-	-
NOT STATED	6	-	-	1	-	-	1	3	-	-	1	-	-	-	-
OTHER ASIAN	50	-	-	-	2	-	1	15	17	15	-	-	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	33	-	-	-	2	-	-	9	13	9	-	-	-	-	-
3,500-4,499 GRAMS	13	-	-	-	-	-	1	5	3	4	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	131	1	-	2	4	6	5	48	41	20	4	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	2	1	4	2	-	-	-	-	-	-
2,500-3,499 GRAMS	72	1	-	1	3	3	2	27	20	13	-	-	-	-	-
3,500-4,499 GRAMS	48	-	-	1	1	1	2	17	18	6	4	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	158	-	1	4	7	6	7	44	44	31	10	3	-	-	1
UNDER 1,500 GRAMS	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	77	-	1	2	4	3	4	23	22	12	3	1	-	-	-
3,500-4,499 GRAMS	68	-	-	1	2	3	2	18	18	16	3	2	-	-	1
4500 GRAMS OR MORE	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN DIEGO	37,200	47	138	352	587	962	1,477	11,474	11,990	7,380	2,452	320	13	1	5
AMERICAN INDIAN	935	-	2	9	14	34	42	325	294	134	53	8	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	1	-	-	1	1	1	-	-	-	-	-
1,500-2,499 GRAMS	44	-	1	1	-	1	3	11	18	5	4	-	-	-	-
2,500-3,499 GRAMS	481	-	-	7	6	19	19	164	157	76	26	7	-	-	-
3,500-4,499 GRAMS	390	-	1	1	7	14	19	144	114	69	20	1	-	-	-
4500 GRAMS OR MORE	16	-	-	-	-	-	1	5	4	3	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	3,333	18	30	61	93	133	203	1,299	953	417	114	6	2	-	-
UNDER 1,500 GRAMS	72	1	2	3	1	3	2	21	27	11	-	1	-	-	-
1,500-2,499 GRAMS	282	-	5	4	16	15	16	103	86	26	8	3	-	-	-
2,500-3,499 GRAMS	1,980	14	18	37	54	88	130	806	542	236	52	2	1	-	-
3,500-4,499 GRAMS	967	3	5	15	24	29	53	363	289	134	51	1	-	-	-
4500 GRAMS OR MORE	32	-	-	2	-	-	2	6	9	10	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	166	-	1	2	1	5	6	42	44	37	19	8	1	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	14	-	-	-	-	1	-	3	4	2	1	1	-	-	-
2,500-3,499 GRAMS	117	-	1	2	1	3	2	30	30	27	14	6	1	-	-
3,500-4,499 GRAMS	32	-	-	-	-	1	2	7	10	8	3	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	257	-	-	-	1	3	2	29	82	94	41	3	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	1	1	3	-	-	-	-	-
1,500-2,499 GRAMS	14	-	-	-	-	1	-	2	3	7	1	-	-	-	-
2,500-3,499 GRAMS	147	-	-	-	-	4	2	14	48	54	23	2	-	-	-
3,500-4,499 GRAMS	91	-	-	-	1	-	-	12	30	30	17	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	4	-	-	-	-	-	-	2	-	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1,795	3	3	12	16	26	37	363	642	436	214	22	1	-	-
UNDER 1,500 GRAMS	18	-	1	-	-	3	2	2	2	7	1	-	-	-	-
1,500-2,499 GRAMS	101	1	1	-	-	6	7	12	27	25	21	1	-	-	-
2,500-3,499 GRAMS	1,090	1	1	9	12	14	20	247	384	279	113	10	1	-	-
3,500-4,499 GRAMS	574	2	-	3	4	6	7	100	223	145	72	10	-	-	-
4500 GRAMS OR MORE	12	-	-	-	-	-	-	2	4	5	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	48	-	-	-	1	-	1	8	22	14	2	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-
2,500-3,499 GRAMS	30	-	-	-	1	-	1	4	14	10	1	-	-	-	-
3,500-4,499 GRAMS	15	-	-	-	-	-	-	2	8	3	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	336	1	2	3	3	4	7	91	118	72	31	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
1,500-2,499 GRAMS	14	-	-	-	-	1	-	2	3	2	4	-	-	-	-
2,500-3,499 GRAMS	193	1	2	3	3	2	3	54	68	43	14	2	-	-	-
3,500-4,499 GRAMS	121	-	-	-	2	1	4	34	42	25	11	-	-	-	-
4500 GRAMS OR MORE	6	-	-	-	-	-	-	1	1	2	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN DIEGO (CONTINUED)	37,200	47	138	352	587	962	1,477	11,474	11,990	7,380	2,432	320	13	1	5
KOREAN	124	-	-	-	1	1	-	26	64	24	6	2	-	-	-
UNDER 1,500 GRAMS	5	-	-	-	-	-	-	-	3	1	1	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
2,500-3,499 GRAMS	68	-	-	-	1	1	-	13	41	10	1	1	-	-	-
3,500-4,499 GRAMS	44	-	-	-	-	-	-	11	18	11	3	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	437	1	4	5	16	17	29	166	128	40	27	3	-	-	1
UNDER 1,500 GRAMS	7	-	-	-	-	2	1	1	2	-	1	-	-	-	-
1,500-2,499 GRAMS	17	-	-	-	-	1	2	3	3	7	1	-	-	-	-
2,500-3,499 GRAMS	246	1	1	4	11	8	17	93	64	33	10	1	-	-	1
3,500-4,499 GRAMS	160	-	3	1	5	6	8	67	55	18	15	2	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	1	-	4	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	29	-	1	1	-	1	-	6	6	12	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	16	-	1	1	-	-	-	3	4	7	-	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	1	-	3	1	5	1	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	362	-	2	-	4	6	6	96	112	94	35	4	2	1	-
UNDER 1,500 GRAMS	4	-	-	-	-	-	1	1	-	1	1	-	-	-	-
1,500-2,499 GRAMS	22	-	1	-	-	1	1	7	3	5	3	-	-	1	-
2,500-3,499 GRAMS	253	-	1	-	1	4	4	72	85	59	24	2	1	-	-
3,500-4,499 GRAMS	82	-	-	-	3	1	-	15	24	29	7	-	1	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	28,997	23	91	234	424	717	1,127	8,925	9,413	5,886	1,876	253	4	-	4
UNDER 1,500 GRAMS	242	-	1	1	5	12	8	70	72	49	18	6	-	-	-
1,500-2,499 GRAMS	1,230	1	7	13	29	44	59	376	375	232	81	13	-	-	-
2,500-3,499 GRAMS	14,012	13	34	146	235	394	622	4,306	4,437	2,625	836	120	-	-	2
3,500-4,499 GRAMS	12,791	6	28	92	152	238	422	3,782	4,265	2,797	859	105	4	-	1
4500 GRAMS OR MORE	714	1	1	2	3	8	16	189	220	183	82	9	-	-	-
NOT STATED	8	-	-	-	-	1	-	2	4	-	-	-	-	-	1
OTHER ASIAN	304	1	2	5	8	11	16	90	88	47	22	9	5	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	20	1	-	-	-	3	2	8	4	2	-	-	-	-	-
2,500-3,499 GRAMS	217	-	2	4	8	7	11	62	63	38	13	6	3	-	-
3,500-4,499 GRAMS	64	-	-	1	-	1	3	20	20	6	8	3	2	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	20	-	-	-	-	-	-	4	8	4	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	-	-	-	4	5	1	1	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	-	3	2	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	33	-	-	-	1	-	1	2	16	8	5	-	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	1	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
2,500-3,499 GRAMS	12	-	-	-	-	-	-	1	9	1	1	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	-	1	1	6	2	1	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN FRANCISCO	9,739	18	42	87	129	195	233	1,983	2,980	2,661	1,220	164	4	1	-
AMERICAN INDIAN	63	-	1	1	1	-	2	14	20	17	7	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
2,500-3,499 GRAMS	26	-	1	-	-	-	2	7	5	10	1	-	-	-	-
3,500-4,499 GRAMS	31	-	-	1	-	-	-	6	11	7	6	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1,651	13	25	51	62	73	104	311	451	245	109	7	-	-	-
UNDER 1,500 GRAMS	36	-	1	-	2	2	3	6	18	2	1	1	-	-	-
1,500-2,499 GRAMS	174	1	3	7	7	7	14	50	48	23	12	2	-	-	-
2,500-3,499 GRAMS	999	11	16	32	37	54	62	320	268	137	60	2	-	-	-
3,500-4,499 GRAMS	431	1	5	12	16	10	25	133	113	81	33	2	-	-	-
4500 GRAMS OR MORE	11	-	-	-	-	-	-	2	4	2	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	111	-	-	1	4	5	2	26	33	24	7	9	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
2,500-3,499 GRAMS	78	-	-	-	4	4	2	21	25	15	3	4	-	-	-
3,500-4,499 GRAMS	26	-	-	1	-	1	-	2	7	6	4	5	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1,429	-	-	-	1	2	7	150	308	526	216	16	2	1	-
UNDER 1,500 GRAMS	6	-	-	-	-	-	-	-	1	4	1	-	-	-	-
1,500-2,499 GRAMS	68	-	-	-	-	-	-	6	25	22	14	1	-	-	-
2,500-3,499 GRAMS	926	-	-	-	1	1	4	104	341	331	129	12	2	1	-
3,500-4,499 GRAMS	417	-	-	-	-	1	3	39	139	160	72	3	-	-	-
4500 GRAMS OR MORE	12	-	-	-	-	-	-	1	2	9	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	903	1	4	1	6	17	14	202	296	234	106	25	1	-	-
UNDER 1,500 GRAMS	7	-	-	-	1	-	-	1	2	2	1	-	-	-	-
1,500-2,499 GRAMS	43	-	-	-	-	1	-	13	10	8	10	3	-	-	-
2,500-3,499 GRAMS	609	1	2	1	2	13	10	132	208	161	61	17	1	-	-
3,500-4,499 GRAMS	234	-	2	-	1	3	4	56	72	58	33	5	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	-	-	4	5	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	42	-	-	-	-	-	-	15	13	9	5	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
2,500-3,499 GRAMS	23	-	-	-	-	-	-	9	8	3	3	-	-	-	-
3,500-4,499 GRAMS	15	-	-	-	-	-	-	4	4	5	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	139	-	-	-	-	1	-	10	34	50	23	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
2,500-3,499 GRAMS	86	-	-	-	-	1	-	3	41	30	9	-	-	-	-
3,500-4,499 GRAMS	49	-	-	-	-	-	-	5	13	17	13	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN FRANCISCO (CONTINUED)	9,739	18	42	87	129	193	255	1,983	2,980	2,661	1,220	164	4	1	-
KOREAN	95	-	-	-	-	-	-	13	46	25	8	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
2,500-3,499 GRAMS	49	-	-	-	-	-	-	10	20	17	1	1	-	-	-
3,500-4,499 GRAMS	43	-	-	-	-	-	-	4	25	7	7	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	141	-	-	6	3	2	5	48	40	29	7	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	1	1	1	2	-	-	-	-	-
2,500-3,499 GRAMS	74	-	-	4	1	2	2	27	20	14	3	1	-	-	-
3,500-4,499 GRAMS	58	-	-	2	2	-	2	19	17	13	3	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	14	-	-	-	-	-	-	-	5	7	2	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	-	-	-	-	-	2	5	2	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	291	1	1	-	1	4	5	49	116	73	34	7	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-
1,500-2,499 GRAMS	10	-	-	-	-	-	-	2	6	2	-	-	-	-	-
2,500-3,499 GRAMS	184	1	1	-	1	3	4	37	70	41	22	4	-	-	-
3,500-4,499 GRAMS	93	-	-	-	-	1	1	10	39	27	12	3	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	4,482	3	9	27	49	81	112	864	1,284	1,309	633	90	1	-	-
UNDER 1,500 GRAMS	26	-	-	-	1	1	-	5	7	7	3	2	-	-	-
1,500-2,499 GRAMS	195	1	-	4	3	4	9	38	27	66	37	6	-	-	-
2,500-3,499 GRAMS	2,232	2	5	19	30	32	60	462	666	601	297	37	1	-	-
3,500-4,499 GRAMS	1,936	-	4	4	14	24	43	344	557	604	300	42	-	-	-
4500 GRAMS OR MORE	91	-	-	-	1	-	-	13	26	31	15	3	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
OTHER ASIAN	96	-	1	-	-	4	3	24	32	23	8	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	1	-	2	2	-	1	-	-	-	-
2,500-3,499 GRAMS	52	-	1	-	-	2	2	13	17	9	5	1	-	-	-
3,500-4,499 GRAMS	37	-	-	-	-	1	-	7	13	14	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	27	-	-	-	1	1	1	3	10	7	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	18	-	-	-	1	1	1	2	8	4	1	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	1	2	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	253	-	1	-	3	5	-	30	72	83	33	6	-	-	-
UNDER 1,500 GRAMS	7	-	-	-	-	-	-	2	-	2	3	-	-	-	-
1,500-2,499 GRAMS	11	-	-	-	1	-	-	1	4	2	3	-	-	-	-
2,500-3,499 GRAMS	138	-	1	-	2	4	-	14	35	46	15	1	-	-	-
3,500-4,499 GRAMS	95	-	-	-	-	1	-	13	33	31	12	5	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN JOAQUIN	7,993	26	71	120	197	301	393	2,628	2,379	1,317	454	98	8	-	1
AMERICAN INDIAN	162	1	3	-	4	9	7	59	56	17	5	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	11	1	-	-	-	-	-	6	3	1	-	-	-	-	-
2,500-3,499 GRAMS	72	-	2	-	1	4	3	27	26	5	2	-	-	-	-
3,500-4,499 GRAMS	75	-	1	-	3	3	2	26	25	11	3	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	608	7	11	20	25	37	40	224	136	70	13	1	-	-	-
UNDER 1,500 GRAMS	21	-	-	-	3	1	1	5	5	3	1	-	-	-	-
1,500-2,499 GRAMS	58	3	-	2	1	3	6	18	19	3	1	-	-	-	-
2,500-3,499 GRAMS	385	3	8	16	18	25	26	155	88	37	8	1	-	-	-
3,500-4,499 GRAMS	139	1	3	2	3	6	7	46	44	22	5	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	327	-	-	2	3	8	9	68	99	36	49	29	4	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	21	-	-	-	-	-	2	4	5	5	2	3	-	-	-
2,500-3,499 GRAMS	213	-	-	1	1	8	6	52	59	33	35	15	3	-	-
3,500-4,499 GRAMS	89	-	-	1	2	-	1	12	34	15	12	11	1	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	50	-	-	1	-	1	-	5	19	13	11	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
2,500-3,499 GRAMS	34	-	-	1	-	1	-	4	13	10	5	-	-	-	-
3,500-4,499 GRAMS	14	-	-	-	-	-	-	1	5	3	5	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	3	-	1	-	-	-	-	1	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	1	-	-	-	-	1	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	298	1	-	5	5	14	15	81	82	72	16	7	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
1,500-2,499 GRAMS	22	-	-	-	-	1	1	6	7	5	2	-	-	-	-
2,500-3,499 GRAMS	211	1	-	5	3	11	11	60	60	48	8	4	-	-	-
3,500-4,499 GRAMS	62	-	-	-	2	2	3	14	14	18	6	3	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	31	-	-	-	-	1	1	10	11	7	1	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	20	-	-	-	-	1	1	7	6	4	1	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	-	-	-	1	5	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	46	-	1	-	1	-	1	8	17	11	7	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-
2,500-3,499 GRAMS	25	-	1	-	1	-	1	4	11	6	1	-	-	-	-
3,500-4,499 GRAMS	16	-	-	-	-	-	-	2	6	5	5	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN JOAQUIN (CONTINUED)	7,993	26	71	120	197	301	393	2,628	2,379	1,317	454	98	8	-	1
KOREAN	9	-	-	-	-	1	-	3	4	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	1	-	2	2	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	27	-	-	-	-	-	1	12	9	1	2	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	-	-	-	1	4	3	1	-	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	-	-	5	3	-	1	2	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	226	-	-	1	4	6	5	68	83	42	14	3	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	8	-	-	-	-	-	-	3	2	2	1	-	-	-	-
2,500-3,499 GRAMS	178	-	-	1	3	5	4	58	61	34	10	2	-	-	-
3,500-4,499 GRAMS	38	-	-	-	-	1	-	7	20	6	3	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	5,607	15	50	84	146	209	290	1,965	1,732	962	293	39	1	-	1
UNDER 1,500 GRAMS	54	-	-	2	1	3	5	22	10	7	4	-	-	-	-
1,500-2,499 GRAMS	283	-	3	5	9	11	12	98	72	36	13	2	-	-	-
2,500-3,499 GRAMS	2,957	12	38	51	79	123	172	1,049	859	451	105	17	1	-	-
3,500-4,499 GRAMS	2,388	3	9	25	36	70	98	766	765	415	161	19	-	-	1
4500 GRAMS OR MORE	124	-	-	1	1	2	3	30	45	33	8	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER ASIAN	366	2	5	6	8	15	20	117	80	38	37	15	3	-	-
UNDER 1,500 GRAMS	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-
1,500-2,499 GRAMS	25	-	1	2	3	-	-	13	2	2	1	1	-	-	-
2,500-3,499 GRAMS	246	1	4	4	4	11	17	82	55	36	20	9	1	-	-
3,500-4,499 GRAMS	89	1	-	-	-	4	3	22	23	17	14	4	1	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	-	1	2	-	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	24	-	-	1	1	-	2	4	8	6	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	17	-	-	1	1	-	2	2	5	5	1	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	-	-	2	3	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	6	-	-	-	-	-	-	3	1	-	1	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN LUIS OBISPO	2,633	2	17	17	39	63	79	702	909	603	168	32	1	-	1
AMERICAN INDIAN	67	-	1	-	2	2	1	21	17	19	4	-	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	1	-	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	-	2	3	-	-	-	-	-
2,500-3,499 GRAMS	28	-	-	-	1	1	1	10	4	8	3	-	-	-	-
3,500-4,499 GRAMS	28	-	1	-	-	1	-	8	11	6	1	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	61	-	2	-	-	3	1	20	21	9	3	2	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	1	-	-	-	1	3	-	-	-	-	-	-	-
2,500-3,499 GRAMS	36	-	1	-	-	2	-	9	16	5	1	2	-	-	-
3,500-4,499 GRAMS	17	-	-	-	-	1	-	8	4	3	1	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	10	-	-	-	-	-	-	1	3	5	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	-	3	2	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	34	-	-	-	1	1	-	13	9	7	2	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	1	-	-	1	1	-	-	1	-	-	-
2,500-3,499 GRAMS	21	-	-	-	-	1	-	8	5	7	-	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	-	-	-	4	3	-	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	18	-	-	-	1	1	-	3	9	4	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	1	-	2	1	2	-	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	1	-	-	-	7	1	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN LUIS OBISPO (CONTINUED)	2,633	2	17	17	39	63	79	702	909	603	168	32	1	-	1
KOREAN	11	-	-	-	-	-	-	1	5	5	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	1	2	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,407	2	14	16	35	56	77	638	839	344	133	29	1	-	1
UNDER 1,500 GRAMS	20	-	-	-	1	-	-	5	6	7	1	-	-	-	-
1,500-2,499 GRAMS	96	-	1	-	-	1	2	30	31	25	5	1	-	-	-
2,500-3,499 GRAMS	1,108	-	5	10	21	33	39	320	372	229	61	17	1	-	-
3,500-4,499 GRAMS	1,122	2	7	6	13	21	36	268	404	267	66	11	-	-	1
4500 GRAMS OR MORE	58	-	1	-	-	1	-	13	25	16	2	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
OTHER ASIAN	5	-	-	-	-	-	-	1	-	2	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	7	-	-	-	-	-	-	2	2	3	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN MATEO	9,262	4	18	54	91	166	198	2,003	3,121	2,496	991	104	8	1	3
AMERICAN INDIAN	72	-	-	1	3	3	6	17	27	7	3	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
2,500-3,499 GRAMS	37	-	-	1	4	-	4	11	15	1	1	-	-	-	-
3,500-4,499 GRAMS	31	-	-	-	1	3	2	5	11	5	3	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	683	-	3	16	14	31	25	225	219	113	32	5	-	-	-
UNDER 1,500 GRAMS	15	-	-	-	-	2	-	5	3	5	-	-	-	-	-
1,500-2,499 GRAMS	46	-	-	1	-	3	6	14	9	10	2	1	-	-	-
2,500-3,499 GRAMS	421	-	3	12	11	17	17	143	137	59	21	1	-	-	-
3,500-4,499 GRAMS	191	-	-	3	3	9	2	62	63	37	9	3	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	-	1	7	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	4	-	-	-	1	-	-	-	3	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	463	-	-	-	-	-	2	33	157	178	88	5	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
1,500-2,499 GRAMS	14	-	-	-	-	-	-	-	4	6	4	-	-	-	-
2,500-3,499 GRAMS	315	-	-	-	-	-	2	21	111	127	50	4	-	-	-
3,500-4,499 GRAMS	123	-	-	-	-	-	-	12	39	42	31	1	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	-	-	3	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	818	-	-	-	3	11	6	169	302	226	91	9	1	-	-
UNDER 1,500 GRAMS	8	-	-	-	-	-	-	3	3	2	-	-	-	-	-
1,500-2,499 GRAMS	57	-	-	-	1	2	-	13	13	18	9	1	-	-	-
2,500-3,499 GRAMS	506	-	-	-	2	7	5	118	185	127	56	5	1	-	-
3,500-4,499 GRAMS	242	-	-	-	-	2	1	35	98	79	24	3	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	2	-	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
INDIAN (INDIA)	88	-	-	-	1	-	2	17	36	27	4	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
1,500-2,499 GRAMS	10	-	-	-	-	-	-	3	3	4	-	-	-	-	-
2,500-3,499 GRAMS	51	-	-	-	1	-	1	11	20	16	1	1	-	-	-
3,500-4,499 GRAMS	21	-	-	-	-	-	-	2	12	4	3	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
JAPANESE	134	-	-	-	-	2	1	13	42	48	27	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	-	-	2	2	2	3	-	-	-	-
2,500-3,499 GRAMS	80	-	-	-	-	2	1	5	30	26	15	1	-	-	-
3,500-4,499 GRAMS	41	-	-	-	-	-	-	5	10	16	6	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN MATEO (CONTINUED)	9,262	4	18	34	91	166	198	2,003	3,121	2,496	991	104	8	1	5
KOREAN	47	-	-	-	-	-	-	6	21	11	7	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	21	-	-	-	-	-	-	4	12	4	1	-	-	-	-
3,500-4,499 GRAMS	24	-	-	-	-	-	-	1	9	7	5	2	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	277	-	1	1	4	9	12	95	84	45	20	3	1	1	1
UNDER 1,500 GRAMS	6	-	-	-	-	-	-	4	1	1	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	1	-	2	1	1	-	-	-	-	-
2,500-3,499 GRAMS	102	-	1	-	2	3	5	37	29	18	5	-	1	-	1
3,500-4,499 GRAMS	150	-	-	1	2	5	6	50	50	22	11	2	-	1	-
4500 GRAMS OR MORE	13	-	-	-	-	-	1	1	3	3	4	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THAI	7	-	-	-	-	-	-	1	-	4	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	1	-	4	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	30	-	-	-	-	-	-	5	13	8	3	-	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
2,500-3,499 GRAMS	20	-	-	-	-	-	-	3	9	5	2	-	-	-	1
3,500-4,499 GRAMS	8	-	-	-	-	-	-	1	3	3	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	6,327	4	14	36	60	106	137	1,339	2,117	1,741	671	74	5	-	3
UNDER 1,500 GRAMS	58	-	-	-	-	1	2	8	20	20	6	1	-	-	-
1,500-2,499 GRAMS	261	1	2	3	2	8	10	58	78	72	21	5	-	-	1
2,500-3,499 GRAMS	3,019	1	9	20	38	36	76	693	1,002	783	308	31	2	-	-
3,500-4,499 GRAMS	2,815	2	3	13	20	40	43	567	964	816	308	35	3	-	1
4500 GRAMS OR MORE	161	-	-	-	-	1	6	28	49	47	28	2	-	-	-
NOT STATED	13	-	-	-	-	-	-	5	4	3	-	-	-	-	1
OTHER ASIAN	77	-	-	-	1	-	2	15	24	23	10	1	1	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	-	-	-	2	1	2	1	-	-	-
2,500-3,499 GRAMS	46	-	-	-	1	-	1	10	15	13	6	-	-	-	-
3,500-4,499 GRAMS	25	-	-	-	-	-	1	5	7	9	2	-	1	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	24	-	-	-	-	1	-	8	9	2	4	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
2,500-3,499 GRAMS	15	-	-	-	-	1	-	3	6	2	3	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	2	2	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	210	-	-	-	1	3	5	42	67	63	27	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	13	-	-	-	-	1	-	5	4	2	3	-	-	-	-
2,500-3,499 GRAMS	110	-	-	-	-	2	3	27	33	30	14	1	-	-	-
3,500-4,499 GRAMS	80	-	-	-	1	-	2	9	28	29	10	1	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA BARBARA	3,149	8	19	48	71	128	203	1,467	1,725	1,039	368	51	2	-	-
AMERICAN INDIAN	69	1	-	2	1	6	5	17	20	12	4	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	33	-	-	1	-	3	2	9	11	5	1	1	-	-	-
3,500-4,499 GRAMS	28	1	-	1	1	2	1	7	8	5	2	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	1	-	-	-	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	208	-	1	2	5	4	13	73	44	32	12	-	-	-	-
UNDER 1,500 GRAMS	5	-	-	-	-	-	2	-	2	1	-	-	-	-	-
1,500-2,499 GRAMS	16	-	-	-	1	-	2	6	5	2	-	-	-	-	-
2,500-3,499 GRAMS	111	-	1	1	2	3	9	44	31	13	5	-	-	-	-
3,500-4,499 GRAMS	71	-	-	1	2	1	2	23	24	12	6	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	30	-	-	-	-	-	-	2	18	8	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2,500-3,499 GRAMS	21	-	-	-	-	-	-	2	14	4	1	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	-	4	4	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	107	-	-	-	2	4	2	26	31	26	13	3	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	1	3	-	3	-	-	-	-	-
2,500-3,499 GRAMS	62	-	-	-	2	3	-	15	22	14	5	1	-	-	-
3,500-4,499 GRAMS	35	-	-	-	-	1	1	7	9	9	6	2	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	59	-	-	-	-	1	-	22	18	16	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
2,500-3,499 GRAMS	37	-	-	-	-	-	-	12	12	11	2	-	-	-	-
3,500-4,499 GRAMS	18	-	-	-	-	1	-	8	4	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA BARBARA (CONTINUED)	5,149	8	19	48	71	128	203	1,467	1,723	1,039	368	51	2	-	-
KOREAN	19	-	-	-	-	-	-	4	10	4	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
3,500-4,499 GRAMS	13	-	-	-	-	-	-	3	7	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	17	-	-	1	-	-	-	5	8	3	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	1	-	-	-	3	4	3	-	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	2	3	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	7	-	-	-	-	1	-	-	1	4	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	11	-	-	-	-	-	1	-	3	6	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	-	2	3	1	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	4,545	6	18	41	62	110	177	1,297	1,531	933	324	44	2	-	-
UNDER 1,500 GRAMS	36	-	3	-	-	-	1	9	12	9	1	1	-	-	-
1,500-2,499 GRAMS	182	-	1	5	5	8	4	50	55	38	14	2	-	-	-
2,500-3,499 GRAMS	2,187	4	8	26	36	60	97	663	727	403	143	19	1	-	-
3,500-4,499 GRAMS	2,031	2	6	10	21	40	72	553	699	450	155	22	1	-	-
4500 GRAMS OR MORE	106	-	-	-	-	2	3	22	37	31	11	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
OTHER ASIAN	48	1	-	2	1	2	2	17	12	6	5	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	33	1	-	2	-	2	1	11	7	5	4	-	-	-	-
3,500-4,499 GRAMS	14	-	-	-	1	-	1	5	5	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	21	-	-	-	-	-	1	3	6	7	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	-	-	-	-	2	2	4	2	-	-	-	-
3,500-4,499 GRAMS	10	-	-	-	-	-	1	1	3	3	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CLARA	24,110	30	108	230	387	563	776	4,311	6,070	5,300	1,677	237	11	2	6
AMERICAN INDIAN	266	1	2	6	8	9	17	92	78	33	19	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	12	-	-	1	-	-	1	3	1	4	2	-	-	-	-
2,500-3,499 GRAMS	136	1	1	4	4	5	6	49	44	15	7	-	-	-	-
3,500-4,499 GRAMS	110	-	1	1	4	4	10	38	29	14	9	-	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	-	2	3	-	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1,267	7	15	15	37	47	34	415	402	211	84	10	-	-	-
UNDER 1,500 GRAMS	19	-	1	-	-	-	-	5	9	4	-	-	-	-	-
1,500-2,499 GRAMS	87	-	-	4	1	5	4	27	31	13	2	-	-	-	-
2,500-3,499 GRAMS	716	5	11	6	21	33	33	234	213	115	30	9	-	-	-
3,500-4,499 GRAMS	421	2	3	5	14	7	17	139	141	70	22	1	-	-	-
4500 GRAMS OR MORE	24	-	-	-	1	-	-	6	8	9	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	137	-	2	1	4	4	5	29	37	26	17	9	3	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	1	-	1	2	2	-	-	-	-	-
2,500-3,499 GRAMS	112	-	2	1	4	3	5	25	29	21	13	8	1	-	-
3,500-4,499 GRAMS	19	-	-	-	-	-	-	3	6	3	4	1	2	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	946	-	-	-	-	3	3	54	341	398	139	8	-	-	-
UNDER 1,500 GRAMS	7	-	-	-	-	-	-	1	3	2	1	-	-	-	-
1,500-2,499 GRAMS	44	-	-	-	-	-	1	4	14	24	1	-	-	-	-
2,500-3,499 GRAMS	603	-	-	-	-	2	2	36	227	246	85	5	-	-	-
3,500-4,499 GRAMS	281	-	-	-	-	1	-	13	96	120	49	2	-	-	-
4500 GRAMS OR MORE	11	-	-	-	-	-	-	-	1	6	3	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1,230	-	1	4	15	19	25	287	410	314	133	21	1	-	-
UNDER 1,500 GRAMS	9	-	-	-	-	-	1	-	2	5	-	1	-	-	-
1,500-2,499 GRAMS	83	-	-	-	4	5	3	19	16	20	11	5	-	-	-
2,500-3,499 GRAMS	775	-	1	2	10	11	18	193	256	192	84	8	-	-	-
3,500-4,499 GRAMS	350	-	-	2	1	3	3	72	130	93	36	8	-	-	-
4500 GRAMS OR MORE	13	-	-	-	-	-	-	3	6	2	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	337	-	-	-	-	2	3	81	148	79	22	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
1,500-2,499 GRAMS	30	-	-	-	-	-	-	13	8	7	2	-	-	-	-
2,500-3,499 GRAMS	224	-	-	-	-	1	2	57	103	47	14	-	-	-	-
3,500-4,499 GRAMS	77	-	-	-	-	1	1	11	33	23	6	2	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	337	-	-	-	2	3	6	43	124	128	45	6	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
1,500-2,499 GRAMS	10	-	-	-	-	-	-	2	3	4	1	-	-	-	-
2,500-3,499 GRAMS	219	-	-	-	2	2	2	26	72	84	27	4	-	-	-
3,500-4,499 GRAMS	123	-	-	-	-	1	4	13	46	40	17	2	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CLARA (CONTINUED)	24,110	30	108	230	367	565	776	6,311	8,070	5,500	1,677	237	11	2	6
KOREAN	253	-	-	1	3	1	2	21	128	76	20	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	-	3	1	2	1	-	-	-	-
2,500-3,499 GRAMS	164	-	-	1	2	1	2	11	87	46	13	1	-	-	-
3,500-4,499 GRAMS	80	-	-	-	1	-	-	7	39	27	6	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	206	-	2	3	4	9	10	68	69	30	9	2	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	1	-	1	2	-	-	-	-	-	-	-
2,500-3,499 GRAMS	97	-	1	2	1	5	5	35	29	12	5	2	-	-	-
3,500-4,499 GRAMS	95	-	1	1	2	4	3	28	36	16	4	-	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	-	2	3	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	16	-	-	1	-	-	1	4	1	7	1	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	-	-	-	1	4	-	4	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	1	-	-	-	-	1	1	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	964	1	3	5	7	14	25	236	320	234	82	14	2	-	1
UNDER 1,500 GRAMS	7	-	-	-	-	-	-	-	4	1	2	-	-	-	-
1,500-2,499 GRAMS	47	-	1	-	-	-	3	12	16	13	2	-	-	-	-
2,500-3,499 GRAMS	669	1	1	3	5	11	15	181	224	167	47	10	1	-	1
3,500-4,499 GRAMS	233	-	1	-	2	3	7	43	73	71	28	4	1	-	-
4500 GRAMS OR MORE	8	-	-	-	-	-	-	-	3	2	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	17,781	21	81	191	303	449	607	4,912	5,873	3,864	1,310	160	5	2	3
UNDER 1,500 GRAMS	157	-	-	3	4	8	2	32	46	13	1	-	-	-	-
1,500-2,499 GRAMS	739	2	6	12	16	26	21	198	226	164	36	11	1	-	-
2,500-3,499 GRAMS	6,420	15	53	106	177	254	329	2,506	2,721	1,642	532	61	2	2	-
3,500-4,499 GRAMS	9,014	4	22	63	103	154	246	2,093	2,716	1,890	638	78	2	-	3
4500 GRAMS OR MORE	443	-	-	5	1	7	9	81	162	119	50	9	-	-	-
NOT STATED	8	-	-	-	-	-	-	2	2	3	1	-	-	-	-
OTHER ASIAN	160	-	2	2	3	3	10	42	38	32	8	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	-	1	4	2	2	-	-	-	-	-
2,500-3,499 GRAMS	111	-	2	2	2	3	7	31	39	20	5	-	-	-	-
3,500-4,499 GRAMS	38	-	-	-	1	-	2	6	16	10	3	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	63	-	-	-	-	1	2	7	33	17	2	-	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	-	3	1	1	-	-	-	-
2,500-3,499 GRAMS	34	-	-	-	-	-	-	5	19	9	1	-	-	-	-
3,500-4,499 GRAMS	24	-	-	-	-	1	2	2	11	7	-	-	-	-	1
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	125	-	-	1	1	1	6	18	48	31	16	2	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	-	1	-	2	1	-	-	-
2,500-3,499 GRAMS	64	-	-	1	1	1	3	1	27	11	8	1	-	-	-
3,500-4,499 GRAMS	51	-	-	-	-	-	3	5	16	19	6	-	-	-	1
4500 GRAMS OR MORE	5	-	-	-	-	-	-	-	3	1	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CRUZ	3,582	8	14	34	62	86	135	894	1,097	660	338	31	1	-	2
AMERICAN INDIAN	35	-	1	3	3	-	1	7	10	5	4	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	20	-	1	3	1	-	-	4	4	4	2	1	-	-	-
3,500-4,499 GRAMS	10	-	-	-	1	-	1	3	5	1	2	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	68	-	1	-	1	1	4	20	25	9	7	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
2,500-3,499 GRAMS	25	-	-	-	-	-	2	8	9	1	5	-	-	-	-
3,500-4,499 GRAMS	38	-	1	-	1	1	2	10	14	7	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	21	-	-	-	1	-	-	2	8	9	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	14	-	-	-	-	-	-	1	6	6	1	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	1	-	-	1	2	3	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	49	-	-	1	-	1	2	11	16	13	5	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
2,500-3,499 GRAMS	28	-	-	1	-	1	1	6	10	6	3	-	-	-	-
3,500-4,499 GRAMS	16	-	-	-	-	-	1	5	4	5	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
INDIAN (INDIA)	9	-	-	-	-	-	-	2	3	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	1	4	-	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	35	-	-	-	-	-	1	3	8	20	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
2,500-3,499 GRAMS	22	-	-	-	-	-	1	2	6	13	-	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	-	-	1	2	6	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CRUZ (CONTINUED)	3,582	8	14	34	62	86	133	894	1,097	860	338	51	1	-	2
KOREAN	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	3,303	7	12	30	57	82	127	837	1,008	783	307	50	1	-	2
UNDER 1,500 GRAMS	25	-	-	-	-	-	-	6	5	11	3	-	-	-	-
1,500-2,499 GRAMS	110	-	1	2	4	3	7	28	28	19	14	2	-	-	-
2,500-3,499 GRAMS	1,480	2	6	19	26	50	74	375	434	343	124	25	1	-	1
3,500-4,499 GRAMS	1,584	5	5	9	26	29	45	412	505	381	146	20	-	-	1
4500 GRAMS OR MORE	97	-	-	-	-	-	1	14	35	27	17	3	-	-	-
NOT STATED	7	-	-	-	1	-	-	2	1	2	1	-	-	-	-
OTHER ASIAN	8	-	-	-	-	-	-	-	3	2	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	32	1	-	-	-	1	-	6	7	11	6	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	17	-	-	-	-	-	-	4	8	10	1	-	-	-	-
3,500-4,499 GRAMS	13	1	-	-	-	1	-	2	3	1	5	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SHASTA	2,093	1	13	23	60	76	92	719	645	354	98	12	-	-	-
AMERICAN INDIAN	67	-	1	3	3	7	5	33	22	9	2	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	2	-	1	1	-	-	1	-	-	-
2,500-3,499 GRAMS	36	-	1	-	3	2	2	15	10	3	-	-	-	-	-
3,500-4,499 GRAMS	41	-	-	3	-	2	3	15	9	6	2	1	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	21	-	1	1	-	1	2	8	4	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	2	-	2	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	1	1	-	1	-	5	1	2	-	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	1	-	3	1	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SHASTA (CONTINUED)	2,093	1	13	23	60	76	92	719	645	354	98	12	-	-	-
KOREAN	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,962	1	11	19	57	67	83	671	611	337	93	10	-	-	-
UNDER 1,500 GRAMS	13	-	-	-	-	1	1	4	3	1	1	-	-	-	-
1,500-2,499 GRAMS	87	-	3	1	3	4	4	31	24	11	3	1	-	-	-
2,500-3,499 GRAMS	901	1	5	10	30	33	45	317	278	145	35	2	-	-	-
3,500-4,499 GRAMS	903	-	1	8	20	28	33	306	284	170	46	5	-	-	-
4500 GRAMS OR MORE	57	-	2	-	2	-	-	13	20	10	8	2	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
OTHER ASIAN	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SIERRA	59	-	1	-	1	1	2	15	22	14	3	-	-	-	-
AMERICAN INDIAN	6	-	1	-	1	-	-	-	1	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	1	-	1	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SIERRA (CONTINUED)	59	-	1	-	1	1	2	15	22	14	3	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	52	-	-	-	-	1	2	13	21	11	2	-	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	29	-	-	-	-	1	1	8	14	4	1	-	-	-	-
3,500-4,499 GRAMS	21	-	-	-	-	-	1	3	7	7	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SISKIYOU	623	-	5	9	10	19	20	207	195	114	38	4	-	-	2
AMERICAN INDIAN	55	-	-	2	1	3	2	30	9	6	2	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
2,500-3,499 GRAMS	31	-	-	-	1	3	2	16	4	5	-	-	-	-	-
3,500-4,499 GRAMS	19	-	-	2	-	-	-	11	4	-	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	13	-	-	-	-	-	1	6	5	1	-	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	3	3	-	-	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SISKIYOU (CONTINUED)	623	-	5	9	10	19	20	207	193	114	38	4	-	-	2
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	3	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	545	-	5	7	9	16	17	165	181	106	35	4	-	-	-
UNDER 1,500 GRAMS	7	-	-	-	-	-	-	2	1	2	2	-	-	-	-
1,500-2,499 GRAMS	16	-	-	-	1	-	-	7	1	1	-	-	-	-	-
2,500-3,499 GRAMS	271	-	3	3	4	4	9	89	96	44	17	2	-	-	-
3,500-4,499 GRAMS	236	-	2	4	4	12	8	64	70	55	15	2	-	-	-
4500 GRAMS OR MORE	13	-	-	-	-	-	-	2	6	4	1	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO	5,040	4	28	41	81	141	224	1,623	1,665	900	276	34	2	-	1
AMERICAN INDIAN	57	-	2	1	-	-	3	25	14	7	3	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	-	-	-	2	-	-	-
2,500-3,499 GRAMS	26	-	2	1	-	-	1	13	4	4	1	-	-	-	-
3,500-4,499 GRAMS	26	-	-	-	-	-	2	10	10	2	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	722	1	11	10	22	20	34	265	207	111	40	1	-	-	-
UNDER 1,500 GRAMS	11	1	-	-	-	-	2	1	4	1	2	-	-	-	-
1,500-2,499 GRAMS	64	-	1	2	1	-	-	27	20	12	1	-	-	-	-
2,500-3,499 GRAMS	426	-	10	9	15	15	21	162	101	68	25	-	-	-	-
3,500-4,499 GRAMS	212	-	-	-	5	4	10	72	78	30	11	1	-	-	-
4500 GRAMS OR MORE	9	-	-	-	-	-	1	3	4	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	49	-	-	-	-	-	1	4	18	18	7	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	28	-	-	-	-	-	1	-	8	13	5	1	-	-	-
3,500-4,499 GRAMS	19	-	-	-	-	-	-	4	10	3	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	370	1	-	-	1	3	4	73	145	102	37	4	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
1,500-2,499 GRAMS	14	-	-	-	-	1	-	3	6	2	2	-	-	-	-
2,500-3,499 GRAMS	237	1	-	-	1	1	4	47	91	66	22	4	-	-	-
3,500-4,499 GRAMS	113	-	-	-	-	1	-	22	45	32	13	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	21	-	-	-	-	-	-	8	5	7	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
2,500-3,499 GRAMS	13	-	-	-	-	-	-	6	2	5	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	-	3	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	56	-	-	-	1	2	-	20	18	11	3	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	8	-	-	-	-	-	-	2	4	2	-	-	-	-	-
2,500-3,499 GRAMS	28	-	-	-	-	1	-	10	7	7	2	1	-	-	-
3,500-4,499 GRAMS	20	-	-	-	1	1	-	8	7	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO (CONTINUED)	5,040	4	28	41	81	141	224	1,623	1,685	900	276	34	2	-	1
KOREAN	27	-	-	-	-	1	1	10	11	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	12	-	-	-	-	-	-	6	5	1	-	-	-	-	-
3,500-4,499 GRAMS	13	-	-	-	-	1	1	4	5	1	1	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	100	-	1	-	3	6	6	37	29	14	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	-	-	-	-	2	3	1	3	-	-	-	-
2,500-3,499 GRAMS	60	-	1	-	2	4	5	27	14	6	1	-	-	-	-
3,500-4,499 GRAMS	31	-	-	-	1	2	1	8	12	7	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	8	-	-	-	1	1	-	3	1	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	1	1	-	2	1	1	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	7	-	-	1	-	-	1	2	1	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	1	-	-	-	1	1	2	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	3,374	2	14	29	52	107	171	1,170	1,220	609	173	25	1	-	1
UNDER 1,500 GRAMS	33	-	-	-	-	3	-	9	14	7	-	-	-	-	-
1,500-2,499 GRAMS	156	-	-	2	3	4	12	58	48	21	6	2	-	-	-
2,500-3,499 GRAMS	1,672	2	10	17	26	50	82	568	561	265	79	11	1	-	-
3,500-4,499 GRAMS	1,619	-	4	10	22	49	72	507	567	294	82	12	-	-	-
4500 GRAMS OR MORE	92	-	-	-	1	1	4	28	30	21	6	-	-	-	1
NOT STATED	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
OTHER ASIAN	33	-	-	-	1	1	-	6	12	8	4	-	1	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	16	-	-	-	1	1	-	4	5	3	1	-	1	-	-
3,500-4,499 GRAMS	17	-	-	-	-	-	-	2	7	5	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	9	-	-	-	-	-	3	-	3	1	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	-	2	-	3	-	2	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	7	-	-	-	-	-	-	-	1	6	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	-	1	5	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SONOMA	3,266	3	20	30	66	106	162	1,374	1,741	1,234	480	48	2	-	-
AMERICAN INDIAN	175	-	4	3	5	11	12	64	39	26	9	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	-	1	4	2	-	-	-	-	-
2,500-3,499 GRAMS	93	-	3	3	2	7	5	42	17	14	2	-	-	-	-
3,500-4,499 GRAMS	66	-	1	-	3	2	7	17	18	10	6	2	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	4	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	124	-	1	2	3	3	7	39	38	24	5	2	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	1	-	-	1	2	-	5	-	-	-	-	-
2,500-3,499 GRAMS	65	-	1	-	2	2	5	23	16	11	2	1	-	-	-
3,500-4,499 GRAMS	45	-	-	1	1	1	1	12	19	7	2	1	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	43	-	-	-	1	-	2	8	14	12	2	4	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
2,500-3,499 GRAMS	28	-	-	-	1	-	2	4	11	6	1	3	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	3	-	3	1	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	43	-	-	-	-	-	-	5	20	17	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	30	-	-	-	-	-	-	3	10	13	2	-	-	-	-
3,500-4,499 GRAMS	14	-	-	-	-	-	-	1	10	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	36	-	-	-	-	-	3	2	15	13	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-
2,500-3,499 GRAMS	23	-	-	-	-	-	1	1	11	8	2	-	-	-	-
3,500-4,499 GRAMS	10	-	-	-	-	-	1	1	3	4	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	13	-	-	-	-	-	1	1	6	3	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	-	-	-	-	1	3	3	1	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	29	-	-	-	-	1	-	6	7	11	3	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	13	-	-	-	-	1	-	2	4	7	2	1	-	-	-
3,500-4,499 GRAMS	12	-	-	-	-	-	-	4	3	3	2	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SONOMA (CONTINUED)	5,266	3	20	30	66	106	162	1,374	1,741	1,234	480	48	2	-	-
KOREAN	15	-	-	-	-	-	1	7	4	3	-	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	-	-	-	1	2	4	2	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	26	-	1	1	-	1	1	8	9	3	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	1	-	-	-	-	2	-	-	1	-	-	-	-
2,500-3,499 GRAMS	12	-	-	1	-	-	-	4	7	-	-	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	-	1	1	2	1	3	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	16	-	-	-	-	-	-	4	4	6	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	12	-	-	-	-	-	-	3	3	6	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	1	-	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	4,646	3	14	23	55	90	134	1,210	1,355	1,088	433	39	2	-	-
UNDER 1,500 GRAMS	47	-	-	1	3	-	1	14	13	11	4	-	-	-	-
1,500-2,499 GRAMS	157	-	1	4	3	5	7	41	60	28	7	1	-	-	-
2,500-3,499 GRAMS	2,096	1	5	15	26	54	68	569	691	472	173	21	1	-	-
3,500-4,499 GRAMS	2,169	2	8	2	23	28	56	548	736	543	230	12	1	-	-
4500 GRAMS OR MORE	155	-	-	1	-	3	2	38	55	34	19	3	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
OTHER ASIAN	35	-	-	1	-	-	1	9	12	6	6	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	19	-	-	-	-	-	1	7	4	3	4	-	-	-	-
3,500-4,499 GRAMS	12	-	-	-	-	-	-	1	7	2	2	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	5	-	-	-	1	-	-	-	2	1	-	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	33	-	-	-	1	-	-	9	14	21	10	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	24	-	-	-	-	-	-	3	6	10	5	-	-	-	-
3,500-4,499 GRAMS	27	-	-	-	1	-	-	4	6	11	5	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
STANISLAUS	3,518	17	43	100	117	225	278	1,884	1,633	899	274	46	1	1	-
AMERICAN INDIAN	79	-	5	2	2	11	3	32	13	8	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	1	1	-	1	-	1	2	-	-	-	-	-	-
2,500-3,499 GRAMS	43	-	2	-	1	6	2	21	5	3	3	-	-	-	-
3,500-4,499 GRAMS	29	-	2	1	1	4	1	10	6	4	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	112	1	1	6	4	4	5	38	27	17	8	1	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	-	-	3	-	1	-	-	-	-	-
1,500-2,499 GRAMS	10	1	-	1	1	1	1	2	1	2	-	-	-	-	-
2,500-3,499 GRAMS	62	-	1	4	2	3	2	22	17	6	5	-	-	-	-
3,500-4,499 GRAMS	35	-	-	1	1	-	2	11	9	8	2	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	87	-	-	1	2	2	4	15	24	21	13	5	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	8	-	-	-	-	1	1	2	2	-	2	-	-	-	-
2,500-3,499 GRAMS	56	-	-	1	2	1	2	8	16	14	8	4	-	-	-
3,500-4,499 GRAMS	23	-	-	-	-	-	1	5	6	7	3	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	27	-	-	-	-	-	-	3	7	11	6	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-
2,500-3,499 GRAMS	13	-	-	-	-	-	-	2	3	5	3	-	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	-	-	1	4	3	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	20	-	-	1	-	-	-	5	7	6	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	15	-	-	1	-	-	-	5	2	6	1	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	-	5	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	43	-	-	-	-	1	-	19	18	4	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	8	-	-	-	-	-	-	4	4	-	-	-	-	-	-
2,500-3,499 GRAMS	26	-	-	-	-	1	-	10	10	4	1	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	5	3	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	17	-	-	-	-	-	1	4	3	6	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	-	1	1	1	3	1	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	-	1	3	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
STANISLAUS (CONTINUED)	5,518	17	43	100	117	225	278	1,684	1,633	899	274	46	1	1	-
KOREAN	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	23	-	1	-	-	-	-	9	9	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
2,500-3,499 GRAMS	15	-	1	-	-	-	-	4	6	3	1	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	3	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	24	-	-	-	-	2	-	6	7	4	5	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	19	-	-	-	-	2	-	4	5	4	4	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	2	2	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	4,972	15	35	87	103	198	260	1,715	1,495	798	228	38	-	-	-
UNDER 1,500 GRAMS	59	2	-	3	2	3	2	22	15	8	2	-	-	-	-
1,500-2,499 GRAMS	203	1	3	5	5	11	7	80	55	29	4	3	-	-	-
2,500-3,499 GRAMS	2,495	7	20	57	56	108	136	902	713	352	106	16	-	-	-
3,500-4,499 GRAMS	2,095	5	12	22	37	72	90	681	669	384	104	19	-	-	-
4500 GRAMS OR MORE	117	-	-	-	3	4	3	29	43	24	11	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
OTHER ASIAN	95	1	1	3	5	7	5	28	18	19	4	2	1	1	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	1	2	-	2	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	61	1	1	2	3	7	1	20	11	8	4	1	1	1	-
3,500-4,499 GRAMS	29	-	-	-	-	-	2	8	7	11	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	10	-	-	-	1	-	-	3	3	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	1	-	-	3	1	1	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SUTTER	953	1	7	10	27	36	53	349	285	131	43	7	-	-	-
AMERICAN INDIAN	14	-	-	-	-	-	3	7	3	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	3	1	1	1	-	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	-	-	5	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	23	-	-	2	1	1	1	5	11	1	2	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	2	1	-	1	2	4	-	-	-	-	-	-
3,500-4,499 GRAMS	13	-	-	-	-	-	-	3	6	1	2	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	5	-	-	-	-	2	-	1	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	66	-	-	-	-	-	1	29	27	6	3	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	2	3	-	-	-	-	-	-
2,500-3,499 GRAMS	40	-	-	-	-	-	1	18	14	5	2	-	-	-	-
3,500-4,499 GRAMS	20	-	-	-	-	-	-	9	9	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SUTTER (CONTINUED)	953	1	7	10	27	36	55	349	285	131	45	7	-	-	-
KOREAN	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	804	1	7	8	26	30	49	293	229	115	40	6	-	-	-
UNDER 1,500 GRAMS	11	1	-	1	-	-	-	4	1	3	1	-	-	-	-
1,500-2,499 GRAMS	44	-	1	-	1	3	3	18	9	4	7	1	-	-	-
2,500-3,499 GRAMS	367	-	3	2	17	15	26	130	107	52	13	-	-	-	-
3,500-4,499 GRAMS	353	-	1	5	9	11	20	134	105	48	17	3	-	-	-
4500 GRAMS OR MORE	25	-	-	-	-	3	-	7	5	8	2	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
OTHER ASIAN	14	-	-	-	-	2	-	6	4	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	2	-	2	-	1	-	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	3	4	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	10	-	-	-	-	1	-	4	5	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	1	-	3	3	-	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TEHAMA	650	-	2	5	14	24	30	239	205	100	26	4	1	-	-
AMERICAN INDIAN	16	-	-	-	-	-	1	8	3	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	1	4	-	-	1	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	-	-	-	3	3	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	3	-	-	-	-	2	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TEHAMA (CONTINUED)	630	-	2	5	14	24	30	239	205	100	26	4	1	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	621	-	2	5	14	22	28	228	198	94	25	4	1	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
1,500-2,499 GRAMS	27	-	-	-	2	1	-	10	6	7	1	-	-	-	-
2,500-3,499 GRAMS	294	-	1	3	6	12	21	105	93	40	11	1	1	-	-
3,500-4,499 GRAMS	283	-	1	2	6	7	7	109	92	43	13	3	-	-	-
4500 GRAMS OR MORE	13	-	-	-	-	1	-	3	5	4	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TRINITY	166	-	2	4	3	4	3	53	51	34	8	-	-	-	-
AMERICAN INDIAN	21	-	-	2	1	1	1	9	4	2	1	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	8	-	-	1	1	-	-	4	1	-	1	-	-	-	-
3,500-4,499 GRAMS	10	-	-	-	-	1	1	4	2	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TRINITY (CONTINUED)	166	-	2	4	5	4	5	53	51	34	8	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	142	-	2	2	4	3	4	44	44	32	7	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	1	-	-	3	-	3	-	-	-	-	-
2,500-3,499 GRAMS	65	-	1	1	1	2	2	23	22	9	4	-	-	-	-
3,500-4,499 GRAMS	63	-	1	1	3	-	2	17	21	15	3	-	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	-	1	1	5	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,300-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,300-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TULARE	5,677	21	54	105	180	234	343	1,963	1,391	831	294	34	4	1	2
AMERICAN INDIAN	35	-	4	-	2	2	4	11	7	2	2	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	18	-	4	-	-	1	1	5	4	1	1	1	-	-	-
3,500-4,499 GRAMS	14	-	-	-	2	-	3	5	3	1	-	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	110	2	-	6	6	8	5	37	28	15	3	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	1	-	-	4	-	-	-	-	-	-	-
2,500-3,499 GRAMS	68	1	-	2	4	5	5	21	20	10	-	-	-	-	-
3,500-4,499 GRAMS	36	1	-	4	1	3	-	12	7	5	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	12	-	-	-	1	-	-	1	2	6	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	1	-	-	-	1	4	2	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	-	-	1	1	2	-	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	70	-	1	1	3	4	1	20	14	16	7	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	1	-	-	-	-	1	-	4	1	-	-	-	-
2,500-3,499 GRAMS	39	-	-	1	3	1	1	15	9	5	3	1	-	-	-
3,500-4,499 GRAMS	24	-	-	-	-	3	-	3	5	7	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	11	-	-	-	-	-	-	4	4	1	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	-	-	-	-	4	4	1	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	13	-	-	-	-	-	-	1	3	8	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	3	4	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	-	-	1	-	2	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TULARE (CONTINUED)	5,677	21	54	103	180	234	343	1,963	1,591	831	294	54	4	1	2
KOREAN	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	3,286	18	49	96	167	212	326	1,650	1,303	749	241	51	2	-	2
UNDER 1,500 GRAMS	42	-	1	-	1	2	5	18	6	3	6	-	-	-	-
1,500-2,499 GRAMS	233	-	1	6	13	14	15	94	73	25	8	4	-	-	-
2,500-3,499 GRAMS	2,663	11	35	54	104	128	172	968	714	346	106	24	1	-	-
3,500-4,499 GRAMS	2,193	7	12	36	46	65	128	729	670	349	129	20	1	-	1
4500 GRAMS OR MORE	129	-	-	-	3	3	5	39	38	26	12	3	-	-	-
NOT STATED	6	-	-	-	-	-	1	2	2	-	-	-	-	-	1
OTHER ASIAN	126	1	-	2	1	7	7	35	26	29	14	1	2	1	-
UNDER 1,500 GRAMS	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	2	-	-	-	-	-	-	2	-	-
2,500-3,499 GRAMS	81	-	-	-	1	3	5	27	19	16	10	-	-	-	-
3,500-4,499 GRAMS	39	1	-	1	-	2	2	8	7	13	4	-	-	1	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TUOLUMNE	477	-	3	4	11	6	23	147	143	93	39	3	1	-	-
AMERICAN INDIAN	17	-	-	1	-	-	1	8	3	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	1	-	-	1	4	2	1	1	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	3	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TUOLUMNE (CONTINUED)	477	-	3	4	11	6	23	147	143	93	39	3	1	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	2	-	1	-	-	1	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	452	-	3	3	11	6	22	135	142	90	37	3	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-
1,500-2,499 GRAMS	28	-	1	-	2	-	1	11	7	2	4	-	-	-	-
2,500-3,499 GRAMS	217	-	1	-	4	4	12	68	71	41	15	1	-	-	-
3,500-4,499 GRAMS	193	-	-	3	5	2	8	50	60	46	17	2	-	-	-
4500 GRAMS OR MORE	10	-	1	-	-	-	-	4	3	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
VENTURA	10,567	15	43	121	170	301	366	2,691	3,354	2,248	738	105	7	-	8
AMERICAN INDIAN	114	-	-	1	1	1	2	32	40	12	3	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
2,500-3,499 GRAMS	60	-	-	-	-	-	1	33	17	7	1	1	-	-	-
3,500-4,499 GRAMS	49	-	-	1	1	1	1	17	20	5	2	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	330	-	-	9	13	17	15	114	98	48	14	2	-	-	-
UNDER 1,500 GRAMS	8	-	-	-	-	1	-	1	4	1	-	1	-	-	-
1,500-2,499 GRAMS	22	-	-	-	-	2	-	6	7	3	2	-	-	-	-
2,500-3,499 GRAMS	202	-	-	8	8	11	10	74	30	32	9	-	-	-	-
3,500-4,499 GRAMS	98	-	-	1	5	3	5	31	37	12	3	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	69	-	-	-	-	-	1	3	29	25	11	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	-	-	-	3	1	2	-	-	-	-
2,500-3,499 GRAMS	30	-	-	-	-	-	1	2	11	13	3	-	-	-	-
3,500-4,499 GRAMS	32	-	-	-	-	-	-	1	14	11	6	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	235	-	-	-	2	7	9	30	68	70	26	3	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	14	-	-	-	-	1	1	4	3	1	4	-	-	-	-
2,500-3,499 GRAMS	144	-	-	-	2	5	7	26	41	44	16	3	-	-	-
3,500-4,499 GRAMS	72	-	-	-	-	1	1	10	23	23	3	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	17	-	-	-	-	-	-	1	7	7	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	-	-	-	-	6	4	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	82	-	-	-	-	2	1	17	25	28	9	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
2,500-3,499 GRAMS	45	-	-	-	-	1	1	6	15	18	4	-	-	-	-
3,500-4,499 GRAMS	33	-	-	-	-	1	-	8	10	10	4	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
VENTURA (CONTINUED)	10,587	15	45	121	170	301	386	2,891	3,354	2,248	738	103	7	-	6
KOREAN	37	-	-	-	-	-	1	8	17	10	1	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	17	-	-	-	-	-	1	4	8	4	-	-	-	-	-
3,500-4,499 GRAMS	18	-	-	-	-	-	-	4	9	4	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	44	-	-	-	3	-	6	10	19	3	2	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
2,500-3,499 GRAMS	27	-	-	-	2	-	4	6	11	1	2	1	-	-	-
3,500-4,499 GRAMS	15	-	-	-	1	-	2	4	6	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	6	-	-	-	1	-	-	-	1	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	46	-	-	-	-	1	1	11	13	14	1	2	1	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	35	-	-	-	-	1	1	10	11	9	1	2	-	-	-
3,500-4,499 GRAMS	10	-	-	-	-	-	-	1	3	5	-	-	1	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	9,396	13	45	109	149	269	330	2,376	3,134	1,977	634	91	6	-	3
UNDER 1,500 GRAMS	89	-	-	1	4	3	20	33	15	9	2	-	-	-	-
1,500-2,499 GRAMS	379	-	5	5	7	19	20	98	118	73	29	5	-	-	-
2,500-3,499 GRAMS	4,494	8	30	68	85	136	193	1,322	1,463	864	283	34	4	-	2
3,500-4,499 GRAMS	4,190	5	10	36	55	102	129	1,068	1,446	938	311	47	2	-	1
4500 GRAMS OR MORE	241	-	-	-	1	6	5	48	91	66	21	3	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
OTHER ASIAN	48	-	-	-	-	-	-	16	16	12	2	1	-	-	1
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	29	-	-	-	-	-	-	10	12	6	1	-	-	-	-
3,500-4,499 GRAMS	17	-	-	-	-	-	-	5	4	6	1	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	4	-	-	-	-	-	-	-	3	-	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	155	2	-	2	1	6	-	32	60	38	12	2	-	-	2
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	1	-	-	-	2	-	1	-	-	-	-	-
2,500-3,499 GRAMS	79	1	-	1	1	1	-	20	32	17	5	1	-	-	1
3,500-4,499 GRAMS	68	1	-	-	-	3	-	9	27	19	6	1	-	-	2
4500 GRAMS OR MORE	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YOLO	1,930	3	11	24	38	48	94	385	601	380	123	22	1	-	-
AMERICAN INDIAN	33	1	-	-	4	1	2	14	6	5	-	-	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	2	-	-	-	1	1	-	-	-	-	-
2,500-3,499 GRAMS	11	1	-	-	-	-	1	6	1	2	-	-	-	-	-
3,500-4,499 GRAMS	14	-	-	-	-	1	1	8	4	-	-	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	54	-	1	1	1	2	3	21	16	6	-	3	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	-	4	-	-	-	-	-	-
2,500-3,499 GRAMS	26	-	-	-	-	1	2	12	6	3	-	2	-	-	-
3,500-4,499 GRAMS	20	-	1	1	1	1	1	8	5	2	-	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	4	-	-	-	1	-	-	1	-	1	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	1	-	-	1	-	1	-	1	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	19	-	-	-	-	-	-	2	5	9	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	-	-	4	-	-	-	-	-
2,500-3,499 GRAMS	12	-	-	-	-	-	-	2	4	4	2	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	16	-	-	1	-	-	1	3	3	2	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	1	-	-	1	3	1	1	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	2	1	1	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	16	-	-	-	-	-	1	2	8	2	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	-	-	-	1	1	4	1	3	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	12	-	1	-	-	1	-	2	4	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	1	-	-	1	-	-	2	2	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YOLO (CONTINUED)	1,930	3	11	24	38	48	94	383	601	360	123	22	1	-	-
KOREAN	12	-	-	-	-	-	-	2	8	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	1	4	1	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	1	4	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	9	-	-	-	-	1	-	3	2	1	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	1	-	2	1	-	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,713	2	9	22	30	42	84	316	331	347	111	18	1	-	-
UNDER 1,500 GRAMS	11	-	-	-	1	-	-	6	1	1	2	-	-	-	-
1,500-2,499 GRAMS	85	-	-	3	3	1	4	26	26	14	8	-	-	-	-
2,500-3,499 GRAMS	780	2	4	14	12	21	51	258	223	140	48	5	-	-	-
3,500-4,499 GRAMS	777	-	5	5	14	20	29	215	258	170	48	12	1	-	-
4500 GRAMS OR MORE	60	-	-	-	-	-	-	11	21	22	5	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	13	-	-	-	1	-	-	5	5	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	1	-	-	3	1	-	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	2	2	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	14	-	-	-	-	1	1	5	7	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	-	-	-	1	4	5	-	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	12	-	-	-	1	-	1	6	3	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	-	1	3	3	-	-	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	1	-	-	3	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YUBA	1,074	1	6	29	37	38	55	443	319	111	31	4	-	-	-
AMERICAN INDIAN	38	-	-	-	-	1	1	13	16	5	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	16	-	-	-	-	1	1	6	6	2	-	-	-	-	-
3,500-4,499 GRAMS	20	-	-	-	-	-	-	9	9	2	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	76	-	1	1	1	4	3	38	22	6	-	-	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	1	-	-	-	3	-	-	-	-	-	-	-
2,500-3,499 GRAMS	46	-	1	-	-	3	2	21	16	3	-	-	-	-	-
3,500-4,499 GRAMS	24	-	-	-	-	1	1	13	6	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	10	-	1	1	-	-	-	1	2	3	2	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	1	1	3	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	7	-	-	-	-	-	-	1	3	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	-	-	1	3	1	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-19 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YUBA (CONTINUED)	1,074	1	6	29	37	38	53	443	319	111	31	4	-	-	-
KOREAN	14	-	-	-	-	-	-	4	8	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	1	4	-	-	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	2	4	1	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	8	-	-	-	-	1	1	3	1	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	1	-	2	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	897	1	4	27	36	31	49	375	261	85	25	3	-	-	-
UNDER 1,500 GRAMS	7	-	1	1	-	1	-	3	1	-	-	-	-	-	-
1,500-2,499 GRAMS	43	-	-	2	1	2	4	15	11	6	2	-	-	-	-
2,500-3,499 GRAMS	455	-	2	14	21	14	23	201	129	43	8	-	-	-	-
3,500-4,499 GRAMS	373	1	1	10	13	12	21	149	116	35	12	3	-	-	-
4500 GRAMS OR MORE	19	-	-	-	1	2	1	7	4	1	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	13	-	-	-	-	1	1	4	4	1	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	8	-	-	-	-	-	1	3	2	1	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	1	-	2	-	-	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-20

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALAMEDA	19,624	46	98	212	284	474	683	5,080	6,307	4,405	1,765	226	10	-	14
HISPANIC	2,686	7	11	44	68	92	136	844	808	433	161	29	-	-	3
UNDER 1,500 GRAMS	30	-	-	1	1	-	5	9	4	5	4	1	-	-	-
1,500-2,499 GRAMS	121	-	1	2	2	7	7	37	34	24	4	3	-	-	-
2,500-3,499 GRAMS	1,449	6	9	27	44	49	80	506	419	215	77	14	-	-	3
3,500-4,499 GRAMS	1,036	1	1	13	20	36	41	326	338	177	73	10	-	-	-
4500 GRAMS OR MORE	43	-	-	1	-	-	2	12	12	12	3	1	-	-	-
NOT STATED	7	-	-	-	1	-	1	4	1	-	-	-	-	-	-
NON-HISPANIC	16,335	37	86	161	207	373	535	4,013	5,309	3,846	1,555	192	10	-	11
UNDER 1,500 GRAMS	211	3	4	6	4	7	9	32	65	45	12	4	-	-	-
1,500-2,499 GRAMS	1,021	4	6	21	12	24	49	267	326	212	84	14	1	-	1
2,500-3,499 GRAMS	8,541	19	59	92	137	220	309	2,257	2,739	1,870	738	87	5	-	9
3,500-4,499 GRAMS	6,219	11	17	41	54	118	163	1,373	2,074	1,604	678	81	4	-	1
4500 GRAMS OR MORE	331	-	-	1	-	4	4	58	103	112	43	6	-	-	-
NOT STATED	12	-	-	-	-	-	1	6	2	3	-	-	-	-	-
NOT STATED	603	2	1	7	9	9	12	173	190	126	69	5	-	-	-
UNDER 1,500 GRAMS	10	2	-	-	1	-	-	2	4	-	-	1	-	-	-
1,500-2,499 GRAMS	33	-	-	1	-	1	2	8	10	9	2	-	-	-	-
2,500-3,499 GRAMS	313	-	-	4	6	5	4	101	100	57	34	2	-	-	-
3,500-4,499 GRAMS	231	-	-	2	2	3	6	58	71	55	32	2	-	-	-
4500 GRAMS OR MORE	15	-	1	-	-	-	-	4	4	5	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ALPINE	13	-	-	-	-	-	1	1	5	4	2	-	-	-	-
HISPANIC	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	11	-	-	-	-	-	1	-	5	3	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	1	-	3	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
AMADOR	231	-	-	1	4	7	13	63	65	57	13	4	-	-	-
HISPANIC	9	-	-	1	-	-	-	2	2	4	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	1	-	-	-	1	2	1	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	222	-	-	-	4	7	13	61	63	53	13	4	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
1,500-2,499 GRAMS	11	-	-	-	-	1	1	4	2	2	-	1	-	-	-
2,500-3,499 GRAMS	94	-	-	-	1	3	5	33	27	20	5	-	-	-	-
3,500-4,499 GRAMS	111	-	-	-	3	3	9	21	33	30	9	3	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	2,391	7	11	35	48	71	122	707	755	469	149	17	-	-	-
HISPANIC	188	2	1	4	4	3	12	72	44	34	8	4	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
2,500-3,499 GRAMS	105	2	1	1	1	3	8	43	28	13	2	3	-	-	-
3,500-4,499 GRAMS	71	-	-	2	3	-	3	27	13	16	6	1	-	-	-
4500 GRAMS OR MORE	6	-	-	1	-	-	1	1	2	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	2,190	5	10	31	44	67	106	634	706	434	140	13	-	-	-
UNDER 1,500 GRAMS	21	-	-	-	1	-	1	4	6	8	1	-	-	-	-
1,500-2,499 GRAMS	101	1	2	1	3	3	7	36	27	15	4	-	-	-	-
2,500-3,499 GRAMS	1,109	3	7	15	28	35	59	336	363	201	35	7	-	-	-
3,500-4,499 GRAMS	908	1	1	14	12	25	35	251	293	194	74	6	-	-	-
4500 GRAMS OR MORE	50	-	-	1	-	1	4	7	13	16	6	-	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NOT STATED	13	-	-	-	-	1	4	-	3	1	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	1	2	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	-	1	-	4	1	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALAVERAS	314	-	2	1	8	11	16	85	93	76	19	3	-	-	-
HISPANIC	16	-	-	-	-	-	-	7	4	5	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	-	-	-	-	5	1	3	-	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	-	-	2	3	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	296	-	2	1	8	11	16	78	88	71	18	3	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	18	-	-	-	-	1	1	2	7	6	-	1	-	-	-
2,500-3,499 GRAMS	146	-	-	1	6	5	12	34	31	32	4	1	-	-	-
3,500-4,499 GRAMS	127	-	2	-	2	5	3	41	29	31	13	1	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	279	-	2	3	2	12	10	90	97	49	11	3	-	-	-
HISPANIC	106	-	2	2	-	8	6	34	28	15	9	2	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	48	-	1	2	-	4	5	13	13	3	6	1	-	-	-
3,500-4,499 GRAMS	51	-	1	-	-	4	1	20	14	7	3	1	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	172	-	-	1	2	4	4	56	68	34	2	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	-	-	4	1	1	-	-	-	-	-
2,500-3,499 GRAMS	73	-	-	-	1	1	3	23	27	14	1	1	-	-	-
3,500-4,499 GRAMS	87	-	-	1	1	3	1	23	38	19	1	-	-	-	-
4500 GRAMS OR MORE	6	-	-	-	-	-	-	4	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CONTRA COSTA	10,861	26	52	101	170	261	309	2,668	3,606	2,578	978	108	2	-	2
HISPANIC	1,161	7	7	11	31	47	47	389	346	202	69	5	-	-	-
UNDER 1,500 GRAMS	11	2	-	-	2	-	-	4	2	1	-	-	-	-	-
1,500-2,499 GRAMS	49	-	1	1	3	3	3	12	15	8	3	-	-	-	-
2,500-3,499 GRAMS	582	4	5	7	16	30	24	195	177	88	33	3	-	-	-
3,500-4,499 GRAMS	489	1	1	3	10	14	20	172	139	98	29	2	-	-	-
4500 GRAMS OR MORE	30	-	-	-	-	-	-	6	13	7	4	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	9,371	18	44	88	137	212	260	2,251	3,226	2,341	891	99	2	-	2
UNDER 1,500 GRAMS	106	4	2	1	2	3	5	27	30	21	9	2	-	-	-
1,500-2,499 GRAMS	309	1	5	8	13	18	18	134	149	111	44	8	-	-	-
2,500-3,499 GRAMS	4,635	12	22	54	84	121	136	1,173	1,544	1,059	394	33	1	-	2
3,500-4,499 GRAMS	4,070	1	13	23	36	70	94	832	1,430	1,088	410	30	1	-	-
4500 GRAMS OR MORE	246	-	-	2	2	-	7	61	72	62	34	6	-	-	-
NOT STATED	5	-	-	-	-	-	-	4	1	-	-	-	-	-	-
NOT STATED	129	1	1	2	2	2	2	28	34	33	18	4	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	1	1	-	-	-	-	1	1	-	-	-	-	-
2,500-3,499 GRAMS	68	-	-	1	2	1	2	15	18	16	11	2	-	-	-
3,500-4,499 GRAMS	53	-	-	-	-	1	-	11	14	16	7	2	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
DEL NORTE	320	2	3	2	6	18	15	109	87	56	20	1	-	-	1
HISPANIC	27	-	-	1	-	2	1	9	9	4	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	1	-	2	-	4	1	-	1	-	-	-	-
3,500-4,499 GRAMS	16	-	-	-	-	-	1	5	7	3	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	271	2	3	1	6	13	13	93	73	46	18	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	1	1	1	3	-	1	-	-	-	-
2,500-3,499 GRAMS	112	2	2	-	4	10	4	41	24	19	5	1	-	-	-
3,500-4,499 GRAMS	142	-	1	1	2	4	7	48	44	25	10	-	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	1	1	2	2	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	22	-	-	-	-	1	1	7	5	6	1	-	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	-	1	-	4	4	1	1	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	-	2	1	4	-	-	-	-	1
4500 GRAMS OR MORE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
EL DORADO	1,511	1	6	14	22	44	51	433	475	338	113	12	-	-	-
HISPANIC	110	-	2	1	3	3	4	34	45	11	6	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	-	4	-	-	-	-	-	-
2,500-3,499 GRAMS	69	-	2	1	3	2	3	25	23	6	4	-	-	-	-
3,500-4,499 GRAMS	33	-	-	-	-	1	1	8	15	5	2	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,394	1	3	13	19	41	46	397	428	326	109	11	-	-	-
UNDER 1,500 GRAMS	21	-	-	-	-	-	5	7	5	3	1	-	-	-	-
1,500-2,499 GRAMS	71	-	-	-	1	3	1	15	24	14	12	1	-	-	-
2,500-3,499 GRAMS	733	1	1	7	12	21	25	225	231	156	48	6	-	-	-
3,500-4,499 GRAMS	547	-	2	6	6	16	14	140	164	150	46	3	-	-	-
4500 GRAMS OR MORE	21	-	-	-	-	1	1	9	4	3	2	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	7	-	1	-	-	-	1	2	2	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	1	-	-	-	1	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRESNO	11,705	33	103	204	347	465	608	3,648	3,402	2,023	710	122	16	4	18
HISPANIC	4,947	17	69	111	174	268	316	1,662	1,268	724	279	48	3	-	8
UNDER 1,500 GRAMS	68	-	4	1	4	6	3	18	15	10	5	1	-	-	1
1,500-2,499 GRAMS	258	1	4	7	10	20	21	80	52	36	21	3	-	-	1
2,500-3,499 GRAMS	2,591	13	44	74	105	159	190	914	654	304	109	20	1	-	2
3,500-4,499 GRAMS	1,903	3	14	28	52	81	100	618	511	344	127	19	2	-	4
4500 GRAMS OR MORE	106	-	-	-	1	-	1	29	31	26	16	2	-	-	-
NOT STATED	21	-	1	1	2	2	1	3	5	4	1	1	-	-	-
NON-HISPANIC	6,735	16	34	93	172	197	290	1,978	2,125	1,298	431	74	13	4	10
UNDER 1,500 GRAMS	93	-	-	3	2	5	3	25	27	20	9	1	-	-	-
1,500-2,499 GRAMS	391	-	3	12	13	16	27	107	115	72	20	4	1	1	-
2,500-3,499 GRAMS	3,620	11	24	58	103	125	163	1,133	1,111	621	212	42	9	2	6
3,500-4,499 GRAMS	2,488	5	7	20	54	48	92	684	820	549	178	24	3	1	3
4500 GRAMS OR MORE	125	-	-	-	-	2	4	37	44	34	11	3	-	-	-
NOT STATED	16	-	-	-	-	1	1	2	8	2	1	-	-	-	1
NOT STATED	23	-	-	-	1	-	2	8	9	3	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	8	-	-	-	1	-	1	2	3	1	-	-	-	-	-
3,500-4,499 GRAMS	14	-	-	-	-	-	1	6	5	2	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
GLENN	377	1	-	4	12	10	23	113	132	55	23	4	-	-	-
HISPANIC	98	1	-	2	6	4	7	20	24	20	11	3	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	1	1	1	-	-	3	-	-	-	-	-
2,500-3,499 GRAMS	53	1	-	1	2	2	3	17	8	11	5	3	-	-	-
3,500-4,499 GRAMS	35	-	-	1	3	-	3	3	14	6	5	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	278	-	-	2	6	6	16	93	108	34	12	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	17	-	-	-	-	1	1	4	8	2	1	-	-	-	-
2,500-3,499 GRAMS	123	-	-	1	6	3	10	41	45	11	6	-	-	-	-
3,500-4,499 GRAMS	126	-	-	-	-	2	5	43	50	20	5	1	-	-	-
4500 GRAMS OR MORE	10	-	-	1	-	-	-	3	5	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	1,841	2	5	15	31	51	65	368	373	382	122	20	1	-	6
HISPANIC	58	-	-	1	-	2	1	18	22	12	1	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	1	-	1	-	2	1	-	-	-	-	-	-
2,500-3,499 GRAMS	29	-	-	-	-	1	1	7	12	7	1	-	-	-	-
3,500-4,499 GRAMS	24	-	-	-	-	-	-	9	9	5	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,773	2	5	14	31	49	64	346	349	369	118	19	1	-	6
UNDER 1,500 GRAMS	17	-	-	-	-	2	2	2	8	2	1	-	-	-	-
1,500-2,499 GRAMS	75	-	-	1	1	4	2	23	28	9	4	3	-	-	-
2,500-3,499 GRAMS	775	1	1	7	15	20	25	270	226	130	47	9	-	-	4
3,500-4,499 GRAMS	831	1	4	6	14	23	35	239	268	192	59	7	1	-	2
4500 GRAMS OR MORE	54	-	-	-	1	-	-	12	19	16	6	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	10	-	-	-	-	-	-	4	2	1	3	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	2	1	1	1	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
IMPERIAL	2,186	3	14	35	38	88	110	643	673	390	138	34	-	-	-
HISPANIC	1,581	2	11	27	47	65	83	465	470	274	109	28	-	-	-
UNDER 1,500 GRAMS	7	-	-	-	-	-	-	3	3	1	-	-	-	-	-
1,500-2,499 GRAMS	55	-	-	-	4	-	1	20	15	9	5	1	-	-	-
2,500-3,499 GRAMS	856	1	5	21	33	42	54	273	240	128	51	8	-	-	-
3,500-4,499 GRAMS	626	1	6	6	10	23	27	165	199	121	51	17	-	-	-
4500 GRAMS OR MORE	35	-	-	-	-	-	-	4	12	15	2	2	-	-	-
NOT STATED	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
NON-HISPANIC	592	1	3	7	10	23	27	172	199	115	29	6	-	-	-
UNDER 1,500 GRAMS	10	-	1	-	-	-	-	2	2	5	-	-	-	-	-
1,500-2,499 GRAMS	33	-	-	1	1	3	3	11	8	4	1	1	-	-	-
2,500-3,499 GRAMS	271	1	2	3	5	9	10	82	92	53	12	2	-	-	-
3,500-4,499 GRAMS	262	-	-	2	4	10	13	72	91	52	15	3	-	-	-
4500 GRAMS OR MORE	14	-	-	1	-	-	1	4	6	1	1	-	-	-	-
NOT STATED	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
NOT STATED	13	-	-	1	1	-	-	6	4	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	1	1	-	-	3	1	-	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
INYO	217	1	-	2	4	2	8	62	66	36	13	3	-	-	-
HISPANIC	17	-	-	-	1	-	1	3	6	3	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	9	-	-	-	1	-	-	-	4	2	2	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	-	-	1	3	2	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	198	1	-	2	3	2	7	58	60	32	10	3	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-
1,500-2,499 GRAMS	12	1	-	-	-	-	1	3	3	2	2	-	-	-	-
2,500-3,499 GRAMS	101	-	-	2	2	1	5	29	32	25	4	1	-	-	-
3,500-4,499 GRAMS	81	-	-	-	1	-	1	24	25	24	4	2	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KERN	9,999	34	78	171	287	442	540	3,509	2,971	1,413	469	76	5	-	2
HISPANIC	3,222	20	32	71	114	159	201	1,113	829	449	193	36	2	-	1
UNDER 1,500 GRAMS	48	1	3	1	1	-	3	13	14	8	2	-	-	-	-
1,500-2,499 GRAMS	153	2	-	3	3	9	14	47	37	24	13	1	-	-	-
2,500-3,499 GRAMS	1,685	10	20	48	70	97	112	626	401	199	80	20	2	-	-
3,500-4,499 GRAMS	1,259	7	8	19	36	52	70	412	358	196	85	15	-	-	1
4500 GRAMS OR MORE	74	-	1	-	2	1	2	15	18	22	13	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	6,397	13	43	99	171	274	328	2,276	2,007	883	262	37	3	-	1
UNDER 1,500 GRAMS	79	-	2	2	2	5	6	34	16	6	3	3	-	-	-
1,500-2,499 GRAMS	374	3	3	9	11	27	34	121	99	46	15	6	-	-	-
2,500-3,499 GRAMS	3,193	7	22	55	110	148	172	1,166	972	404	124	11	2	-	-
3,500-4,499 GRAMS	2,607	3	16	32	47	90	110	922	871	392	107	16	1	-	-
4500 GRAMS OR MORE	138	-	-	1	1	4	6	33	45	34	13	1	-	-	-
NOT STATED	6	-	-	-	-	-	-	-	4	1	-	-	-	-	1
NOT STATED	380	1	3	1	2	9	11	118	135	83	14	3	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
1,500-2,499 GRAMS	18	-	1	-	-	-	2	3	7	5	-	-	-	-	-
2,500-3,499 GRAMS	173	-	-	1	2	6	7	50	56	45	4	2	-	-	-
3,500-4,499 GRAMS	174	1	2	-	-	3	2	61	69	27	8	1	-	-	-
4500 GRAMS OR MORE	13	-	-	-	-	-	-	4	3	5	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KINGS	1,847	6	22	25	37	88	114	691	511	252	91	10	-	-	-
HISPANIC	685	1	10	13	18	37	53	229	168	109	39	6	-	-	-
UNDER 1,500 GRAMS	9	-	-	-	-	-	-	1	3	5	-	-	-	-	-
1,500-2,499 GRAMS	23	-	-	2	1	2	1	6	6	3	2	-	-	-	-
2,500-3,499 GRAMS	372	-	5	8	12	26	33	133	80	53	17	5	-	-	-
3,500-4,499 GRAMS	270	1	5	5	5	9	19	87	77	43	18	1	-	-	-
4500 GRAMS OR MORE	11	-	-	-	-	-	-	2	2	5	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,161	5	12	10	19	51	61	461	343	143	52	4	-	-	-
UNDER 1,500 GRAMS	8	-	-	-	-	-	-	3	3	-	-	-	-	-	-
1,500-2,499 GRAMS	67	1	2	1	2	1	5	24	18	8	4	1	-	-	-
2,500-3,499 GRAMS	584	4	7	6	12	28	38	241	161	65	21	1	-	-	-
3,500-4,499 GRAMS	487	-	3	3	5	21	18	190	152	68	26	2	-	-	-
4500 GRAMS OR MORE	13	-	-	-	-	1	-	3	7	2	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LAKE	662	1	5	13	17	32	38	228	192	105	22	9	-	-	-
HISPANIC	55	-	1	2	2	2	3	22	7	11	4	1	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	30	-	1	2	1	-	3	12	4	3	2	-	-	-	-
3,500-4,499 GRAMS	21	-	-	-	1	1	-	8	3	6	1	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	605	1	4	11	15	30	35	205	184	94	18	8	-	-	-
UNDER 1,500 GRAMS	6	-	-	-	-	1	-	2	-	3	-	-	-	-	-
1,500-2,499 GRAMS	26	-	-	3	-	-	-	8	9	3	1	-	-	-	-
2,500-3,499 GRAMS	306	1	3	4	9	19	22	103	98	39	3	3	-	-	-
3,500-4,499 GRAMS	256	-	1	4	6	10	12	86	74	44	14	5	-	-	-
4500 GRAMS OR MORE	11	-	-	-	-	-	1	4	3	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASSEN	340	-	3	3	7	12	20	125	107	47	15	1	-	-	-
HISPANIC	9	-	-	-	-	1	-	3	4	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	7	-	-	-	-	1	-	3	3	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	329	-	3	3	7	11	20	120	103	46	13	1	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
1,500-2,499 GRAMS	19	-	1	-	-	2	-	5	8	3	-	-	-	-	-
2,500-3,499 GRAMS	187	-	1	3	6	5	15	65	58	26	8	-	-	-	-
3,500-4,499 GRAMS	113	-	1	-	1	4	5	46	37	15	4	-	-	-	-
4500 GRAMS OR MORE	6	-	-	-	-	-	-	3	-	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LOS ANGELES	136,618	333	938	2,031	3,424	4,807	6,367	44,437	48,883	31,248	11,879	1,895	71	3	98
HISPANIC	72,820	186	504	1,169	1,970	2,800	3,731	23,639	20,981	12,005	4,638	937	41	3	16
UNDER 1,500 GRAMS	702	3	8	17	23	21	32	195	198	156	44	4	1	-	-
1,500-2,499 GRAMS	3,189	19	30	74	97	147	197	981	833	520	235	51	5	-	-
2,500-3,499 GRAMS	37,180	116	320	729	1,162	1,695	2,138	12,654	10,260	5,365	2,085	409	16	2	9
3,500-4,499 GRAMS	30,183	47	143	344	647	918	1,328	9,274	9,186	5,580	2,268	426	15	1	6
4500 GRAMS OR MORE	1,518	1	2	5	20	19	33	317	495	374	201	46	4	-	1
NOT STATED	48	-	1	-	1	-	3	18	9	10	5	1	-	-	-
NON-HISPANIC	63,109	145	427	852	1,441	1,998	2,807	20,630	27,705	19,101	6,987	950	30	2	34
UNDER 1,500 GRAMS	1,206	6	14	19	24	36	66	305	380	241	100	13	1	-	1
1,500-2,499 GRAMS	4,960	7	32	67	112	137	187	1,333	1,565	1,048	394	74	-	1	3
2,500-3,499 GRAMS	44,572	93	262	536	865	1,225	1,658	11,524	14,524	9,777	3,587	477	22	1	21
3,500-4,499 GRAMS	30,760	37	116	225	429	579	863	7,119	10,698	7,614	2,705	361	6	-	8
4500 GRAMS OR MORE	1,560	2	2	4	10	20	29	337	523	412	194	25	1	-	1
NOT STATED	51	-	1	1	1	1	4	12	15	9	7	-	-	-	-
NOT STATED	689	2	7	10	13	9	29	168	199	142	54	8	-	-	48
UNDER 1,500 GRAMS	34	-	-	2	2	1	-	3	3	8	2	2	-	-	11
1,500-2,499 GRAMS	38	-	-	-	-	1	2	9	10	5	3	-	-	-	8
2,500-3,499 GRAMS	342	2	4	4	7	3	14	102	98	65	22	4	-	-	17
3,500-4,499 GRAMS	259	-	3	3	4	4	11	51	84	60	26	1	-	-	12
4500 GRAMS OR MORE	10	-	-	-	-	-	-	2	4	3	1	-	-	-	-
NOT STATED	6	-	-	1	-	-	2	1	-	1	-	1	-	-	-
MADERA	1,393	6	9	29	48	65	67	480	398	202	72	14	3	-	2
HISPANIC	631	5	7	14	25	31	40	220	157	85	34	9	2	-	2
UNDER 1,500 GRAMS	7	-	1	-	-	-	1	2	2	1	-	-	-	-	-
1,500-2,499 GRAMS	24	-	-	-	3	3	3	6	5	2	-	-	-	-	-
2,500-3,499 GRAMS	338	4	3	11	13	20	23	127	73	41	16	5	1	-	1
3,500-4,499 GRAMS	248	1	3	3	9	8	13	77	74	39	14	3	1	-	1
4500 GRAMS OR MORE	12	-	-	-	-	-	-	5	2	2	2	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NON-HISPANIC	760	1	2	14	22	34	27	258	241	117	38	5	1	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	1	3	-	1	-	-	-	-
1,500-2,499 GRAMS	37	-	-	-	4	1	1	13	12	4	2	-	-	-	-
2,500-3,499 GRAMS	357	-	1	8	11	20	15	124	109	51	16	2	-	-	-
3,500-4,499 GRAMS	338	1	1	6	7	12	11	114	108	58	17	3	-	-	-
4500 GRAMS OR MORE	23	-	-	-	-	1	-	6	9	4	2	-	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	1	1	-	-	2	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	1	1	-	-	2	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIN	2,560	-	-	6	13	16	29	383	736	853	455	69	-	-	-
HISPANIC	159	-	-	1	2	4	3	51	49	37	11	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	-	-	-	3	2	1	-	-	-	-
2,500-3,499 GRAMS	84	-	-	1	1	4	3	28	27	17	3	-	-	-	-
3,500-4,499 GRAMS	67	-	-	1	-	-	-	23	19	16	7	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	2,371	-	-	5	10	12	26	330	679	806	438	65	-	-	-
UNDER 1,500 GRAMS	12	-	-	-	-	-	-	-	4	3	3	-	-	-	-
1,500-2,499 GRAMS	92	-	-	2	1	-	2	12	25	25	21	4	-	-	-
2,500-3,499 GRAMS	1,106	-	-	3	4	10	13	166	323	375	169	21	-	-	-
3,500-4,499 GRAMS	1,102	-	-	-	5	2	8	147	306	384	211	39	-	-	-
4500 GRAMS OR MORE	37	-	-	-	-	-	1	5	20	16	12	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	30	-	-	-	1	-	-	2	8	10	6	3	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	19	-	-	-	1	-	-	2	6	4	4	2	-	-	-
3,500-4,499 GRAMS	11	-	-	-	-	-	-	-	2	6	2	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARIPOSA	130	-	-	1	3	2	9	39	46	33	13	2	-	-	-
HISPANIC	7	-	-	-	-	-	-	1	2	2	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	1	1	1	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	141	-	-	1	3	2	9	38	44	31	11	2	-	-	-
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
2,500-3,499 GRAMS	69	-	-	1	1	2	4	18	26	14	3	1	-	-	-
3,500-4,499 GRAMS	65	-	-	-	1	-	5	18	17	13	7	1	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MENDOCINO	1,201	-	7	15	24	36	62	377	307	243	115	14	-	-	1
HISPANIC	135	-	-	3	5	1	12	56	29	19	7	2	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
2,500-3,499 GRAMS	66	-	-	1	4	-	9	31	14	5	1	1	-	-	-
3,500-4,499 GRAMS	59	-	-	2	1	1	3	21	13	11	6	-	-	-	1
4500 GRAMS OR MORE	6	-	-	-	-	-	-	2	1	2	-	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NON-HISPANIC	1,047	-	7	12	19	35	50	316	275	218	103	12	-	-	-
UNDER 1,500 GRAMS	10	-	-	-	-	-	-	4	4	1	1	-	-	-	-
1,500-2,499 GRAMS	43	-	1	-	1	-	1	13	12	9	3	1	-	-	-
2,500-3,499 GRAMS	516	-	3	7	11	19	28	177	144	87	37	3	-	-	-
3,500-4,499 GRAMS	449	-	3	5	6	15	20	116	110	111	55	8	-	-	-
4500 GRAMS OR MORE	22	-	-	-	1	1	1	3	5	6	5	-	-	-	-
NOT STATED	7	-	-	-	-	-	-	1	-	4	2	-	-	-	-
NOT STATED	19	-	-	-	-	-	-	5	3	6	5	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	2	-	2	1	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	-	-	-	1	1	4	1	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	2	2	-	1	-	-	-	-
MERCED	3,474	6	36	56	97	134	183	1,261	963	303	169	37	4	3	-
HISPANIC	1,173	3	19	24	48	31	61	406	326	176	48	11	-	-	-
UNDER 1,500 GRAMS	7	-	-	1	1	-	-	2	-	2	1	-	-	-	-
1,500-2,499 GRAMS	54	-	-	2	3	4	2	22	16	4	1	-	-	-	-
2,500-3,499 GRAMS	571	2	14	16	27	31	34	207	145	70	18	3	-	-	-
3,500-4,499 GRAMS	510	1	5	3	17	16	23	169	157	91	21	3	-	-	-
4500 GRAMS OR MORE	30	-	-	-	-	-	-	6	7	9	7	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	2,259	3	16	32	49	101	123	838	624	324	116	26	4	3	-
UNDER 1,500 GRAMS	21	-	-	1	-	1	-	7	7	4	1	-	-	-	-
1,500-2,499 GRAMS	98	-	1	4	2	9	8	29	26	9	10	-	-	-	-
2,500-3,499 GRAMS	1,141	2	9	18	29	35	63	431	306	149	49	7	1	2	-
3,500-4,499 GRAMS	933	1	6	9	18	36	50	333	267	144	49	16	3	1	-
4500 GRAMS OR MORE	62	-	-	-	-	-	2	16	18	16	7	3	-	-	-
NOT STATED	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-
NOT STATED	42	-	1	-	-	2	1	17	13	3	5	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	-	-	-	1	3	-	1	-	-	-	-
2,500-3,499 GRAMS	23	-	-	-	-	2	-	11	7	-	3	-	-	-	-
3,500-4,499 GRAMS	13	-	1	-	-	-	1	5	3	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MODOC	146	2	2	-	4	1	6	32	44	26	9	-	-	-	-
HISPANIC	19	1	1	-	2	-	1	5	8	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	8	1	-	-	1	-	-	2	4	-	-	-	-	-	-
3,500-4,499 GRAMS	9	-	1	-	-	-	1	3	3	-	1	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	93	1	-	-	1	1	4	40	19	22	7	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	1	1	-	2	-	-	-	-	-
2,500-3,499 GRAMS	46	1	-	-	1	1	1	21	9	11	1	-	-	-	-
3,500-4,499 GRAMS	41	-	-	-	-	-	2	17	9	7	6	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	32	-	1	-	1	-	1	7	17	4	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	23	-	1	-	1	-	1	7	11	3	1	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MONO	147	-	-	1	-	3	10	32	30	40	11	-	-	-	-
HISPANIC	13	-	-	-	-	1	1	6	4	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
2,500-3,499 GRAMS	8	-	-	-	-	-	1	4	2	-	1	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	132	-	-	1	-	2	9	25	45	40	10	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	12	-	-	-	-	1	-	2	5	4	-	-	-	-	-
2,500-3,499 GRAMS	79	-	-	1	-	1	4	15	20	23	5	-	-	-	-
3,500-4,499 GRAMS	39	-	-	-	-	-	5	8	11	10	5	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONTEREY	6,572	9	39	77	147	227	285	2,096	2,110	1,150	356	71	3	-	2
HISPANIC	2,397	6	22	43	78	110	131	864	770	391	135	43	2	-	-
UNDER 1,500 GRAMS	26	-	1	-	-	3	2	8	5	4	2	1	-	-	-
1,500-2,499 GRAMS	96	-	1	6	3	3	9	34	19	13	6	1	1	-	-
2,500-3,499 GRAMS	1,277	3	12	23	43	61	79	451	374	161	52	18	-	-	-
3,500-4,499 GRAMS	1,153	3	8	13	31	42	41	361	358	203	69	23	1	-	-
4500 GRAMS OR MORE	42	-	-	1	1	1	-	9	12	10	6	2	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
NON-HISPANIC	3,956	3	17	34	68	116	154	1,226	1,335	753	220	26	1	-	1
UNDER 1,500 GRAMS	40	-	-	-	-	2	1	9	13	10	5	-	-	-	-
1,500-2,499 GRAMS	163	-	1	1	4	9	7	52	43	26	17	3	-	-	-
2,500-3,499 GRAMS	1,797	3	9	20	40	56	83	557	605	313	96	11	1	-	1
3,500-4,499 GRAMS	1,823	-	7	12	24	48	58	565	625	360	94	10	-	-	-
4500 GRAMS OR MORE	130	-	-	1	-	1	3	42	49	25	7	2	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
NOT STATED	19	-	-	-	1	1	-	6	3	4	1	-	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	1	1	-	2	2	3	1	-	-	-	1
3,500-4,499 GRAMS	8	-	-	-	-	-	-	4	3	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAPA	1,368	2	4	8	19	30	54	390	458	293	98	12	-	-	-
HISPANIC	258	2	1	3	7	11	16	87	77	37	16	1	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	2	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	1	2	3	-	1	-	-	-	-
2,500-3,499 GRAMS	120	1	1	2	4	3	10	44	34	14	7	-	-	-	-
3,500-4,499 GRAMS	123	1	-	1	3	6	5	38	38	22	8	1	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,109	-	3	5	12	19	37	303	381	256	82	11	-	-	-
UNDER 1,500 GRAMS	16	-	-	-	-	-	1	1	4	9	1	-	-	-	-
1,500-2,499 GRAMS	39	-	-	1	1	-	2	11	9	12	3	-	-	-	-
2,500-3,499 GRAMS	517	-	3	4	6	6	19	141	189	103	38	6	-	-	-
3,500-4,499 GRAMS	509	-	-	-	5	12	15	142	169	126	36	4	-	-	-
4500 GRAMS OR MORE	26	-	-	-	-	1	-	7	9	4	4	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
NEVADA	893	-	1	6	12	20	29	235	266	234	82	8	-	-	-
HISPANIC	44	-	-	-	-	2	4	14	14	6	1	3	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	24	-	-	-	-	1	3	8	8	4	-	-	-	-	-
3,500-4,499 GRAMS	16	-	-	-	-	1	1	5	4	1	1	3	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NON-HISPANIC	845	-	1	6	11	18	25	220	252	228	79	5	-	-	-
UNDER 1,500 GRAMS	8	-	-	-	-	-	-	-	5	2	1	-	-	-	-
1,500-2,499 GRAMS	39	-	-	-	1	-	1	14	9	9	5	-	-	-	-
2,500-3,499 GRAMS	428	-	-	3	4	12	11	122	133	106	35	2	-	-	-
3,500-4,499 GRAMS	353	-	1	3	6	5	12	84	100	102	37	3	-	-	-
4500 GRAMS OR MORE	17	-	-	-	-	1	1	-	5	9	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	1	-	-	1	-	-	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE	36,704	44	129	317	320	821	1,226	10,392	12,430	7,829	2,580	370	19	-	27
HISPANIC	10,389	28	73	179	231	402	554	3,667	3,002	1,340	573	112	5	-	3
UNDER 1,500 GRAMS	96	2	-	1	1	3	1	43	22	14	6	3	-	-	-
1,500-2,499 GRAMS	474	1	2	14	17	19	32	145	134	71	31	7	-	-	1
2,500-3,499 GRAMS	5,530	15	46	102	156	253	326	2,057	1,532	736	261	40	4	-	1
3,500-4,499 GRAMS	4,089	9	23	59	74	127	189	1,375	1,243	677	252	55	1	-	1
4500 GRAMS OR MORE	179	-	-	2	2	-	4	43	62	37	23	6	-	-	-
NOT STATED	21	1	-	-	1	-	2	4	7	5	-	1	-	-	-
NON-HISPANIC	26,084	13	53	136	266	417	666	6,663	9,354	6,243	1,991	256	14	-	8
UNDER 1,500 GRAMS	228	1	-	1	2	6	8	55	72	57	23	1	1	-	1
1,500-2,499 GRAMS	1,081	1	6	8	11	20	31	295	343	275	78	12	1	-	-
2,500-3,499 GRAMS	12,794	8	27	74	135	210	354	3,349	4,638	2,934	924	109	6	-	6
3,500-4,499 GRAMS	11,330	5	20	53	93	172	261	2,822	4,100	2,769	904	125	6	-	-
4500 GRAMS OR MORE	639	-	2	-	5	9	11	138	198	205	62	9	-	-	-
NOT STATED	12	-	-	-	-	-	1	4	3	3	-	-	-	-	1
NOT STATED	231	1	1	2	3	2	6	62	74	46	16	2	-	-	16
UNDER 1,500 GRAMS	5	-	-	-	-	-	-	1	-	2	-	-	-	-	2
1,500-2,499 GRAMS	14	-	-	-	-	-	1	4	4	3	-	-	-	-	2
2,500-3,499 GRAMS	107	1	1	1	2	1	3	33	35	14	5	1	-	-	8
3,500-4,499 GRAMS	101	-	-	1	1	1	-	24	32	27	11	1	-	-	3
4500 GRAMS OR MORE	3	-	-	-	-	-	-	-	2	-	-	-	-	-	1
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
PLACER	1,944	3	4	22	32	53	62	561	607	436	140	23	1	-	-
HISPANIC	158	2	1	7	4	7	10	49	44	24	9	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	1	-	-	-	-	1	1	-	-	-	-	-
2,500-3,499 GRAMS	85	1	-	5	3	6	7	28	22	10	3	-	-	-	-
3,500-4,499 GRAMS	66	1	1	1	1	1	3	19	21	12	4	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	2	-	1	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,778	1	3	15	27	46	52	510	561	410	130	22	1	-	-
UNDER 1,500 GRAMS	13	-	1	-	-	2	-	4	1	4	1	-	-	-	-
1,500-2,499 GRAMS	76	1	-	2	-	3	3	22	24	12	4	5	-	-	-
2,500-3,499 GRAMS	876	-	-	7	17	24	28	273	274	191	54	8	-	-	-
3,500-4,499 GRAMS	779	-	2	6	10	17	20	203	253	190	67	8	1	-	-
4500 GRAMS OR MORE	34	-	-	-	-	-	1	8	7	13	4	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	8	-	-	-	1	-	-	2	2	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	1	-	-	1	1	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLUMAS	268	-	1	1	3	7	10	91	78	57	17	3	-	-	-
HISPANIC	8	-	-	-	-	1	1	4	1	-	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	6	-	-	-	-	1	1	4	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	255	-	1	-	2	6	8	85	77	57	16	3	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	20	-	-	-	-	1	-	9	6	4	-	-	-	-	-
2,500-3,499 GRAMS	138	-	1	-	2	2	5	47	38	33	8	2	-	-	-
3,500-4,499 GRAMS	94	-	-	-	-	3	2	28	32	20	8	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	5	-	-	1	1	-	1	2	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
RIVERSIDE	15,508	26	93	233	384	496	697	3,201	3,069	2,478	696	124	3	-	4
HISPANIC	4,656	13	38	115	162	194	267	1,667	1,293	645	204	55	3	-	-
UNDER 1,500 GRAMS	40	-	-	1	1	3	-	17	13	3	1	1	-	-	-
1,500-2,499 GRAMS	221	2	2	6	10	13	14	79	49	31	12	3	-	-	-
2,500-3,499 GRAMS	2,542	7	25	81	93	117	156	953	680	313	88	27	2	-	-
3,500-4,499 GRAMS	1,773	4	11	26	57	60	95	602	526	275	94	22	1	-	-
4500 GRAMS OR MORE	80	-	-	1	1	1	2	16	25	23	9	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	10,802	13	57	118	221	301	426	3,513	3,763	1,827	488	69	2	-	4
UNDER 1,500 GRAMS	132	-	2	3	5	6	6	42	32	26	7	3	-	-	-
1,500-2,499 GRAMS	323	1	5	8	20	12	26	164	160	79	39	4	1	-	2
2,500-3,499 GRAMS	5,501	10	29	70	116	179	255	1,908	1,826	866	215	84	-	-	1
3,500-4,499 GRAMS	4,412	2	21	35	76	98	136	1,337	1,648	810	213	36	-	-	-
4500 GRAMS OR MORE	229	-	-	2	1	6	3	61	94	46	14	-	1	-	1
NOT STATED	5	-	-	-	1	-	-	1	3	-	-	-	-	-	-
NOT STATED	50	-	-	-	1	1	4	21	13	6	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	28	-	-	-	-	-	2	10	11	4	1	-	-	-	-
3,500-4,499 GRAMS	20	-	-	-	1	1	1	11	2	1	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SACRAMENTO	15,464	39	98	225	351	474	688	4,806	5,016	2,790	851	117	4	1	4
HISPANIC	1,874	8	23	36	62	93	112	650	544	238	76	12	-	-	-
UNDER 1,500 GRAMS	15	-	-	1	-	-	1	5	3	2	3	-	-	-	-
1,500-2,499 GRAMS	89	1	1	2	1	7	3	31	29	11	2	1	-	-	-
2,500-3,499 GRAMS	1,008	5	13	22	40	53	56	384	280	124	30	3	-	-	-
3,500-4,499 GRAMS	735	2	9	10	21	32	51	228	222	112	40	8	-	-	-
4500 GRAMS OR MORE	26	-	-	1	-	-	1	4	10	9	1	-	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NON-HISPANIC	13,312	29	71	181	275	370	562	4,046	4,402	2,499	764	103	4	1	3
UNDER 1,500 GRAMS	162	2	4	4	4	5	7	59	33	28	13	2	-	-	1
1,500-2,499 GRAMS	701	3	5	19	17	26	38	218	196	123	50	5	1	-	-
2,500-3,499 GRAMS	6,682	17	42	109	162	219	309	2,072	2,196	1,153	349	51	2	1	-
3,500-4,499 GRAMS	5,469	7	18	49	89	117	200	1,628	1,875	1,114	324	45	1	-	2
4500 GRAMS OR MORE	298	-	2	-	3	3	8	69	102	81	28	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	278	2	4	8	14	11	14	110	70	33	11	-	-	-	1
UNDER 1,500 GRAMS	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	1	-	1	1	1	-	1	-	-	-	-	-
2,500-3,499 GRAMS	153	1	2	6	11	4	7	66	39	13	4	-	-	-	-
3,500-4,499 GRAMS	109	1	-	1	3	6	6	38	27	19	7	-	-	-	1
4500 GRAMS OR MORE	6	-	1	-	-	-	-	3	2	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BENITO	621	1	4	8	12	21	22	214	183	102	48	5	1	-	-
HISPANIC	321	1	2	6	7	13	17	122	82	40	26	4	1	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1,500-2,499 GRAMS	8	-	-	-	-	1	-	2	3	-	-	-	-	-	-
2,500-3,499 GRAMS	167	1	2	3	3	4	13	63	45	14	14	3	-	-	-
3,500-4,499 GRAMS	138	-	-	1	4	7	4	55	30	24	11	1	1	-	-
4500 GRAMS OR MORE	7	-	-	-	-	1	-	2	2	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	283	-	2	2	4	6	4	87	96	60	22	-	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
1,500-2,499 GRAMS	13	-	-	-	-	1	-	2	6	-	4	-	-	-	-
2,500-3,499 GRAMS	132	-	1	1	1	4	3	41	40	33	8	-	-	-	-
3,500-4,499 GRAMS	126	-	1	1	3	1	1	40	46	23	8	-	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	-	3	3	2	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	17	-	-	-	1	2	1	5	5	2	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	10	-	-	-	-	2	1	4	2	1	-	-	-	-	-
3,500-4,499 GRAMS	7	-	-	-	1	-	-	1	3	1	-	1	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	21,284	47	116	306	506	778	993	7,159	6,815	3,470	949	136	6	-	3
HISPANIC	5,336	19	51	119	173	273	282	1,807	1,490	821	232	46	3	-	-
UNDER 1,500 GRAMS	45	1	-	1	1	-	5	14	10	8	5	-	-	-	-
1,500-2,499 GRAMS	293	2	-	6	7	22	18	89	78	36	10	5	-	-	-
2,500-3,499 GRAMS	2,881	13	34	80	111	177	163	997	770	400	118	18	-	-	-
3,500-4,499 GRAMS	2,024	3	17	30	52	72	92	682	609	332	111	21	3	-	-
4500 GRAMS OR MORE	93	-	-	2	2	2	4	25	23	25	8	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	15,794	28	65	184	329	500	706	5,310	5,273	2,620	687	87	3	-	2
UNDER 1,500 GRAMS	162	-	1	1	6	7	7	51	55	25	6	3	-	-	-
1,500-2,499 GRAMS	811	3	6	9	17	34	49	277	258	119	33	4	-	-	-
2,500-3,499 GRAMS	8,305	18	35	102	167	298	391	2,915	2,738	1,251	335	34	1	-	-
3,500-4,499 GRAMS	6,201	6	21	69	116	157	250	1,973	2,122	1,151	292	40	2	-	2
4500 GRAMS OR MORE	308	1	2	2	3	4	8	90	100	74	18	6	-	-	-
NOT STATED	7	-	-	1	-	-	1	4	-	-	1	-	-	-	-
NOT STATED	154	-	-	3	4	5	5	42	52	29	10	3	-	-	1
UNDER 1,500 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	68	-	-	1	2	2	3	19	23	11	5	2	-	-	-
3,500-4,499 GRAMS	78	-	-	2	1	3	2	21	26	16	5	1	-	-	1
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN DIEGO	37,200	47	138	352	587	962	1,477	11,474	11,990	7,380	2,432	320	13	1	5
HISPANIC	9,007	15	60	143	224	348	472	3,059	2,707	1,388	496	93	-	-	2
UNDER 1,500 GRAMS	80	-	1	-	2	9	4	21	21	11	7	4	-	-	-
1,500-2,499 GRAMS	413	-	7	8	20	17	25	131	109	70	22	4	-	-	-
2,500-3,499 GRAMS	4,760	9	34	93	128	205	283	1,683	1,384	659	235	43	-	-	2
3,500-4,499 GRAMS	3,586	5	18	42	72	114	158	1,178	1,149	614	200	36	-	-	-
4500 GRAMS OR MORE	165	1	-	-	2	3	2	46	41	34	32	4	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
NON-HISPANIC	28,053	32	77	207	362	611	997	8,385	9,225	5,965	1,947	226	13	1	3
UNDER 1,500 GRAMS	281	1	3	4	5	8	13	77	89	56	21	3	1	-	-
1,500-2,499 GRAMS	1,344	3	8	10	25	37	65	397	417	243	102	14	-	1	-
2,500-3,499 GRAMS	14,057	22	46	120	205	339	543	4,360	4,563	2,831	889	111	7	-	1
3,500-4,499 GRAMS	11,737	6	19	69	126	202	358	3,371	3,954	2,660	871	93	7	-	1
4500 GRAMS OR MORE	630	-	1	4	1	5	18	158	201	173	64	5	-	-	-
NOT STATED	4	-	-	-	-	-	-	2	1	-	-	-	-	-	1
NOT STATED	140	-	1	2	1	3	8	30	38	27	9	1	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	1	-	-	-	-	3	-	-	-	-	-
1,500-2,499 GRAMS	11	-	-	-	-	-	-	4	5	1	1	-	-	-	-
2,500-3,499 GRAMS	58	-	1	-	-	-	5	14	24	9	4	1	-	-	-
3,500-4,499 GRAMS	60	-	-	2	-	2	3	12	27	11	3	-	-	-	-
4500 GRAMS OR MORE	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
NOT STATED	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-
SAN FRANCISCO	9,739	18	42	87	129	193	255	1,983	2,980	2,661	1,220	164	4	1	-
HISPANIC	1,941	3	10	25	39	66	88	376	631	341	142	20	-	-	-
UNDER 1,500 GRAMS	16	-	-	-	1	-	-	6	3	5	1	-	-	-	-
1,500-2,499 GRAMS	86	1	-	4	2	6	8	22	15	15	10	3	-	-	-
2,500-3,499 GRAMS	1,040	2	5	18	23	40	50	322	335	172	62	9	-	-	-
3,500-4,499 GRAMS	768	-	5	3	11	20	30	218	266	145	62	8	-	-	-
4500 GRAMS OR MORE	31	-	-	-	-	-	-	8	12	4	7	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	7,362	13	29	59	86	124	166	1,356	2,285	2,230	1,049	138	4	1	-
UNDER 1,500 GRAMS	73	-	1	-	3	3	4	8	27	16	8	3	-	-	-
1,500-2,499 GRAMS	437	1	3	7	8	7	16	95	112	115	64	9	-	-	-
2,500-3,499 GRAMS	4,325	13	19	36	52	92	99	826	1,359	1,219	536	69	4	1	-
3,500-4,499 GRAMS	2,623	1	6	16	21	22	47	415	757	636	428	54	-	-	-
4500 GRAMS OR MORE	101	-	-	-	2	-	-	12	28	44	12	3	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
NOT STATED	236	-	3	3	4	5	1	31	64	70	29	6	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
1,500-2,499 GRAMS	8	-	-	-	1	-	-	1	1	1	4	-	-	-	-
2,500-3,499 GRAMS	138	-	3	2	2	3	-	37	40	33	14	2	-	-	-
3,500-4,499 GRAMS	85	-	-	1	1	-	1	12	23	33	10	4	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN JOAQUIN	7,993	26	71	120	197	301	393	2,628	2,379	1,317	454	98	8	-	1
HISPANIC	1,925	8	23	45	65	90	115	639	511	285	103	20	-	-	1
UNDER 1,500 GRAMS	20	-	-	-	1	-	2	9	3	2	3	-	-	-	-
1,500-2,499 GRAMS	108	-	1	2	4	5	5	40	24	23	3	1	-	-	-
2,500-3,499 GRAMS	1,062	7	18	29	36	58	78	373	275	145	36	5	-	-	-
3,500-4,499 GRAMS	701	1	4	13	23	26	29	230	200	104	37	13	-	-	1
4500 GRAMS OR MORE	33	-	-	1	1	1	1	5	8	11	4	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	6,034	18	48	75	132	211	278	1,963	1,863	1,028	330	78	8	-	-
UNDER 1,500 GRAMS	67	-	-	2	5	5	5	21	14	12	2	1	-	-	-
1,500-2,499 GRAMS	330	4	3	7	9	12	16	113	90	50	21	5	-	-	-
2,500-3,499 GRAMS	3,309	10	35	51	75	132	169	1,131	972	526	160	43	5	-	-
3,500-4,499 GRAMS	2,239	4	10	15	43	60	86	673	747	412	138	29	2	-	-
4500 GRAMS OR MORE	108	-	-	-	-	2	2	25	41	28	9	-	1	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	14	-	-	-	-	-	-	6	3	4	1	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
2,500-3,499 GRAMS	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAN LUIS OBISPO	2,633	2	17	17	39	63	79	702	909	603	168	32	1	-	1
HISPANIC	387	1	6	8	11	15	22	123	102	68	24	4	-	-	1
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	16	-	-	-	-	-	1	4	3	6	2	-	-	-	-
2,500-3,499 GRAMS	191	-	3	5	9	10	12	71	42	23	12	2	-	-	-
3,500-4,499 GRAMS	178	1	3	3	2	5	9	50	57	35	10	2	-	-	1
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	2,222	1	11	9	28	48	57	568	798	530	143	28	1	-	-
UNDER 1,500 GRAMS	23	-	-	-	2	-	-	7	6	7	1	-	-	-	-
1,500-2,499 GRAMS	97	-	2	-	1	1	2	31	32	23	3	2	-	-	-
2,500-3,499 GRAMS	1,014	-	3	6	13	28	38	273	359	230	54	17	1	-	-
3,500-4,499 GRAMS	1,021	1	5	3	12	18	27	239	374	251	82	9	-	-	-
4500 GRAMS OR MORE	64	-	1	-	-	1	-	14	26	19	3	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
NOT STATED	24	-	-	-	-	-	-	9	9	5	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	17	-	-	-	-	-	-	5	8	4	-	-	-	-	-
3,500-4,499 GRAMS	6	-	-	-	-	-	-	3	1	1	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN MATEO	9,262	4	18	54	91	166	198	2,003	3,121	2,496	991	104	8	1	5
HISPANIC	1,673	4	10	22	41	63	82	390	574	312	148	25	1	-	1
UNDER 1,500 GRAMS	10	-	-	-	-	-	-	5	1	2	2	-	-	-	-
1,500-2,499 GRAMS	93	1	1	2	2	4	7	26	20	20	7	2	-	-	1
2,500-3,499 GRAMS	959	1	7	13	26	37	43	334	276	148	65	9	-	-	-
3,500-4,499 GRAMS	760	2	2	7	13	22	29	216	256	120	71	13	1	-	-
4500 GRAMS OR MORE	45	-	-	-	-	-	3	6	20	12	3	1	-	-	-
NOT STATED	6	-	-	-	-	-	-	3	1	2	-	-	-	-	-
NON-HISPANIC	7,157	-	8	31	45	102	111	1,367	2,471	2,118	817	75	7	1	4
UNDER 1,500 GRAMS	86	-	-	-	-	3	2	17	29	28	6	1	-	-	-
1,500-2,499 GRAMS	323	-	1	2	1	10	9	69	96	93	37	5	-	-	-
2,500-3,499 GRAMS	3,671	-	6	20	31	51	69	722	1,291	1,037	405	33	4	-	2
3,500-4,499 GRAMS	2,911	-	1	9	13	37	26	529	1,010	912	335	34	3	1	1
4500 GRAMS OR MORE	155	-	-	-	-	1	4	27	40	47	34	2	-	-	-
NOT STATED	11	-	-	-	-	-	1	3	5	1	-	-	-	-	1
NOT STATED	232	-	-	1	3	1	3	48	76	66	26	4	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	17	-	-	-	-	1	-	5	4	4	2	1	-	-	-
2,500-3,499 GRAMS	123	-	-	-	4	-	3	31	39	30	14	2	-	-	-
3,500-4,499 GRAMS	87	-	-	1	1	-	2	11	30	31	10	1	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SANTA BARBARA	5,149	8	19	48	71	128	203	1,467	1,725	1,039	368	51	2	-	-
HISPANIC	1,676	6	13	30	39	58	110	384	475	257	87	16	1	-	-
UNDER 1,500 GRAMS	22	-	3	-	-	-	1	7	6	3	1	1	-	-	-
1,500-2,499 GRAMS	64	-	1	3	1	3	3	23	20	6	3	1	-	-	-
2,500-3,499 GRAMS	861	3	7	21	24	30	68	325	228	114	30	9	-	-	-
3,500-4,499 GRAMS	690	3	2	6	14	24	36	222	206	122	49	5	1	-	-
4500 GRAMS OR MORE	37	-	-	-	-	1	2	7	14	9	4	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NON-HISPANIC	3,452	2	6	18	32	70	92	881	1,244	794	277	35	1	-	-
UNDER 1,500 GRAMS	20	-	-	-	-	-	2	2	9	7	-	-	-	-	-
1,500-2,499 GRAMS	156	-	-	2	5	5	6	40	44	41	11	2	-	-	-
2,500-3,499 GRAMS	1,655	2	2	10	16	41	41	436	607	351	134	14	1	-	-
3,500-4,499 GRAMS	1,338	-	4	6	11	22	42	387	559	367	121	19	-	-	-
4500 GRAMS OR MORE	81	-	-	-	-	2	1	16	24	27	11	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	21	-	-	-	-	-	1	2	6	8	4	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	12	-	-	-	-	-	-	2	4	5	1	-	-	-	-
3,500-4,499 GRAMS	9	-	-	-	-	-	1	-	2	3	3	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CLARA	24,110	30	108	230	387	565	776	6,311	8,070	5,500	1,677	237	11	2	6
HISPANIC	6,144	19	62	150	203	264	347	2,113	1,771	842	312	38	1	2	-
UNDER 1,500 GRAMS	57	-	-	5	-	5	-	17	16	13	1	-	-	-	-
1,500-2,499 GRAMS	276	1	4	10	8	17	15	89	69	43	15	5	-	-	-
2,500-3,499 GRAMS	3,249	14	43	80	122	142	191	1,193	906	388	144	24	-	2	-
3,500-4,499 GRAMS	2,440	4	15	52	72	96	136	785	744	373	137	25	1	-	-
4500 GRAMS OR MORE	121	-	-	3	1	4	3	29	35	25	15	4	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	17,769	11	46	79	182	293	422	4,160	6,226	4,610	1,547	176	10	-	5
UNDER 1,500 GRAMS	153	-	1	-	4	3	4	24	53	47	15	1	1	-	-
1,500-2,499 GRAMS	800	1	3	7	14	18	20	199	253	210	63	11	1	-	-
2,500-3,499 GRAMS	9,009	6	29	49	106	188	235	2,195	3,144	2,226	739	85	4	-	1
3,500-4,499 GRAMS	7,400	2	13	21	57	83	159	1,674	2,620	2,007	684	72	4	-	4
4500 GRAMS OR MORE	400	-	-	2	1	3	4	66	155	117	45	7	-	-	-
NOT STATED	7	-	-	-	-	-	-	2	1	3	1	-	-	-	-
NOT STATED	197	-	-	1	2	6	7	38	73	48	18	3	-	-	1
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	11	-	-	-	-	2	-	-	2	3	3	1	-	-	-
2,500-3,499 GRAMS	96	-	-	1	1	4	4	22	40	17	6	-	-	-	1
3,500-4,499 GRAMS	82	-	-	-	1	-	3	16	25	26	9	2	-	-	-
4500 GRAMS OR MORE	6	-	-	-	-	-	-	-	4	2	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SANTA CRUZ	3,582	8	14	34	62	86	135	894	1,097	860	338	51	1	-	2
HISPANIC	1,137	5	7	24	35	33	70	337	320	182	67	16	1	-	-
UNDER 1,500 GRAMS	9	-	-	-	-	-	-	2	2	4	1	-	-	-	-
1,500-2,499 GRAMS	47	-	1	1	4	-	4	15	11	4	5	2	-	-	-
2,500-3,499 GRAMS	508	1	4	17	14	34	42	154	130	73	32	6	1	-	-
3,500-4,499 GRAMS	536	4	2	6	17	19	23	161	166	89	42	7	-	-	-
4500 GRAMS OR MORE	34	-	-	-	-	-	1	4	10	11	7	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
NON-HISPANIC	2,416	2	7	10	27	31	64	353	771	670	244	35	-	-	2
UNDER 1,500 GRAMS	17	-	-	-	-	-	-	4	4	7	2	-	-	-	-
1,500-2,499 GRAMS	75	-	-	1	1	3	3	14	22	19	12	-	-	-	-
2,500-3,499 GRAMS	1,112	1	3	6	13	17	36	231	348	310	106	20	-	-	1
3,500-4,499 GRAMS	1,136	1	4	3	12	11	25	271	370	316	109	13	-	-	1
4500 GRAMS OR MORE	71	-	-	-	-	-	-	12	26	17	14	2	-	-	-
NOT STATED	5	-	-	-	1	-	-	1	1	1	1	-	-	-	-
NOT STATED	29	1	-	-	-	2	1	4	6	8	7	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	-	1	-	1	2	6	1	-	-	-	-
3,500-4,499 GRAMS	18	1	-	-	-	1	1	3	4	2	6	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SHASTA	2,093	1	13	23	60	76	92	719	643	354	98	12	-	-	-
HISPANIC	75	-	3	1	1	6	4	21	22	12	5	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
2,500-3,499 GRAMS	32	-	3	1	-	3	-	8	8	7	2	-	-	-	-
3,500-4,499 GRAMS	39	-	-	-	-	3	4	12	13	4	3	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	2,015	1	10	22	58	70	88	697	623	342	93	11	-	-	-
UNDER 1,500 GRAMS	14	-	-	-	-	1	1	5	5	1	1	-	-	-	-
1,500-2,499 GRAMS	91	-	3	1	5	6	5	31	26	10	3	1	-	-	-
2,500-3,499 GRAMS	933	1	4	10	33	32	48	335	288	145	35	2	-	-	-
3,500-4,499 GRAMS	916	-	1	11	19	29	34	312	282	176	46	6	-	-	-
4500 GRAMS OR MORE	60	-	2	-	1	1	-	14	22	10	8	2	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	1	-	-	1	-	-	-	1	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIERRA	39	-	1	-	1	1	2	13	22	14	3	-	-	-	-
HISPANIC	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	37	-	1	-	1	1	2	13	20	14	3	-	-	-	-
UNDER 1,500 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	31	-	1	-	1	1	1	8	12	6	1	-	-	-	-
3,500-4,499 GRAMS	23	-	-	-	-	-	1	3	7	8	2	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SISKIYOU	623	-	5	9	10	19	20	207	195	114	38	4	-	-	2
HISPANIC	33	-	-	1	-	4	-	13	8	3	2	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	14	-	-	-	-	1	-	7	5	-	1	-	-	-	-
3,500-4,499 GRAMS	16	-	-	1	-	3	-	7	2	3	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NON-HISPANIC	441	-	4	6	10	10	18	143	128	90	29	3	-	-	-
UNDER 1,500 GRAMS	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
1,500-2,499 GRAMS	16	-	-	-	1	-	1	6	7	1	-	-	-	-	-
2,500-3,499 GRAMS	224	-	3	3	5	2	9	81	69	37	13	2	-	-	-
3,500-4,499 GRAMS	184	-	1	3	4	8	8	53	45	46	15	1	-	-	-
4500 GRAMS OR MORE	12	-	-	-	-	-	-	2	5	4	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	149	-	1	2	-	5	2	49	59	21	7	1	-	-	2
UNDER 1,500 GRAMS	4	-	-	-	-	-	-	2	-	1	1	-	-	-	-
1,500-2,499 GRAMS	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
2,500-3,499 GRAMS	77	-	-	-	-	4	2	25	29	12	3	-	-	-	2
3,500-4,499 GRAMS	62	-	1	2	-	1	-	16	28	8	3	1	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOLANO	3,040	4	28	41	81	141	224	1,623	1,665	900	276	34	2	-	1
HISPANIC	378	-	5	10	11	21	24	208	180	88	28	3	-	-	-
UNDER 1,500 GRAMS	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-
1,500-2,499 GRAMS	19	-	-	1	1	2	2	7	4	2	-	-	-	-	-
2,500-3,499 GRAMS	322	-	5	7	7	13	18	123	89	41	17	2	-	-	-
3,500-4,499 GRAMS	216	-	-	2	3	6	4	70	81	39	10	1	-	-	-
4500 GRAMS OR MORE	15	-	-	-	-	-	-	6	3	5	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	4,424	4	23	31	70	120	198	1,399	1,497	803	245	31	2	-	1
UNDER 1,500 GRAMS	41	1	-	-	-	3	2	9	16	8	2	-	-	-	-
1,500-2,499 GRAMS	239	-	-	2	4	4	11	89	76	37	12	4	-	-	-
2,500-3,499 GRAMS	2,197	3	18	21	39	60	97	714	710	397	121	15	2	-	-
3,500-4,499 GRAMS	1,851	-	5	8	26	52	82	561	661	340	104	12	-	-	-
4500 GRAMS OR MORE	94	-	-	-	1	1	5	24	34	20	6	-	-	-	1
NOT STATED	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
NOT STATED	38	-	-	-	-	-	2	16	8	9	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
2,500-3,499 GRAMS	24	-	-	-	-	-	1	9	5	6	1	-	-	-	-
3,500-4,499 GRAMS	12	-	-	-	-	-	1	7	2	-	2	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SONOMA	5,266	3	20	30	66	106	162	1,374	1,741	1,234	480	48	2	-	-
HISPANIC	614	-	9	11	21	20	36	227	172	76	36	6	-	-	-
UNDER 1,500 GRAMS	6	-	-	-	-	-	-	6	-	-	-	-	-	-	-
1,500-2,499 GRAMS	22	-	1	2	1	2	2	7	4	2	1	-	-	-	-
2,500-3,499 GRAMS	319	-	5	6	11	13	16	123	91	36	13	1	-	-	-
3,500-4,499 GRAMS	249	-	3	1	9	5	15	83	75	37	18	3	-	-	-
4500 GRAMS OR MORE	17	-	-	-	-	-	1	8	2	1	4	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	4,610	3	11	19	44	86	123	1,141	1,339	1,141	437	42	2	-	-
UNDER 1,500 GRAMS	48	-	-	1	3	2	1	10	14	13	4	-	-	-	-
1,500-2,499 GRAMS	168	-	1	4	2	3	7	42	63	36	7	1	-	-	-
2,500-3,499 GRAMS	2,097	1	4	11	21	51	64	540	694	510	175	25	1	-	-
3,500-4,499 GRAMS	2,141	2	6	2	18	27	52	513	729	543	233	13	1	-	-
4500 GRAMS OR MORE	135	-	-	1	-	3	1	36	57	37	18	2	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	42	-	-	-	1	-	1	6	10	17	7	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	26	-	-	-	-	-	1	3	7	11	4	-	-	-	-
3,500-4,499 GRAMS	14	-	-	-	1	-	-	2	2	6	3	-	-	-	-
4500 GRAMS OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STANISLAUS	5,518	17	43	100	117	225	278	1,884	1,633	899	374	46	1	1	-
HISPANIC	1,314	7	19	36	32	62	73	437	374	194	64	16	-	-	-
UNDER 1,500 GRAMS	18	2	-	-	-	1	1	8	2	3	1	-	-	-	-
1,500-2,499 GRAMS	51	1	2	3	3	5	-	14	13	7	1	2	-	-	-
2,500-3,499 GRAMS	645	2	10	20	12	33	48	242	170	77	28	3	-	-	-
3,500-4,499 GRAMS	557	2	7	13	15	23	24	163	176	96	27	11	-	-	-
4500 GRAMS OR MORE	40	-	-	-	2	-	-	9	13	10	6	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
NON-HISPANIC	4,197	10	24	64	83	163	203	1,444	1,258	703	309	30	1	1	-
UNDER 1,500 GRAMS	43	-	-	3	2	2	1	17	13	6	1	-	-	-	-
1,500-2,499 GRAMS	198	1	2	5	5	9	11	79	53	27	5	1	-	-	-
2,500-3,499 GRAMS	2,177	6	15	43	53	93	116	762	621	333	109	18	1	1	-
3,500-4,499 GRAMS	1,696	3	7	11	24	53	72	565	540	322	88	11	-	-	-
4500 GRAMS OR MORE	81	-	-	-	1	4	3	21	31	15	6	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	7	-	-	-	-	-	-	3	1	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SUTTER	953	1	7	10	27	36	55	349	285	131	45	7	-	-	-
HISPANIC	163	-	-	2	8	6	11	50	51	25	10	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1,500-2,499 GRAMS	10	-	-	-	-	1	-	3	4	-	2	-	-	-	-
2,500-3,499 GRAMS	73	-	-	1	6	4	5	21	22	11	3	-	-	-	-
3,500-4,499 GRAMS	74	-	-	1	2	1	6	24	23	12	5	-	-	-	-
4500 GRAMS OR MORE	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	784	1	7	8	19	30	44	293	233	105	35	7	-	-	-
UNDER 1,500 GRAMS	11	1	-	1	-	-	-	4	2	2	1	-	-	-	-
1,500-2,499 GRAMS	43	-	1	-	-	1	3	19	9	4	5	1	-	-	-
2,500-3,499 GRAMS	371	-	3	3	12	13	27	136	110	51	12	-	-	-	-
3,500-4,499 GRAMS	337	-	1	4	7	11	14	131	107	41	15	6	-	-	-
4500 GRAMS OR MORE	21	-	-	-	-	3	-	3	4	7	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	6	-	-	-	-	-	-	4	1	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TEHAMA	650	-	2	5	14	24	30	239	205	100	26	4	1	-	-
HISPANIC	73	-	-	1	4	3	5	24	20	13	3	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	5	-	-	-	2	-	-	1	1	-	1	-	-	-	-
2,500-3,499 GRAMS	32	-	-	1	1	3	3	10	10	4	1	-	-	-	-
3,500-4,499 GRAMS	34	-	-	1	1	-	2	13	9	7	1	-	-	-	-
4500 GRAMS OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	571	-	2	4	10	20	25	213	185	85	22	4	1	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
1,500-2,499 GRAMS	23	-	-	-	-	1	-	10	7	3	-	-	-	-	-
2,500-3,499 GRAMS	273	-	1	3	5	10	20	100	84	37	11	1	1	-	-
3,500-4,499 GRAMS	258	-	1	1	5	7	5	99	87	39	11	3	-	-	-
4500 GRAMS OR MORE	11	-	-	-	-	1	-	3	5	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	6	-	-	-	-	1	-	2	-	2	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3,500-4,499 GRAMS	5	-	-	-	-	1	-	1	-	2	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TRINITY	166	-	2	4	5	4	5	53	51	34	8	-	-	-	-
HISPANIC	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	157	-	2	4	5	4	5	50	48	31	8	-	-	-	-
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1,500-2,499 GRAMS	9	-	-	1	-	1	-	3	1	3	-	-	-	-	-
2,500-3,499 GRAMS	72	-	1	2	2	2	2	26	24	8	5	-	-	-	-
3,500-4,499 GRAMS	68	-	1	1	3	1	3	19	22	15	3	-	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	-	1	1	5	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3,500-4,499 GRAMS	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	3,677	21	54	105	180	234	343	1,963	1,391	831	294	54	4	1	2
HISPANIC	2,685	12	41	63	93	129	173	948	638	378	131	38	-	-	1
UNDER 1,500 GRAMS	24	-	1	-	1	2	3	8	4	1	4	-	-	-	-
1,500-2,499 GRAMS	124	-	-	3	4	10	6	49	27	16	3	2	-	-	-
2,500-3,499 GRAMS	1,389	6	31	36	63	81	93	306	316	174	64	19	-	-	-
3,500-4,499 GRAMS	1,087	6	9	22	24	35	66	363	297	177	73	14	-	-	1
4500 GRAMS OR MORE	58	-	-	-	1	1	4	21	13	10	3	3	-	-	-
NOT STATED	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
NON-HISPANIC	2,978	9	13	42	86	103	170	1,010	932	449	142	16	4	1	1
UNDER 1,500 GRAMS	20	-	-	1	-	-	2	10	3	2	2	-	-	-	-
1,500-2,499 GRAMS	148	-	2	1	10	7	9	50	46	15	4	2	2	-	-
2,500-3,499 GRAMS	1,502	6	8	21	49	56	91	532	439	213	59	7	1	-	-
3,500-4,499 GRAMS	1,231	3	3	19	25	38	67	398	398	203	69	6	1	1	-
4500 GRAMS OR MORE	74	-	-	-	2	2	1	19	25	16	6	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1
NOT STATED	14	-	-	-	1	2	-	3	1	4	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	1	2	-	3	1	4	-	-	-	-	-
3,500-4,499 GRAMS	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TUOLUMNE	477	-	3	4	11	6	23	147	145	93	39	3	1	-	-
HISPANIC	22	-	-	-	1	1	-	10	4	3	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	1	-	-	3	3	1	1	-	-	-	-
3,500-4,499 GRAMS	10	-	-	-	-	1	-	3	-	4	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	454	-	3	4	10	5	22	137	141	90	38	3	1	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-
1,500-2,499 GRAMS	29	-	1	-	2	-	1	12	7	2	4	-	-	-	-
2,500-3,499 GRAMS	221	-	1	1	3	4	12	70	70	42	16	1	1	-	-
3,500-4,499 GRAMS	190	-	-	3	5	1	8	49	60	45	17	2	-	-	-
4500 GRAMS OR MORE	10	-	1	-	-	-	-	4	3	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
3,500-4,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	10,587	15	43	121	170	301	386	2,691	3,554	2,248	738	105	7	-	6
HISPANIC	3,419	10	29	67	94	136	178	1,034	987	590	201	49	3	-	2
UNDER 1,500 GRAMS	31	-	-	-	1	2	2	4	11	5	4	2	-	-	-
1,500-2,499 GRAMS	143	-	2	2	3	14	11	48	34	22	5	2	-	-	-
2,500-3,499 GRAMS	1,778	5	21	43	53	86	106	572	508	265	92	23	3	-	1
3,500-4,499 GRAMS	1,399	5	6	22	36	31	57	421	408	279	93	21	-	-	1
4500 GRAMS OR MORE	67	-	-	-	1	3	2	9	26	19	6	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	6,988	3	16	53	75	141	207	1,804	2,492	1,613	522	54	4	-	2
UNDER 1,500 GRAMS	71	-	-	-	-	3	1	17	31	12	5	1	-	-	1
1,500-2,499 GRAMS	287	-	3	3	5	8	10	66	102	36	31	3	-	-	-
2,500-3,499 GRAMS	3,312	3	9	34	44	70	113	923	1,132	737	228	18	1	-	-
3,500-4,499 GRAMS	3,134	-	4	16	26	37	80	757	1,161	758	241	30	3	-	2
4500 GRAMS OR MORE	182	-	-	-	-	3	3	41	65	51	17	2	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	180	2	-	1	1	4	1	33	73	43	13	2	-	-	3
UNDER 1,500 GRAMS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	1	-	-	-	2	1	1	1	-	-	-	-
2,500-3,499 GRAMS	87	1	-	-	1	1	-	18	39	19	6	1	-	-	1
3,500-4,499 GRAMS	81	1	-	-	-	3	1	11	33	22	7	1	-	-	2
4500 GRAMS OR MORE	5	-	-	-	-	-	-	2	1	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-20 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1985
(BY PLACE OF RESIDENCE)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YOLO	1,930	3	11	24	38	48	94	385	601	380	123	22	1	-	-
HISPANIC	438	2	7	5	17	13	27	144	132	65	22	4	-	-	-
UNDER 1,500 GRAMS	4	-	-	-	2	-	-	1	-	1	-	-	-	-	-
1,500-2,499 GRAMS	19	-	-	3	-	-	1	6	6	2	1	-	-	-	-
2,500-3,499 GRAMS	213	2	4	1	8	7	15	73	58	27	15	1	-	-	-
3,500-4,499 GRAMS	192	-	3	1	7	6	11	60	65	32	5	2	-	-	-
4500 GRAMS OR MORE	10	-	-	-	-	-	-	2	3	3	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,473	1	4	19	19	33	67	433	462	313	101	18	1	-	-
UNDER 1,500 GRAMS	11	-	-	-	1	-	-	6	1	-	2	1	-	-	-
1,500-2,499 GRAMS	83	-	-	-	5	1	3	21	28	18	7	-	-	-	-
2,500-3,499 GRAMS	669	1	1	14	5	17	44	216	198	127	39	7	-	-	-
3,500-4,499 GRAMS	655	-	3	5	8	17	20	181	216	146	48	10	1	-	-
4500 GRAMS OR MORE	55	-	-	-	-	-	-	9	19	22	5	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	19	-	-	-	2	-	-	8	7	2	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	11	-	-	-	1	-	-	3	3	1	-	-	-	-	-
3,500-4,499 GRAMS	8	-	-	-	1	-	-	2	4	1	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YUBA	1,074	1	6	29	37	38	53	443	319	111	31	4	-	-	-
HISPANIC	107	-	2	2	6	3	8	40	27	14	5	-	-	-	-
UNDER 1,500 GRAMS	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	7	-	-	-	-	-	-	2	3	2	-	-	-	-	-
2,500-3,499 GRAMS	51	-	-	2	3	-	4	26	11	5	-	-	-	-	-
3,500-4,499 GRAMS	44	-	1	-	3	1	4	12	13	7	3	-	-	-	-
4500 GRAMS OR MORE	3	-	-	-	-	1	-	-	-	-	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	962	1	4	27	31	35	47	398	292	97	26	4	-	-	-
UNDER 1,500 GRAMS	8	-	-	2	1	-	-	4	1	-	-	-	-	-	-
1,500-2,499 GRAMS	43	-	1	3	1	2	4	18	9	5	2	-	-	-	-
2,500-3,499 GRAMS	300	-	3	12	18	18	24	206	133	54	12	-	-	-	-
3,500-4,499 GRAMS	391	1	-	10	10	14	18	162	124	37	11	4	-	-	-
4500 GRAMS OR MORE	18	-	-	-	1	1	1	8	5	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	5	-	-	-	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2,500-3,499 GRAMS	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
3,500-4,499 GRAMS	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

Table 2-21

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND AGE OF MOTHER CALIFORNIA, 1985

(By place of residence)

MONTH OF PREGNANCY PRENATAL CARE BEGAN	TOTAL	AGE OF MOTHER							
		Under 15	15-17	18-19	20-24	25-29	30-34	35 and Older	Unknown
TOTAL	470,816	890	17,507	32,858	136,985	149,523	94,067	38,771	215
First Trimester	348,589	316	8,898	18,781	94,945	118,174	76,696	30,706	73
First Month	78,848	41	1,271	2,954	19,052	27,777	19,775	7,960	18
Second Month	170,291	134	3,641	8,145	45,078	59,726	38,431	15,100	36
Third Month	99,450	141	3,986	7,682	30,815	30,671	18,490	7,646	19
Second Trimester	87,149	377	6,226	10,294	30,436	22,298	12,057	5,436	25
Fourth Month	45,979	134	2,861	4,929	15,746	12,521	6,790	2,988	10
Fifth Month	25,827	123	2,032	3,322	9,212	6,215	3,363	1,550	10
Sixth Month	15,343	120	1,333	2,043	5,478	3,562	1,904	898	5
Third Trimester	18,140	110	1,432	2,240	6,462	4,340	2,410	1,139	7
Seventh Month	9,922	60	823	1,251	3,603	2,309	1,277	595	4
Eighth Month	5,412	34	424	680	1,860	1,315	740	358	1
Ninth Month	2,806	16	185	309	999	716	393	186	2
No Prenatal Care	6,771	54	511	816	2,230	1,660	955	519	26
Unknown	10,167	33	440	727	2,912	3,051	1,949	971	84

Source: State of California, Department of Health Services, Birth Records.

TABLE 2-22

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

TRIMESTER PRENATAL CARE BEGAN AND AGE OF MOTHER, CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND TRIMESTER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	470,816	890	2,554	5,630	9,323	13,824	19,034	136,985	149,523	94,067	33,578	4,953	220	20	215
AMEPICAN INDIAN	5,714	12	62	89	173	257	326	2,057	1,565	829	292	51	-	-	1
FIRST TRIMESTER	3,967	4	33	44	85	144	188	1,383	1,179	643	225	36	-	-	1
SECOND TRIMESTER	1,283	4	19	36	64	84	100	503	284	134	45	10	-	-	-
THIPD TRIMESTER	288	1	7	5	17	21	24	106	60	34	12	1	-	-	-
NO PRENATAL CARE	78	2	1	2	5	5	5	23	19	7	7	2	-	-	-
NOT STATED	96	1	2	2	2	3	9	42	23	9	3	2	-	-	-
BLACK	46,137	257	551	1,032	1,569	2,113	2,803	15,633	13,069	6,559	2,236	282	12	-	21
FIRST TRIMESTER	31,114	76	230	500	833	1,145	1,605	10,263	9,396	4,941	1,694	212	6	-	13
SECOND TRIMESTER	10,940	120	205	385	553	726	849	3,920	2,572	1,186	386	50	4	-	4
THIPD TRIMESTER	2,226	33	75	95	104	147	215	812	456	205	77	6	1	-	-
NO PRENATAL CARE	811	19	29	22	33	51	66	280	188	86	34	2	1	-	-
NOT STATED	1,026	9	12	30	46	44	68	358	257	141	45	12	-	-	4
CAMBODIAN	2,121	-	5	12	30	50	59	483	631	463	238	126	21	1	2
FIRST TRIMESTER	1,075	-	1	7	15	22	29	239	316	257	117	62	10	-	-
SECOND TRIMESTER	628	-	2	5	7	15	18	141	213	107	74	40	6	-	-
THIPD TRIMESTER	152	-	1	-	3	6	2	43	33	35	19	9	-	1	-
NO PRENATAL CARE	77	-	1	-	1	4	5	14	19	18	10	2	2	-	1
NOT STATED	189	-	-	-	4	3	5	46	50	46	18	13	3	-	1
CHINESE	8,513	1	1	7	15	25	31	761	3,045	3,261	1,248	113	4	1	-
FIRST TRIMESTER	7,127	1	1	3	7	12	20	595	2,530	2,775	1,097	84	2	-	-
SECOND TRIMESTER	816	-	-	3	5	12	7	104	287	292	86	17	2	1	-
THIPD TRIMESTER	180	-	-	1	1	1	3	16	64	67	24	3	-	-	-
NO PRENATAL CARE	92	-	-	-	1	-	1	13	37	31	5	4	-	-	-
NOT STATED	298	-	-	-	1	-	-	33	127	96	36	5	-	-	-
ESKIMO/ALEUT	32		1	1	2	1	2	12	7	5	1	-	-	-	-
FIRST TRIMESTER	14		-	-	1	-	-	4	5	3	1	-	-	-	-
SECOND TRIMESTER	12		-	-	1	1	2	6	1	1	-	-	-	-	-
THIPD TRIMESTER	3	-	-	1	-	-	-	2	-	-	-	-	-	-	-
NO PRENATAL CARE	3	-	1	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	12,672	13	31	65	122	217	245	2,526	4,137	3,535	1,357	213	7	1	3
FIRST TRIMESTER	9,778	3	9	28	51	116	143	1,791	3,282	2,895	1,286	168	3	1	2
SECOND TRIMESTER	2,141	8	15	30	60	74	83	547	631	463	197	31	2	-	-
THIPD TRIMESTER	436	2	4	3	8	19	12	111	130	98	40	6	1	-	-
NO PRENATAL CARE	103	-	2	1	2	6	5	24	27	25	9	2	-	-	-
NOT STATED	214	-	1	1	1	2	2	53	67	54	23	6	1	-	1
INDIAN (INDIA)	1,935	-	1	2	6	7	19	439	784	505	160	11	-	-	1
FIRST TRIMESTER	1,585	-	1	-	6	4	10	336	653	429	136	10	-	-	-
SECOND TRIMESTER	234	-	-	2	-	1	8	71	87	46	18	1	-	-	-
THIPD TRIMESTER	39	-	-	-	-	2	1	13	7	12	2	-	-	-	-
NO PRENATAL CARE	16	-	-	-	-	-	-	5	10	-	-	-	-	-	1
NOT STATED	61	-	-	-	-	-	-	12	27	18	4	-	-	-	-
JAPANESE	4,155	3	6	10	22	42	44	591	1,394	1,433	365	44	-	-	1
FIRST TRIMESTER	3,541	2	3	2	10	26	30	448	1,218	1,265	300	36	-	-	1
SECOND TRIMESTER	432	-	2	5	6	12	10	105	132	121	34	5	-	-	-
THIPD TRIMESTER	72	1	-	3	4	2	-	22	17	15	7	1	-	-	-
NO PRENATAL CARE	26	-	1	-	1	2	1	2	10	5	4	-	-	-	-
NOT STATED	84	-	-	-	1	-	3	14	17	27	20	2	-	-	-

TABLE 2-22 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
TRIMESTER PRENATAL CARE BEGAN AND AGE OF MOTHER, CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND TRIMESTER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	470,816	890	2,554	5,630	9,323	13,824	19,034	136,985	149,523	94,067	33,578	4,953	220	20	215
KOREAN	3,658	1	-	5	8	16	17	516	1,829	998	237	28	-	-	3
FIRST TRIMESTER	2,850	1	-	1	6	7	10	383	1,455	782	183	19	-	-	1
SECOND TRIMESTER	496	-	-	1	2	7	6	81	238	120	34	6	-	-	1
THIRD TRIMESTER	130	-	-	2	-	-	1	28	55	34	8	2	-	-	-
NO PRENATAL CARE	32	-	-	1	-	-	-	6	13	9	3	-	-	-	-
NOT STATED	150	-	-	-	-	2	-	16	68	53	9	1	-	-	1
PACIFIC ISLANDER	3,313	2	21	38	74	105	148	1,170	1,024	498	201	27	2	1	2
FIRST TRIMESTER	1,934	1	9	19	28	45	77	637	650	327	122	18	-	-	1
SECOND TRIMESTER	879	1	8	14	34	42	50	365	213	103	43	5	1	-	-
THIRD TRIMESTER	330	-	4	4	9	13	12	115	99	46	26	1	-	1	-
NO PRENATAL CARE	94	-	-	-	1	3	5	31	32	13	6	2	-	-	1
NOT STATED	76	-	-	1	2	2	4	22	30	9	4	1	1	-	-
THAI	658	1	2	5	4	8	9	74	165	239	131	20	-	-	-
FIRST TRIMESTER	498	1	1	2	2	3	3	54	125	187	106	14	-	-	-
SECOND TRIMESTER	106	-	1	1	-	4	5	17	25	33	14	6	-	-	-
THIRD TRIMESTER	19	-	-	-	-	1	-	2	5	8	3	-	-	-	-
NO PRENATAL CARE	13	-	-	1	1	-	-	1	5	4	1	-	-	-	-
NOT STATED	22	-	-	1	1	-	1	-	5	7	7	-	-	-	-
VIETNAMESE	4,938	3	6	20	41	74	107	1,120	1,696	1,284	470	102	13	1	3
FIRST TRIMESTER	3,431	2	1	9	16	31	57	737	1,227	929	345	68	6	1	2
SECOND TRIMESTER	900	-	1	7	12	33	34	247	284	106	69	22	5	-	-
THIRD TRIMESTER	224	-	2	1	9	5	10	54	71	51	18	3	-	-	-
NO PRENATAL CARE	117	1	-	2	3	1	2	26	28	40	9	4	1	-	-
NOT STATED	266	-	2	1	1	4	4	56	84	78	29	5	1	-	1
WHITE	369,285	568	1,817	4,248	7,104	10,705	14,970	109,612	117,919	72,773	25,560	3,776	123	6	102
FIRST TRIMESTER	276,739	214	807	2,145	3,844	5,916	8,898	76,858	94,354	60,095	20,709	2,773	79	2	45
SECOND TRIMESTER	66,667	233	724	1,541	2,370	3,499	4,470	23,848	16,929	8,972	3,381	651	29	1	19
THIRD TRIMESTER	13,709	70	174	336	536	763	952	5,036	3,254	1,750	661	163	9	-	5
NO PRENATAL CARE	5,143	32	64	128	191	291	353	1,768	1,239	686	303	77	1	2	6
NOT STATED	7,027	19	48	98	163	236	297	2,102	2,143	1,270	506	112	7	1	25
OTHER ASIAN	4,952	21	43	76	106	158	187	1,377	1,389	1,014	408	118	36	9	10
FIRST TRIMESTER	3,044	8	20	34	53	76	109	807	941	661	257	62	14	1	1
SECOND TRIMESTER	1,187	9	13	29	41	54	47	369	278	217	87	23	13	6	1
THIRD TRIMESTER	236	2	4	5	5	12	12	71	57	38	16	8	4	1	1
NO PRENATAL CARE	98	-	4	4	3	6	2	23	20	18	10	5	-	-	1
NOT STATED	387	2	2	4	4	10	17	103	93	80	38	20	3	1	6
OTHER	707	3	-	3	15	15	22	195	259	141	45	8	-	-	1
FIRST TRIMESTER	514	2	-	2	8	7	14	133	190	119	34	4	-	-	1
SECOND TRIMESTER	131	1	-	1	4	7	6	40	47	14	8	3	-	-	-
THIRD TRIMESTER	29	-	-	-	3	1	1	8	12	4	-	-	-	-	-
NO PRENATAL CARE	12	-	-	-	-	-	1	3	3	3	2	-	-	-	-
NOT STATED	21	-	-	-	-	-	-	11	7	1	1	1	-	-	-
NOT STATED	2,026	5	7	17	32	31	45	419	612	530	229	34	-	-	65
FIRST TRIMESTER	1,378	1	-	9	12	16	18	275	453	386	179	24	-	-	5
SECOND TRIMESTER	277	1	5	3	9	11	17	72	77	62	18	2	-	-	-
THIRD TRIMESTER	67	1	-	1	3	1	1	21	20	13	4	1	-	-	1
NO PRENATAL CARE	56	-	1	1	3	1	-	9	9	9	7	2	-	-	14
NOT STATED	248	2	1	3	5	2	9	42	53	60	21	5	-	-	45

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-23

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
TRIMESTER PRENATAL CARE BEGAN AND AGE OF MOTHER, CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND TRIMESTER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	470,816	890	2,554	5,630	9,323	13,824	19,034	136,985	149,523	94,067	33,578	4,953	220	20	215
HISPANIC	149,191	423	1,194	2,658	4,289	6,065	7,959	49,517	42,685	23,537	9,055	1,771	69	5	41
CUBAN	856	-	-	4	7	7	34	293	296	155	48	10	2	-	-
FIRST TRIMESTER	704	-	-	2	4	5	24	231	249	139	40	9	1	-	-
SECOND TRIMESTER	103	-	-	2	3	2	8	43	32	8	3	1	1	-	-
THIRD TRIMESTER	25	-	-	-	-	-	1	11	9	4	-	-	-	-	-
NO PRENATAL CARE	4	-	-	-	-	-	-	1	-	1	2	-	-	-	-
NOT STATED	20	-	-	-	-	-	1	7	6	3	3	-	-	-	-
MEXICAN	129,479	392	1,120	2,466	3,886	5,553	7,178	43,531	36,338	19,756	7,617	1,538	63	5	36
FIRST TRIMESTER	82,376	151	498	1,233	1,991	2,884	3,991	27,012	24,876	13,659	5,091	924	31	1	14
SECOND TRIMESTER	32,868	137	442	893	1,337	1,901	2,248	11,484	7,955	4,290	1,744	388	20	1	8
THIRD TRIMESTER	7,695	49	103	199	331	438	535	2,859	1,867	993	403	107	7	-	4
NO PRENATAL CARE	3,282	22	45	85	130	201	244	1,167	762	377	188	55	1	2	3
NOT STATED	3,058	13	32	56	97	129	160	989	878	437	191	64	4	1	7
PUERTO RICAN	1,638	2	9	33	45	69	104	538	470	264	96	8	-	-	-
FIRST TRIMESTER	1,222	-	5	16	27	38	64	396	389	211	70	6	-	-	-
SECOND TRIMESTER	289	2	1	14	11	19	28	100	58	37	17	2	-	-	-
THIRD TRIMESTER	69	-	1	1	6	6	8	23	10	11	3	-	-	-	-
NO PRENATAL CARE	22	-	1	1	1	4	-	7	6	1	1	-	-	-	-
NOT STATED	36	-	1	1	-	2	4	12	7	4	3	-	-	-	-
OTHER HISPANIC	17,218	29	65	155	271	439	643	3,155	3,581	3,362	1,294	215	4	-	3
FIRST TRIMESTER	11,154	12	28	68	135	224	359	3,132	3,632	2,321	898	140	2	-	3
SECOND TRIMESTER	4,287	13	28	57	92	142	203	1,412	1,253	744	290	51	2	-	-
THIRD TRIMESTER	911	1	6	17	25	43	50	327	249	139	47	7	-	-	-
NO PRENATAL CARE	381	2	1	9	10	13	18	140	95	61	25	6	-	-	1
NOT STATED	485	1	2	4	9	17	13	144	152	97	34	11	-	-	1
NON-HISPANIC	317,458	455	1,335	2,926	5,038	7,672	10,949	86,342	103,525	69,645	24,170	3,135	151	15	100
FIRST TRIMESTER	230,225	151	376	1,461	2,788	4,377	6,715	63,399	87,839	59,690	20,613	2,477	86	4	50
SECOND TRIMESTER	48,940	201	519	1,086	1,702	2,490	3,178	17,162	12,617	6,872	2,405	425	39	7	17
THIRD TRIMESTER	9,092	58	154	239	333	504	646	3,177	2,172	1,247	459	90	8	3	2
NO PRENATAL CARE	2,986	29	55	64	100	148	184	895	781	496	184	39	4	-	7
NOT STATED	6,215	16	31	76	115	153	226	1,690	1,916	1,340	509	104	14	1	24
NOT STATED	4,167	12	25	46	76	84	126	1,126	1,313	885	353	47	-	-	74
FIRST TRIMESTER	2,908	2	9	25	32	42	58	756	989	676	279	34	-	-	6
SECOND TRIMESTER	662	4	5	11	23	28	47	215	183	106	35	5	-	-	-
THIRD TRIMESTER	148	2	7	3	7	3	6	65	33	16	5	-	-	-	1
NO PRENATAL CARE	96	1	2	3	4	4	-	20	16	19	10	2	-	-	15
NOT STATED	353	3	2	4	10	7	15	70	92	68	24	6	-	-	32

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-24

LIVE BIRTHS BY BIRTHWEIGHT, TRIMESTER PRENATAL CARE BEGAN AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND PRENATAL CARE BEGAN	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL LIVE BIRTHS	470,816	5,714	46,137	2,121	8,513	32	12,672	1,935	4,155
UNDER 1,500 GRAMS	5,123	56	1,140	22	52	-	108	25	30
FIRST TRIMESTER	3,580	38	710	17	45	-	86	19	28
SECOND TRIMESTER	910	10	274	3	2	-	8	5	1
THIRD TRIMESTER	82	-	27	-	-	-	2	-	-
NO PRENATAL CARE	294	6	82	2	1	-	4	-	-
NOT STATED	257	2	47	-	4	-	8	1	1
1,500-2,499 GRAMS	23,264	266	4,359	127	394	2	736	129	200
FIRST TRIMESTER	15,987	176	2,709	57	345	1	547	113	161
SECOND TRIMESTER	4,832	67	1,111	44	25	-	128	11	20
THIRD TRIMESTER	1,043	14	241	10	4	-	31	4	4
NO PRENATAL CARE	732	5	158	6	3	1	13	-	6
NOT STATED	670	4	140	10	17	-	17	1	9
2,500-3,499 GRAMS	241,825	2,840	27,423	1,485	5,328	15	8,005	1,254	2,308
FIRST TRIMESTER	175,372	1,948	18,257	741	4,442	5	6,152	1,010	2,127
SECOND TRIMESTER	46,989	665	6,723	433	521	9	1,374	167	265
THIRD TRIMESTER	10,259	143	1,387	108	116	1	281	23	56
NO PRENATAL CARE	3,730	40	452	55	55	-	63	12	14
NOT STATED	5,475	44	604	148	194	-	133	40	46
3,500-4,499 GRAMS	190,312	2,403	12,659	473	2,662	14	3,711	504	1,368
FIRST TRIMESTER	145,756	1,700	9,015	250	2,233	7	2,909	426	1,178
SECOND TRIMESTER	32,714	510	2,756	146	262	3	613	46	144
THIRD TRIMESTER	6,433	123	548	34	58	2	116	10	12
NO PRENATAL CARE	1,674	24	116	13	32	2	22	3	6
NOT STATED	3,535	46	224	30	77	-	51	19	28
4,500 GRAMS OR MORE	9,946	147	517	8	75	1	110	19	47
FIRST TRIMESTER	7,707	103	400	7	61	1	82	14	46
SECOND TRIMESTER	1,646	31	92	1	6	-	18	3	1
THIRD TRIMESTER	309	8	20	-	2	-	6	-	-
NO PRENATAL CARE	108	2	-	-	1	-	1	-	-
NOT STATED	176	1	5	-	5	-	3	-	-
NOT STATED	346	2	39	6	2	-	2	4	2
FIRST TRIMESTER	187	-	23	3	1	-	2	3	1
SECOND TRIMESTER	58	-	4	1	-	-	-	-	1
THIRD TRIMESTER	14	-	3	-	-	-	-	-	-
NO PRENATAL CARE	33	1	3	1	-	-	-	1	-
NOT STATED	54	1	6	1	1	-	-	-	-

TABLE 2-24 (CONTINUED)

LIVE BIRTHS BY BIRTHWEIGHT, TRIMESTER PRENATAL CARE BEGAN AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND PRENATAL CARE BEGAN	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL LIVE BIRTHS	470,816	3,658	3,313	658	4,936	369,285	4,952	707	2,026
UNDER 1,500 GRAMS	5,123	34	41	13	36	3,461	43	6	56
FIRST TRIMESTER	3,580	23	26	10	24	2,493	31	4	26
SECOND TRIMESTER	910	5	8	2	6	576	6	1	3
THIRD TRIMESTER	82	2	2	-	2	45	2	-	-
NO PRENATAL CARE	294	2	4	1	-	186	1	-	5
NOT STATED	257	2	1	-	4	161	3	1	22
1,500-2,499 GRAMS	23,264	115	147	27	238	16,110	272	48	94
FIRST TRIMESTER	15,987	81	83	18	157	11,276	169	36	58
SECOND TRIMESTER	4,832	22	43	5	39	3,243	56	9	9
THIRD TRIMESTER	1,043	9	10	1	14	683	17	1	-
NO PRENATAL CARE	732	-	8	2	8	499	13	1	9
NOT STATED	670	3	3	1	20	409	17	1	18
2,500-3,499 GRAMS	241,825	2,135	1,601	414	3,409	180,826	3,172	414	996
FIRST TRIMESTER	175,372	1,683	982	304	2,380	132,458	1,918	297	668
SECOND TRIMESTER	46,989	280	417	74	623	34,430	781	80	147
THIRD TRIMESTER	10,259	64	130	10	153	7,573	158	15	39
NO PRENATAL CARE	3,730	14	38	8	82	2,805	55	10	27
NOT STATED	5,475	94	34	18	171	3,560	260	12	115
3,500-4,499 GRAMS	190,312	1,318	1,416	201	1,224	159,894	1,412	233	820
FIRST TRIMESTER	145,756	1,022	793	164	845	123,559	896	172	587
SECOND TRIMESTER	32,714	181	377	25	229	26,939	328	40	115
THIRD TRIMESTER	6,433	50	170	7	35	5,149	58	13	28
NO PRENATAL CARE	1,874	15	39	2	26	1,532	29	1	12
NOT STATED	3,535	50	37	3	69	2,715	101	7	78
4,500 GRAMS OR MORE	9,946	56	105	3	30	8,727	30	5	46
FIRST TRIMESTER	7,707	41	48	2	24	6,806	28	5	37
SECOND TRIMESTER	1,646	8	34	-	3	1,429	15	-	3
THIRD TRIMESTER	309	5	17	1	-	249	1	-	-
NO PRENATAL CARE	108	1	5	-	1	94	-	-	3
NOT STATED	176	1	1	-	2	149	6	-	3
NOT STATED	346	-	3	-	1	267	3	1	14
FIRST TRIMESTER	187	-	2	-	1	147	2	-	2
SECOND TRIMESTER	58	-	-	-	-	30	1	1	-
THIRD TRIMESTER	14	-	1	-	-	10	-	-	-
NO PRENATAL CARE	33	-	-	-	-	27	-	-	-
NOT STATED	54	-	-	-	-	33	-	-	12

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-25

LIVE BIRTHS BY BIRTHWEIGHT, TRIMESTER PRENATAL CARE BEGAN AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL LIVE BIRTHS	470,816	856	129,479	1,638	17,218	317,458	4,167
UNDER 1,500 GRAMS	5,123	7	1,242	19	165	3,614	76
FIRST TRIMESTER	3,580	5	786	15	109	2,633	32
SECOND TRIMESTER	910	1	270	3	36	593	7
THIRD TRIMESTER	82	-	23	-	4	55	-
NO PRENATAL CARE	294	-	105	-	6	170	13
NOT STATED	257	1	58	1	10	163	24
1,500-2,499 GRAMS	23,264	44	5,656	115	844	16,416	189
FIRST TRIMESTER	15,987	32	3,402	82	540	11,815	116
SECOND TRIMESTER	4,832	7	1,474	24	214	3,088	25
THIRD TRIMESTER	1,043	3	319	5	32	676	8
NO PRENATAL CARE	732	-	278	-	31	408	15
NOT STATED	670	2	183	4	27	429	25
2,500-3,499 GRAMS	241,825	405	66,538	904	9,472	162,395	2,111
FIRST TRIMESTER	175,372	330	41,494	654	5,980	125,473	1,441
SECOND TRIMESTER	46,989	50	17,249	167	2,457	26,703	363
THIRD TRIMESTER	10,259	12	4,359	44	542	5,217	65
NO PRENATAL CARE	3,730	3	1,834	17	224	1,609	43
NOT STATED	5,475	10	1,602	22	269	3,393	179
3,500-4,499 GRAMS	190,312	384	53,224	579	6,447	127,993	1,685
FIRST TRIMESTER	145,736	324	34,895	434	4,328	104,500	1,255
SECOND TRIMESTER	32,714	43	13,154	93	1,519	17,657	248
THIRD TRIMESTER	6,433	10	3,039	20	318	2,994	52
NO PRENATAL CARE	1,874	1	995	4	110	742	22
NOT STATED	3,535	6	1,141	8	172	2,100	109
4,500 GRAMS OR MORE	9,946	14	2,705	18	272	6,856	81
FIRST TRIMESTER	7,707	12	1,750	14	187	5,687	57
SECOND TRIMESTER	1,646	1	693	2	56	876	16
THIRD TRIMESTER	309	-	149	-	13	145	2
NO PRENATAL CARE	108	-	52	1	9	43	3
NOT STATED	176	1	61	1	5	105	3
NOT STATED	346	2	114	3	18	184	25
FIRST TRIMESTER	187	1	49	3	10	117	7
SECOND TRIMESTER	58	1	28	-	3	23	3
THIRD TRIMESTER	14	-	6	-	2	5	1
NO PRENATAL CARE	33	-	18	-	1	14	-
NOT STATED	54	-	13	-	2	25	14

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-26

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985,
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY OF CHILD	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL RACES	470,616	229,643	240,973	461,305	225,058	236,247	9,309	4,680	4,629	183	95	88	19	10	9	-	-	-
AMERICAN INDIAN	5,714	2,848	2,866	5,619	2,808	2,811	93	39	54	2	1	1	-	-	-	-	-	-
BLACK	46,137	22,907	23,230	45,033	22,328	22,705	1,081	562	519	23	17	6	-	-	-	-	-	-
CAMBODIAN	2,121	1,018	1,103	2,074	994	1,080	44	22	22	3	2	1	-	-	-	-	-	-
CHINESE	8,513	4,081	4,432	8,366	4,012	4,354	147	69	78	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	32	15	17	32	15	17	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	12,672	6,141	6,531	12,493	6,049	6,444	176	92	84	3	-	3	-	-	-	-	-	-
INDIAN (INDIA)	1,935	902	1,033	1,893	886	1,007	42	16	26	-	-	-	-	-	-	-	-	-
JAPANESE	4,155	2,005	2,150	4,086	1,977	2,109	69	28	41	-	-	-	-	-	-	-	-	-
KOREAN	3,658	1,773	1,885	3,586	1,737	1,849	72	36	36	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3,313	1,643	1,670	3,249	1,610	1,639	64	33	31	-	-	-	-	-	-	-	-	-
THAI	658	342	316	646	336	310	12	6	6	-	-	-	-	-	-	-	-	-
VIETNAMESE	4,938	2,352	2,586	4,875	2,331	2,544	57	18	39	6	3	3	-	-	-	-	-	-
WHITE	369,285	180,049	189,236	361,805	176,278	185,527	7,315	3,689	3,626	146	72	74	19	10	9	-	-	-
OTHER ASIAN	4,952	2,464	2,488	4,878	2,432	2,446	74	32	42	-	-	-	-	-	-	-	-	-
OTHER	707	331	376	697	325	372	10	6	4	-	-	-	-	-	-	-	-	-
NOT STATED	2,026	972	1,054	1,973	940	1,033	53	32	21	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-27

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985,
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL ORIGINS	470,816	229,843	240,973	461,305	225,058	236,247	9,309	4,680	4,629	183	93	88	19	10	9	-	-	-
CUBAN	856	417	439	842	412	430	14	5	9	-	-	-	-	-	-	-	-	-
MEXICAN	129,479	63,325	66,154	127,061	62,085	64,976	2,376	1,220	1,156	42	20	22	-	-	-	-	-	-
PUERTO RICAN	1,638	813	825	1,603	797	806	35	16	19	-	-	-	-	-	-	-	-	-
OTHER SPANISH/ HISPANIC	17,218	8,432	8,786	16,944	8,290	8,654	270	138	132	4	4	-	-	-	-	-	-	-
NOT SPANISH/ HISPANIC	317,458	154,841	162,617	310,776	151,508	159,268	6,326	3,232	3,274	137	71	66	19	10	9	-	-	-
NOT STATED	4,167	2,013	2,152	4,079	1,966	2,113	88	49	39	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

Table 2-28

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
Live Births, Total[1]	3,486	50	249	35	67	21	12	2,902	138	12
Male	1,978	27	135	23	40	15	6	1,646	79	7
Female	1,508	23	114	12	27	6	6	1,256	59	5
Congenital Anomalies, Total[2,3]	4,216	55	298	46	77	24	12	3,515	170	19
Male	2,372	29	173	30	44	16	6	1,964	96	14
Female	1,844	26	125	16	33	8	6	1,551	74	5
01	85	-	3	-	2	1	1	72	6	-
Male	40	-	2	-	2	1	-	30	5	-
Female	45	-	1	-	-	-	1	42	1	-
02	75	2	4	2	-	-	-	65	2	-
Male	40	1	1	2	-	-	-	34	2	-
Female	35	1	3	-	-	-	-	31	-	-
03	40	-	3	1	-	-	-	36	-	-
Male	20	-	1	1	-	-	-	18	-	-
Female	20	-	2	-	-	-	-	18	-	-
04	47	1	1	1	-	-	-	44	-	-
Male	17	-	1	1	-	-	-	15	-	-
Female	30	1	-	-	-	-	-	29	-	-
05	108	-	9	-	4	-	-	92	3	-
Male	68	-	7	-	3	-	-	56	2	-
Female	40	-	2	-	1	-	-	36	1	-

Table 2-28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
06	83	-	5	-	-	-	-	75	1	2
Male	44	-	4	-	-	-	-	37	1	2
Female	39	-	1	-	-	-	-	38	-	-
07	25	-	7	-	-	-	-	17	1	-
Male	12	-	2	-	-	-	-	10	-	-
Female	13	-	5	-	-	-	-	7	1	-
08	61	-	8	-	-	-	-	51	1	1
Male	37	-	8	-	-	-	-	28	-	1
Female	24	-	-	-	-	-	-	23	1	-
09	47	1	4	1	-	1	-	39	1	-
Male	25	1	2	1	-	-	-	21	-	-
Female	22	-	2	-	-	1	-	18	1	-
10	50	-	3	-	-	-	1	41	4	1
Male	22	-	2	-	-	-	-	18	1	1
Female	28	-	1	-	-	-	1	23	3	-
11	16	-	2	-	-	-	-	12	1	1
Male	8	-	1	-	-	-	-	6	-	1
Female	8	-	1	-	-	-	-	6	1	-
12	157	2	8	3	4	3	-	131	6	-
Male	89	-	3	2	3	3	-	77	1	-
Female	68	2	5	1	1	-	-	54	5	-

Table 2-28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
13	12	-	2	-	-	-	-	10	-	-
Male	7	-	1	-	-	-	-	6	-	-
Female	5	-	1	-	-	-	-	4	-	-
14	40	-	-	-	2	-	-	33	4	1
Male	33	-	-	-	2	-	-	26	4	1
Female	7	-	-	-	-	-	-	7	-	-
15	13	-	-	-	-	-	-	13	-	-
Male	6	-	-	-	-	-	-	6	-	-
Female	7	-	-	-	-	-	-	7	-	-
16	49	2	3	-	2	-	-	41	1	-
Male	16	1	1	-	-	-	-	13	1	-
Female	33	1	2	-	2	-	-	28	-	-
17	10	-	1	-	-	-	-	9	-	-
Male	2	-	-	-	-	-	-	2	-	-
Female	8	-	1	-	-	-	-	7	-	-
18	8	-	-	-	-	-	-	7	1	-
Male	3	-	-	-	-	-	-	2	1	-
Female	5	-	-	-	-	-	-	5	-	-
19	11	-	1	1	-	-	-	9	-	-
Male	6	-	1	-	-	-	-	5	-	-
Female	5	-	-	1	-	-	-	4	-	-

Table 2-28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
20	24	-	1	-	1	-	-	22	-	-
Male	12	-	1	-	1	-	-	10	-	-
Female	12	-	-	-	-	-	-	12	-	-
21	28	1	3	1	1	1	-	19	1	1
Male	10	1	1	-	-	-	-	7	1	-
Female	18	-	2	1	1	1	-	12	-	1
22	10	-	-	-	-	-	-	8	2	-
Male	9	-	-	-	-	-	-	7	2	-
Female	1	-	-	-	-	-	-	1	-	-
23	214	6	7	4	5	1	1	180	9	1
Male	109	4	5	3	3	-	-	89	5	-
Female	105	2	2	1	2	1	1	91	4	1
24	4	-	-	-	-	-	-	4	-	-
Male	2	-	-	-	-	-	-	2	-	-
Female	2	-	-	-	-	-	-	2	-	-
25	39	1	1	2	-	1	-	31	2	1
Male	22	-	-	2	-	-	-	17	2	1
Female	17	1	1	-	-	1	-	14	-	-
26	330	9	28	3	5	1	1	272	10	1
Male	195	5	18	2	4	-	-	158	7	1
Female	135	4	10	1	1	1	1	114	3	-

Table 2-28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
27	123	1	5	2	1	1	-	104	8	1
Male	63	1	4	1	1	1	-	52	2	1
Female	60	-	1	1	-	-	-	52	6	-
28	83	-	3	-	4	-	-	73	3	-
Male	56	-	2	-	2	-	-	50	2	-
Female	27	-	1	-	2	-	-	23	1	-
29	124	2	4	-	5	-	-	107	6	-
Male	70	1	4	-	3	-	-	61	1	-
Female	54	1	-	-	2	-	-	46	5	-
30	32	1	1	1	-	-	-	28	1	-
Male	11	-	-	1	-	-	-	10	-	-
Female	21	1	1	-	-	-	-	18	1	-
31	36	-	3	-	3	1	-	26	3	-
Male	20	-	1	-	1	1	-	15	2	-
Female	16	-	2	-	2	-	-	11	1	-
32	130	1	10	2	5	2	-	106	3	1
Male	68	1	6	1	3	2	-	53	1	1
Female	62	-	4	1	2	-	-	53	2	-
33	125	-	8	2	1	-	1	111	2	-
Male	125	-	8	2	1	-	1	111	2	-
Female	-	-	-	-	-	-	-	-	-	-

Table 2-28 Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
34	23	-	-	-	1	-	-	21	1	-
Male	12	-	-	-	-	-	-	11	1	-
Female	11	-	-	-	1	-	-	10	-	-
35	17	-	2	-	-	-	-	15	-	-
Male	11	-	1	-	-	-	-	10	-	-
Female	6	-	1	-	-	-	-	5	-	-
36	23	2	1	-	-	-	-	19	-	1
Male	12	1	-	-	-	-	-	10	-	1
Female	11	1	1	-	-	-	-	9	-	-
37	10	-	-	-	-	-	-	10	-	-
Male	8	-	-	-	-	-	-	8	-	-
Female	2	-	-	-	-	-	-	2	-	-
38	6	-	-	1	-	-	-	5	-	-
Male	2	-	-	-	-	-	-	2	-	-
Female	4	-	-	1	-	-	-	3	-	-
39	199	2	8	1	3	1	2	175	7	-
Male	178	2	6	-	2	1	2	159	6	-
Female	21	-	2	1	1	-	-	16	1	-
40	88	-	3	-	-	-	-	83	2	-
Male	32	-	2	-	-	-	-	30	-	-
Female	56	-	1	-	-	-	-	53	2	-

Table 2-28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
41	165	3	10	-	-	2	1	140	8	1
Male	103	2	6	-	-	2	-	88	4	1
Female	62	1	4	-	-	-	1	52	4	-
42	120	1	25	6	4	1	-	77	6	-
Male	62	1	10	3	2	-	-	44	2	-
Female	58	-	15	3	2	1	-	33	4	-
43	84	1	1	-	2	-	-	80	-	-
Male	48	-	1	-	1	-	-	46	-	-
Female	36	1	-	-	1	-	-	34	-	-
44	12	-	-	-	-	-	-	11	-	1
Male	8	-	-	-	-	-	-	7	-	1
Female	4	-	-	-	-	-	-	4	-	-
45	9	-	-	-	-	-	-	8	1	-
Male	5	-	-	-	-	-	-	5	-	-
Female	4	-	-	-	-	-	-	3	1	-
46	24	-	-	-	-	-	-	21	3	-
Male	12	-	-	-	-	-	-	9	3	-
Female	12	-	-	-	-	-	-	12	-	-
47	40	1	4	-	2	-	-	32	1	-
Male	26	1	3	-	1	-	-	21	-	-
Female	14	-	1	-	1	-	-	11	1	-

Table 2-28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
48	274	3	24	3	3	-	-	229	11	1
Male	132	3	12	1	-	-	-	110	5	1
Female	142	-	12	2	3	-	-	119	6	-
49	222	3	27	-	8	1	2	168	13	-
Male	111	-	14	-	6	1	1	81	8	-
Female	111	3	13	-	2	-	1	87	5	-
50	6	-	1	-	1	-	-	4	-	-
Male	1	-	1	-	-	-	-	-	-	-
Female	5	-	-	-	1	-	-	4	-	-
51	139	4	7	1	2	1	-	116	8	-
Male	64	2	3	1	1	1	-	52	4	-
Female	75	2	4	-	1	-	-	64	4	-
52	45	-	6	-	-	1	-	36	2	-
Male	19	-	5	-	-	1	-	13	-	-
Female	26	-	1	-	-	-	-	23	2	-
53	14	1	1	-	-	1	1	10	-	-
Male	6	-	1	-	-	1	1	3	-	-
Female	8	1	-	-	-	-	-	7	-	-
54	49	-	1	2	1	-	-	42	3	-
Male	25	-	1	2	-	-	-	19	3	-
Female	24	-	-	-	1	-	-	23	-	-

Table 2-28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
55	277	2	26	5	3	2	1	224	12	2
Male	156	-	13	3	2	1	1	129	7	-
Female	121	2	13	2	1	1	-	95	5	2
98	131	2	13	1	2	1	-	101	10	1
Male	72	1	7	1	-	-	-	55	8	-
Female	59	1	6	-	2	1	-	46	2	1
Unknown Congenital Anomalies[4]	3,034	108	226	15	46	18	12	2,465	115	29
Male	1,556	53	109	7	28	11	7	1,267	61	13
Female	1,478	55	117	8	18	7	5	1,198	54	16

1 All live births with at least one type of congenital anomaly.
2 Each type of congenital anomaly contains only those births with that anomaly.
3 See page 371 for definitions of congenital anomaly codes.
4 Birth records with "unknown congenital anomalies" include those that do not state whether or not there are congenital anomalies.

Note: Congenital anomalies which were not detected at the time of birth are not included in this table.

Source: State of California, Department of Health Services, Birth Records.

Table 2-29

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
Live Births, Total[1]	3,486	4	892	8	64	2,496	22
Male	1,978	3	514	5	38	1,406	12
Female	1,508	1	378	3	26	1,090	10
Congenital Anomalies, Total[2,3]	4,216	6	1,087	8	87	2,998	30
Male	2,372	3	610	5	53	1,681	20
Female	1,844	3	477	3	34	1,317	10
01	85	-	35	-	2	48	-
Male	40	-	14	-	-	26	-
Female	45	-	21	-	2	22	-
02	75	1	26	-	1	46	1
Male	40	1	14	-	1	23	1
Female	35	-	12	-	-	23	-
03	40	-	13	-	1	26	-
Male	20	-	7	-	-	13	-
Female	20	-	6	-	1	13	-
04	47	1	11	-	5	29	1
Male	17	1	5	-	-	10	1
Female	30	-	6	-	5	19	-
05	108	-	39	-	2	66	1
Male	68	-	24	-	2	41	1
Female	40	-	15	-	-	25	-

Table 2-29 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
06	83	-	22	-	3	56	2
Male	44	-	11	-	2	29	2
Female	39	-	11	-	1	27	-
07	25	-	7	-	1	17	-
Male	12	-	4	-	-	8	-
Female	13	-	3	-	1	9	-
08	61	-	24	-	1	35	1
Male	37	-	14	-	1	21	1
Female	24	-	10	-	-	14	-
09	47	-	12	-	3	32	-
Male	25	-	6	-	1	18	-
Female	22	-	6	-	2	14	-
10	50	-	14	-	2	32	2
Male	22	-	3	-	1	17	1
Female	28	-	11	-	1	15	1
11	16	-	5	-	1	10	-
Male	8	-	2	-	1	5	-
Female	8	-	3	-	-	5	-
12	157	-	49	-	7	101	-
Male	89	-	27	-	7	55	-
Female	68	-	22	-	-	46	-

Table 2-29 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985
(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
13	12	-	2	-	-	10	-
Male	7	-	1	-	-	6	-
Female	5	-	1	-	-	4	-
14	40	-	5	-	1	32	2
Male	33	-	5	-	1	25	2
Female	7	-	-	-	-	7	-
15	13	-	1	-	-	12	-
Male	6	-	-	-	-	6	-
Female	7	-	1	-	-	6	-
16	49	-	13	-	1	35	-
Male	16	-	5	-	1	10	-
Female	33	-	8	-	-	25	-
17	10	-	3	-	-	7	-
Male	2	-	-	-	-	2	-
Female	8	-	3	-	-	5	-
18	8	-	2	-	-	6	-
Male	3	-	-	-	-	3	-
Female	5	-	2	-	-	3	-
19	11	-	2	-	-	9	-
Male	6	-	2	-	-	4	-
Female	5	-	-	-	-	5	-

Table 2-29 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985
(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
20	24	-	9	-	1	14	-
Male	12	-	5	-	-	7	-
Female	12	-	4	-	1	7	-
21	28	-	7	-	-	20	1
Male	10	-	3	-	-	7	-
Female	18	-	4	-	-	13	1
22	10	-	4	-	-	6	-
Male	9	-	4	-	-	5	-
Female	1	-	-	-	-	1	-
23	214	-	49	-	1	162	2
Male	109	-	23	-	1	84	1
Female	105	-	26	-	-	78	1
24	4	-	1	-	-	3	-
Male	2	-	-	-	-	2	-
Female	2	-	1	-	-	1	-
25	39	-	7	-	2	29	1
Male	22	-	2	-	2	17	1
Female	17	-	5	-	-	12	-
26	330	-	100	1	3	224	2
Male	195	-	59	-	2	133	1
Female	135	-	41	1	1	91	1

Table 2-29 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
27	123	-	27	1	3	92	-
Male	63	-	13	1	2	47	-
Female	60	-	14	-	1	45	-
28	83	-	22	-	3	58	-
Male	56	-	14	-	3	39	-
Female	27	-	8	-	-	19	-
29	124	-	23	-	5	95	1
Male	70	-	11	-	5	53	1
Female	54	-	12	-	-	42	-
30	32	-	3	-	1	27	1
Male	11	-	1	-	-	9	1
Female	21	-	2	-	1	18	-
31	36	-	8	-	-	28	-
Male	20	-	3	-	-	17	-
Female	16	-	5	-	-	11	-
32	130	1	22	-	1	104	2
Male	68	-	11	-	-	56	1
Female	62	1	11	-	1	48	1
33	125	-	25	2	2	95	1
Male	125	-	25	2	2	95	1
Female	-	-	-	-	-	-	-

Table 2-29 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985
(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
34	23	-	13	-	1	9	-
Male	12	-	7	-	1	4	-
Female	11	-	6	-	-	5	-
35	17	-	2	-	-	15	-
Male	11	-	1	-	-	10	-
Female	6	-	1	-	-	5	-
36	23	-	3	-	-	20	-
Male	12	-	2	-	-	10	-
Female	11	-	1	-	-	10	-
37	10	-	2	-	-	8	-
Male	8	-	2	-	-	6	-
Female	2	-	-	-	-	2	-
38	6	-	1	-	-	5	-
Male	2	-	1	-	-	1	-
Female	4	-	-	-	-	4	-
39	199	-	58	-	5	136	-
Male	178	-	53	-	4	121	-
Female	21	-	5	-	1	15	-
40	88	-	24	-	1	63	-
Male	32	-	9	-	1	22	-
Female	56	-	15	-	-	41	-

Table 2-29 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
41	165	-	45	1	2	116	1
Male	103	-	28	1	1	72	1
Female	62	-	17	-	1	44	-
42	120	1	25	-	2	92	-
Male	62	1	15	-	1	45	-
Female	58	-	10	-	1	47	-
43	84	-	28	-	2	53	1
Male	48	-	14	-	2	32	-
Female	36	-	14	-	-	21	1
44	12	-	3	-	1	7	1
Male	8	-	1	-	-	6	1
Female	4	-	2	-	1	1	-
45	9	-	2	-	-	7	-
Male	5	-	2	-	-	3	-
Female	4	-	-	-	-	4	-
46	24	-	4	-	1	19	-
Male	12	-	2	-	-	10	-
Female	12	-	2	-	1	9	-
47	40	-	9	-	3	28	-
Male	26	-	5	-	2	19	-
Female	14	-	4	-	1	9	-

Table 2-29 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
48	274	-	66	2	7	199	-
Male	132	-	41	-	3	88	-
Female	142	-	25	2	4	111	-
49	222	-	63	-	1	157	1
Male	111	-	32	-	-	79	-
Female	111	-	31	-	1	78	1
50	6	-	1	-	-	5	-
Male	1	-	-	-	-	1	-
Female	5	-	1	-	-	4	-
51	139	-	26	-	3	109	1
Male	64	-	12	-	-	51	1
Female	75	-	14	-	3	58	-
52	45	1	14	-	-	30	-
Male	19	-	6	-	-	13	-
Female	26	1	8	-	-	17	-
53	14	-	3	-	-	11	-
Male	6	-	1	-	-	5	-
Female	8	-	2	-	-	6	-
54	49	-	10	-	-	39	-
Male	25	-	3	-	-	22	-
Female	24	-	7	-	-	17	-

Table 2-29 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
55	277	-	66	1	3	204	3
Male	156	-	39	1	2	113	1
Female	121	-	27	-	1	91	2
98	131	1	27	-	2	100	1
Male	72	-	16	-	1	55	-
Female	59	1	11	-	1	45	1
Unknown Congenital Anomalies[4]	3,034	1	459	2	24	2,134	414
Male	1,556	-	221	-	12	1,109	214
Female	1,478	1	238	2	12	1,025	200

1 All live births with at least one type of congenital anomaly.
2 Each type of congenital anomaly contains only those births with that anomaly.
3 See page 371 for definitions of congenital anomaly codes.
4 Birth records with "unknown congenital anomalies" include those that do not state whether or not there are congenital anomalies.

Note: Congenital anomalies which were not detected at the time of birth are not included in this table.

Source: State of California, Department of Health Services, Birth Records.

TABLE 2-30

NUMBER OF LIVE BIRTHS BY ESTIMATED MARITAL STATUS[1]
AND AGE OF MOTHER (DETAILED UNDER AGE 20)
CALIFORNIA, SELECTED YEARS, 1966-1985

(BY PLACE OF RESIDENCE)

MARITAL[1] STATUS AND YEAR	TOTAL ALL AGES	UNDER 13	13	14	15	16	17	18	19	TOTAL UNDER 20
ALL LIVE BIRTHS										
1985	470,816	18	131	741	2,554	5,630	9,323	13,824	19,034	51,255
1984	447,394	20	137	770	2,457	5,480	9,139	13,393	18,661	50,057
1983*	435,722	16	135	702	2,356	5,389	9,140	14,221	19,285	51,244
1982*	429,631	22	122	707	2,379	5,620	9,875	15,035	20,261	54,021
1981	420,418	20	134	722	2,552	5,915	10,272	15,431	20,834	55,880
1980	402,720	9	118	638	2,446	5,868	10,216	15,224	21,002	55,521
1975	317,318	9	138	722	2,623	5,845	10,296	14,950	18,814	53,397
1971	329,826	13	98	639	2,317	5,804	10,292	15,334	19,968	54,465
1970	362,652	17	107	620	2,447	6,370	11,563	17,428	23,005	61,757
1966	337,623	18	101	453	1,853	5,083	10,201	17,132	25,248	60,089
MARRIED[1]										
1985	355,372	3	10	128	442	1,442	3,090	5,827	9,883	20,825
1984	342,864	4	11	123	449	1,475	3,281	5,964	10,080	21,387
1983*	335,717	3	13	93	429	1,407	3,262	6,327	10,759	22,293
1982*	334,047	5	5	92	411	1,601	3,740	7,237	11,832	24,923
1981	328,892	2	16	93	503	1,767	4,097	7,853	12,436	26,769
1980	319,347	2	12	89	525	1,891	4,307	7,994	13,023	27,843
1975	264,464	1	10	130	716	2,370	5,403	9,203	13,263	31,120
1971	289,914	-	7	111	757	2,892	6,443	11,107	15,788	37,107
1970	317,059	-	10	128	823	3,315	7,435	12,624	17,928	42,263
1966	305,819	1	10	89	762	3,108	7,505	13,844	21,479	46,798
UNMARRIED[1]										
1985	115,444	15	121	613	2,112	4,188	6,233	7,997	9,151	30,430
1984	104,530	16	126	647	2,008	4,005	5,858	7,429	8,581	28,670
1983*	100,005	13	122	609	1,927	3,982	5,878	7,894	8,526	28,951
1982*	95,584	17	117	615	1,968	4,019	6,135	7,798	8,429	29,098
1981	91,526	18	118	629	2,049	4,148	6,175	7,578	8,396	29,111
1980	83,373	7	106	549	1,921	3,977	5,909	7,230	7,979	27,678
1975	52,854	8	128	592	1,907	3,475	4,891	5,743	5,531	22,277
1971	39,912	13	91	528	1,560	2,912	3,847	4,227	4,180	17,358
1970	45,593	17	97	492	1,624	3,255	4,128	4,804	5,077	19,494
1966	31,804	17	91	364	1,091	1,975	2,696	3,288	3,769	13,291

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTH STATISTICS, SERIES 2, NO. 97, 1985.

* 1982 AND 1983 MARRIED AND UNMARRIED DATA HAVE BEEN ADJUSTED TO CORRECT FOR CERTAIN CODING ERRORS; FURTHER INFORMATION ON THE ADJUSTEMENT IS AVAILABLE IN DATA MATTERS REPORT NO. 86-01131, SEPTEMBER, 1986

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-31

NUMBER OF LIVE BIRTHS BY ESTIMATED MARITAL STATUS,[1] RACE OF MOTHER, AND AGE OF MOTHER
CALIFORNIA, SELECTED YEARS, 1966-1985

(BY PLACE OF RESIDENCE)

MARITAL STATUS[1] AND YEAR	ALL RACES[2]					BLACK					WHITE				
	ALL AGES[3]	15-19	20-24	25-34	35+	ALL AGES[3]	15-19	20-24	25-34	35+	ALL AGES[3]	15-19	20-24	25-34	35+
ALL LIVE BIRTHS															
1985	470,816	30,365	136,985	243,590	38,986	40,292	7,331	13,821	16,825	2,070	381,837	40,358	113,485	196,877	30,527
1984	447,394	49,130	134,540	228,056	34,741	38,642	7,254	13,537	15,768	1,846	362,138	39,259	111,202	183,786	27,268
1983*	435,722	30,391	134,387	218,485	31,428	36,748	7,110	12,988	14,767	1,660	354,174	40,595	111,473	176,289	25,132
1982*	429,631	53,170	136,388	210,920	28,159	35,964	7,362	12,961	13,990	1,441	351,389	43,064	113,786	171,173	22,667
1981	420,418	55,004	137,056	202,568	24,755	35,735	7,719	12,910	13,481	1,369	344,676	44,370	114,730	165,036	19,851
1980	402,720	54,756	133,504	190,794	22,666	34,511	7,607	12,731	12,726	1,236	332,679	44,492	112,409	156,780	18,295
1975	317,318	52,528	109,563	138,796	15,522	28,456	8,155	10,232	8,749	1,025	273,029	43,312	95,748	120,299	13,083
1971	329,826	53,715	125,177	131,309	18,829	29,045	8,142	10,519	8,615	1,483	287,441	44,639	110,849	115,449	16,028
1970	362,652	61,013	137,283	142,027	21,539	32,133	9,073	11,483	9,554	1,715	317,168	50,942	122,103	125,320	18,366
1966	337,623	59,517	122,823	126,451	28,237	28,847	7,785	9,360	9,318	2,108	298,491	51,118	110,986	111,449	24,632
MARRIED[1]															
1985	355,372	20,684	96,418	205,320	32,809	16,857	1,004	5,202	9,349	1,279	295,463	18,273	83,329	168,114	25,650
1984	342,864	21,249	97,284	194,722	29,471	16,131	965	5,118	8,854	1,179	285,444	18,685	84,070	159,283	23,108
1983*	335,717	22,184	99,070	187,503	26,758	15,569	853	5,071	8,531	1,080	280,468	19,886	85,637	153,400	21,379
1982*	334,047	24,821	102,220	182,527	24,278	15,218	1,013	5,101	8,164	933	281,325	22,316	88,964	150,334	19,557
1981	328,892	26,658	104,279	176,293	21,449	15,060	1,107	5,142	7,921	883	278,698	23,974	91,300	145,992	17,269
1980	319,347	27,740	103,364	168,098	19,854	15,011	1,181	5,262	7,765	788	273,215	25,125	91,234	140,504	16,151
1975	264,464	30,979	91,996	127,327	13,997	13,438	1,644	5,078	5,971	723	236,473	28,705	83,738	111,992	11,902
1971	289,914	36,989	111,955	123,422	17,410	16,595	2,404	6,569	6,470	1,142	260,919	33,954	101,919	109,935	14,987
1970	317,059	42,125	121,668	133,234	19,863	18,531	2,842	7,206	7,158	1,311	286,116	38,597	111,107	119,122	17,144
1966	305,819	46,698	112,520	119,869	[illegible]	19,723	3,647	6,910	7,458	1,690	276,287	42,587	103,274	106,867	23,463
UNMARRIED[1]															
1985	115,444	29,681	40,567	38,270	6,177	23,435	6,327	8,619	7,476	791	86,374	22,085	30,156	28,763	4,877
1984	104,530	27,881	37,256	33,334	5,270	22,511	6,289	8,419	6,914	667	76,694	20,374	27,132	24,503	4,160
1983*	100,005	28,207	35,317	30,982	4,670	21,179	6,257	7,917	6,236	580	73,706	20,709	25,836	22,889	3,753
1982*	95,584	28,349	34,168	28,393	3,881	20,746	6,349	7,860	5,826	508	70,064	20,748	24,622	20,841	3,110
1981	91,526	28,346	32,777	26,275	3,306	20,675	6,612	7,768	5,560	486	65,978	20,396	23,430	19,044	2,582
1980	83,373	27,016	30,120	22,696	2,812	19,500	6,426	7,469	4,961	448	59,464	19,367	21,175	16,276	2,144
1975	52,854	21,549	17,567	11,469	1,525	15,018	6,511	5,134	2,778	302	36,536	14,607	12,010	8,307	1,181
1971	39,912	16,726	13,222	7,887	1,419	12,450	5,738	3,950	2,145	341	26,522	10,665	8,930	5,514	1,041
1970	45,593	18,888	15,615	8,793	1,676	13,602	6,231	4,277	2,396	404	31,052	12,345	10,996	6,198	1,222
1966	31,804	12,819	10,303	6,582	1,627	9,124	4,138	2,450	1,860	418	22,204	8,531	7,712	4,582	1,167

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTH STATISTICS, SERIES 2, NO. 97, 1985.

2 INCLUDES LIVE BIRTHS TO WOMEN OF ALL RACES INCLUDING WHITE, BLACK, OTHER AND UNKNOWN RACE.

3 INCLUDES LIVE BIRTHS TO MOTHERS UNDER 15 AND OF UNKNOWN AGE.

* 1982 AND 1983, MARRIED AND UNMARRIED DATA HAVE BEEN ADJUSTED TO CORRECT FOR CERTAIN CODING ERRORS; FURTHER INFORMATION ON THE ADJUSTEMENT IS AVAILABLE IN DATA MATTERS REPORT NO. 86-01131, SEPTEMBER, 1986.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-32

ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] AS A PERCENT OF TOTAL LIVE BIRTHS BY RACE OF MOTHER AND AGE OF MOTHER CALIFORNIA, SELECTED YEARS, 1966-1985

(BY PLACE OF RESIDENCE)

RACE AND AGE	1985	1984	1983*	1982*	1981	1980	1975	1971	1970	1966
ALL RACES[2]										
ALL AGES[3]	24.5	23.4	23.0	22.2	21.8	20.7	16.7	12.1	12.6	9.4
UNDER 15	84.2	85.1	87.2	88.0	87.3	86.5	83.8	84.3	81.5	82.5
15-17	71.6	69.5	69.8	67.8	66.0	63.7	54.7	45.2	43.8	33.6
18-19	52.2	49.9	49.0	46.0	44.0	42.0	33.4	23.8	24.4	16.7
20-24	29.6	27.7	26.3	25.1	23.9	22.6	16.0	10.6	11.4	8.4
25-29	16.9	15.7	15.0	14.3	13.7	12.5	8.5	5.8	6.0	5.2
30-34	13.9	12.9	12.8	12.1	11.7	10.7	7.8	6.4	6.5	5.3
35 AND OVER	15.8	15.2	14.9	13.8	13.4	12.4	9.8	7.5	7.8	5.8
BLACK										
ALL AGES[3]	58.2	58.3	57.6	57.7	57.9	56.5	52.8	42.9	42.3	31.6
UNDER 15	90.6	93.7	86.1	98.5	98.0	96.4	93.4	96.8	96.1	93.5
15-17	90.8	92.5	94.4	93.8	93.7	91.8	88.2	83.9	81.1	68.6
18-19	83.4	83.1	84.1	81.3	80.5	79.6	73.5	59.9	59.0	42.1
20-24	62.4	62.2	61.0	60.6	60.2	58.7	50.4	37.6	37.2	26.2
25-29	46.4	46.3	44.6	44.0	43.2	41.3	33.4	25.2	24.7	19.7
30-34	40.4	38.8	37.4	36.6	37.2	34.2	27.8	24.3	25.9	20.4
35 AND OVER	38.2	36.1	34.9	35.3	35.5	36.2	29.5	23.0	23.6	19.8
WHITE										
ALL AGES[3]	22.6	21.2	20.8	19.9	19.1	17.9	13.4	9.2	9.8	7.4
UNDER 15	83.6	84.3	81.9	85.9	83.2	83.6	79.0	76.5	70.6	73.3
15-17	68.5	65.4	65.5	62.9	60.6	57.9	46.7	35.6	34.6	25.2
18-19	47.6	44.9	44.0	41.0	38.6	36.5	27.2	18.3	19.3	13.6
20-24	26.6	24.4	23.2	21.8	20.4	18.8	12.5	8.1	9.0	6.9
25-29	15.4	14.0	13.5	12.7	12.0	10.7	7.0	4.6	4.9	4.1
30-34	13.3	12.2	12.2	11.3	10.8	9.7	6.8	5.2	5.1	4.1
35 AND OVER	16.0	15.3	14.9	13.7	13.0	11.7	9.0	6.5	6.7	4.7

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTHSTATISTICS, SERIES 2, NO.97, 1985.

2 INCLUDES LIVE BIRTHS TO WOMEN OF ALL RACES INCLUDING WHITE, BLACK, OTHER AND UNKNOWN RACE.

3 INCLUDES LIVE BIRTHS TO MOTHERS OF UNKNOWN AGE.

* FOR 1982 AND 1983, MARRIED AND UNMARRIED DATA HAVE BEEN ADJUSTED TO CORRECT FOR CERTAIN CODING ERRORS; FURTHER INFORMATION ON THE ADJUSTMENT IS AVAILABLE IN DATA MATTERS REPORT NO. 86-01131, SEPTEMBER, 1986.

NOTE: PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-33 1

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN
BY RACE, SPANISH/HISPANIC ORIGIN AND AGE OF MOTHER AND LIVE BIRTH ORDER
CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

RACE AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER					
		FIRST	SECOND	THIRD	FOURTH	FIFTH OR HIGHER	UNKNOWN
	TOTAL LIVE BIRTHS						
ALL RACES [2,3]	470,816	191,345	150,803	74,067	30,352	22,663	1,584
UNDER 15	890	856	24	2	-	-	8
15-17	17,507	15,369	1,904	170	15	1	48
18-19	32,858	23,771	7,435	1,336	182	28	106
20-24	136,965	67,162	46,552	16,841	4,583	1,433	394
25-29	149,523	52,000	52,715	27,917	10,754	5,703	434
30-34	94,067	24,522	31,675	19,737	9,780	8,006	347
35-39	33,578	6,843	9,517	7,161	4,326	5,573	158
40 AND OVER	5,193	735	946	878	703	1,907	24
UNKNOWN	215	67	35	25	9	14	65
BLACK [3]	40,292	16,323	12,068	6,591	2,946	2,166	198
UNDER 15	245	238	2	1	-	-	4
15-17	2,891	2,547	303	27	6	1	7
18-19	4,440	3,111	1,052	222	31	5	19
20-24	13,821	6,025	4,797	2,011	683	248	57
25-29	11,275	3,113	3,757	2,518	1,120	709	58
30-34	5,550	985	1,664	1,355	778	737	31
35-39	1,831	267	450	404	297	393	16
40 AND OVER	219	33	35	47	31	70	3
UNKNOWN	20	4	8	6	-	1	1
WHITE-HISPANIC	147,344	51,164	43,373	27,135	13,605	11,722	345
UNDER 15	414	397	14	1	-	-	2
15-17	7,940	6,802	1,026	91	5	-	16
18-19	13,827	9,441	3,386	666	90	9	35
20-24	48,934	21,001	17,623	7,376	2,150	663	121
25-29	42,172	9,360	14,042	10,380	5,023	2,888	77
30-34	23,233	3,024	5,476	6,170	4,288	4,207	68
35-39	8,951	801	1,397	1,970	1,764	2,997	22
40 AND OVER	1,832	124	201	273	278	934	2
UNKNOWN	41	14	8	8	5	4	2
WHITE NON-HISPANIC	232,606	103,249	79,704	33,005	10,590	5,386	672
UNDER 15	175	171	3	-	-	-	1
15-17	5,691	5,202	439	31	2	-	17
18-19	12,737	9,892	2,439	325	33	7	41
20-24	63,968	34,841	21,197	6,232	1,262	276	160
25-29	79,008	31,881	29,564	12,540	3,549	1,261	213
30-34	51,475	16,259	19,559	9,832	3,727	1,946	152
35-39	17,312	4,319	5,954	3,631	1,718	1,418	72
40 AND OVER	2,187	455	535	410	298	478	11
UNKNOWN	53	29	14	4	1	-	5
OTHER [3]	46,423	18,887	14,343	6,747	3,006	3,265	175
UNDER 15	49	45	4	-	-	-	-
15-17	857	705	124	21	2	-	5
18-19	1,662	1,185	319	118	28	7	5
20-24	9,189	4,782	2,577	1,100	458	238	34
25-29	15,772	6,943	4,883	2,086	1,000	808	52
30-34	12,861	3,954	4,666	2,200	912	1,080	49
35-39	5,104	1,155	1,608	1,078	515	726	22
40 AND OVER	903	113	157	143	88	398	4
UNKNOWN	26	5	5	1	3	8	4
NOT STATED [3]	2,264	921	680	315	115	74	159
UNDER 15	6	4	1	-	-	-	1
15-17	70	60	7	-	-	-	3
18-19	87	56	23	3	-	-	5
20-24	490	235	166	56	9	4	18
25-29	680	281	227	90	36	10	26
30-34	575	191	171	103	46	26	36
35-39	252	72	74	53	18	15	20
40 AND OVER	39	8	11	4	6	6	4
UNKNOWN	65	14	-	4	-	1	46

TABLE 2-33 (CONTINUED) [1]

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN BY RACE, SPANISH/HISPANIC ORIGIN AND AGE OF MOTHER AND LIVE BIRTH ORDER CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

RACE AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER					
		FIRST	SECOND	THIRD	FOURTH	FIFTH OR HIGHER	UNKNOWN
	NONMARITAL LIVE BIRTHS						
ALL RACES [2,3]	115,444	57,012	29,762	15,382	7,225	5,585	478
UNDER 15	749	725	17	2	-	-	5
15-17	12,533	11,191	1,201	97	11	1	32
18-19	17,148	12,702	3,599	676	100	14	57
20-24	40,567	19,938	12,621	5,532	1,776	567	133
25-29	25,230	7,561	7,652	5,411	2,764	1,751	91
30-34	13,040	3,423	3,374	2,643	1,737	1,797	66
35-39	5,192	1,253	1,155	889	718	1,139	38
40 AND OVER	864	175	134	124	115	314	2
UNKNOWN	121	44	9	8	4	2	54
BLACK [3]	23,435	10,739	6,429	3,383	1,589	1,181	114
UNDER 15	222	215	2	1	-	-	4
15-17	2,625	2,316	276	20	5	1	7
18-19	3,702	2,607	867	181	26	4	17
20-24	8,619	3,801	2,906	1,250	458	167	37
25-29	5,235	1,315	1,610	1,239	616	430	25
30-34	2,241	364	603	535	357	372	10
35-39	703	104	149	142	114	182	12
40 AND OVER	75	13	12	12	13	24	1
UNKNOWN	13	4	4	3	-	1	1
WHITE-HISPANIC	48,145	20,709	12,841	7,343	3,761	3,381	110
UNDER 15	337	324	11	1	-	-	1
15-17	5,439	4,708	663	55	4	-	9
18-19	6,965	4,773	1,749	358	60	7	16
20-24	16,693	7,341	5,604	2,734	882	292	40
25-29	10,763	2,455	3,268	2,534	1,489	996	21
30-34	5,227	822	1,164	1,196	887	1,144	14
35-39	2,096	227	327	410	384	741	7
40 AND OVER	409	49	54	52	53	201	-
UNKNOWN	16	8	1	3	2	-	2
WHITE NON-HISPANIC	37,909	22,266	9,172	4,003	1,546	781	141
UNDER 15	155	152	3	-	-	-	-
15-17	3,910	3,656	225	18	2	-	9
18-19	5,695	4,671	869	119	13	3	20
20-24	13,143	7,733	3,586	1,329	371	83	41
25-29	7,925	3,224	2,445	1,423	538	263	32
30-34	4,747	1,932	1,394	779	402	215	25
35-39	2,017	782	591	289	178	166	11
40 AND OVER	293	100	56	45	41	51	-
UNKNOWN	24	16	3	1	1	-	3
OTHER [3,4]	5,067	2,838	1,119	572	289	221	28
UNDER 15	30	30	-	-	-	-	-
15-17	473	436	31	4	-	-	4
18-19	689	573	98	17	1	-	-
20-24	1,630	923	438	165	56	20	8
25-29	1,141	493	287	169	112	36	4
30-34	695	254	177	117	78	61	8
35-39	322	116	78	46	34	46	2
40 AND OVER	78	11	9	14	7	37	-
UNKNOWN	7	2	1	-	1	1	2
NOT STATED [3]	568	279	134	46	23	14	72
UNDER 15	4	3	1	-	-	-	-
15-17	50	42	5	-	-	-	3
18-19	55	39	13	-	-	-	3
20-24	162	79	54	17	2	4	6
25-29	108	45	29	15	7	4	8
30-34	87	38	21	10	7	5	6
35-39	43	19	9	2	6	1	6
40 AND OVER	6	1	2	1	1	-	1
UNKNOWN	53	13	-	1	-	-	39

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTH STATISTICS, SERIES 2, NO. 97, 1985.

2 LIVE BIRTHS WHERE RACE OF MOTHER WAS "WHITE" AND "HISPANIC" OR "NON-HISPANIC" ORIGIN OF MOTHER WAS UNKNOWN ARE INCLUDED ONLY IN THE "ALL RACES" CATEGORY. THERE WERE 1,887 "TOTAL LIVE BIRTHS" AND 320 "NONMARITAL LIVE BIRTHS" WITH THIS UNKNOWN DESIGNATION. FOR THIS REASON, SUBSEQUENT RACE AND "NOT STATED" CATEGORIES WILL NOT SUM TO THE "ALL RACES" TOTAL.

3 INCLUDES LIVE BIRTHS TO WOMEN OF HISPANIC, NON-HISPANIC AND UNKNOWN HISPANIC ORGIN.

4 THE COUNTS OF NONMARITAL BIRTHS IN THE "OTHER" RACE GROUP MAY BE LOW, DUE TO THE DIFFICULTY OF APPLYING INFERENTIAL CRITERIA TO BIRTHS IN THIS GROUP; SEE REFERENCE GIVEN IN FOOTNOTE 1.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-34

TOTAL LIVE BIRTHS AND ESTIMATED NUMBER AND PERCENT OF LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL LIVE BIRTHS				NONMARITAL LIVE BIRTHS[1] NUMBER				NONMARITAL LIVE BIRTHS[1] PERCENT OF ALL LIVE BIRTHS			
	ALL RACES[2,3]	BLACK[4]	WHITE HISPANIC	WHITE NON-HISPANIC	ALL RACES[2,3]	BLACK[4]	WHITE HISPANIC	WHITE NON-HISPANIC	ALL RACES[2,3]	BLACK[4]	WHITE HISPANIC	WHITE NON-HISPANIC
CALIFORNIA	470,816	40,292	147,344	232,606	115,444	23,435	48,145	37,909	24.5	58.2	32.7	16.3
ALAMEDA	19,624	4,181	2,574	9,419	5,115	2,494	688	1,547	26.1	59.7	26.7	16.4
ALPINE	13	-	1	7	4	-	1	1	**	-	**	**
AMADOR	231	1	9	215	35	-	1	33	15.2	-	**	15.3
BUTTE	2,391	35	186	2,082	481	22	43	390	20.1	*	23.1	18.7
CALAVERAS	314	1	16	280	60	1	3	51	19.1	**	**	18.2
COLUSA	279	1	105	160	36	1	15	18	12.9	**	14.3	11.3
CONTRA COSTA	10,661	1,279	1,118	7,295	2,202	761	300	1,015	20.3	59.5	26.8	13.9
DEL NORTE	320	1	24	234	90	-	7	63	28.1	-	*	26.9
EL DORADO	1,511	9	109	1,346	316	7	41	258	20.9	*	37.6	19.2
FRESNO	11,705	645	4,915	4,849	3,215	426	1,805	867	27.5	66.0	36.7	17.9
GLENN	377	3	98	265	71	2	17	48	18.8	**	*	18.1
HUMBOLDT	1,841	8	53	1,579	461	6	17	358	25.0	*	*	22.7
IMPERIAL	2,186	37	1,569	519	513	21	391	91	23.5	*	24.9	17.5
INYO	217	-	17	172	48	-	5	27	22.1	-	*	15.7
KERN	9,999	597	3,200	5,444	2,768	386	1,107	1,156	27.7	64.7	34.6	21.3
KINGS	1,847	98	682	988	430	41	227	155	23.3	*	33.3	15.7
LAKE	662	8	54	566	192	3	13	161	29.0	**	*	28.4
LASSEN	340	10	9	301	73	3	-	62	21.5	**	-	20.6
LOS ANGELES	156,618	20,414	72,319	49,061	48,330	12,760	25,844	8,278	30.9	62.5	35.7	16.9
MADERA	1,395	40	629	688	371	21	213	129	26.6	*	33.9	18.8
MARIN	2,560	75	148	2,141	363	38	27	276	14.2	*	18.2	12.9
MARIPOSA	150	-	6	138	33	-	-	30	22.0	-	-	21.7
MENDOCINO	1,201	5	129	956	327	4	32	236	27.2	**	24.8	24.7
MERCED	3,474	158	1,166	1,643	774	76	373	281	22.3	48.1	32.0	17.1
MODOC	146	-	19	89	23	-	2	17	15.8	-	**	*
MONO	147	1	13	120	19	-	4	13	12.9	-	**	10.8
MONTEREY	6,572	447	2,567	2,962	1,230	128	654	378	18.7	28.6	25.5	12.8
NAPA	1,368	3	257	1,073	231	-	46	180	16.9	-	17.9	16.8
NEVADA	893	-	42	834	146	-	10	132	16.3	-	*	15.8
ORANGE	36,704	694	10,328	22,061	5,964	232	2,746	2,727	16.2	33.4	26.6	12.4
PLACER	1,944	4	155	1,735	323	-	38	276	16.6	-	24.5	15.9
PLUMAS	268	1	8	243	50	1	-	41	18.7	**	**	16.9
RIVERSIDE	15,508	836	4,612	9,436	3,594	405	1,391	1,675	23.2	48.4	30.2	17.8
SACRAMENTO	15,464	1,592	1,801	10,191	4,120	976	699	2,134	26.6	61.3	38.8	20.9
SAN BENITO	621	2	318	276	134	1	92	29	21.6	**	28.9	10.5
SAN BERNARDINO	21,284	1,628	5,155	13,318	4,928	776	1,641	2,305	23.2	47.7	31.8	17.3
SAN DIEGO	37,200	2,654	8,639	21,513	7,713	1,265	2,546	3,302	20.7	47.7	28.8	15.3
SAN FRANCISCO	9,739	1,443	1,841	2,956	2,668	953	621	685	27.4	66.0	33.7	23.2
SAN JOAQUIN	7,993	531	1,884	4,177	1,964	350	631	817	24.6	65.9	33.5	19.6
SAN LUIS OBISPO	2,633	39	379	2,098	353	11	74	255	13.4	*	19.5	12.2
SAN MATEO	9,262	568	1,801	4,806	1,492	302	408	561	16.1	53.2	22.7	12.1
SANTA BARBARA	5,149	135	1,648	3,056	879	49	404	390	17.1	36.3	24.5	12.8
SANTA CLARA	24,110	917	6,014	12,571	4,751	403	2,175	1,686	19.7	43.9	36.2	13.4
SANTA CRUZ	3,582	32	1,126	2,258	730	15	314	369	20.4	*	27.9	16.3
SHASTA	2,093	12	74	1,933	455	10	15	398	21.7	*	*	20.6
SIERRA	59	-	2	53	5	-	1	4	*	-	**,	**,
SISKIYOU	623	9	32	398	110	5	10	85	17.7	*	*	21.4
SOLANO	5,040	584	550	3,259	969	242	108	540	19.2	41.4	19.6	16.6
SONOMA	5,266	68	577	4,217	876	28	145	617	16.6	*	25.1	14.6
STANISLAUS	5,518	77	1,297	3,776	1,212	43	350	773	22.0	*	27.0	20.5
SUTTER	953	14	161	672	156	6	32	111	16.4	*	19.9	16.5
TEHAMA	650	-	71	558	152	-	25	122	23.4	-	*	21.9
TRINITY	166	-	4	151	34	-	1	30	20.5	-	**,	19.9
TULARE	5,677	85	2,681	2,657	1,646	50	999	552	29.0	*	37.3	20.8
TUOLUMNE	477	-	20	442	70	-	2	63	14.7	-	**,	14.3
VENTURA	10,587	221	3,400	6,198	1,444	75	642	661	13.6	33.9	18.9	10.7
YOLO	1,930	35	433	1,333	422	21	123	265	21.9	*	28.4	19.9
YUBA	1,074	54	99	836	213	15	26	163	19.8	*	*	19.5

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTH STATISTICS, SERIES 2, NO. 97, 1985.

2 INCLUDES LIVE BIRTHS TO WOMEN OF ALL RACES INCLUDING WHITE, BLACK, OTHER AND UNKNOWN RACE.

3 LIVE BIRTHS WHERE RACE OF MOTHER WAS "WHITE" AND "HISPANIC" OR "NON-HISPANIC" ORIGIN OF MOTHER WAS UNKNOWN ARE INCLUDED ONLY IN THE "ALL RACES" COLUMNS. THERE WERE 1,887 "TOTAL LIVE BIRTHS" AND 320 "NONMARITAL LIVE BIRTHS" WITH THIS UNKNOWN DESIGNATION.

4 INCLUDES LIVE BIRTHS TO WOMEN OF HISPANIC, NON-HISPANIC AND UNKNOWN HISPANIC ORIGIN.

* PERCENTS ARE NOT CALCULATED FOR BASE LESS THAN 100.

** PERCENTS ARE NOT CALCULATED FOR FEWER THAN 5 EVENTS.

NOTE: QUANTITIES MORE THAN ZERO BUT LESS THAN 0.05 ARE REPRESENTED AS 0.0.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

3. FETAL DEATHS

			Page
Table	3-1	Fetal deaths by race/ethnicity of child and age of mother: California, 1985	256
	3-2	Fetal deaths by Spanish/Hispanic origin of mother and age of mother: California, 1985	256
	3-3	Fetal deaths-number, ratio, and percent distribution by age of mother: California, 1985	257
	3-4	Fetal deaths by age of mother: California counties, 1985	258
	3-5	Fetal deaths by birthweight, weeks of gestation, and race/ethnicity of child: California, 1985	259
	3-6	Fetal deaths by birthweight, weeks of gestation, and Spanish/Hispanic origin of mother: California, 1985	261
	3-7	Number and percent of fetal deaths by weeks of gestation: California, 1985 ..	262
	3-8	Fetal deaths by plurality of delivery, sex and race/ethnicity of child: California, 1985	263
	3-9	Fetal deaths by plurality of delivery, sex, and Spanish/Hispanic origin of mother: California, 1985	264
	3-10	Fetal deaths by each cause and race/ethnicity of child: California, 1985	265
	3-11	Fetal deaths by each cause and Spanish/Hispanic origin of mother: California, 1985	267

Table 3-1

FETAL DEATHS BY RACE-ETHNICITY OF CHILD AND AGE OF MOTHER
CALIFORNIA 1985

(By place of residence)

RACE/ETHNICITY OF CHILD	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 and Over	Not Stated
California	3,171	14	25	49	62	110	119	774	940	605	309	81	4	1	78
American Indian	30	-	-	1	1	5	2	3	8	5	3	2	-	-	-
Black	503	3	7	9	18	23	24	151	139	81	28	6	-	-	14
Cambodian	8	-	-	-	-	-	-	1	2	2	-	3	-	-	-
Chinese	45	-	-	-	-	-	1	4	14	16	8	2	-	-	-
Eskimo/Aleut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Filipino	81	-	-	-	1	-	-	13	23	27	14	2	-	-	1
Indian (India)	16	-	-	-	-	-	-	3	10	3	-	-	-	-	-
Japanese	9	-	-	-	-	-	-	1	4	1	2	1	-	-	-
Korean	16	-	-	-	-	-	-	2	6	5	3	-	-	-	-
Pacific Islander	19	-	-	-	1	-	-	5	8	5	-	-	-	-	-
Thai	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-
Vietnamese	21	-	-	-	-	-	1	6	10	1	2	-	-	-	1
White	2,357	11	17	39	37	82	89	572	705	448	238	61	3	1	54
Other Asian	31	-	-	-	1	-	1	5	5	7	8	3	1	-	-
Other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Not Stated	31	-	1	-	3	-	1	6	6	4	1	1	-	-	8

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3-2
FETAL DEATHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER
CALIFORNIA 1985

(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 and Over	Not Stated
California	3,171	14	25	49	62	110	119	774	940	605	309	81	4	1	78
Hispanic	1,012	8	12	22	25	39	51	246	260	166	98	38	2	1	44
Non-Hispanic	2,086	6	11	26	28	70	65	519	661	424	209	41	2	-	24
Not Stated	73	-	2	1	9	1	3	9	19	15	2	2	-	-	10

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3-3

FETAL DEATHS
NUMBER, RATIO, AND PERCENT DISTRIBUTION
BY AGE OF MOTHER
CALIFORNIA, 1985

(By place of residence)

AGE OF MOTHER	FETAL DEATHS	RATIO[1]	PERCENT
Total	3,171	6.7	100.0
Under 15	14	15.7	0.4
15-19	365	7.2	11.5
15	25	9.8	0.8
16	49	8.7	1.5
17	62	6.7	2.0
18	110	8.0	3.5
19	119	6.3	3.8
20-24	774	5.7	24.4
25-29	940	6.3	29.6
30-34	605	6.4	19.1
35-39	309	9.2	9.7
40-44	81	16.4	2.6
45-49	4	18.2	0.1
50 and Over	1	50.0	0.0
Not Stated	78	...	2.5

1 Fetal death ratios are per 1,000 live births of each age group.

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Heath Services, Birth and Fetal Death Records.

TABLE 3-4

FETAL DEATHS BY AGE OF MOTHER

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	3,171	14	25	49	62	110	119	774	940	605	309	81	4	1	78
ALAMEDA	132	-	-	1	-	5	3	31	48	29	12	1	-	-	2
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
BUTTE	12	-	-	-	-	2	-	3	3	1	-	1	-	-	-
CALAVERAS	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
COLUSA	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
CONTRA COSTA	59	1	-	-	1	1	3	14	20	9	9	1	-	-	-
DEL NORTE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EL DORADO	6	-	-	-	-	1	1	1	1	2	-	-	-	-	-
FRESNO	76	-	-	2	2	3	3	23	21	12	4	1	2	-	1
GLENN	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-
HUMBOLDT	17	-	-	-	-	1	-	3	6	4	2	-	-	-	-
IMPERIAL	10	-	-	-	-	-	-	2	3	2	1	2	-	-	-
INYO	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
KERN	81	2	-	1	2	4	8	28	18	12	4	2	-	-	-
KINGS	14	-	-	2	-	-	-	6	4	1	1	-	-	-	-
LAKE	5	-	-	-	-	-	-	1	2	1	-	-	-	-	-
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES	1,103	3	14	20	22	30	34	261	310	208	120	23	1	1	36
MADERA	16	-	-	-	-	-	1	8	4	2	1	-	-	-	-
MARIN	19	-	-	-	-	1	-	3	3	6	2	2	-	-	1
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
MERCED	30	-	-	2	1	-	1	8	7	4	3	4	-	-	-
MODOC	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MONO	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
MONTEREY	40	-	-	-	1	2	2	10	15	5	3	2	-	-	-
NAPA	13	-	-	-	2	-	-	2	4	3	2	-	-	-	-
NEVADA	10	-	-	-	-	-	-	5	4	1	-	-	-	-	-
ORANGE	225	-	2	1	6	6	6	58	67	36	12	8	-	-	1
PLACER	7	-	-	-	-	-	-	2	2	3	-	-	-	-	-
PLUMAS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
RIVERSIDE	121	1	2	1	3	7	7	27	38	22	9	1	-	-	3
SACRAMENTO	93	1	2	2	2	1	3	27	32	14	5	4	-	-	-
SAN BENITO	7	-	-	-	-	-	-	3	1	2	1	-	-	-	-
SAN BERNARDINO	136	3	-	2	2	7	8	23	41	25	17	1	-	-	5
SAN DIEGO	274	-	2	4	11	4	9	69	98	42	29	6	-	-	4
SAN FRANCISCO	64	-	-	1	-	4	3	9	13	16	11	3	-	-	1
SAN JOAQUIN	51	-	-	3	2	2	3	16	7	8	6	3	-	-	1
SAN LUIS OBISPO	15	-	-	-	-	1	1	4	1	7	2	-	-	-	-
SAN MATEO	47	-	1	-	-	2	1	9	11	12	8	3	-	-	-
SANTA BARBARA	33	1	-	-	-	4	2	7	11	5	3	-	-	-	-
SANTA CLARA	156	-	-	4	2	3	4	29	30	41	18	5	-	-	-
SANTA CRUZ	23	-	-	-	1	1	-	9	9	4	-	1	-	-	-
SHASTA	6	-	-	-	-	-	-	2	1	1	-	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SOLANO	33	-	2	1	-	1	3	8	11	3	3	1	-	-	-
SONOMA	39	-	-	-	-	1	5	6	15	7	4	1	-	-	-
STANISLAUS	30	-	-	-	1	2	2	5	4	9	4	2	-	-	1
SUTTER	6	-	-	-	1	-	-	3	2	-	-	-	-	-	1
TEHAMA	4	-	-	1	-	1	-	-	-	1	-	-	-	-	1
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	37	-	-	-	-	4	1	9	13	4	3	1	-	-	-
TUOLUMNE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VENTURA	74	-	-	-	-	3	1	20	26	14	5	2	-	-	2
YOLO	13	-	-	-	-	-	-	2	6	3	-	1	-	-	-
YUBA	7	-	-	-	-	-	-	3	2	-	1	1	-	-	-

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.
SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-5

FETAL DEATHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL FETAL DEATHS	3,171	30	503	3	45	-	81	14	9
UNDER 1,500 GRAMS	1,537	12	281	2	18	-	29	6	5
UNDER 37 WEEKS	1,219	9	224	2	16	-	24	4	3
37-42 WEEKS	74	1	12	-	-	-	2	-	1
43 WEEKS AND OVER	7	-	1	-	-	-	-	-	-
NOT STATED	237	2	44	-	2	-	3	2	1
1,500-2,499 GRAMS	602	7	100	3	10	-	21	7	1
UNDER 37 WEEKS	325	5	57	2	5	-	12	1	-
37-42 WEEKS	183	2	28	-	4	-	9	6	1
43 WEEKS AND OVER	19	-	2	-	-	-	-	-	-
NOT STATED	75	-	13	1	1	-	-	-	-
2,500 GRAMS OR MORE	907	10	102	2	14	-	27	3	3
UNDER 37 WEEKS	164	2	19	-	3	-	2	-	-
37-42 WEEKS	573	5	60	2	11	-	20	2	2
43 WEEKS AND OVER	69	-	10	-	-	-	1	-	-
NOT STATED	101	3	13	-	-	-	4	1	1
NOT STATED	125	1	20	1	3	-	4	-	-
UNDER 37 WEEKS	62	1	8	1	2	-	2	-	-
37-42 WEEKS	17	-	4	-	-	-	-	-	-
43 WEEKS AND OVER	2	-	-	-	-	-	-	-	-
NOT STATED	44	-	8	-	1	-	2	-	-

TABLE 3-5 (CONTINUED)

FETAL DEATHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD

CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL FETAL DEATHS	3,171	16	19	3	21	2,357	31	1	31
UNDER 1,500 GRAMS	1,537	8	10	2	10	1,115	17	-	22
UNDER 37 WEEKS	1,219	7	6	2	9	894	9	-	10
37-42 WEEKS	74	-	-	-	-	54	3	-	1
43 WEEKS AND OVER	7	-	-	-	-	6	-	-	-
NOT STATED	237	1	4	-	1	161	5	-	11
1,500-2,499 GRAMS	602	3	2	1	5	433	5	1	3
UNDER 37 WEEKS	325	1	-	-	1	238	2	1	-
37-42 WEEKS	183	-	2	1	1	128	1	-	-
43 WEEKS AND OVER	19	2	-	-	3	12	-	-	-
NOT STATED	75	-	-	-	-	55	2	-	3
2,500 GRAMS OR MORE	907	4	6	-	4	722	7	-	3
UNDER 37 WEEKS	164	-	1	-	1	135	-	-	1
37-42 WEEKS	573	3	5	-	2	455	6	-	-
43 WEEKS AND OVER	69	-	-	-	-	57	1	-	-
NOT STATED	101	1	-	-	1	75	-	-	2
NOT STATED	125	1	1	-	2	87	2	-	3
UNDER 37 WEEKS	62	-	-	-	1	46	-	-	1
37-42 WEEKS	17	-	1	-	-	10	2	-	-
43 WEEKS AND OVER	2	-	-	-	-	2	-	-	-
NOT STATED	44	1	-	-	1	29	-	-	2

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 47 FETAL DEATHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-6

FETAL DEATHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL FETAL DEATHS	3,171	-	868	12	132	2,086	73
UNDER 1,500 GRAMS	1,537	-	368	5	63	1,034	47
UNDER 37 WEEKS	1,219	-	272	5	39	880	23
37-42 WEEKS	74	-	16	-	5	52	1
43 WEEKS AND OVER	7	-	3	-	-	4	-
NOT STATED	237	-	77	-	19	116	23
1,500-2,499 GRAMS	602	-	156	2	25	410	9
UNDER 37 WEEKS	325	-	86	1	8	229	1
37-42 WEEKS	183	-	45	-	6	130	2
43 WEEKS AND OVER	19	-	3	-	-	14	-
NOT STATED	75	-	20	1	11	37	6
2,500 GRAMS OR MORE	907	-	321	5	40	529	12
UNDER 37 WEEKS	164	-	59	1	7	93	4
37-42 WEEKS	573	-	186	4	22	357	4
43 WEEKS AND OVER	69	-	30	-	3	36	-
NOT STATED	101	-	46	-	8	43	4
NOT STATED	125	-	23	-	4	93	5
UNDER 37 WEEKS	62	-	12	-	2	46	2
37-42 WEEKS	17	-	1	-	-	16	-
43 WEEKS AND OVER	2	-	-	-	1	1	-
NOT STATED	44	-	10	-	1	30	3

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 47 FETAL DEATHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

Table 3-7

NUMBER AND PERCENT OF FETAL DEATHS BY WEEKS OF GESTATION
CALIFORNIA, 1985

(By place of residence)

WEEKS OF GESTATION	FETAL DEATHS	PERCENT	
		All Fetal Deaths	Excluding Unknown Gestation
Total	3,171	100.0	100.0
Under 37 Weeks	1,770	55.8	65.2
37-42 Weeks	847	26.7	31.2
43 Weeks and Over	97	3.1	3.6
Not Stated[1]	457	14.4	...

1 "Not Stated" includes not only those not stated, but also 47 fetal deaths of 53 weeks or more gestation. These latter categories reflect reporting inaccuracies rather than actual gestation periods.

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Fetal Death Records.

TABLE 3-8

FETAL DEATHS BY PLURALITY OF DELIVERY, SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY OF CHILD	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL RACES	3,171	1,494	1,677	2,915	1,365	1,550	242	125	117	13	3	10	1	1	-	-	-	-
AMERICAN INDIAN	30	20	10	27	17	10	2	2	-	1	1	-	-	-	-	-	-	-
BLACK	503	210	293	471	192	279	29	17	12	3	1	2	-	-	-	-	-	-
CAMBODIAN	8	4	4	6	2	4	2	2	-	-	-	-	-	-	-	-	-	-
CHINESE	45	17	28	42	15	27	3	2	1	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	81	40	41	77	37	40	4	3	1	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	16	6	10	16	6	10	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	9	4	5	7	3	4	1	1	-	1	-	1	-	-	-	-	-	-
KOREAN	16	4	12	16	4	12	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	19	8	11	14	7	7	5	1	4	-	-	-	-	-	-	-	-	-
THAI	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	21	7	14	21	7	14	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,357	1,143	1,214	2,156	1,047	1,109	192	94	98	8	1	7	1	1	-	-	-	-
OTHER ASIAN	31	14	17	29	12	17	2	2	-	-	-	-	-	-	-	-	-	-
OTHER	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	31	15	16	29	14	15	2	1	1	-	-	-	-	-	-	-	-	-

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.
SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-9

FETAL DEATHS BY PLURALITY OF DELIVERY, SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL ORIGINS	3,171	1,494	1,677	2,915	1,365	1,550	242	125	117	13	3	10	1	1	-	-	-	-
CUBAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	868	425	443	826	407	419	40	18	22	2	-	2	-	-	-	-	-	-
PUERTO RICAN	12	5	7	10	5	5	2	-	2	-	-	-	-	-	-	-	-	-
OTHER SPANISH/ HISPANIC	132	66	66	121	62	59	9	4	5	2	-	2	-	-	-	-	-	-
NOT SPANISH/ HISPANIC	2,066	937	1,129	1,890	832	1,058	166	101	65	9	3	6	1	1	-	-	-	-
NOT STATED	73	41	32	68	39	29	5	2	3	-	-	-	-	-	-	-	-	-

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-10

FETAL DEATHS BY EACH CAUSE AND RACE/EHTNICITY OF CHILD

CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
	TOTAL ALL CAUSES	3,171	30	303	8	45	-	81	16	9
027	OTHER ZOONOTIC BACTERIAL DISEASES	1	-	-	-	-	-	-	-	-
163	MALIGNANT NEOPLASM OF PLEURA	1	-	-	-	-	-	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	3	-	1	-	-	-	-	-	-
262	HEREDITARY HAEMOLYTIC ANAEMIAS	2	-	-	-	1	-	1	-	-
331	OTHER CEREBRAL DEGENERATIONS	1	-	-	-	-	-	-	-	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES	1	-	1	-	-	-	-	-	-
442	OTHER ANEURYSM	1	-	-	-	-	-	-	-	-
511	PLEURISY	2	-	-	-	-	-	-	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	5	1	-	-	-	-	1	-	-
555	REGIONAL ENTERITIS	1	-	-	-	-	-	-	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	39	1	9	-	-	-	-	-	-
741	SPINA BIFIDA	6	-	-	-	-	-	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	24	-	2	-	-	-	-	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	4	-	1	-	-	-	1	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART	14	-	-	-	-	-	-	-	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	6	-	3	-	-	-	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	4	-	1	-	-	-	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	1	-	1	-	-	-	-	-	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	2	-	1	-	-	-	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	11	-	1	-	-	-	-	-	-
755	OTHER CONGENITAL ANOMALIES OF LIMBS	1	1	-	-	-	-	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	3	-	-	-	-	-	1	-	-
757	CONGENITAL ANOMALIES OF THE INTEGUMENT	1	-	-	-	-	-	-	-	-
758	CHROMOSOMAL ANOMALIES	26	3	-	-	1	-	1	-	1
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	103	-	6	-	3	-	3	1	1
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	113	2	24	-	3	-	2	-	-
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	250	2	53	1	4	-	4	-	3
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	1,230	13	184	3	22	-	35	9	1
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	29	-	4	-	1	-	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	10	-	1	-	-	-	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	104	-	22	-	1	-	1	2	-
766	DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT	4	-	-	-	-	-	-	-	-
767	BIRTH TRAUMA	3	-	1	-	-	-	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	183	-	31	-	-	-	6	-	2
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	12	-	1	-	-	-	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	10	-	1	-	-	-	-	-	-
772	FETAL AND NEONATAL HAEMORRHAGE	9	-	1	-	-	-	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	11	-	-	-	-	-	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	29	-	8	-	-	-	1	-	-
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	1	-	-	-	-	-	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	20	-	-	-	-	-	-	-	-
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	866	7	143	4	9	-	22	4	1

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-10 (CONTINUED)

FETAL DEATHS BY EACH CAUSE AND RACE/EHTNICITY OF CHILD

CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
	TOTAL ALL CAUSES	3,171	16	19	3	21	2,357	31	1	31
027	OTHER ZOONOTIC BACTERIAL DISEASES	1	-	-	-	-	1	-	-	-
163	MALIGNANT NEOPLASM OF PLEURA	1	-	-	-	-	1	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	5	-	-	-	-	4	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS	2	-	-	-	-	-	-	-	-
331	OTHER CEREBRAL DEGENERATIONS	1	-	-	-	-	1	-	-	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES	1	-	-	-	-	-	-	-	-
442	OTHER ANEURYSM	1	-	-	-	-	1	-	-	-
511	PLEURISY	2	-	-	-	-	2	-	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	5	-	-	-	1	2	-	-	-
555	REGIONAL ENTERITIS	1	-	-	-	-	1	-	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	59	-	-	-	-	46	1	1	1
741	SPINA BIFIDA	6	-	-	-	-	6	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	24	-	1	-	-	21	-	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	4	-	-	-	-	2	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART	14	-	-	-	-	14	-	-	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	6	-	-	-	-	3	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	4	-	-	-	1	2	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	1	-	-	-	-	-	-	-	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	2	-	-	-	-	1	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	11	-	-	-	-	10	-	-	-
755	OTHER CONGENITAL ANOMALIES OF LIMBS	1	-	-	-	-	-	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	5	-	-	-	-	4	-	-	-
757	CONGENITAL ANOMALIES OF THE INTEGUMENT	1	-	-	-	-	1	-	-	-
758	CHROMOSOMAL ANOMALIES	26	-	-	-	1	18	-	-	1
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	103	1	4	1	3	73	3	-	2
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	113	1	1	-	1	76	1	-	2
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	230	-	1	-	-	178	1	-	3
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	1,230	9	9	1	7	923	9	-	3
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	29	-	-	-	-	24	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	10	-	-	-	-	9	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	104	1	-	-	1	71	2	-	3
766	DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT	4	-	-	-	-	4	-	-	-
767	BIRTH TRAUMA	3	-	-	-	-	2	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	183	-	-	-	1	137	4	-	-
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	12	-	-	-	-	11	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	10	-	-	-	-	9	-	-	-
772	FETAL AND NEONATAL HAEMORRHAGE	9	-	-	-	-	8	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	11	-	-	-	-	11	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	29	-	-	-	-	20	-	-	-
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	1	-	-	-	-	1	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	20	-	-	-	1	18	-	-	1
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	866	4	3	1	4	641	10	-	13

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-11

FETAL DEATHS BY EACH CAUSE AND SPANISH/HISPANIC ORIGIN OF MOTHER

CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
	TOTAL ALL CAUSES	3,171	-	868	12	132	2,086	73
027	OTHER ZOONOTIC BACTERIAL DISEASES	1	-	-	-	-	1	-
163	MALIGNANT NEOPLASM OF PLEURA	1	-	-	-	-	1	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	5	-	2	-	-	3	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS	2	-	-	-	-	2	-
331	OTHER CEREBRAL DEGENERATIONS	1	-	-	-	1	-	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES	1	-	-	-	-	-	1
442	OTHER ANEURYSM	1	-	-	-	-	1	-
511	PLEURISY	2	-	-	-	1	1	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	5	-	1	-	-	4	-
555	REGIONAL ENTERITIS	1	-	-	-	-	1	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	59	-	16	-	4	39	-
741	SPINA BIFIDA	6	-	1	-	1	4	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	24	-	8	-	1	15	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	4	-	-	-	-	4	-
746	OTHER CONGENITAL ANOMALIES OF HEART	14	-	3	-	1	10	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	6	-	1	-	1	4	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	4	-	-	-	1	3	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	1	-	-	-	-	1	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	2	-	-	-	1	1	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	11	-	2	-	-	9	-
755	OTHER CONGENITAL ANOMALIES OF LIMBS	1	-	-	-	-	1	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	5	-	2	-	-	3	-
757	CONGENITAL ANOMALIES OF THE INTEGUMENT	1	-	-	-	-	1	-
758	CHROMOSOMAL ANOMALIES	26	-	7	1	-	15	3
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	103	-	29	1	3	66	4
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	113	-	36	-	2	71	4
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	230	-	60	-	7	170	5
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	1,230	-	310	2	34	866	18
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	29	-	14	-	2	13	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	10	-	2	-	-	8	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	104	-	31	-	6	60	7
766	DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT	4	-	2	-	-	2	-
767	BIRTH TRAUMA	3	-	-	-	-	3	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	183	-	49	2	7	122	3
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	12	-	4	1	-	7	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	10	-	2	-	-	8	-
772	FETAL AND NEONATAL HAEMORRHAGE	9	-	2	-	-	7	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	11	-	3	-	-	8	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	29	-	9	1	-	19	-
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	1	-	1	-	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	20	-	5	-	2	12	1
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	866	-	266	4	37	512	27

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

4. INFANT DEATHS

			Page
Table	4-1	Infant, neonatal, and postneonatal deaths, number and rate: California, 1960-1985	271
	4-2	Percent distribution of infant deaths by age and sex: California, 1985	271
	4-3	Age-adjusted perinatal and infant mortality rates among single total births occurring in California by race of child: California Birth Cohorts, 1960, 1965, 1970-1984	272
	4-4	Infant, neonatal, and postneonatal deaths from selected causes by age: California, 1985	274
	4-5	Infant deaths by month of death: California counties, 1985	276
	4-6	Infant deaths by sex, race/ethnicity and age: California counties, 1985	277
	4-7	Infant deaths by sex, Spanish/Hispanic origin and age: California counties, 1985	281
Figure	4-A	Infant, neonatal, and postneonatal death rates: California, 1960-1985	270
	4-B	Percent distribution of infant deaths by age and sex: California, 1985	270
	4-C	Age-adjusted perinatal death rates by race of child: California Birth Cohorts, 1960, 1965-1984	273
	4-D	Percent distribution of neonatal and postneonatal deaths by cause: California 1985	275

Figure 4–A

INFANT, NEONATAL, AND POSTNEONATAL DEATH RATES
CALIFORNIA, 1960–1985

(By place of residence)



Source: Table 4-1.

Figure 4–B

PERCENT DISTRIBUTION OF INFANT DEATHS
BY AGE AND SEX
CALIFORNIA, 1985
(By place of residence)



Source: Table 4-2.

TABLE 4-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS

NUMBER AND RATE

CALIFORNIA, 1960-1985

(BY PLACE OF RESIDENCE)

YEAR	NUMBER			RATE		
	INFANT	NEONATAL	POSTNEONATAL	INFANT	NEONATAL	POSTNEONATAL
1985	4,475	2,813	1,662	9.5	6.0	3.5
1984	4,212	2,654	1,558	9.4	5.9	3.5
1983	4,226	2,711	1,515	9.7	6.2	3.5
1982	4,218	2,686	1,532	9.8	6.3	3.6
1981	4,276	2,711	1,565	10.2	6.4	3.7
1980	4,681	3,086	1,595	11.1	7.2	3.9
1979	4,278	2,788	1,490	11.3	7.4	3.9
1978	4,235	2,741	1,494	11.9	7.7	4.2
1977	4,192	2,752	1,440	12.1	7.9	4.1
1976	4,134	2,826	1,308	12.4	8.5	3.9
1975	4,256	2,919	1,337	13.4	9.2	4.2
1974	4,274	2,959	1,315	13.7	9.5	4.2
1973	4,351	3,065	1,286	14.6	10.3	4.3
1972	4,877	3,467	1,410	15.9	11.3	4.6
1971	5,440	3,922	1,518	16.5	11.9	4.6
1970	6,243	4,592	1,651	17.2	12.7	4.6
1969	6,466	4,798	1,668	18.3	13.6	4.7
1968	6,437	4,774	1,663	19.0	14.1	4.9
1967	6,582	4,891	1,691	19.6	14.5	5.0
1966	7,043	5,204	1,839	20.9	15.4	5.4
1965	7,845	5,720	2,125	22.1	16.1	6.0
1964	8,143	6,042	2,101	21.7	16.1	5.6
1963	8,488	6,333	2,155	22.3	16.6	5.7
1962	8,664	6,443	2,221	22.9	17.0	5.9
1961	8,871	6,570	2,301	23.3	17.2	6.0
1960	8,663	6,405	2,258	23.3	17.2	6.1

NOTE: RATES ARE PER 1,000 LIVE BIRTHS.
RATES ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 4-2

PERCENT DISTRIBUTION OF INFANT DEATHS

BY AGE AND SEX

CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

AGE	NUMBER			PERCENT BY AGE AND SEX		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	4,475	2,567	1,908	100.0	57.4	42.6
UNDER 1 DAY	1,321	722	599	29.5	16.1	13.4
1-6 DAYS	983	575	408	22.0	12.8	9.1
7-27 DAYS	509	288	221	11.4	6.4	4.9
28 DAYS-11 MONTHS	1,662	982	680	37.1	21.9	15.2
	PERCENT BY SEX			PERCENT BY AGE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	100.0	57.4	42.6	100.0	100.0	100.0
UNDER 1 DAY	100.0	54.7	45.3	29.5	28.1	31.4
1-6 DAYS	100.0	58.5	41.5	22.0	22.4	21.4
7-27 DAYS	100.0	56.6	43.4	11.4	11.2	11.6
28 DAYS-11 MONTHS	100.0	59.1	40.9	37.1	38.3	35.6

NOTE: PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

Table 4–3

AGE ADJUSTED[1] PERINATAL AND INFANT MORTALITY RATES AMONG SINGLE TOTAL BIRTHS OCCURRING IN CALIFORNIA BY RACE OF CHILD CALIFORNIA BIRTH COHORTS, 1960, 1965, 1970–1984

RACE OF CHILD AND COHORT YEAR	TOTAL BIRTHS	LIVE BIRTHS	DEATH RATE[2]				
			Fetal[3,4]	Neonatal	Perinatal	Post-neonatal	Infant
All Races							
1984	441,099	438,293	6.5 (0.1)	5.3 (0.1)	11.8 (6.2)	3.3 (0.1)	8.6 (0.1)
1983	429,942	427,202	6.6 (0.1)	5.5 (0.1)	12.0 (0.2)	3.4 (0.1)	8.9 (0.2)
1982	424,467	421,449	7.4 (0.1)	5.6 (0.1)	12.9 (0.2)	3.5 (0.1)	9.1 (0.2)
1981	415,857	412,705	7.9 (0.1)	5.7 (0.1)	13.6 (0.2)	3.5 (0.1)	9.2 (0.2)
1980	398,222	395,026	7.7 (0.2)	6.3 (0.1)	13.9 (0.2)	3.7 (0.1)	10.0 (0.2)
1979	374,596	371,585	8.0 (0.2)	6.4 (0.1)	14.4 (0.2)	3.6 (0.1)	10.1 (0.2)
1978	351,779	348,995	8.3 (0.2)	6.7 (0.1)	14.9 (0.2)	3.9 (0.1)	10.5 (0.2)
1977	343,559	340,827	8.4 (0.2)	7.2 (0.2)	15.5 (0.2)	4.3 (0.1)	11.4 (0.2)
1976	328,566	325,725	9.2 (0.2)	7.5 (0.2)	16.6 (0.2)	3.7 (0.1)	11.2 (0.2)
1975	314,119	311,395	9.1 (0.2)	8.2 (0.2)	17.3 (0.2)	4.0 (0.1)	12.2 (0.2)
1974	308,797	305,931	9.9 (0.2)	8.5 (0.2)	18.4 (0.3)	3.9 (0.1)	12.4 (0.2)
1973	295,170	292,436	9.9 (0.2)	9.3 (0.2)	19.1 (0.3)	3.9 (0.1)	13.2 (0.2)
1972	303,870	300,953	10.3 (0.2)	10.3 (0.2)	20.4 (0.3)	4.2 (0.1)	14.4 (0.2)
1971	326,820	323,606	10.5 (0.2)	10.5 (0.2)	20.8 (0.3)	3.9 (0.1)	14.3 (0.2)
1970	359,345	355,637	10.9 (0.2)	11.2 (0.2)	22.0 (0.3)	4.3 (0.1)	15.4 (0.2)
1965	351,658	347,491	12.0 (0.2)	14.0 (0.2)	25.9 (0.3)	5.0 (0.1)	19.0 (0.2)
1960	368,149	363,795	11.8 (0.2)	15.5 (0.2)	27.1 (0.3)	5.8 (0.1)	21.2 (0.2)
White Spanish[5]							
1984	132,191	131,339	6.6 (0.2)	5.0 (0.2)	11.6 (0.3)	2.9 (0.2)	7.9 (0.2)
1983	128,195	127,369	6.7 (0.2)	5.1 (0.2)	11.7 (0.3)	2.8 (0.2)	7.9 (0.2)
1982	125,857	124,946	7.5 (0.2)	5.3 (0.2)	12.7 (0.3)	2.6 (0.2)	8.0 (0.3)
1981	124,974	124,030	8.0 (0.3)	5.6 (0.2)	13.6 (0.3)	3.2 (0.2)	8.8 (0.3)
1980	119,997	119,077	7.7 (0.3)	6.3 (0.2)	14.0 (0.4)	3.1 (0.2)	9.4 (0.3)
1979	107,140	106,296	8.0 (0.3)	5.9 (0.2)	13.9 (0.4)	3.3 (0.2)	9.2 (0.3)
1978	101,616	100,797	8.5 (0.3)	6.7 (0.3)	15.2 (0.4)	3.5 (0.2)	10.2 (0.3)
1977	101,509	100,655	9.0 (0.3)	6.7 (0.3)	15.6 (0.4)	3.7 (0.2)	10.4 (0.4)
1976	98,072	97,179	9.8 (0.3)	7.5 (0.3)	17.2 (0.4)	3.3 (0.2)	10.7 (0.3)
1975	90,698	89,844	9.9 (0.4)	7.6 (0.3)	17.4 (0.4)	4.0 (0.2)	11.6 (0.4)
1974	86,091	85,287	10.0 (0.4)	7.8 (0.3)	17.8 (0.5)	3.5 (0.2)	11.3 (0.4)
1973	78,093	77,343	10.1 (0.4)	8.4 (0.3)	18.4 (0.5)	3.6 (0.2)	12.0 (0.4)
1972	74,318	73,507	11.5 (0.4)	9.3 (0.4)	20.7 (0.5)	4.0 (0.2)	13.3 (0.4)
1971	74,577	73,793	11.0 (0.4)	9.8 (0.4)	20.6 (0.5)	3.9 (0.2)	13.7 (0.4)
1970	76,232	75,364	11.8 (0.4)	10.7 (0.4)	22.4 (0.6)	4.3 (0.2)	15.0 (0.4)
1965	62,512	61,680	13.1 (0.4)	13.1 (0.5)	26.1 (0.6)	5.3 (0.3)	18.4 (0.5)
1960	57,191	56,398	13.7 (0.5)	15.0 (0.5)	28.5 (0.7)	6.9 (0.4)	21.8 (0.6)
White Non-Spanish[4]							
1984	213,355	212,037	6.4 (0.2)	4.7 (0.2)	11.1 (0.2)	3.2 (0.1)	7.9 (0.2)
1983	210,267	209,040	6.0 (0.2)	5.0 (0.2)	11.0 (0.2)	3.2 (0.1)	8.2 (0.2)
1982	210,563	209,178	6.9 (0.2)	5.2 (0.2)	12.1 (0.2)	3.6 (0.1)	8.9 (0.2)
1981	207,199	205,680	7.7 (0.2)	5.2 (0.2)	12.9 (0.3)	3.3 (0.1)	8.6 (0.2)
1980	200,632	199,141	7.0 (0.2)	5.3 (0.2)	12.3 (0.3)	3.6 (0.1)	8.9 (0.2)
1979	189,159	187,797	7.2 (0.2)	5.9 (0.2)	13.0 (0.3)	3.4 (0.1)	9.2 (0.2)
1978	189,535	188,211	7.4 (0.2)	5.6 (0.2)	12.9 (0.3)	3.6 (0.2)	9.2 (0.2)
1977	184,314	182,995	7.6 (0.2)	6.5 (0.2)	14.1 (0.3)	4.0 (0.2)	10.5 (0.3)
1976	176,983	175,657	8.0 (0.2)	6.7 (0.2)	14.7 (0.3)	3.6 (0.2)	10.3 (0.3)
1975	173,610	172,346	7.7 (0.2)	7.8 (0.2)	15.4 (0.3)	3.4 (0.2)	11.2 (0.3)
1974	175,503	173,977	9.3 (0.2)	8.3 (0.2)	17.5 (0.3)	3.6 (0.2)	11.8 (0.3)
1973	173,214	171,736	9.2 (0.2)	9.0 (0.2)	18.1 (0.4)	3.6 (0.2)	12.6 (0.3)
1972	184,950	183,383	9.0 (0.2)	9.8 (0.2)	18.7 (0.3)	3.7 (0.2)	13.4 (0.3)
1971	205,317	203,527	9.4 (0.2)	10.0 (0.2)	19.4 (0.3)	3.5 (0.1)	13.5 (0.3)
1970	233,076	230,923	9.8 (0.2)	10.6 (0.2)	20.3 (0.3)	3.8 (0.1)	14.4 (0.3)
1965	244,134	241,523	11.0 (0.2)	13.5 (0.2)	24.3 (0.3)	4.5 (0.1)	17.9 (0.3)
1960	269,319	266,426	10.8 (0.2)	14.7 (0.2)	25.4 (0.3)	5.1 (0.1)	19.8 (0.3)
Black							
1984	43,637	43,226	9.6 (0.5)	9.0 (0.5)	18.5 (0.7)	5.3 (0.4)	14.3 (0.6)
1983	41,501	41,080	10.4 (0.5)	10.0 (0.5)	20.3 (0.7)	5.9 (0.4)	15.8 (0.6)
1982	40,589	40,157	11.6 (0.6)	9.0 (0.5)	20.5 (0.8)	5.8 (0.4)	14.8 (0.6)
1981	40,226	39,805	10.8 (0.6)	9.6 (0.5)	20.3 (0.8)	5.7 (0.4)	15.3 (0.7)
1980	38,862	38,316	13.6 (0.7)	11.3 (0.6)	24.8 (0.9)	6.4 (0.4)	17.6 (0.7)
1979	37,431	36,928	13.7 (0.7)	11.1 (0.6)	24.7 (0.9)	6.3 (0.4)	17.4 (0.7)
1978	36,148	35,675	13.8 (0.7)	12.6 (0.7)	26.2 (1.0)	5.7 (0.4)	18.2 (0.8)
1977	35,306	34,875	12.8 (0.7)	11.9 (0.6)	24.6 (0.9)	7.5 (0.5)	19.3 (0.8)
1976	33,442	32,956	15.5 (0.8)	13.1 (0.7)	25.4 (1.0)	5.8 (0.5)	18.9 (0.8)
1975	31,675	31,210	15.5 (0.8)	13.6 (0.8)	28.9 (1.1)	6.7 (0.5)	20.3 (0.9)
1974	30,702	30,284	14.7 (0.8)	12.5 (0.7)	27.0 (1.1)	6.4 (0.5)	18.8 (0.9)
1973	28,953	28,550	14.9 (0.8)	15.0 (0.8)	29.7 (1.2)	6.3 (0.5)	21.3 (1.0)
1972	29,498	29,076	15.6 (0.8)	17.1 (0.9)	32.4 (1.2)	7.2 (0.5)	24.2 (1.0)
1971	31,677	31,169	17.7 (0.8)	15.6 (0.8)	33.0 (1.1)	6.5 (0.5)	22.0 (0.9)
1970	34,830	34,266	17.5 (0.8)	16.9 (0.8)	34.1 (1.1)	6.8 (0.4)	23.6 (0.9)
1965	32,438	31,808	19.9 (0.8)	20.6 (0.8)	40.0 (1.1)	8.2 (0.5)	28.6 (1.0)
1960	29,434	28,859	19.8 (0.8)	23.3 (0.9)	42.6 (1.2)	8.6 (0.6)	31.7 (1.0)

1 Direct method of adjustment to 1960 California single total births by age of mother, excluding age unknown.

2 Fetal and perinatal death rates are per 1,000 total single births; neonatal and infant death rates are per 1,000 single live births; postneonatal death rates are per 1,000 infants surviving 28 days or more.

3 Fetal deaths under 20 weeks' gestation are excluded.

4 Fetal death rates include some induced terminations.

5 Not strictly comparable to the category "Spanish/Hispanic Origin" used in this report for live births and fetal deaths. For method used to classify Spanish, see Robert W. Buechley, "A Reproducible Method of Counting Persons of Spanish Surname," *Journal of the American Statistical Association*, 55:88–97, 1961. Blacks with Spanish surnames included in "Black" race category.

Note: Figure in parenthesis is standard error of rate.

Source: State of California, Department of Health Services, Birth Cohort Records.

Figure 4–C

AGE-ADJUSTED PERINATAL DEATH RATES BY RACE OF CHILD
CALIFORNIA BIRTH COHORTS, 1960, 1965–1984

(By place of occurrence)



a 1960 data.
Note: Continuous series only for 1965–1984.
Source: Table 4-3.

TABLE 4-4

INFANT, NEONATAL, AND POSTNEONATAL DEATHS FROM SELECTED CAUSES BY AGE
CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	INFANT			NEONATAL (1)			POSTNEONATAL (2)		
		NUMBER	RATE	PERCENT	NUMBER	RATE	PERCENT	NUMBER	RATE	PERCENT
001-999	TOTAL, ALL CAUSES	4,475	950.5	100.0	2,813	597.5	100.0	1,662	353.0	100.0
740-759	CAUSES SPECIFIC TO PERINATAL PERIOD	1,059	224.9	23.7	779	165.5	27.7	280	59.5	16.8
740-759	CONGENITAL ANOMALIES	1,059	224.9	23.7	779	165.5	27.7	280	59.5	16.8
740-742	ANENCEPHALUS, SPINA BIFIDA AND OTHER NERVOUS SYSTEM	196	41.6	4.4	159	33.8	5.7	37	7.9	2.2
745-747	HEART/CIRCULATORY SYSTEM	388	82.4	8.7	238	50.6	8.5	150	31.9	9.0
748	RESPIRATORY SYSTEM	130	27.6	2.9	117	24.9	4.2	13	2.8	0.8
750-751	UPPER ALIMENTARY TRACT/DIGESTIVE SYSTEM	11	2.3	0.2	5	1.1	0.2	6	1.3	0.4
753	URINARY SYSTEM	54	11.5	1.2	53	11.3	1.9	1	A	0.1
758	CHROMOSOMAL	130	27.6	2.9	88	18.7	3.1	42	8.9	2.5
759.8	OTHER SPECIFIED	9	1.9	0.2	8	1.7	0.3	1	A	0.1
759(EXCEPT 759.8)	OTHER AND UNSPECIFIED	63	13.4	1.4	49	10.4	1.7	14	3.0	0.8
RESIDUAL	OTHER CONGENITAL ANOMALIES	78	16.6	1.7	62	13.2	2.2	16	3.4	1.0
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1,974	419.5	44.1	1,823	387.6	64.9	149	31.6	9.0
760-764	MATERNAL CONDITIONS	230	48.9	5.1	227	48.2	8.1	3	A	0.2
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	14	3.0	0.3	13	2.8	0.5	1	A	0.1
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	104	22.1	2.3	104	22.1	3.7	-	-	-
761.0-761.3	INCOMPETENT CERVIX, PREMATURE RUPTURE OF MEMBRANES, OLIGOHYDRAMNIOS AND POLYHYDRAMNIOS	50	10.6	1.1	50	10.6	1.8	-	-	-
761.5	MULTIPLE PREGNANCY	51	10.8	1.1	51	10.8	1.8	-	-	-
761.4,761.6-761.9	OTHER	3	A	0.1	3	A	0.1	-	-	-
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	94	20.0	2.1	94	20.0	3.3	-	-	-
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	16	3.4	0.4	15	3.2	0.5	1	A	0.1
RESIDUAL	OTHER MATERNAL CONDITIONS	2	A	B	1	A	B	1	A	0.1
765-779	EARLY INFANCY	1,744	370.4	39.0	1,598	339.4	56.8	146	31.0	8.8
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	331	70.3	7.4	326	69.2	11.6	5	1.1	0.3
767	BIRTH TRAUMA	28	5.9	0.6	28	5.9	1.0	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	107	22.7	2.4	102	21.7	3.6	5	1.1	0.3
769	RESPIRATORY DISTRESS SYNDROME	403	85.6	9.0	364	77.3	12.9	39	8.3	2.3
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	423	89.8	9.5	346	73.5	12.3	77	16.4	4.6
RESIDUAL	OTHER EARLY INFANCY	452	96.0	10.1	432	91.8	15.4	20	4.2	1.2
	CAUSES NOT SPECIFIC TO PERINATAL PERIOD	1,350	286.7	30.2	169	35.9	6.0	1,181	250.8	71.1
001-139	INFECTIVE AND PARASITIC DISEASES	87	18.5	1.9	8	1.7	0.3	79	16.8	4.8
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	75	15.9	1.7	11	2.3	0.4	64	13.6	3.9
320-326	INFLAMMATORY DISEASES OF CENTRAL NERVOUS SYSTEM	27	5.7	0.6	8	1.7	0.3	19	4.0	1.1
RESIDUAL	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	48	10.2	1.1	3	A	0.1	45	9.6	2.7
390-459	DISEASES OF THE CIRCULATORY SYSTEM	114	24.2	2.5	52	11.0	1.8	62	13.2	3.7
430-431	SUBARACHNOID AND INTRACEREBRAL HEMORRHAGE	5	1.1	0.1	-	-	-	5	1.1	0.3
RESIDUAL	OTHER DISEASES OF THE CIRCULATORY SYSTEM	109	23.2	2.4	52	11.0	1.8	57	12.1	3.4
460-519	DISEASES OF THE RESPIRATORY SYSTEM	174	37.0	3.9	24	5.1	0.9	150	31.9	9.0
480-486	PNEUMONIA	76	16.1	1.7	12	2.5	0.4	64	13.6	3.9
RESIDUAL	OTHER DISEASES OF THE RESPIRATORY SYSTEM	98	20.8	2.2	12	2.5	0.4	86	18.3	5.2
520-579	DISEASES OF THE DIGESTIVE SYSTEM	47	10.0	1.1	12	2.5	0.4	35	7.4	2.1
550-553	HERNIA OF ABDOMINAL CAVITY	8	1.7	0.2	6	1.3	0.2	2	A	0.1
RESIDUAL	OTHER DISEASES OF THE DIGESTIVE SYSTEM	39	8.3	0.9	6	1.3	0.2	33	7.0	2.0
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	709	150.6	15.8	46	9.8	1.6	663	140.8	39.9
798.0	SUDDEN INFANT DEATH SYNDROME	682	144.9	15.2	40	8.5	1.4	642	136.4	38.6
RESIDUAL	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	27	5.7	0.6	6	1.3	0.2	21	4.5	1.3
800-999	ACCIDENTS AND ADVERSE EFFECTS	144	30.6	3.2	16	3.4	0.6	128	27.2	7.7
800-949	ACCIDENTS	109	23.2	2.4	12	2.5	0.4	97	20.6	5.8
960-969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHER PERSONS	26	5.5	0.6	2	A	0.1	24	5.1	1.4
RESIDUAL	OTHER ACCIDENTS AND ADVERSE EFFECTS	9	1.9	0.2	2	A	0.1	7	1.5	0.4
	ALL OTHER CAUSES NOT SPECIFIC TO PERINATAL PERIOD	92	19.5	2.1	40	8.5	1.4	52	11.0	3.1

1 DEATHS OCCURRING DURING FIRST 27 DAYS OF LIFE.
2 DEATHS OCCURRING BETWEEN THE 28TH DAY AND THE END OF THE FIRST YEAR OF LIFE.

A RATES ARE NOT CALCULATED FOR FEWER THAN FIVE EVENTS.
B MORE THAN ZERO BUT LESS THAN 0.050.

NOTE : RATES ARE PER 100,000 LIVE BIRTHS (1985 LIVE BIRTHS- 470,816).
PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE : STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

Figure 4–D

PERCENT DISTRIBUTION OF NEONATAL AND POSTNEONATAL DEATHS BY CAUSE CALIFORNIA, 1985



a 96.8 percent of this category is due to "sudden infant death syndrome", ICD 798.0.

Note: Percents may not total to 100 due to independent rounding.

Source: Table 4-4.

TABLE 4-5

INFANT DEATHS BY MONTH OF DEATH

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL INFANT DEATHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	4,475	388	316	383	358	348	338	369	355	368	397	428	427
ALAMEDA	203	10	14	20	12	17	23	9	20	22	19	19	18
ALPINE	1	1	-	-	-	-	-	-	-	-	-	-	-
AMADOR	2	-	-	-	-	-	-	1	-	-	-	-	-
BUTTE	28	1	3	3	1	2	4	1	-	6	1	1	3
CALAVERAS	2	-	1	-	-	-	-	1	-	-	-	1	-
COLUSA	1	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	77	9	8	5	3	9	4	6	3	4	7	6	13
DEL NORTE	4	-	-	-	1	-	-	-	-	1	1	-	-
EL DORADO	24	-	3	1	1	6	1	-	1	1	7	3	-
FRESNO	106	13	10	11	7	7	12	7	6	6	6	11	10
GLENN	4	-	-	2	-	-	-	-	1	-	-	1	-
HUMBOLDT	27	3	4	3	1	3	4	2	1	1	1	4	1
IMPERIAL	12	1	-	2	1	2	1	2	1	-	-	1	1
INYO	5	-	-	1	2	-	-	-	-	-	2	-	-
KERN	110	8	8	10	4	11	6	7	12	8	8	20	8
KINGS	13	1	1	1	2	1	-	2	1	1	-	2	1
LAKE	7	1	-	1	-	-	-	2	-	-	1	1	1
LASSEN	3	1	-	-	-	-	-	-	1	-	-	1	-
LOS ANGELES	1,615	131	106	120	132	116	114	178	130	133	146	160	149
MADERA	15	-	1	2	1	1	2	2	1	2	1	1	1
MARIN	14	3	-	4	-	2	1	2	-	-	-	2	-
MARIPOSA	2	1	-	-	-	-	1	-	-	-	-	-	-
MENDOCINO	21	1	-	-	2	2	2	3	1	3	3	3	1
MERCED	26	4	1	2	3	2	-	4	1	1	3	3	4
MODOC	2	-	-	1	-	-	-	-	-	-	1	-	-
MONO	1	-	-	-	1	-	-	-	-	-	-	-	-
MONTEREY	64	6	4	4	6	4	5	8	4	5	2	4	10
NAPA	17	1	4	1	4	-	2	1	2	-	-	-	3
NEVADA	10	-	1	-	4	2	1	-	1	-	-	-	1
ORANGE	309	29	21	25	26	29	27	18	28	35	12	33	26
PLACER	9	2	1	-	-	1	2	-	1	1	-	1	-
PLUMAS	3	-	-	1	1	-	1	-	-	-	-	-	-
RIVERSIDE	131	11	14	14	8	20	15	10	13	11	12	7	16
SACRAMENTO	138	14	6	14	6	16	11	12	12	14	6	11	14
SAN BENITO	6	1	1	-	-	-	-	-	1	-	1	1	1
SAN BERNARDINO	226	20	13	29	21	17	22	14	17	15	21	14	23
SAN DIEGO	328	33	25	31	31	24	21	20	29	24	38	28	24
SAN FRANCISCO	82	5	7	4	6	8	8	5	5	12	9	6	7
SAN JOAQUIN	76	5	5	3	2	6	6	3	6	5	10	7	18
SAN LUIS OBISPO	21	1	1	1	-	-	4	-	2	5	4	1	2
SAN MATEO	89	7	8	7	8	5	3	8	5	15	4	7	13
SANTA BARBARA	46	2	2	5	2	4	7	2	4	4	4	1	10
SANTA CLARA	193	14	14	19	21	6	13	12	19	8	20	27	15
SANTA CRUZ	32	1	2	2	3	2	1	-	3	3	7	5	3
SHASTA	22	2	3	2	1	5	2	-	1	1	1	3	1
SIERRA	1	-	-	-	1	-	-	-	-	-	-	-	-
SISKIYOU	6	-	-	1	1	-	-	-	-	-	1	2	-
SOLANO	43	7	3	3	3	6	-	2	-	3	6	-	2
SONOMA	38	6	3	6	7	1	-	4	3	4	6	6	4
STANISLAUS	37	5	3	7	3	4	5	2	3	4	9	7	4
SUTTER	12	4	1	-	-	-	-	1	3	1	-	1	1
TEHAMA	5	-	-	1	-	-	-	-	2	-	1	1	-
TRINITY	1	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	33	6	5	4	4	4	1	7	5	3	7	4	3
TUOLUMNE	3	-	2	-	1	1	1	-	-	-	-	-	-
VENTURA	88	11	7	6	9	2	7	3	8	6	6	10	11
YOLO	8	1	-	1	1	2	-	1	1	2	-	-	-
YUBA	9	-	-	1	1	-	-	1	-	2	1	1	2

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 4-6

INFANT DEATHS BY SEX, RACE/ETHNICITY AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
CALIFORNIA	4,475	2,567	1,908	2,813	1,585	1,228	1,662	982	680
AMERICAN INDIAN	20	13	7	9	5	4	11	8	3
BLACK	748	413	335	462	248	214	286	165	121
CAMBODIAN	16	7	9	11	4	7	5	3	2
CHINESE	48	28	20	26	13	13	22	15	7
FILIPINO	78	43	35	53	29	24	25	14	11
INDIAN (INDIA)	10	5	5	7	2	5	3	3	-
JAPANESE	18	10	8	8	6	2	10	4	6
KOREAN	22	16	6	10	6	4	12	10	2
PACIFIC ISLANDER	25	15	10	12	8	4	13	7	6
THAI	6	5	1	5	4	1	1	1	-
VIETNAMESE	42	24	18	28	16	12	14	8	6
WHITE	3,337	1,928	1,409	2,107	1,199	908	1,230	729	501
OTHER ASIAN	50	25	25	25	13	12	25	12	13
OTHER	4	2	2	2	2	-	2	-	2
NOT STATED	51	33	18	48	30	18	3	3	-
ALAMEDA	203	123	80	127	74	53	76	49	27
AMERICAN INDIAN	1	-	1	-	-	-	1	-	1
BLACK	64	43	21	37	24	13	27	19	8
CAMBODIAN	3	2	1	1	1	-	2	1	1
CHINESE	4	-	4	3	-	3	1	-	1
FILIPINO	4	3	1	3	2	1	1	1	-
INDIAN (INDIA)	2	1	1	1	-	1	1	1	-
JAPANESE	1	-	1	-	-	-	1	-	1
KOREAN	2	1	1	-	-	-	2	1	1
PACIFIC ISLANDER	1	-	1	-	-	-	1	-	1
VIETNAMESE	3	3	-	2	2	-	1	1	-
WHITE	104	60	44	69	38	31	35	22	13
OTHER ASIAN	2	2	-	-	-	-	2	2	-
NOT STATED	12	8	4	11	7	4	1	1	-
ALPINE	1	1	-	1	1	-	-	-	-
AMERICAN INDIAN	1	1	-	1	1	-	-	-	-
AMADOR	2	1	1	1	-	1	1	1	-
WHITE	2	1	1	1	-	1	1	1	-
BUTTE	28	18	10	14	8	6	14	10	4
BLACK	1	1	-	-	-	-	1	1	-
WHITE	27	17	10	14	8	6	13	9	4
CALAVERAS	2	2	-	1	1	-	1	1	-
AMERICAN INDIAN	1	1	-	-	-	-	1	1	-
WHITE	1	1	-	1	1	-	-	-	-
COLUSA	1	1	-	1	1	-	-	-	-
WHITE	1	1	-	1	1	-	-	-	-
CONTRA COSTA	77	43	34	31	31	20	26	12	14
AMERICAN INDIAN	1	-	1	1	-	1	-	-	-
BLACK	19	9	10	8	3	5	11	6	5
CHINESE	1	1	-	1	1	-	-	-	-
WHITE	49	28	21	35	22	13	14	6	8
OTHER	1	-	1	-	-	-	1	-	1
NOT STATED	6	5	1	6	5	1	-	-	-
DEL NORTE	4	2	2	2	-	2	2	2	-
WHITE	4	2	2	2	-	2	2	2	-
EL DORADO	24	10	14	18	7	11	6	3	3
BLACK	1	-	1	1	-	1	-	-	-
FILIPINO	1	1	-	1	1	-	-	-	-
WHITE	22	9	13	16	6	10	6	3	3
FRESNO	106	58	48	70	37	33	36	21	15
AMERICAN INDIAN	1	1	-	-	-	-	1	1	-
BLACK	11	6	5	6	3	3	5	3	2
JAPANESE	1	-	1	1	-	1	-	-	-
WHITE	83	43	40	56	29	27	27	14	13
OTHER ASIAN	10	8	2	7	5	2	3	3	-
GLENN	4	1	3	3	-	3	1	1	-
WHITE	4	1	3	3	-	3	1	1	-
HUMBOLDT	27	17	10	16	10	6	11	7	4
AMERICAN INDIAN	3	1	2	3	1	2	-	-	-
BLACK	2	2	-	-	-	-	2	2	-
WHITE	22	14	8	13	9	4	9	5	4
IMPERIAL	12	8	4	6	4	2	6	4	2
WHITE	11	8	3	5	4	1	6	4	2
NOT STATED	1	-	1	1	-	1	-	-	-
INYO	3	3	2	1	-	1	4	3	1
WHITE	3	3	2	1	-	1	4	3	1
KERN	110	64	46	73	44	29	37	20	17
BLACK	14	7	7	9	4	5	5	3	2
PACIFIC ISLANDER	1	1	-	1	1	-	-	-	-
WHITE	94	56	38	62	39	23	32	17	15
OTHER ASIAN	1	-	1	1	-	1	-	-	-
KINGS	13	8	5	7	3	4	6	5	1
BLACK	2	2	-	-	-	-	2	2	-
WHITE	11	6	5	7	3	4	4	3	1
LAKE	7	5	2	2	1	1	5	4	1
WHITE	7	5	2	2	1	1	5	4	1
LASSEN	3	3	-	2	2	-	1	1	-
WHITE	3	3	-	2	2	-	1	1	-
LOS ANGELES	1,615	906	709	1,058	587	471	557	319	238
BLACK	423	228	195	272	144	128	151	84	67

TABLE 4-6 (CONTINUED)

INFANT DEATHS BY SEX, RACE/ETHNICITY AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
LOS ANGELES (CONT'D)									
CAMBODIAN	2	1	1	1	-	1	1	1	-
CHINESE	20	12	8	11	5	6	9	7	2
FILIPINO	29	13	16	20	8	12	9	5	4
INDIAN (INDIA)	3	2	1	3	2	1	-	-	-
JAPANESE	7	2	5	2	1	1	5	1	4
KOREAN	13	8	5	8	4	4	5	4	1
PACIFIC ISLANDER	7	5	2	4	3	1	3	2	1
THAI	3	2	1	3	2	1	-	-	-
VIETNAMESE	11	6	5	8	5	3	3	1	2
WHITE	1,089	625	464	721	411	310	368	214	154
OTHER ASIAN	7	1	6	4	1	3	3	-	3
OTHER	1	1	-	1	1	-	-	-	-
MADERA	15	11	4	8	6	2	7	5	2
WHITE	15	11	4	8	6	2	7	5	2
MARIN	14	9	5	6	4	2	8	5	3
BLACK	1	-	1	1	-	1	-	-	-
WHITE	13	9	4	5	4	1	8	5	3
MARIPOSA	2	1	1	1	-	1	1	1	-
WHITE	2	1	1	1	-	1	1	1	-
MENDOCINO	21	14	7	10	6	4	11	8	3
AMERICAN INDIAN	3	3	-	-	-	-	3	3	-
WHITE	17	11	6	9	6	3	8	5	3
NOT STATED	1	-	1	1	-	1	-	-	-
MERCED	26	12	14	17	6	11	9	6	3
BLACK	1	-	1	1	-	1	-	-	-
JAPANESE	1	-	1	-	-	-	1	-	1
THAI	1	1	-	1	1	-	-	-	-
WHITE	17	8	9	11	3	8	6	5	1
OTHER ASIAN	5	2	3	3	1	2	2	1	1
NOT STATED	1	1	-	1	1	-	-	-	-
MODOC	2	-	2	-	-	-	2	-	2
WHITE	2	-	2	-	-	-	2	-	2
MONO	1	-	1	1	-	1	-	-	-
WHITE	1	-	1	1	-	1	-	-	-
MONTEREY	64	32	32	44	20	24	20	12	8
BLACK	10	5	5	6	4	2	4	1	3
FILIPINO	1	1	-	1	1	-	-	-	-
KOREAN	1	1	-	-	-	-	1	1	-
VIETNAMESE	1	-	1	1	-	1	-	-	-
WHITE	51	25	26	36	15	21	15	10	5
NAPA	17	5	12	9	2	7	8	3	5
WHITE	17	5	12	9	2	7	8	3	5
NEVADA	10	6	4	9	6	3	1	-	1
WHITE	9	6	3	8	6	2	1	-	1
NOT STATED	1	-	1	1	-	1	-	-	-
ORANGE	309	188	121	214	130	84	95	58	37
BLACK	12	7	5	7	5	2	5	2	3
CAMBODIAN	2	1	1	2	1	1	-	-	-
FILIPINO	2	1	1	1	1	-	1	-	1
JAPANESE	5	5	-	4	4	-	1	1	-
KOREAN	2	2	-	-	-	-	2	2	-
PACIFIC ISLANDER	2	2	-	1	1	-	1	1	-
VIETNAMESE	10	5	5	6	4	2	4	1	3
WHITE	269	164	105	188	113	75	81	51	30
OTHER ASIAN	2	-	2	1	-	1	1	-	1
OTHER	1	-	1	-	-	-	1	-	1
NOT STATED	2	1	1	2	1	1	-	-	-
PLACER	9	5	4	6	3	3	3	2	1
WHITE	9	5	4	6	3	3	3	2	1
PLUMAS	3	2	1	2	1	1	1	1	-
WHITE	3	2	1	2	1	1	1	1	-
RIVERSIDE	151	92	59	98	65	33	53	27	26
AMERICAN INDIAN	1	1	-	1	1	-	-	-	-
BLACK	8	3	5	5	1	4	3	2	1
WHITE	142	88	54	92	63	29	50	25	25
SACRAMENTO	138	81	57	77	48	29	61	33	28
AMERICAN INDIAN	1	-	1	1	-	1	-	-	-
BLACK	23	11	12	10	5	5	13	6	7
CAMBODIAN	1	-	1	1	-	1	-	-	-
CHINESE	3	1	2	2	1	1	1	-	1
FILIPINO	1	1	-	-	-	-	1	1	-
JAPANESE	2	2	-	-	-	-	2	2	-
WHITE	101	62	39	59	39	20	42	23	19
OTHER ASIAN	6	4	2	4	3	1	2	1	1
SAN BENITO	6	3	3	5	2	3	1	1	-
WHITE	6	3	3	5	2	3	1	1	-
SAN BERNARDINO	226	132	94	130	74	56	96	58	38
BLACK	36	18	18	25	12	13	11	6	5
PACIFIC ISLANDER	2	1	1	1	-	1	1	1	-
VIETNAMESE	1	-	1	-	-	-	1	-	1
WHITE	187	113	74	104	61	43	83	52	31
SAN DIEGO	328	181	147	209	109	100	119	72	47
BLACK	47	34	13	32	23	9	15	11	4
CAMBODIAN	3	1	2	3	1	2	-	-	-
CHINESE	2	2	-	2	2	-	-	-	-
FILIPINO	8	5	3	6	4	2	2	1	1

TABLE 4-6 (CONTINUED)

INFANT DEATHS BY SEX, RACE/ETHNICITY AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
SAN DIEGO (CONT'D)									
KOREAN	2	2	-	2	2	-	-	-	-
PACIFIC ISLANDER	2	-	2	2	-	2	-	-	-
VIETNAMESE	2	1	1	1	-	1	1	-	1
WHITE	255	134	121	159	77	82	96	57	39
OTHER ASIAN	5	2	3	3	-	3	2	2	-
NOT STATED	2	-	2	2	-	2	-	-	-
SAN FRANCISCO	82	47	35	43	24	19	39	23	16
BLACK	23	13	10	11	5	6	12	8	4
CAMBODIAN	1	1	-	1	1	-	-	-	-
CHINESE	8	6	2	2	1	1	6	5	1
FILIPINO	8	3	5	5	2	3	3	1	2
PACIFIC ISLANDER	3	1	2	-	-	-	3	1	2
WHITE	30	15	15	16	8	8	14	7	7
OTHER ASIAN	3	3	-	2	2	-	1	1	-
NOT STATED	6	5	1	6	5	1	-	-	-
SAN JOAQUIN	76	40	36	47	25	22	29	15	14
AMERICAN INDIAN	2	1	1	-	-	-	2	1	1
BLACK	15	5	10	10	3	7	5	2	3
CAMBODIAN	2	-	2	1	-	1	1	-	1
FILIPINO	2	2	-	2	2	-	-	-	-
INDIAN (INDIA)	1	-	1	1	-	1	-	-	-
PACIFIC ISLANDER	1	1	-	1	1	-	-	-	-
VIETNAMESE	2	-	2	2	-	2	-	-	-
WHITE	46	26	20	27	16	11	19	10	9
OTHER ASIAN	1	1	-	-	-	-	1	1	-
NOT STATED	4	4	-	3	3	-	1	1	-
SAN LUIS OBISPO	21	15	6	13	9	4	8	6	2
WHITE	21	15	6	13	9	4	8	6	2
SAN MATEO	89	57	32	54	35	19	35	22	13
BLACK	8	4	4	7	3	4	1	1	-
CHINESE	3	1	2	1	-	1	2	1	1
FILIPINO	9	6	3	8	6	2	1	-	1
INDIAN (INDIA)	1	-	1	1	-	1	-	-	-
JAPANESE	1	1	-	1	1	-	-	-	-
PACIFIC ISLANDER	4	4	-	4	4	-	-	-	-
WHITE	59	38	21	31	21	10	28	17	11
NOT STATED	4	3	1	4	3	1	-	-	-
SANTA BARBARA	46	25	21	26	13	13	20	12	8
BLACK	2	1	1	2	1	1	-	-	-
WHITE	43	24	19	24	12	12	19	12	7
OTHER ASIAN	1	-	1	-	-	-	1	-	1
SANTA CLARA	195	115	80	119	67	52	76	48	28
BLACK	10	5	5	3	1	2	7	4	3
CAMBODIAN	1	-	1	1	-	1	-	-	-
CHINESE	5	3	2	3	2	1	2	1	1
FILIPINO	6	3	3	4	2	2	2	1	1
INDIAN (INDIA)	2	1	1	1	-	1	1	1	-
KOREAN	1	1	-	-	-	-	1	1	-
PACIFIC ISLANDER	2	-	2	1	-	1	1	-	1
THAI	1	1	-	-	-	-	1	1	-
VIETNAMESE	11	8	3	6	5	1	5	3	2
WHITE	143	86	57	92	53	39	51	33	18
OTHER ASIAN	3	1	2	2	1	1	1	-	1
NOT STATED	8	4	4	7	3	4	1	1	-
SANTA CRUZ	32	17	15	20	11	9	12	6	6
AMERICAN INDIAN	1	1	-	1	1	-	-	-	-
BLACK	2	1	1	1	-	1	1	1	-
FILIPINO	2	-	2	1	-	1	1	-	1
WHITE	25	14	11	15	8	7	10	6	4
NOT STATED	2	1	1	2	1	1	-	-	-
SHASTA	22	10	12	9	3	6	13	7	6
WHITE	22	10	12	9	3	6	13	7	6
SIERRA	1	1	-	1	1	-	-	-	-
WHITE	1	1	-	1	1	-	-	-	-
SISKIYOU	6	4	2	2	1	1	4	3	1
AMERICAN INDIAN	1	1	-	-	-	-	1	1	-
WHITE	5	3	2	2	1	1	3	2	1
SOLANO	43	22	21	22	13	9	21	9	12
BLACK	7	4	3	4	3	1	3	1	2
WHITE	36	18	18	18	10	8	18	8	10
SONOMA	38	26	12	22	14	8	16	12	4
AMERICAN INDIAN	2	2	-	1	1	-	1	1	-
BLACK	1	-	1	-	-	-	1	-	1
KOREAN	1	1	-	-	-	-	1	1	-
VIETNAMESE	1	1	-	-	-	-	1	1	-
WHITE	32	21	11	20	12	8	12	9	3
OTHER	1	1	-	1	1	-	-	-	-
STANISLAUS	57	41	16	29	22	7	28	19	9
BLACK	2	2	-	1	1	-	1	1	-
CAMBODIAN	1	1	-	-	-	-	1	1	-
INDIAN (INDIA)	1	1	-	-	-	-	1	1	-
WHITE	51	35	16	27	20	7	24	15	9
OTHER ASIAN	1	1	-	-	-	-	1	1	-
NOT STATED	1	1	-	1	1	-	-	-	-
SUTTER	12	7	5	7	5	2	5	2	3
WHITE	12	7	5	7	5	2	5	2	3
TEHAMA	5	2	3	2	2	-	3	-	3
WHITE	5	2	3	2	2	-	3	-	3

TABLE 4-6 (CONTINUED)

INFANT DEATHS BY SEX, RACE/ETHNICITY AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TRINITY	1	1	-	-	-	-	1	1	-
WHITE	1	1	-	-	-	-	1	1	-
TULARE	53	30	23	28	14	14	25	16	9
AMERICAN INDIAN	1	-	1	-	-	-	1	-	1
BLACK	1	1	-	1	1	-	-	-	-
FILIPINO	2	2	-	-	-	-	2	2	-
WHITE	46	27	19	23	13	12	21	14	7
OTHER ASIAN	3	-	3	2	-	2	1	-	1
TUOLUMNE	5	4	1	2	2	-	3	2	1
WHITE	5	4	1	2	2	-	3	2	1
VENTURA	88	45	43	58	26	32	30	19	11
BLACK	2	1	1	2	1	1	-	-	-
CHINESE	1	1	-	1	1	-	-	-	-
FILIPINO	1	-	1	1	-	1	-	-	-
WHITE	84	43	41	54	24	30	30	19	11
YOLO	8	5	3	5	2	3	3	3	-
CHINESE	1	1	-	-	-	-	1	1	-
WHITE	7	4	3	5	2	3	2	2	-
YUBA	9	5	4	4	3	1	5	2	3
THAI	1	1	-	1	1	-	-	-	-
WHITE	8	4	4	3	2	1	5	2	3

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEATH SERVICES, DEATH RECORDS

TABLE 4-7

INFANT DEATHS BY SEX, SPANISH/HISPANIC ORIGIN AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
CALIFORNIA	4,475	2,367	1,908	2,813	1,585	1,228	1,662	982	680
HISPANIC	1,239	710	529	811	465	346	428	245	183
CUBAN	8	4	4	8	4	4	-	-	-
MEXICAN	1,098	635	463	709	408	301	389	227	162
PUERTO RICAN	14	4	10	12	3	9	2	1	1
OTHER HISPANIC	119	67	52	82	50	32	37	17	20
NON-HISPANIC	3,062	1,744	1,318	1,872	1,036	836	1,190	708	482
NOT STATED	174	113	61	130	84	46	44	29	15
ALAMEDA	203	123	80	127	74	53	76	49	27
HISPANIC	25	17	8	19	13	6	6	4	2
CUBAN	2	-	2	2	-	2	-	-	-
MEXICAN	22	17	5	16	13	3	6	4	2
PUERTO RICAN	1	-	1	1	-	1	-	-	-
NON-HISPANIC	153	87	66	91	48	43	62	39	23
NOT STATED	25	19	6	17	13	4	8	6	2
ALPINE	1	1	-	1	1	-	-	-	-
NON-HISPANIC	1	1	-	1	1	-	-	-	-
AMADOR	2	1	1	1	-	1	1	1	-
HISPANIC	1	1	-	-	-	-	1	1	-
MEXICAN	1	1	-	-	-	-	1	1	-
NON-HISPANIC	1	-	1	1	-	1	-	-	-
BUTTE	28	18	10	14	8	6	14	10	4
HISPANIC	2	-	2	1	-	1	1	-	1
MEXICAN	2	-	2	1	-	1	1	-	1
NON-HISPANIC	26	18	8	13	8	5	13	10	3
CALAVERAS	2	2	-	1	1	-	1	1	-
NON-HISPANIC	2	2	-	1	1	-	1	1	-
COLUSA	1	1	-	1	1	-	-	-	-
HISPANIC	1	1	-	1	1	-	-	-	-
MEXICAN	1	1	-	1	1	-	-	-	-
CONTRA COSTA	77	43	34	51	31	20	26	12	14
HISPANIC	3	2	1	2	2	-	1	-	1
MEXICAN	3	2	1	2	2	-	1	-	1
NON-HISPANIC	62	31	31	39	21	18	23	10	13
NOT STATED	12	10	2	10	8	2	2	2	-
DEL NORTE	4	2	2	2	-	2	2	2	-
NON-HISPANIC	4	2	2	2	-	2	2	2	-
EL DORADO	24	10	14	18	7	11	6	3	3
NON-HISPANIC	23	10	13	17	7	10	6	3	3
NOT STATED	1	-	1	1	-	1	-	-	-
FRESNO	106	58	48	70	37	33	36	21	15
HISPANIC	35	16	19	24	10	14	11	6	5
MEXICAN	35	16	19	24	10	14	11	6	5
NON-HISPANIC	69	40	29	44	25	19	25	15	10
NOT STATED	2	2	-	2	2	-	-	-	-
GLENN	4	1	3	3	-	3	1	1	-
HISPANIC	1	-	1	1	-	1	-	-	-
MEXICAN	1	-	1	1	-	1	-	-	-
NON-HISPANIC	3	1	2	2	-	2	1	1	-
HUMBOLDT	27	17	10	16	10	6	11	7	4
HISPANIC	1	1	-	1	1	-	-	-	-
MEXICAN	1	1	-	1	1	-	-	-	-
NON-HISPANIC	24	16	8	13	9	4	11	7	4
NOT STATED	2	-	2	2	-	2	-	-	-
IMPERIAL	12	8	4	6	4	2	6	4	2
HISPANIC	5	5	-	4	4	-	1	1	-
MEXICAN	5	5	-	4	4	-	1	1	-
NON-HISPANIC	5	3	2	2	1	1	4	3	1
NOT STATED	2	-	2	1	-	1	1	-	1
INYO	5	3	2	1	-	1	4	3	1
NON-HISPANIC	5	3	2	1	-	1	4	3	1
KERN	110	64	46	73	44	29	37	20	17
HISPANIC	34	21	13	22	13	9	12	8	4
MEXICAN	34	21	13	22	13	9	12	8	4
NON-HISPANIC	75	43	32	50	31	19	25	12	13
NOT STATED	1	-	1	1	-	1	-	-	-
KINGS	13	8	5	7	3	4	6	5	1
HISPANIC	5	1	4	4	2	2	1	-	1
MEXICAN	5	1	4	4	2	2	1	-	1
NON-HISPANIC	8	7	1	3	1	2	5	5	-
LAKE	7	5	2	2	1	1	5	4	1
NON-HISPANIC	7	5	2	2	1	1	5	4	1
LASSEN	3	3	-	2	2	-	1	1	-
NON-HISPANIC	3	3	-	2	2	-	1	1	-
LOS ANGELES	1,613	906	709	1,038	567	471	537	339	238
HISPANIC	628	360	268	417	233	184	211	127	84
CUBAN	4	2	2	4	2	2	-	-	-
MEXICAN	324	305	219	345	192	153	179	113	66
PUERTO RICAN	5	3	2	4	2	2	1	1	-
OTHER HISPANIC	95	50	45	64	37	27	31	13	18
NON-HISPANIC	941	516	423	606	333	273	335	183	152
NOT STATED	44	30	16	35	21	14	11	9	2
MADERA	15	11	4	8	6	2	7	5	2
HISPANIC	5	2	3	2	1	1	3	1	2
MEXICAN	4	2	2	2	1	1	2	1	1

TABLE 4-7 (CONTINUED)

INFANT DEATHS BY SEX, SPANISH/HISPANIC ORIGIN AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
MADERA (CONT'D)									
OTHER HISPANIC	1	-	1	-	-	-	1	-	1
NON-HISPANIC	9	8	1	5	4	1	4	4	-
NOT STATED	1	1	-	1	1	-	-	-	-
MARIN	14	9	5	6	4	2	8	5	3
NON-HISPANIC	14	9	5	6	4	2	8	5	3
MARIPOSA	2	1	1	1	-	1	1	1	-
NON-HISPANIC	2	1	1	1	-	1	1	1	-
MENDOCINO	21	14	7	10	6	4	11	8	3
HISPANIC	2	2	-	1	1	-	1	1	-
MEXICAN	2	2	-	1	1	-	1	1	-
NON-HISPANIC	17	11	6	7	4	3	10	7	3
NOT STATED	2	1	1	2	1	1	-	-	-
MERCED	26	12	14	17	6	11	9	6	3
HISPANIC	5	3	2	4	2	2	1	1	-
MEXICAN	5	3	2	4	2	2	1	1	-
NON-HISPANIC	20	8	12	12	3	9	8	5	3
NOT STATED	1	1	-	1	1	-	-	-	-
MODOC	2	-	2	-	-	-	2	-	2
NON-HISPANIC	2	-	2	-	-	-	2	-	2
MONO	1	-	1	1	-	1	-	-	-
NON-HISPANIC	1	-	1	1	-	1	-	-	-
MONTEREY	64	32	32	44	20	24	20	12	8
HISPANIC	22	8	14	15	5	10	7	3	4
MEXICAN	20	8	12	13	5	8	7	3	4
PUERTO RICAN	1	-	1	1	-	1	-	-	-
OTHER HISPANIC	1	-	1	1	-	1	-	-	-
NON-HISPANIC	42	24	18	29	15	14	13	9	4
NAPA	17	5	12	9	2	7	8	3	5
HISPANIC	2	-	2	2	-	2	-	-	-
MEXICAN	2	-	2	2	-	2	-	-	-
NON-HISPANIC	14	5	9	6	2	4	8	3	5
NOT STATED	1	-	1	1	-	1	-	-	-
NEVADA	10	6	4	9	6	3	1	-	1
NON-HISPANIC	9	6	3	8	6	2	1	-	1
NOT STATED	1	-	1	1	-	1	-	-	-
ORANGE	309	188	121	214	130	84	95	58	37
HISPANIC	96	57	39	66	38	28	30	19	11
CUBAN	2	2	-	2	2	-	-	-	-
MEXICAN	86	51	35	56	32	24	30	19	11
PUERTO RICAN	2	-	2	2	-	2	-	-	-
OTHER HISPANIC	6	4	2	6	4	2	-	-	-
NON-HISPANIC	209	129	80	145	91	54	64	38	26
NOT STATED	4	2	2	3	1	2	1	1	-
PLACER	9	5	4	6	3	3	3	2	1
HISPANIC	1	-	1	-	-	-	1	-	1
MEXICAN	1	-	1	-	-	-	1	-	1
NON-HISPANIC	8	5	3	6	3	3	2	2	-
PLUMAS	3	2	1	2	1	1	1	1	-
HISPANIC	1	1	-	-	-	-	1	1	-
MEXICAN	1	1	-	-	-	-	1	1	-
NON-HISPANIC	2	1	1	2	1	1	-	-	-
RIVERSIDE	151	92	59	98	65	33	53	27	26
HISPANIC	40	24	16	25	19	6	15	5	10
MEXICAN	38	22	16	23	17	6	15	5	10
OTHER HISPANIC	2	2	-	2	2	-	-	-	-
NON-HISPANIC	108	65	43	70	43	27	38	22	16
NOT STATED	3	3	-	3	3	-	-	-	-
SACRAMENTO	138	81	57	77	48	29	61	33	28
HISPANIC	15	9	6	9	6	3	6	3	3
MEXICAN	15	9	6	9	6	3	6	3	3
NON-HISPANIC	123	72	51	68	42	26	55	30	25
SAN BENITO	6	3	3	5	2	3	1	1	-
HISPANIC	5	3	2	4	2	2	1	1	-
MEXICAN	5	3	2	4	2	2	1	1	-
NON-HISPANIC	1	-	1	1	-	1	-	-	-
SAN BERNARDINO	226	132	94	130	74	56	96	58	38
HISPANIC	46	31	15	30	19	11	16	12	4
MEXICAN	40	28	12	25	16	9	15	12	3
PUERTO RICAN	3	1	2	3	1	2	-	-	-
OTHER HISPANIC	3	2	1	2	2	-	1	-	1
NON-HISPANIC	176	100	76	99	54	45	79	46	33
NOT STATED	2	1	1	1	1	-	1	-	1
SAN DIEGO	328	181	147	209	109	100	119	72	47
HISPANIC	64	33	31	41	23	18	23	10	13
MEXICAN	62	32	30	40	22	18	22	10	12
PUERTO RICAN	1	-	1	-	-	-	1	-	1
OTHER HISPANIC	1	1	-	1	1	-	-	-	-
NON-HISPANIC	262	148	114	166	86	80	96	62	34
NOT STATED	2	-	2	2	-	2	-	-	-
SAN FRANCISCO	82	47	35	43	24	19	39	23	16
HISPANIC	11	7	4	4	2	2	7	5	2
MEXICAN	9	5	4	4	2	2	5	3	2
OTHER HISPANIC	2	2	-	-	-	-	2	2	-
NON-HISPANIC	52	27	25	25	12	13	27	15	12
NOT STATED	19	13	6	14	10	4	5	3	2

TABLE 4-7 (CONTINUED)

INFANT DEATHS BY SEX, SPANISH/HISPANIC ORIGIN AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
SAN JOAQUIN	76	40	36	47	25	22	29	15	14
HISPANIC	16	9	7	12	8	4	4	1	3
MEXICAN	15	9	6	11	8	3	4	1	3
OTHER HISPANIC	1	-	1	1	-	1	-	-	-
NON-HISPANIC	56	27	29	32	14	18	24	13	11
NOT STATED	4	4	-	3	3	-	1	1	-
SAN LUIS OBISPO	21	15	6	13	9	4	8	6	2
HISPANIC	2	1	1	-	-	-	2	1	1
MEXICAN	2	1	1	-	-	-	2	1	1
NON-HISPANIC	18	13	5	12	8	4	6	5	1
NOT STATED	1	1	-	1	1	-	-	-	-
SAN MATEO	89	57	32	54	35	19	35	22	13
HISPANIC	16	9	7	10	6	4	6	3	3
MEXICAN	12	5	7	7	3	4	5	2	3
OTHER HISPANIC	4	4	-	3	3	-	1	1	-
NON-HISPANIC	62	40	22	35	22	13	27	18	9
NOT STATED	11	8	3	9	7	2	2	1	1
SANTA BARBARA	46	25	21	26	13	13	20	12	8
HISPANIC	17	8	9	10	5	5	7	3	4
MEXICAN	17	8	9	10	5	5	7	3	4
NON-HISPANIC	24	14	10	13	6	7	11	8	3
NOT STATED	5	3	2	3	2	1	2	1	1
SANTA CLARA	193	113	80	119	67	52	76	48	28
HISPANIC	41	28	13	26	18	8	15	10	5
MEXICAN	39	26	13	25	17	8	14	9	5
OTHER HISPANIC	2	2	-	1	1	-	1	1	-
NON-HISPANIC	142	81	61	84	44	40	58	37	21
NOT STATED	12	6	6	9	5	4	3	1	2
SANTA CRUZ	32	17	15	20	11	9	12	6	6
HISPANIC	11	7	4	7	5	2	4	2	2
MEXICAN	11	7	4	7	5	2	4	2	2
NON-HISPANIC	18	8	10	11	5	6	7	3	4
NOT STATED	3	2	1	2	1	1	1	1	-
SHASTA	22	10	12	9	3	6	13	7	6
HISPANIC	3	-	3	2	-	2	2	-	2
MEXICAN	3	-	3	1	-	1	2	-	2
NON-HISPANIC	19	10	9	8	3	5	11	7	4
SIERRA	1	1	-	1	1	-	-	-	-
NON-HISPANIC	1	1	-	1	1	-	-	-	-
SISKIYOU	4	4	2	2	1	1	4	3	1
NON-HISPANIC	4	4	2	2	1	1	4	3	1
SOLANO	43	22	21	22	13	9	21	9	12
HISPANIC	1	1	-	-	-	-	1	1	-
MEXICAN	1	1	-	-	-	-	1	1	-
NON-HISPANIC	38	20	18	20	12	8	18	8	10
NOT STATED	4	1	3	2	1	1	2	-	2
SONOMA	38	26	12	22	14	8	16	12	4
HISPANIC	7	6	1	4	4	-	3	2	1
MEXICAN	7	6	1	4	4	-	3	2	1
NON-HISPANIC	30	20	10	18	10	8	12	10	2
NOT STATED	1	-	1	-	-	-	1	-	1
STANISLAUS	57	41	16	29	22	7	28	19	9
HISPANIC	13	8	5	7	5	2	6	3	3
MEXICAN	13	8	5	7	5	2	6	3	3
NON-HISPANIC	42	31	11	21	16	5	21	15	6
NOT STATED	2	2	-	1	1	-	1	1	-
SUTTER	12	7	5	7	5	2	5	2	3
HISPANIC	3	1	2	2	1	1	1	-	1
MEXICAN	3	1	2	2	1	1	1	-	1
NON-HISPANIC	9	6	3	5	4	1	4	2	2
TEHAMA	5	2	3	2	2	-	3	-	3
NON-HISPANIC	5	2	3	2	2	-	3	-	3
TRINITY	1	1	-	-	-	-	1	1	-
NON-HISPANIC	1	1	-	-	-	-	1	1	-
TULARE	53	30	23	28	14	14	25	16	9
HISPANIC	23	13	10	11	7	4	12	6	6
MEXICAN	23	13	10	11	7	4	12	6	6
NON-HISPANIC	26	14	12	15	6	9	11	8	3
NOT STATED	4	3	1	2	1	1	2	2	-
TUOLUMNE	5	4	1	2	2	-	3	2	1
NON-HISPANIC	5	4	1	2	2	-	3	2	1
VENTURA	88	45	43	58	26	32	30	19	11
HISPANIC	29	14	15	22	10	12	7	4	3
MEXICAN	28	14	14	21	10	11	7	4	3
PUERTO RICAN	1	-	1	1	-	1	-	-	-
NON-HISPANIC	59	31	28	36	16	20	23	15	8
YOLO	8	5	3	5	2	3	3	3	-
HISPANIC	1	-	1	1	-	1	-	-	-
OTHER HISPANIC	1	-	1	1	-	1	-	-	-
NON-HISPANIC	7	5	2	4	2	2	3	3	-
YUBA	9	5	4	4	1	3	5	3	2
NON-HISPANIC	9	5	4	4	1	3	5	3	2

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEATH SERVICES, DEATH RECORDS

5. DEATHS

			Page
Table	5-1	Ten leading causes of death: California, 1984 and 1985	286
	5-2	Five leading causes of death by sex and age: California, 1985	289
	5-3	Age- and sex-specific death rates and percent change: California, 1983-1985 ..	291
	5-4	Deaths by sex, race, and age: California, 1985	292
	5-5	Deaths by sex, race, and age: California counties, 1985	293
	5-6	Deaths by month of death: California counties, 1985	316
	5-7	Deaths from selected external causes of injury and poisoning: California counties, 1985	317
	5-8	Deaths from selected causes: California counties, 1985	319
	5-9	Deaths by sex, Spanish/Hispanic origin and age: California, 1985	334
	5-10	Deaths by sex, Spanish/Hispanic origin and age: California counties, 1985	335
	5-11	Deaths from six causes associated with AIDS by sex and age: California, 1984-1985	352
	5-12	Deaths from each cause by sex and age: California, 1985 (microfiche in back cover)	
Figure	5-A	Percent distribution of the ten leading causes of death: California, 1985	287
	5-B	Percent change in rate for the ten leading causes of death: California, 1984-1985	288

TABLE 5-1

TEN LEADING CAUSES OF DEATH

CALIFORNIA, 1984 AND 1985

(BY PLACE OF RESIDENCE)

(NUMBER AND RATE, WITH PERCENT CHANGE, AND PERCENT DISTRIBUTION)

CAUSE OF DEATH	NINTH REVISION ICD NUMBER	NUMBER		PERCENT CHANGE 1984 TO 1985
		1985	1984	
ALL CAUSES	001-999	201,815	195,470	3.2
DISEASES OF THE HEART	390-398,402,404-429	69,046	67,691	2.0
MALIGNANT NEOPLASMS	140-208	45,615	44,992	1.4
CEREBROVASCULAR DISEASE	430-438	15,222	15,368	-1.0
UNINTENTIONAL INJURIES	800-949	10,380	10,216	1.6
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	490-496	8,606	7,976	7.9
PNEUMONIA AND INFLUENZA	480-487	8,046	6,624	21.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	571	3,965	4,131	-4.0
SUICIDE	950-959	3,782	3,690	2.5
DIABETES MELLITUS	250	2,997	2,856	3.8
HOMICIDE	960-969	2,818	2,833	-0.5
ALL OTHER CAUSES	RESIDUAL	31,338	29,061	7.8
		RATE		
ALL CAUSES	001-999	765.5	757.8	1.0
DISEASES OF THE HEART	390-398,402,404-429	261.9	262.4	-0.2
MALIGNANT NEOPLASMS	140-208	173.0	174.4	-0.8
CEREBROVASCULAR DISEASE	430-438	57.7	59.6	-3.1
UNINTENTIONAL INJURIES	800-949	39.4	39.6	-0.6
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	490-496	32.6	30.9	5.6
PNEUMONIA AND INFLUENZA	480-487	30.5	25.7	18.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	571	15.0	16.0	-6.1
SUICIDE	950-959	14.3	14.3	0.3
DIABETES MELLITUS	250	11.4	11.2	1.6
HOMICIDE	960-969	10.7	11.0	-2.7
ALL OTHER CAUSES	RESIDUAL	118.9	112.7	5.5
		PERCENTAGE		DIFFERENCE 1985 MINUS 19
ALL CAUSES	001-999	100.0	100.0	...
DISEASES OF THE HEART	390-398,402,404-429	34.2	34.6	-0.4
MALIGNANT NEOPLASMS	140-208	22.6	23.0	-0.4
CEREBROVASCULAR DISEASE	430-438	7.5	7.9	-0.4
UNINTENTIONAL INJURIES	800-949	5.1	5.2	-0.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	490-496	4.3	4.1	0.2
PNEUMONIA AND INFLUENZA	480-487	4.0	3.4	0.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	571	2.0	2.1	-0.1
SUICIDE	950-959	1.9	1.9	-
DIABETES MELLITUS	250	1.5	1.5	-
HOMICIDE	960-969	1.4	1.4	-
ALL OTHER CAUSES	RESIDUAL	15.5	14.9	0.6

NOTE: RATES ARE PER 100,000 POPULATION. RATES AND PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF FINANCE, POPULATION ESTIMATES OF CALIFORNIA COUNTIES, JULY 1, 1980 - JULY 1, 1985, REPORT 85 E-2, FEBRUARY 1986

STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

Figure 5--A
PERCENT DISTRIBUTION OF
THE TEN LEADING CAUSES OF DEATH
CALIFORNIA 1985



Figure 5—B
PERCENT CHANGE IN RATE FOR
THE TEN LEADING CAUSES OF DEATH
CALIFORNIA, 1984—1985



TABLE 5-2

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE

CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		NUMBER	PERCENT	RANK	NUMBER	PERCENT	RANK
		UNDER 1					
	ALL CAUSES	2,567	100.0		1,908	100.0	
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1,131	44.1	1	843	44.2	1
740-759	CONGENITAL ANOMALIES	579	22.6	2	480	25.2	2
798.0	SUDDEN INFANT DEATH SYNDROME	424	16.5	3	258	13.5	3
800-949	UNINTENTIONAL INJURIES	56	2.2	4	53	2.8	4
810-825	MOTOR VEHICLE ACCIDENTS	16	0.6		8	0.4	
910	DROWNINGS	5	0.2		7	0.4	
800-807,826-909,911-949	ALL OTHER UNINTENTIONAL INJURIES	35	1.4		38	2.0	
390-398,402,404-429	DISEASES OF THE HEART	51	2.0	5	38	2.0	5
	ALL OTHER CAUSES	326	12.7		236	12.4	
		1 - 4					
	ALL CAUSES	512	100.0		373	100.0	
800-949	UNINTENTIONAL INJURIES	226	44.1	1	144	38.6	1
810-825	MOTOR VEHICLE ACCIDENTS	96	18.8		64	17.2	
910	DROWNINGS	70	13.7		43	11.5	
800-807,826-909,911-949	ALL OTHER UNINTENTIONAL INJURIES	60	11.7		37	9.9	
740-759	CONGENITAL ANOMALIES	64	12.5	2	54	14.5	2
140-208	MALIGNANT NEOPLASMS	43	8.4	3	25	6.7	3
960-969	HOMICIDE	19	3.7	4	19	5.1	4
320-322	MENINGITIS	15	2.9	5	3A	0.8A	A
390-398,402,404-429	DISEASES OF THE HEART	11A	2.1A	A	15	4.0	5
	ALL OTHER CAUSES	134	26.2		113	30.3	
		5 - 14					
	ALL CAUSES	551	100.0		337	100.0	
800-949	UNINTENTIONAL INJURIES	250	45.4	1	124	36.8	1
810-825	MOTOR VEHICLE ACCIDENTS	167	30.3		91	27.0	
910	DROWNINGS	25	4.5		10	3.0	
800-807,826-909,911-949	ALL OTHER UNINTENTIONAL INJURIES	58	10.5		23	6.8	
140-208	MALIGNANT NEOPLASMS	95	17.2	2	57	16.9	2
740-759	CONGENITAL ANOMALIES	31	5.6	3	25	7.4	3
960-969	HOMICIDE	29	5.3	4	19	5.6	4
950-959	SUICIDE	19	3.4	5	10	3.0	5
390-398,402,404-429	DISEASES OF THE HEART	11A	2.0A	A	10	3.0	5
	ALL OTHER CAUSES	116	21.1		92	27.3	
		15 - 24					
	ALL CAUSES	3,401	100.0		1,110	100.0	
800-949	UNINTENTIONAL INJURIES	1,709	50.2	1	485	43.7	1
810-825	MOTOR VEHICLE ACCIDENTS	1,318	38.8		402	36.2	
910	DROWNINGS	84	2.5		12	1.1	
800-807,826-909,911-949	ALL OTHER UNINTENTIONAL INJURIES	307	9.0		71	6.4	
960-969	HOMICIDE	654	19.2	2	140	12.6	2
950-959	SUICIDE	470	13.8	3	117	10.5	3
140-208	MALIGNANT NEOPLASMS	139	4.1	4	104	9.4	4
390-398,402,404-429	DISEASES OF THE HEART	73	2.1	5	32	2.9	5
	ALL OTHER CAUSES	356	10.5		232	20.9	
		25 - 34					
	ALL CAUSES	5,022	100.0		1,691	100.0	
800-949	UNINTENTIONAL INJURIES	1,799	35.8	1	441	26.1	1
810-825	MOTOR VEHICLE ACCIDENTS	992	19.8		266	15.7	
850-858	POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	489	9.7		116	6.9	
800-807,826-849,859-949	ALL OTHER UNINTENTIONAL INJURIES	318	6.3		59	3.5	
960-969	HOMICIDE	714	14.2	2	188	11.1	3
950-959	SUICIDE	688	13.7	3	174	10.3	4
140-208	MALIGNANT NEOPLASMS	381	7.6	4	304	18.0	2
390-398,402,404-429	DISEASES OF THE HEART	254	5.1	5	91	5.4	5
	ALL OTHER CAUSES	1,186	23.6		493	29.2	
		35 - 44					
	ALL CAUSES	5,159	100.0		2,505	100.0	
800-949	UNINTENTIONAL INJURIES	1,063	20.6	1	329	13.1	2
810-825	MOTOR VEHICLE ACCIDENTS	533	10.3		212	8.5	
850-858	POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	287	5.6		53	2.1	
800-807,826-849,859-949	ALL OTHER UNINTENTIONAL INJURIES	243	4.7		64	2.6	
390-398,402,404-429	DISEASES OF THE HEART	823	16.0	2	247	9.9	3
140-208	MALIGNANT NEOPLASMS	742	14.4	3	878	35.0	1
950-959	SUICIDE	452	8.8	4	166	6.6	4
960-969	HOMICIDE	356	6.9	5	94A	3.8A	A
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	347A	6.7A	A	155	6.2	5
	ALL OTHER CAUSES	1,376	26.7		636	25.4	
		45 - 54					
	ALL CAUSES	7,361	100.0		4,287	100.0	
390-398,402,404-429	DISEASES OF THE HEART	2,380	32.3	1	689	16.1	2
140-208	MALIGNANT NEOPLASMS	1,873	25.4	2	1,967	45.9	1
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	578	7.9	3	242	5.6	3
800-949	UNINTENTIONAL INJURIES	535	7.3	4	222	5.2	4
810-825	MOTOR VEHICLE ACCIDENTS	293	4.0		121	2.8	
850-858	POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	67	0.9		41	1.0	
800-807,826-849,859-949	ALL OTHER UNINTENTIONAL INJURIES	175	2.4		60	1.4	
950-959	SUICIDE	316	4.3	5	138A	3.2A	A
430-438	CEREBROVASCULAR DISEASE	226A	3.1A	A	199	4.6	5
	ALL OTHER CAUSES	1,453	19.7		830	19.4	

TABLE 5-2 (CONTINUED)

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE

CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		NUMBER	PERCENT	RANK	NUMBER	PERCENT	RANK
		55 - 64					
	ALL CAUSES	16,462	100.0		10,615	100.0	
390-398,402,404-429	DISEASES OF THE HEART	6,059	36.8	1	2,451	23.1	2
140-208	MALIGNANT NEOPLASMS	5,231	31.9	2	4,671	44.0	1
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	747	4.3	3	390	3.7	5
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	606	3.7	4	460	4.3	4
430-438	CEREBROVASCULAR DISEASE	602	3.7	5	544	5.1	3
	ALL OTHER CAUSES	3,197	19.4		2,099	19.8	
		65 - 74					
	ALL CAUSES	25,544	100.0		18,851	100.0	
390-398,402,404-429	DISEASES OF THE HEART	9,733	38.1	1	5,946	31.5	2
140-208	MALIGNANT NEOPLASMS	7,612	29.8	2	6,374	33.8	1
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	1,627	6.4	3	1,202	6.4	4
430-438	CEREBROVASCULAR DISEASE	1,318	5.2	4	1,348	7.2	3
480-487	PNEUMONIA AND INFLUENZA	661	2.6	5	433	2.3	5
	- ALL OTHER CAUSES	4,593	18.0		3,546	18.8	
		75 AND OVER					
	ALL CAUSES	39,670	100.0		53,731	100.0	
390-398,402,404-429	DISEASES OF THE HEART	16,444	41.5	1	23,675	44.1	1
140-208	MALIGNANT NEOPLASMS	7,613	19.2	2	7,471	13.9	2
430-438	CEREBROVASCULAR DISEASE	3,532	8.9	3	7,042	13.1	3
480-487	PNEUMONIA AND INFLUENZA	2,481	6.3	4	3,526	6.6	4
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	2,428	6.1	5	1,898	3.5	5
	ALL OTHER CAUSES	7,172	18.1		10,119	18.8	

(A) NOT AMONG FIVE LEADING CAUSES OF DEATH IN THIS AGE-SEX GROUP.

NOTE: PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.
THIS TABLE EXCLUDES 158 DEATHS OF UNKNOWN AGE.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-3

AGE- AND SEX-SPECIFIC DEATH RATES
AND PERCENT CHANGE
CALIFORNIA, 1983-1985

(By place of residence)

AGE (In Years)	1983			1984			1985		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
	RATE								
All Ages	742.8	794.9	692.2	757.8	810.1	706.8	765.5	818.0	714.3
Under 1	961.9	1,037.3	883.1	956.1	1,043.1	864.9	966.3	1084.0	843.1
1-4	54.1	58.1	49.8	50.5	54.9	45.9	49.8	56.3	42.9
5-14	26.2	30.7	21.7	24.9	29.3	20.4	24.6	30.0	19.1
15-24	99.1	145.8	49.4	104.3	151.8	53.5	104.4	152.3	53.1
25-44	154.2	212.5	95.2	164.2	229.8	98.1	169.7	239.3	99.5
45-64	810.4	1023.9	610.5	805.2	1013.6	609.7	791.0	1005.0	590.1
65-74	2588.1	3376.3	1959.5	2627.5	3423.6	1989.5	2602.9	3355.7	1996.2
75 and Over	8136.2	9768.3	7237.2	8239.1	9855.7	7347.0	8341.7	9955.1	7450.3

AGE (In Years)	PERCENT CHANGE					
	1983 - 1984			1984 - 1985		
	Total	Male	Female	Total	Male	Female
All Ages	2.0	1.9	2.1	1.0	1.0	1.1
Under 1	-0.6	0.6	-2.1	1.1	3.9	-2.5
1-4	-6.7	-5.5	-7.8	-1.4	2.6	-6.5
5-14	-5.0	-4.6	-6.0	-1.2	2.4	-6.4
15-24	5.2	4.1	8.3	0.1	0.3	- .7
25-44	6.5	8.1	3.0	3.3	4.1	1.4
45-64	-0.6	-1.0	-0.1	-1.8	-0.8	-3.2
65-74	1.5	1.4	1.5	-0.9	-2.0	.3
75 and Over	1.3	.9	1.5	1.2	1.0	1.4

Note: Rates are per 100,000 population.

Source: State of California, Department of Finance, *Population Projections for California Counties, Baseline 86*, December 1986; and *Population Estimates of California Counties July 1,1980 to July 1, 1985, Report 85 E-2*, February 1986; *California Projected 1985 Population by Age and Sex*, run date December 12, 1986.

State of California, Department of Health Services, Death Records.

TABLE 3-4

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TOTAL	201,615	3,360	439	449	1,677	2,634	3,205	3,508	3,773	3,691	4,646	6,802	10,649	16,228	20,108	24,287	93,401	158
AMERICAN INDIAN	624	27	5	5	15	16	18	21	30	22	20	41	50	48	62	64	180	-
BLACK	15,109	651	61	53	199	372	424	514	547	562	687	844	1,206	1,490	1,576	1,591	4,120	12
CAMBODIAN	56	20	2	-	2	4	2	1	-	-	3	3	-	4	4	8	3	-
CHINESE	2,013	54	5	3	14	17	18	21	30	35	47	68	109	134	197	304	936	1
ESKIMO/ALEUT	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FILIPINO	1,829	93	9	4	11	34	31	39	34	43	46	61	77	111	143	297	793	1
INDIAN (INDIA)	167	11	-	-	3	3	3	9	6	9	7	19	10	16	19	22	30	-
JAPANESE	1,369	24	2	3	11	15	22	20	17	20	31	61	91	135	140	132	645	-
KOREAN	386	28	7	3	11	13	11	10	16	21	36	19	25	29	27	43	87	-
PACIFIC ISLANDER	320	31	1	1	7	16	11	12	9	8	21	15	42	28	43	21	52	-
THAI	28	8	2	-	1	1	2	1	3	4	-	1	2	1	-	1	1	-
VIETNAMESE	313	54	10	7	11	11	18	19	10	12	9	11	18	16	21	19	66	1
WHITE	179,033	4,035	321	369	1,377	2,322	2,631	2,826	3,046	3,133	3,923	5,641	9,197	14,161	17,825	21,754	86,370	102
OTHER ASIAN	270	67	14	1	8	6	12	7	18	12	8	9	7	21	26	13	41	-
OTHER	55	5	-	-	1	3	2	3	-	7	1	4	3	4	3	5	14	-
NOT STATED	241	32	-	-	6	1	-	5	7	3	7	5	11	10	18	13	62	41
FEMALE	93,447	2,281	164	173	467	643	771	920	1,159	1,346	1,748	2,539	4,096	6,319	8,301	10,550	53,731	39
AMERICAN INDIAN	288	10	1	4	1	4	6	6	11	13	7	15	22	23	30	29	100	-
BLACK	6,653	373	27	17	47	96	123	154	192	190	250	307	469	631	682	765	2,325	5
CAMBODIAN	28	10	-	-	-	2	-	-	-	-	1	2	-	2	4	4	3	-
CHINESE	863	23	1	1	6	3	7	9	18	16	18	34	40	38	72	121	436	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FILIPINO	533	45	6	2	3	13	13	20	19	23	24	20	34	31	47	93	138	-
INDIAN (INDIA)	54	6	-	-	1	-	1	-	1	3	-	4	4	8	7	9	10	-
JAPANESE	682	10	1	1	4	5	4	9	7	13	11	39	46	47	60	81	374	-
KOREAN	154	8	2	1	2	2	4	5	7	5	13	6	10	10	14	17	48	-
PACIFIC ISLANDER	118	11	1	1	-	3	2	4	3	4	9	5	11	7	19	9	29	-
THAI	11	2	2	-	1	-	1	-	2	1	-	-	1	-	-	1	-	-
VIETNAMESE	128	22	2	4	5	3	4	8	4	3	4	5	3	7	8	9	32	1
WHITE	85,700	1,707	117	142	392	507	599	699	889	1,070	1,409	2,098	3,444	5,636	7,337	9,426	30,184	24
OTHER ASIAN	103	34	4	-	4	2	5	2	5	2	2	1	3	10	11	7	11	-
OTHER	26	2	-	-	-	-	1	-	1	-	-	3	2	3	2	3	11	-
NOT STATED	62	18	-	-	1	1	-	1	1	2	-	-	4	4	8	4	29	9
MALE	106,368	3,079	273	276	1,210	1,991	2,434	2,588	2,614	2,343	3,098	4,263	6,753	9,709	11,807	13,737	39,670	119
AMERICAN INDIAN	336	17	4	1	14	12	10	13	19	9	13	26	28	23	32	35	80	-
BLACK	8,456	278	34	36	152	276	301	360	355	372	437	537	737	859	894	826	1,795	7
CAMBODIAN	28	10	2	-	2	2	2	1	-	-	2	1	-	2	-	4	-	-
CHINESE	1,150	31	4	2	8	14	11	12	12	19	29	34	69	96	125	183	500	1
FILIPINO	1,276	48	3	2	8	21	10	19	15	20	22	41	43	60	98	202	655	1
INDIAN (INDIA)	113	5	-	-	2	3	2	9	5	6	7	15	6	8	12	13	20	-
JAPANESE	687	14	1	2	7	10	18	11	10	7	20	22	43	88	80	81	271	-
KOREAN	232	20	5	2	9	11	7	5	9	16	23	13	15	19	13	26	39	-
PACIFIC ISLANDER	202	20	-	-	7	13	9	8	6	4	12	10	31	21	26	12	23	-
THAI	17	6	-	-	-	1	1	1	1	3	-	1	1	1	-	-	1	-
VIETNAMESE	185	32	8	3	6	6	14	11	6	9	5	6	13	9	13	10	34	-
WHITE	93,333	2,328	204	227	985	1,615	2,032	2,127	2,157	2,063	2,514	3,543	5,753	8,303	10,488	12,328	36,186	78
OTHER ASIAN	167	33	10	1	4	4	7	5	13	10	6	8	4	11	15	6	30	-
OTHER	27	3	-	-	1	3	2	2	-	6	1	1	1	1	1	2	3	-
NOT STATED	159	34	-	-	5	-	-	4	6	1	7	5	7	6	10	9	33	32

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 3-3

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
ALAMEDA	9,733	230	16	16	58	120	143	178	217	187	260	325	562	794	976	1,181	4,462	6
AMERICAN INDIAN	29	1	-	-	1	-	-	1	2	3	1	4	2	1	4	4	5	-
BLACK	1,847	69	8	7	28	39	56	59	79	68	66	86	137	192	202	223	327	1
CAMBODIAN	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
CHINESE	220	4	1	-	1	2	2	1	3	3	4	12	14	16	21	30	106	-
FILIPINO	137	5	-	-	3	5	1	3	6	3	3	10	3	7	16	22	50	-
INDIAN (INDIA)	16	2	-	-	-	1	1	2	-	1	-	1	-	2	-	2	4	-
JAPANESE	51	1	-	-	-	1	-	2	-	-	-	2	4	6	4	5	26	-
KOREAN	13	2	-	-	-	-	-	-	1	-	2	1	1	3	-	1	2	-
PACIFIC ISLANDER	32	1	-	-	-	2	1	3	-	-	1	-	7	2	4	2	9	-
VIETNAMESE	18	3	1	2	-	1	-	1	1	1	1	-	1	-	1	-	4	1
WHITE	7,317	124	6	7	24	68	82	106	124	106	182	207	392	559	720	888	3,716	6
OTHER ASIAN	11	3	-	-	-	-	-	-	1	1	-	1	-	4	-	-	1	-
OTHER	5	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	2	-
NOT STATED	31	12	-	-	1	-	-	-	-	-	-	1	1	1	4	2	9	-
FEMALE	4,725	88	5	7	14	30	42	41	80	81	94	123	214	327	400	333	2,620	4
AMERICAN INDIAN	15	1	-	-	-	-	-	1	1	2	1	3	1	1	1	1	2	-
BLACK	810	21	3	3	8	13	20	12	32	30	20	27	53	80	65	116	285	-
CAMBODIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	106	4	-	-	-	-	-	1	1	2	2	9	3	8	7	13	56	-
FILIPINO	40	1	-	-	1	1	1	1	2	3	1	3	2	4	4	4	12	-
INDIAN (INDIA)	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
JAPANESE	29	1	-	-	-	-	-	1	-	-	-	2	2	3	1	2	17	-
KOREAN	5	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-
PACIFIC ISLANDER	12	1	-	-	-	-	-	-	-	-	-	-	1	1	3	1	5	-
VIETNAMESE	7	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	2	-
WHITE	3,683	51	2	2	5	16	21	24	42	44	69	79	132	227	298	414	2,234	3
OTHER ASIAN	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
NOT STATED	8	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-
MALE	5,008	142	11	9	44	90	101	137	137	106	166	202	348	467	576	626	1,842	4
AMERICAN INDIAN	14	-	-	-	1	-	-	-	1	1	-	1	1	-	3	3	3	-
BLACK	1,037	48	5	4	20	26	36	47	47	38	46	59	84	112	117	105	242	1
CAMBODIAN	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
CHINESE	114	-	1	-	1	2	2	-	2	1	2	3	11	8	14	17	50	-
FILIPINO	97	4	-	-	2	4	-	2	4	-	2	7	1	3	12	18	38	-
INDIAN (INDIA)	13	1	-	-	-	1	1	2	-	1	-	1	-	2	-	1	3	-
JAPANESE	22	-	-	-	-	1	-	1	-	-	-	-	2	3	3	3	9	-
KOREAN	8	1	-	-	-	-	-	-	-	-	1	1	1	3	-	1	-	-
PACIFIC ISLANDER	20	-	-	-	-	2	1	3	-	-	1	-	6	1	1	1	4	-
VIETNAMESE	11	3	1	-	-	1	-	-	-	1	1	-	1	-	1	-	2	-
WHITE	3,634	73	4	5	19	52	61	82	82	62	113	128	240	332	422	474	1,482	3
OTHER ASIAN	8	2	-	-	-	-	-	-	1	1	-	1	-	2	-	-	1	-
OTHER	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-
NOT STATED	23	8	-	-	1	-	-	-	-	-	-	1	1	1	3	1	7	-
ALPINE	6	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-
AMERICAN INDIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
WHITE	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
MALE	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
AMERICAN INDIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
AMADOR	235	3	1	-	2	5	3	4	1	4	6	9	12	18	26	33	108	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
WHITE	233	3	1	-	2	5	3	4	1	4	6	9	12	17	26	33	107	-
FEMALE	88	1	-	-	-	3	-	-	-	-	3	4	6	7	8	10	46	-
WHITE	86	1	-	-	-	3	-	-	-	-	3	4	6	7	8	10	46	-
MALE	147	2	1	-	2	2	3	4	1	4	3	5	6	11	18	23	62	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
WHITE	143	2	1	-	2	2	3	4	1	4	3	5	6	10	18	23	61	-
BUTTE	1,661	36	-	6	8	12	12	21	16	28	25	29	81	126	177	232	830	-
AMERICAN INDIAN	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-
BLACK	13	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	9	-
CHINESE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
BUTTE (CONT'D)																		
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	1,638	35	-	6	8	12	12	21	18	28	23	29	79	125	174	229	839	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	783	15	-	2	1	2	3	3	9	16	13	8	33	46	80	89	461	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
BLACK	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	-
WHITE	772	15	-	2	1	2	3	3	9	16	12	8	33	46	77	87	456	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MALE	878	21	-	4	7	10	9	18	9	12	12	21	46	80	97	143	389	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
BLACK	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-
CHINESE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	866	20	-	4	7	10	9	18	9	12	11	21	44	79	97	142	383	-
CALAVERAS	303	3	-	1	2	4	5	4	2	6	3	14	18	32	37	49	123	-
AMERICAN INDIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	299	2	-	1	2	4	5	4	2	6	3	14	16	31	37	49	123	-
FEMALE	133	-	-	-	1	1	1	1	1	-	2	4	8	11	15	20	68	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	132	-	-	-	1	1	1	1	1	-	2	4	7	11	15	20	68	-
MALE	170	3	-	1	1	3	4	3	1	6	1	10	10	21	22	29	55	-
AMERICAN INDIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	167	2	-	1	1	3	4	3	1	6	1	10	9	20	22	29	55	-
COLUSA	135	1	-	-	-	3	2	-	1	7	2	5	14	12	9	17	62	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
WHITE	129	1	-	-	-	3	2	-	1	7	2	5	14	11	7	17	59	-
FEMALE	56	-	-	-	-	1	-	-	-	3	1	4	4	6	3	2	32	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
WHITE	52	-	-	-	-	1	-	-	-	3	1	4	4	5	2	2	30	-
MALE	79	1	-	-	-	2	2	-	1	4	1	1	10	6	6	15	30	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	77	1	-	-	-	2	2	-	1	4	1	1	10	6	5	15	29	-
CONTRA COSTA	5,345	96	12	15	32	60	81	88	109	115	142	186	313	470	384	657	2,382	3
AMERICAN INDIAN	8	1	-	1	-	-	1	-	1	-	-	1	-	2	1	-	-	-
BLACK	305	22	3	1	6	14	14	14	25	30	22	20	40	36	65	49	124	-
CHINESE	33	2	-	-	-	-	-	-	1	1	4	-	-	1	3	5	16	-
FILIPINO	44	-	-	-	-	1	1	2	2	3	2	3	4	2	2	4	18	-
INDIAN (INDIA)	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-
JAPANESE	20	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	8	-
KOREAN	7	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	2	-
PACIFIC ISLANDER	6	-	-	-	-	-	-	1	-	2	-	-	-	-	2	-	1	-
THAI	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	4,689	61	7	13	26	45	61	69	78	77	113	159	265	403	308	592	2,209	3
OTHER ASIAN	10	1	-	-	-	-	-	2	2	1	-	1	1	2	-	-	-	-
OTHER	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	10	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-
FEMALE	2,345	41	6	4	10	14	22	23	36	42	61	58	119	206	230	293	1,338	2
AMERICAN INDIAN	6	1	-	1	-	-	1	-	1	-	-	-	-	2	-	-	-	-
BLACK	230	11	1	-	1	5	3	3	8	13	14	6	15	30	23	23	74	-
CHINESE	11	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	8	-

TABLE 3-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
CONTRA COSTA (CONT'D)																		
FILIPINO	12	-	-	-	-	-	1	1	-	1	1	-	2	-	-	3	3	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
JAPANESE	12	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	6	-
KOREAN	5	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
THAI	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,258	25	4	3	9	9	15	16	26	27	46	52	102	171	222	264	1,263	2
OTHER ASIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	2,800	35	6	11	22	46	39	65	73	73	81	128	194	264	334	364	1,024	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
BLACK	275	11	2	1	5	9	11	11	17	17	8	14	23	26	42	26	50	-
CHINESE	22	2	-	-	-	-	-	-	-	1	4	-	-	1	2	4	8	-
FILIPINO	32	-	-	-	-	1	-	1	2	2	1	3	2	2	2	1	15	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-
JAPANESE	8	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	2	-
KOREAN	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-
VIETNAMESE	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	2,431	36	3	10	17	36	46	51	52	50	67	107	163	232	286	328	946	1
OTHER ASIAN	8	-	-	-	-	-	-	2	2	1	-	1	1	1	-	-	-	-
OTHER	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	8	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
DEL NORTE	196	4	-	1	1	2	5	1	4	2	5	7	7	24	28	21	84	-
AMERICAN INDIAN	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	189	4	-	1	1	2	5	1	4	2	4	7	6	24	28	20	80	-
FEMALE	88	2	-	-	1	2	1	1	-	1	2	3	1	11	15	5	43	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
WHITE	86	2	-	-	1	2	1	1	-	1	2	3	1	11	15	5	41	-
MALE	108	2	-	1	-	-	4	-	4	1	3	4	6	13	13	16	41	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	103	2	-	1	-	-	4	-	4	1	2	4	5	13	13	15	39	-
EL DORADO	787	27	3	3	14	12	11	19	9	10	20	28	40	70	87	106	328	-
AMERICAN INDIAN	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-
BLACK	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	772	25	3	3	14	11	11	18	9	10	19	27	39	69	85	104	325	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE	354	15	1	-	5	1	1	8	2	2	11	6	17	31	32	41	181	-
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
BLACK	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	346	14	1	-	5	1	1	7	2	2	11	5	16	31	31	40	179	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MALE	433	12	2	3	9	11	10	11	7	8	9	22	23	39	55	65	147	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BLACK	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
FILIPINO	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	426	11	2	3	9	10	10	11	7	8	8	22	23	38	54	64	146	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FRESNO	4,298	137	13	12	47	84	75	81	88	96	91	130	246	300	396	517	1,955	10
AMERICAN INDIAN	16	1	-	-	1	-	-	-	1	1	1	-	2	-	1	-	9	-
BLACK	283	13	-	1	3	1	5	5	6	12	6	13	23	30	26	33	105	1
CHINESE	20	-	-	-	-	-	-	1	-	-	1	-	2	-	3	2	11	-
FILIPINO	16	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	9	-
INDIAN (INDIA)	6	-	-	-	-	-	1	-	-	1	-	1	-	-	2	-	1	-
JAPANESE	44	2	-	-	-	-	1	-	-	1	1	-	3	3	3	7	23	-

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																	
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
FRESNO (CONT'D)																		
KOREAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
VIETNAMESE	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
WHITE	3,859	105	10	11	42	81	66	73	78	79	78	136	216	266	357	462	1,792	3
OTHER ASIAN	39	16	2	-	-	2	-	-	1	3	1	-	-	-	3	6	5	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NOT STATED	9	-	-	-	1	-	-	1	1	-	1	-	-	-	-	1	-	4
FEMALE	1,943	61	5	3	10	20	15	20	29	36	35	55	92	122	153	224	1,062	1
AMERICAN INDIAN	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-
BLACK	126	6	-	-	1	-	2	3	1	4	4	3	12	9	8	13	60	-
CHINESE	9	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	4	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	23	2	-	-	-	-	-	-	-	1	1	-	2	1	1	1	14	-
VIETNAMESE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,761	50	4	3	9	19	13	16	25	31	29	31	78	112	136	205	979	1
OTHER ASIAN	14	3	-	-	-	1	-	-	1	-	-	-	-	-	3	4	2	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
MALE	2,355	76	8	9	37	64	60	61	59	60	56	93	134	178	243	293	893	9
AMERICAN INDIAN	11	1	-	-	1	-	-	-	-	-	1	-	2	-	-	-	6	-
BLACK	157	7	-	1	2	1	3	2	5	8	2	10	11	21	16	20	45	1
CHINESE	11	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	7	-
FILIPINO	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	9	-
INDIAN (INDIA)	5	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	1	-
JAPANESE	21	-	-	-	-	-	1	-	-	-	-	-	1	2	2	6	9	-
KOREAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
WHITE	2,098	55	6	8	33	62	55	57	53	48	49	85	138	134	221	257	813	4
OTHER ASIAN	25	13	2	-	-	1	-	-	-	3	1	-	-	-	-	2	3	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NOT STATED	8	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	4
GLENN	218	5	-	1	1	2	2	3	4	-	7	4	12	16	21	28	112	-
WHITE	218	5	-	1	1	2	2	3	4	-	7	4	12	16	21	28	112	-
FEMALE	108	4	-	-	-	1	1	2	-	-	3	1	5	9	8	12	62	-
WHITE	108	4	-	-	-	1	1	2	-	-	3	1	5	9	8	12	62	-
MALE	110	1	-	1	1	1	1	1	4	-	4	3	7	7	13	16	50	-
WHITE	110	1	-	1	1	1	1	1	4	-	4	3	7	7	13	16	50	-
HUMBOLDT	1,074	29	3	2	5	12	14	20	24	21	21	40	30	59	136	136	472	-
AMERICAN INDIAN	48	4	-	2	1	3	1	3	1	-	1	-	4	1	6	6	15	-
BLACK	5	2	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WHITE	1,012	23	3	-	4	9	12	16	21	20	20	40	44	56	129	130	455	-
OTHER ASIAN	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE	502	11	1	2	1	3	7	10	6	8	7	16	16	28	53	67	266	-
AMERICAN INDIAN	23	3	-	2	-	-	1	1	-	-	1	-	1	-	4	3	7	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	473	8	1	-	1	3	5	9	5	8	6	16	14	28	48	64	257	-
OTHER ASIAN	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
MALE	572	18	2	-	4	9	7	10	18	13	14	24	34	61	83	69	206	-
AMERICAN INDIAN	25	1	-	-	1	3	-	2	1	-	-	-	3	1	2	3	8	-
BLACK	4	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WHITE	539	15	2	-	3	6	7	7	16	12	14	24	30	58	81	66	198	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
IMPERIAL	731	17	4	-	8	13	10	9	10	11	25	21	31	64	83	111	291	21
AMERICAN INDIAN	9	-	-	-	1	-	1	-	-	-	2	1	-	-	-	1	3	-
BLACK	26	-	-	-	-	-	-	1	-	-	3	-	2	3	7	3	7	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	9	-

TABLE 3-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
IMPERIAL (CONT'D)																		
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	664	16	4	-	7	13	9	7	10	11	19	20	29	61	76	102	270	10
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
NOT STATED	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
FEMALE	271	6	2	-	1	3	3	4	3	3	6	6	8	25	36	35	128	2
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
BLACK	12	-	-	-	-	-	-	1	-	-	2	-	-	2	3	1	3	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	252	5	2	-	1	3	3	3	3	3	4	6	8	23	32	33	123	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2
MALE	460	11	2	-	7	10	7	5	7	8	19	15	23	39	49	76	163	19
AMERICAN INDIAN	7	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-	2	-
BLACK	14	-	-	-	-	-	-	-	-	-	1	-	2	1	4	2	4	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	9	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
WHITE	412	11	2	-	6	10	6	4	7	8	15	14	21	38	44	69	147	10
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NOT STATED	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
INYO	209	5	-	-	3	2	2	3	5	5	1	4	6	12	19	23	117	-
AMERICAN INDIAN	15	-	-	-	-	-	1	3	1	-	-	-	1	-	-	4	5	-
WHITE	193	5	-	-	3	2	1	-	4	5	1	4	5	12	19	21	111	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	102	2	-	-	1	-	-	-	3	5	1	2	1	6	9	9	63	-
AMERICAN INDIAN	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-
WHITE	96	2	-	-	1	-	-	-	3	5	1	2	1	6	9	7	59	-
MALE	107	3	-	-	2	2	2	3	2	-	-	2	5	6	10	16	54	-
AMERICAN INDIAN	9	-	-	-	-	-	1	3	1	-	-	-	1	-	-	2	2	-
WHITE	97	3	-	-	2	2	1	-	1	-	-	2	4	6	10	14	52	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KERN	3,713	131	14	12	45	65	71	82	67	66	96	116	193	327	418	516	1,489	3
AMERICAN INDIAN	8	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	4	-
BLACK	253	13	1	-	3	1	4	9	4	6	10	4	20	22	27	40	87	-
CHINESE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-
FILIPINO	53	-	2	-	-	1	-	-	1	1	-	-	1	2	3	10	32	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
KOREAN	4	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-
PACIFIC ISLANDER	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	3,379	114	10	12	41	60	67	73	61	57	85	111	174	301	386	465	1,339	3
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	1,622	54	5	3	8	17	21	13	24	25	31	47	62	143	178	206	782	1
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-
BLACK	112	7	-	-	2	1	-	4	1	1	4	1	10	7	13	16	45	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
FILIPINO	8	-	1	-	-	-	-	-	1	1	-	-	-	1	1	2	2	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
KOREAN	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,489	46	3	3	6	15	21	11	22	22	27	45	52	134	163	187	731	1
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	2,091	77	9	9	37	48	50	67	43	41	65	69	131	184	240	310	707	2
AMERICAN INDIAN	4	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-
BLACK	141	8	1	-	1	-	4	5	3	5	6	3	10	13	14	24	42	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-
FILIPINO	45	-	1	-	-	1	-	-	-	-	-	-	1	1	2	8	31	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
KOREAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	1,890	68	7	9	35	45	46	62	39	33	58	66	122	167	223	278	426	2

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
KINGS	580	16	2	1	7	14	11	6	11	6	9	16	39	69	55	69	249	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
BLACK	30	2	-	-	-	-	-	2	1	2	1	-	3	1	2	2	14	-
FILIPINO	6	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	540	14	2	1	7	14	11	4	10	3	8	13	36	65	31	67	232	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	261	7	-	-	2	-	2	2	3	3	5	5	22	31	25	27	127	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
BLACK	13	-	-	-	-	-	-	1	-	-	1	-	3	-	1	1	6	-
FILIPINO	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	241	7	-	-	2	-	2	1	3	2	4	4	19	29	23	26	119	-
MALE	319	9	2	1	5	14	9	4	8	3	4	11	17	38	30	42	122	-
BLACK	17	2	-	-	-	-	-	1	1	2	-	-	-	1	1	1	8	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
WHITE	299	7	2	1	5	14	9	3	7	1	4	11	17	36	28	41	113	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
LAKE	672	10	2	3	4	4	7	9	7	2	16	15	29	48	76	113	325	-
AMERICAN INDIAN	9	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	4	-
BLACK	7	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	-
WHITE	656	10	2	3	4	4	7	9	5	2	16	15	28	47	73	112	319	-
FEMALE	309	3	-	2	-	1	2	1	2	1	5	6	13	16	32	47	178	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BLACK	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-
WHITE	304	3	-	2	-	1	2	1	1	1	5	6	13	16	31	45	177	-
MALE	363	7	2	1	4	3	5	8	5	1	11	9	16	32	44	68	147	-
AMERICAN INDIAN	8	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	4	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
WHITE	352	7	2	1	4	3	5	8	4	1	11	9	15	31	42	67	142	-
LASSEN	185	3	-	-	4	4	3	1	4	7	6	4	8	23	17	22	79	-
AMERICAN INDIAN	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
PACIFIC ISLANDER	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	176	3	-	-	4	3	3	1	4	7	6	4	7	22	16	20	76	-
FEMALE	85	-	-	-	1	1	-	1	3	4	4	1	5	9	8	10	38	-
AMERICAN INDIAN	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-
WHITE	80	-	-	-	1	1	-	1	3	4	4	1	4	8	7	9	37	-
MALE	100	3	-	-	3	3	3	-	1	3	2	3	3	14	9	12	41	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
PACIFIC ISLANDER	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	96	3	-	-	3	2	3	-	1	3	2	3	3	14	9	11	39	-
LOS ANGELES	62,195	1,878	136	110	345	888	1,110	1,186	1,262	1,292	1,678	2,301	3,503	5,126	5,998	7,153	28,010	15
AMERICAN INDIAN	113	2	3	-	1	2	4	6	4	5	2	8	9	5	11	12	39	-
BLACK	8,179	474	31	23	112	212	245	282	287	299	393	482	670	803	833	819	2,211	3
CAMBODIAN	23	3	2	-	1	1	2	-	-	-	3	1	-	3	3	3	1	-
CHINESE	557	23	1	2	5	9	5	12	8	12	15	14	25	44	64	88	229	1
FILIPINO	488	32	3	1	2	9	10	12	6	12	16	21	25	27	29	93	188	-
INDIAN (INDIA)	41	4	-	1	-	1	1	1	3	1	1	9	2	3	4	3	8	-
JAPANESE	643	11	2	1	5	8	10	8	9	12	16	23	41	55	68	63	313	-
KOREAN	236	15	1	1	8	7	4	5	9	8	19	10	18	18	18	31	64	-
PACIFIC ISLANDER	95	10	1	-	3	5	4	2	3	2	8	5	12	8	15	4	13	-
THAI	14	4	1	-	-	1	-	1	1	3	-	1	2	-	-	-	-	-
VIETNAMESE	69	13	1	1	1	2	1	6	4	1	2	2	2	4	4	3	22	-
WHITE	51,626	1,277	87	81	480	630	820	849	924	936	1,197	1,716	2,693	4,151	4,933	6,023	24,894	9
OTHER ASIAN	53	8	3	-	3	-	3	-	2	-	4	4	1	3	10	2	10	-
OTHER	21	2	-	-	1	1	1	1	-	2	-	2	1	1	2	4	3	-
NOT STATED	37	-	-	-	2	-	-	1	2	1	2	1	2	1	4	1	18	2
FEMALE	30,165	820	52	42	135	201	245	337	378	419	542	821	1,334	2,104	2,539	3,211	16,958	7
AMERICAN INDIAN	51	-	-	-	-	2	-	2	1	3	1	-	6	2	5	6	23	-
BLACK	3,619	213	14	7	21	49	65	92	92	96	134	184	254	334	369	395	1,270	2
CAMBODIAN	14	2	-	-	-	1	-	-	-	-	1	1	-	2	3	3	1	-
CHINESE	247	9	1	1	3	2	1	5	6	5	7	8	9	18	27	43	102	-

TABLE 5-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
LOS ANGELES (CONT'D)																		
FILIPINO	162	19	1	1	-	4	3	4	5	5	8	7	9	11	12	39	34	-
INDIAN (INDIA)	16	2	-	-	1	-	1	-	1	-	-	2	1	2	1	3	2	-
JAPANESE	312	4	1	-	-	3	1	3	3	7	5	13	17	18	28	22	185	-
KOREAN	94	5	-	-	2	1	1	3	3	2	7	3	7	6	10	12	32	-
PACIFIC ISLANDER	33	2	1	-	-	1	1	-	-	1	5	1	3	2	7	1	6	-
THAI	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
VIETNAMESE	38	6	-	1	-	1	-	4	2	1	2	2	1	2	2	-	14	-
WHITE	25,527	548	33	32	107	137	171	222	263	297	391	398	1,024	1,684	2,068	2,683	15,263	4
OTHER ASIAN	18	7	-	-	1	-	1	-	-	-	1	1	-	1	3	1	2	-
OTHER	12	-	-	-	-	-	-	1	-	1	-	1	1	1	1	3	3	-
NOT STATED	19	-	-	-	-	-	-	1	-	1	-	-	1	1	3	-	11	1
MALE	32,030	1,038	84	68	410	687	865	849	884	873	1,116	1,460	2,171	3,022	3,459	3,944	11,052	8
AMERICAN INDIAN	62	2	3	-	1	-	4	4	3	2	1	8	3	3	6	6	16	-
BLACK	4,560	261	17	16	91	163	180	190	195	203	239	298	416	449	464	424	933	1
CAMBODIAN	9	1	2	-	1	-	2	-	-	-	2	-	-	1	-	-	-	-
CHINESE	310	14	-	1	2	7	4	7	2	7	8	6	16	26	37	45	127	1
FILIPINO	326	13	2	-	2	5	7	8	1	7	8	14	16	16	17	36	154	-
INDIAN (INDIA)	25	2	-	-	-	1	-	1	2	1	1	7	1	1	3	2	3	-
JAPANESE	331	5	1	1	5	5	9	5	6	3	11	10	24	37	40	41	128	-
KOREAN	142	10	1	2	6	6	3	2	6	6	12	7	11	12	8	19	32	-
PACIFIC ISLANDER	62	8	-	-	3	4	3	2	3	1	3	4	9	6	8	3	5	-
THAI	11	3	-	-	-	1	-	1	1	3	-	1	1	-	-	-	-	-
VIETNAMESE	31	7	1	-	1	1	1	2	2	-	-	-	1	2	2	3	8	-
WHITE	26,099	729	54	49	293	493	649	627	659	639	806	1,120	1,671	2,467	2,865	3,342	9,631	3
OTHER ASIAN	35	1	3	-	2	-	2	-	2	-	3	3	1	2	7	1	8	-
OTHER	9	2	-	-	1	1	1	-	-	1	-	1	-	-	1	1	-	-
NOT STATED	18	-	-	-	2	-	-	-	2	-	2	1	1	-	1	1	7	1
MADERA	387	21	2	3	2	9	9	11	14	18	10	14	26	31	32	79	264	2
AMERICAN INDIAN	11	1	-	-	-	-	-	1	-	-	-	-	1	4	1	-	3	-
BLACK	33	-	-	-	1	-	1	-	2	-	2	2	1	1	1	4	19	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
JAPANESE	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
WHITE	337	20	2	3	2	8	9	8	14	16	10	12	23	46	30	75	236	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE	232	6	1	3	1	1	1	5	3	6	1	6	7	16	18	33	124	-
AMERICAN INDIAN	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
BLACK	14	-	-	-	-	1	-	1	-	-	-	1	-	-	-	3	8	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
WHITE	212	5	1	3	1	-	1	3	3	6	1	5	7	15	17	30	114	-
MALE	355	13	1	-	1	8	8	6	11	12	9	8	19	35	34	46	140	2
AMERICAN INDIAN	7	-	-	-	-	-	-	1	-	-	-	-	1	3	-	-	2	-
BLACK	19	-	-	-	-	-	-	-	-	2	-	1	2	1	1	1	11	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	325	15	1	-	1	8	8	5	11	10	9	7	16	31	33	45	124	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MARIN	1,755	17	3	3	7	17	20	22	38	39	37	67	93	138	136	201	697	-
BLACK	19	1	-	-	-	1	1	2	1	1	4	1	1	1	-	-	5	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-
FILIPINO	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
VIETNAMESE	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
WHITE	1,718	16	3	3	7	16	17	20	37	36	33	66	90	135	133	199	887	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	899	6	1	3	4	8	6	5	13	11	14	30	32	34	65	86	339	-
BLACK	10	1	-	-	-	-	-	1	1	1	1	-	1	-	-	-	4	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	880	3	1	3	4	8	6	4	14	9	13	30	31	32	62	85	333	-

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MARIN (CONT'D)																		
MALE	836	11	2	-	3	9	14	17	23	28	23	37	61	64	91	113	338	-
BLACK	9	-	-	-	-	1	1	1	-	-	3	1	-	1	-	-	1	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FILIPINO	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	838	11	2	-	3	8	11	16	23	27	20	36	59	83	91	114	334	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
MARIPOSA	127	2	-	-	3	-	1	1	2	1	2	3	2	13	14	20	63	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-
WHITE	123	2	-	-	3	-	1	1	1	1	2	2	2	12	14	20	62	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	57	1	-	-	1	-	-	1	1	1	1	2	-	7	5	6	31	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	56	1	-	-	1	-	-	1	1	1	1	2	-	7	5	6	30	-
MALE	70	1	-	-	2	-	1	-	1	-	1	1	2	6	9	14	32	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
WHITE	67	1	-	-	2	-	1	-	-	-	1	-	2	5	9	14	32	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MENDOCINO	776	21	2	2	12	9	9	10	9	19	15	24	38	63	83	97	361	-
AMERICAN INDIAN	17	3	-	-	2	-	-	1	1	-	-	-	1	1	-	2	6	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	755	17	2	2	9	9	9	9	8	19	15	24	36	64	83	94	355	-
NOT STATED	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	377	7	1	-	4	2	3	2	6	11	8	9	16	30	36	45	197	-
AMERICAN INDIAN	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	370	6	1	-	4	2	3	2	5	11	8	9	16	30	36	44	193	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	399	14	1	2	8	7	6	8	3	8	7	15	22	35	47	52	164	-
AMERICAN INDIAN	12	3	-	-	2	-	-	1	-	-	-	-	1	1	-	2	2	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	385	11	1	2	5	7	6	7	3	8	7	15	20	34	47	50	162	-
NOT STATED	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
MERCED	1,067	39	7	4	9	21	13	23	15	19	21	39	71	87	129	123	447	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
BLACK	66	2	1	-	1	2	1	1	2	-	1	1	7	7	4	8	28	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
JAPANESE	6	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	974	29	5	4	8	19	12	22	12	16	20	36	63	78	120	114	414	-
OTHER ASIAN	12	3	1	-	-	-	-	-	1	1	-	-	-	1	2	1	-	-
NOT STATED	3	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE	455	19	4	1	1	6	2	6	7	4	12	10	28	29	40	34	232	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BLACK	36	2	1	-	-	2	-	-	2	-	1	1	3	3	3	4	14	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
JAPANESE	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-
WHITE	407	13	3	1	1	4	2	6	5	4	11	9	24	25	35	30	214	-
OTHER ASIAN	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MALE	612	20	3	3	8	15	11	17	8	13	9	29	43	38	89	69	213	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BLACK	30	-	-	-	1	-	1	1	-	-	-	-	4	4	1	4	14	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	567	16	2	3	7	13	10	16	7	12	9	29	39	53	85	64	200	-
OTHER ASIAN	9	2	1	-	-	-	-	-	1	1	-	-	-	1	2	1	-	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 5-S (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
MODOC	99	3	-	-	1	2	-	-	-	-	2	-	6	3	14	9	58	1
AMERICAN INDIAN	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	94	3	-	-	1	1	-	-	-	-	1	-	4	3	14	9	57	1
FEMALE	39	2	-	-	-	1	-	-	-	-	2	-	1	-	4	3	26	-
AMERICAN INDIAN	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	36	2	-	-	-	-	-	-	-	-	1	-	-	-	4	3	26	-
MALE	60	1	-	-	1	1	-	-	-	-	-	-	5	3	10	6	32	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	58	1	-	-	1	1	-	-	-	-	-	-	4	3	10	6	31	1
MONO	30	1	-	-	-	-	1	-	2	-	-	-	-	4	2	2	18	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
WHITE	27	1	-	-	-	-	1	-	1	-	-	-	-	3	1	2	18	-
FEMALE	13	1	-	-	-	-	1	-	1	-	-	-	-	2	-	-	8	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	12	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	8	-
MALE	17	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	10	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
WHITE	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	10	-
MONTEREY	2,206	76	7	4	22	32	41	35	20	37	52	70	104	173	220	246	1,065	2
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
BLACK	90	14	1	-	2	3	5	4	-	1	2	4	6	11	11	10	16	-
CHINESE	11	-	-	-	-	-	-	-	-	1	-	-	1	-	4	2	3	-
FILIPINO	48	1	-	-	-	1	1	-	-	-	2	2	3	-	4	7	27	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
JAPANESE	19	-	-	1	1	-	-	-	-	1	-	1	1	1	4	1	8	-
KOREAN	11	1	1	-	1	1	-	1	1	-	1	1	1	1	-	-	1	-
PACIFIC ISLANDER	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
VIETNAMESE	5	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
WHITE	2,016	58	5	3	17	26	34	30	19	34	47	62	92	160	194	226	1,007	2
FEMALE	1,077	40	3	2	6	7	9	12	5	12	26	31	30	63	91	118	602	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	39	8	1	-	-	1	1	2	-	-	-	2	4	3	2	3	12	-
CHINESE	5	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-
FILIPINO	13	-	-	-	-	-	-	-	-	-	1	2	1	-	1	4	4	-
JAPANESE	9	-	-	-	1	-	-	-	-	1	-	-	1	-	2	-	4	-
KOREAN	4	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
VIETNAMESE	4	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	1,001	30	2	2	4	6	8	10	4	10	24	26	42	60	82	110	581	-
MALE	1,129	36	4	2	16	25	32	23	15	25	26	39	34	110	129	128	463	2
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	51	6	-	-	2	2	4	2	-	1	2	2	2	8	9	7	4	-
CHINESE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-
FILIPINO	35	1	-	-	-	1	1	-	-	-	1	-	2	-	3	3	23	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
JAPANESE	10	-	-	1	-	-	-	-	-	-	-	1	-	1	2	1	4	-
KOREAN	7	1	1	-	1	1	-	1	-	-	-	-	-	1	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,013	28	3	1	13	20	26	20	15	24	23	36	30	100	112	116	426	2
NAPA	992	20	1	4	5	8	9	8	17	6	9	37	40	61	109	127	530	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	7	1	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	1
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	982	19	1	4	5	8	9	8	15	6	9	34	39	61	109	126	529	-
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	472	13	1	1	2	2	1	2	3	3	3	13	13	19	30	49	294	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1
WHITE	467	13	1	1	2	2	1	2	2	3	3	12	13	19	30	48	293	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
NAPA (CONT'D)																		
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
MALE	320	7	-	3	3	6	8	6	14	3	6	24	23	42	59	78	236	-
BLACK	4	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	315	6	-	3	3	6	8	6	13	3	6	22	24	42	59	78	236	-
NEVADA	393	17	-	2	9	4	7	7	3	9	12	16	21	44	75	70	298	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	392	16	-	2	9	4	7	7	3	9	12	16	21	44	74	70	297	1
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	281	8	-	-	3	-	2	2	1	3	5	10	9	18	28	30	161	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	279	7	-	-	3	-	2	2	1	3	5	10	9	18	28	30	160	1
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	314	9	-	3	6	4	5	5	3	6	7	6	12	26	47	40	137	-
WHITE	313	9	-	2	6	4	5	5	3	6	7	6	12	26	46	40	137	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
ORANGE	13,538	377	23	29	135	199	214	218	221	233	344	471	784	1,123	1,250	1,443	6,472	2
AMERICAN INDIAN	15	-	-	-	1	-	-	-	-	2	1	2	1	3	-	1	4	-
BLACK	110	14	-	1	4	9	6	7	6	4	8	3	5	8	9	7	19	-
CAMBODIAN	7	3	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-
CHINESE	52	-	-	-	1	-	1	-	-	3	3	1	3	5	9	10	16	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FILIPINO	38	2	1	-	-	2	3	-	-	1	-	1	2	5	4	5	11	1
INDIAN (INDIA)	10	-	-	-	1	-	-	-	-	2	1	-	-	1	1	2	2	-
JAPANESE	67	5	-	1	-	1	2	1	1	1	3	5	9	12	8	2	16	-
KOREAN	43	3	1	1	-	2	2	2	2	3	5	2	3	3	2	3	9	-
PACIFIC ISLANDER	20	3	-	-	-	1	1	-	2	2	3	-	2	1	1	1	3	-
VIETNAMESE	84	12	-	-	3	3	2	5	1	4	3	3	12	5	7	7	17	-
WHITE	13,063	330	20	26	125	179	196	202	207	210	316	453	745	1,077	1,205	1,401	6,370	1
OTHER ASIAN	13	2	1	-	-	1	1	-	-	-	1	1	1	1	3	-	3	-
OTHER	5	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-
NOT STATED	8	2	-	-	-	-	-	-	2	-	-	-	-	-	-	3	1	-
FEMALE	6,591	130	10	16	39	51	58	56	70	86	124	190	302	416	322	638	3,863	-
AMERICAN INDIAN	10	-	-	-	-	-	-	-	-	1	1	1	1	2	-	1	3	-
BLACK	50	6	-	1	1	1	2	3	-	-	4	2	3	3	6	4	14	-
CAMBODIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CHINESE	19	-	-	-	-	-	1	-	-	1	1	1	3	1	3	2	6	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FILIPINO	16	1	1	-	-	1	2	-	-	-	-	1	1	3	2	2	2	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-
JAPANESE	27	-	-	1	-	-	1	1	1	1	1	3	4	3	1	1	9	-
KOREAN	20	-	-	1	-	-	-	2	1	1	2	1	1	2	1	2	6	-
PACIFIC ISLANDER	6	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	1	-
VIETNAMESE	34	6	-	-	2	2	1	1	-	1	2	1	4	3	2	3	6	-
WHITE	6,387	132	8	13	36	47	50	49	67	78	112	180	282	396	304	620	3,613	-
OTHER ASIAN	8	2	1	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-
OTHER	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
MALE	6,947	227	13	13	96	148	136	162	151	147	220	281	482	707	728	803	2,689	2
AMERICAN INDIAN	5	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	1	-
BLACK	60	8	-	-	3	8	4	4	6	4	4	1	2	5	3	3	5	-
CAMBODIAN	5	2	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-
CHINESE	33	-	-	-	1	-	-	-	-	2	2	-	-	4	6	6	10	-
FILIPINO	22	1	-	-	-	1	1	-	-	1	-	-	1	2	2	3	9	1
INDIAN (INDIA)	6	-	-	-	1	-	-	-	-	-	1	-	-	-	1	2	1	-
JAPANESE	40	5	-	-	-	1	1	-	-	-	2	2	5	9	7	1	7	-
KOREAN	23	3	1	-	-	2	2	-	1	2	3	1	2	1	1	1	3	-
PACIFIC ISLANDER	14	3	-	-	-	1	1	-	1	1	2	-	1	1	1	-	2	-
VIETNAMESE	50	4	-	1	1	1	1	4	1	3	1	2	8	2	5	4	11	-
WHITE	6,676	198	12	13	89	132	146	153	140	132	204	273	463	681	701	761	2,337	1
OTHER ASIAN	7	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	3	-
OTHER	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
NOT STATED	4	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-
PLACER	1,093	16	3	3	11	12	9	24	14	16	28	27	61	94	124	153	493	3
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-

TABLE 3-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
PLACER (CONT'D)																		
BLACK	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
JAPANESE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	-
WHITE	1,070	16	3	3	9	12	9	24	14	15	28	27	61	91	122	147	488	1
NOT STATED	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	2
FEMALE	484	7	1	2	4	2	2	6	3	7	12	9	13	34	48	59	273	2
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-
WHITE	470	7	1	2	3	2	2	6	3	6	12	9	13	32	47	56	269	-
NOT STATED	4	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2
MALE	609	9	2	1	7	10	7	18	11	9	16	18	48	60	76	94	222	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BLACK	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-
WHITE	600	9	2	1	6	10	7	18	11	9	16	18	48	59	75	91	219	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PLUMAS	148	3	1	-	1	2	3	4	1	3	2	4	5	14	17	17	71	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	146	3	1	-	1	2	3	4	1	3	2	4	4	14	16	17	71	-
FEMALE	61	1	1	-	1	1	2	1	1	2	1	2	-	7	4	6	31	-
WHITE	61	1	1	-	1	1	2	1	1	2	1	2	-	7	4	6	31	-
MALE	87	2	-	-	-	1	1	3	-	1	1	2	5	7	13	11	40	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	85	2	-	-	-	1	1	3	-	1	1	2	4	7	12	11	40	-
RIVERSIDE	7,831	193	25	15	69	121	105	109	113	108	134	213	374	610	811	1,069	3,752	10
AMERICAN INDIAN	29	1	1	-	2	1	-	-	2	-	-	-	6	3	-	3	8	-
BLACK	305	13	1	2	6	9	4	8	11	7	10	16	24	24	32	32	105	1
CHINESE	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
FILIPINO	11	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	7	-
INDIAN (INDIA)	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-
JAPANESE	10	-	-	-	-	-	-	-	-	-	-	2	1	2	3	1	1	-
KOREAN	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1	-
WHITE	7,449	178	20	12	59	109	101	99	100	100	123	193	342	577	774	1,029	3,625	8
OTHER ASIAN	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NOT STATED	7	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	1
FEMALE	3,491	77	9	7	16	17	29	22	28	35	30	66	142	246	323	436	1,965	3
AMERICAN INDIAN	15	-	-	-	1	1	-	-	-	-	-	-	2	3	-	2	6	-
BLACK	126	8	1	1	3	-	-	3	3	2	3	3	12	8	13	12	54	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
THAI	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
WHITE	3,334	69	8	6	11	16	29	18	25	33	47	61	128	234	307	439	1,900	3
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MALE	4,340	116	16	8	53	104	76	87	85	73	84	147	232	364	488	633	1,787	7
AMERICAN INDIAN	14	1	1	-	1	-	-	-	2	-	-	-	4	2	-	1	2	-
BLACK	179	5	-	1	3	9	4	5	8	5	7	13	12	16	19	20	31	1
CHINESE	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	7	-
INDIAN (INDIA)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
KOREAN	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

TABLE 3-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
RIVERSIDE (CONT'D)																		
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIETNAMESE	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	4,115	109	12	6	48	93	72	81	75	67	76	132	214	343	467	390	1,723	3
OTHER ASIAN	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	7	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	1
SACRAMENTO	6,922	171	10	9	48	106	98	110	121	136	189	258	380	604	755	838	3,068	1
AMERICAN INDIAN	24	1	-	-	-	-	1	2	-	1	1	4	2	2	3	3	4	-
BLACK	435	27	2	2	6	14	11	7	15	21	22	33	32	49	43	37	114	-
CAMBODIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	110	3	-	-	1	2	2	-	1	-	5	2	5	8	7	14	60	-
FILIPINO	50	2	-	-	-	-	1	-	3	1	1	1	-	2	2	11	26	-
INDIAN (INDIA)	8	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	2	-
JAPANESE	82	2	-	-	-	-	-	-	1	-	1	2	3	9	11	6	47	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VIETNAMESE	9	2	-	-	1	-	-	-	-	-	-	2	-	1	1	-	2	-
WHITE	6,172	122	7	7	39	90	81	99	100	110	138	210	337	530	685	766	2,810	1
OTHER ASIAN	25	11	1	-	1	-	2	2	1	-	-	1	1	1	1	-	3	-
OTHER	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	3,195	67	-	2	12	23	21	32	41	32	84	93	132	225	291	342	1,734	-
AMERICAN INDIAN	8	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	3	-
BLACK	198	12	-	1	-	2	3	3	8	10	9	12	11	23	19	18	67	-
CAMBODIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	41	2	-	-	-	-	1	-	-	-	1	-	3	4	2	3	25	-
FILIPINO	8	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	4	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
JAPANESE	41	-	-	-	-	-	-	-	1	-	1	1	2	4	5	3	24	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
WHITE	2,884	45	-	1	11	23	17	26	30	41	71	80	133	193	265	317	1,629	-
OTHER ASIAN	9	5	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-
MALE	3,727	104	10	7	36	81	77	78	80	84	105	163	228	379	464	316	1,314	1
AMERICAN INDIAN	16	-	-	-	-	-	1	-	-	1	-	3	2	2	3	3	1	-
BLACK	237	15	2	1	6	12	8	4	7	11	13	21	21	26	24	19	47	-
CHINESE	69	1	-	-	1	2	1	-	1	-	4	2	2	4	5	11	35	-
FILIPINO	42	1	-	-	-	-	1	-	1	1	-	1	-	2	2	11	22	-
INDIAN (INDIA)	6	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	2	-
JAPANESE	41	2	-	-	-	-	-	-	-	-	-	1	1	5	6	3	23	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
VIETNAMESE	7	2	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-
WHITE	3,288	77	7	6	28	67	64	73	70	69	87	130	202	337	420	469	1,161	1
OTHER ASIAN	16	6	1	-	-	-	2	1	1	-	-	1	-	1	1	-	2	-
OTHER	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SAN BENITO	218	6	2	1	1	1	2	2	1	8	5	8	6	14	26	31	104	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	214	6	2	1	1	1	2	2	1	8	4	7	6	14	26	31	102	-
FEMALE	100	3	1	-	1	-	-	-	-	3	2	3	4	7	10	9	55	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	98	3	1	-	1	-	-	-	-	3	1	3	4	7	10	9	54	-
MALE	118	3	1	1	-	1	2	2	1	5	3	3	2	7	16	22	49	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	116	3	1	1	-	1	2	2	1	5	3	2	2	7	16	22	48	-
SAN BERNARDINO	8,118	271	24	33	74	137	131	132	145	175	204	282	447	448	646	992	3,343	14
AMERICAN INDIAN	25	-	-	-	-	1	3	-	3	-	-	6	2	3	3	1	3	-
BLACK	360	40	8	4	6	7	7	10	10	19	13	20	24	29	31	26	103	1
CHINESE	7	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	-
FILIPINO	19	-	1	-	1	-	-	1	-	-	1	-	-	1	2	5	7	-
INDIAN (INDIA)	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
JAPANESE	8	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	3	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
SAN BERNARDINO (CONT'D)																		
KOREAN	5	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-
PACIFIC ISLANDER	4	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VIETNAMESE	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
WHITE	7,678	227	15	29	66	129	117	120	133	151	188	234	418	633	810	954	3,422	12
OTHER ASIAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
NOT STATED	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	3,758	113	8	10	19	20	33	39	46	64	65	114	169	268	340	414	2,031	5
AMERICAN INDIAN	14	-	-	-	-	-	1	-	-	3	-	3	2	2	1	-	2	-
BLACK	170	20	2	-	2	1	2	1	6	9	4	9	8	14	15	16	60	1
CHINESE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
FILIPINO	7	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	3	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VIETNAMESE	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
WHITE	3,551	90	5	10	17	19	29	37	38	52	61	101	156	250	324	397	1,962	3
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	4,360	138	16	23	35	117	98	93	99	111	139	168	278	400	506	578	1,312	9
AMERICAN INDIAN	11	-	-	-	-	1	2	-	-	-	-	3	-	1	2	1	1	-
BLACK	190	20	6	4	4	6	5	9	4	10	9	11	16	15	16	12	43	-
CHINESE	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-
FILIPINO	12	-	-	-	1	-	-	-	-	-	1	-	-	-	2	4	4	-
INDIAN (INDIA)	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-
KOREAN	4	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-
PACIFIC ISLANDER	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	4,127	137	10	19	49	110	86	83	95	99	127	133	262	383	486	557	1,460	9
OTHER ASIAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
SAN DIEGO	15,255	399	25	42	108	235	250	219	246	227	308	483	733	1,140	1,381	1,921	7,310	28
AMERICAN INDIAN	51	1	-	1	3	4	2	1	-	1	-	3	2	5	5	3	18	-
BLACK	577	53	1	5	10	18	17	27	23	14	31	44	46	48	51	30	137	-
CAMBODIAN	5	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
CHINESE	41	3	-	-	-	-	-	-	2	1	1	2	1	3	4	8	16	-
FILIPINO	133	12	-	-	1	1	4	4	3	6	4	4	10	11	11	19	43	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
JAPANESE	45	-	-	-	2	-	2	1	-	-	1	7	6	-	3	6	17	-
KOREAN	11	2	-	1	1	-	-	1	-	1	1	1	-	-	-	2	1	-
PACIFIC ISLANDER	36	3	-	1	1	1	2	-	1	-	2	3	4	4	3	6	5	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	16	2	2	-	2	-	-	2	-	-	-	2	-	-	1	2	3	-
WHITE	14,297	311	22	34	88	209	222	183	215	203	267	414	664	1,067	1,498	1,821	7,062	17
OTHER ASIAN	22	6	-	-	-	2	1	-	-	1	1	1	-	1	3	-	4	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
NOT STATED	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11
FEMALE	7,420	181	10	18	41	54	64	67	74	78	112	201	285	494	667	844	4,225	5
AMERICAN INDIAN	28	1	-	1	-	-	1	1	-	-	-	1	-	5	3	2	13	-
BLACK	244	14	1	3	6	7	7	6	7	3	10	14	18	19	24	24	81	-
CAMBODIAN	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	15	1	-	-	-	-	-	-	1	1	-	1	1	-	4	4	6	-
FILIPINO	57	6	-	-	-	1	3	2	2	5	3	1	6	4	3	9	12	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
JAPANESE	27	-	-	-	1	-	1	-	-	-	1	6	5	-	2	2	9	-
KOREAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
PACIFIC ISLANDER	17	3	-	1	-	1	1	-	1	-	-	1	3	1	-	3	2	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	5	1	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-
WHITE	7,004	147	8	13	33	44	30	37	63	69	98	176	232	463	634	796	4,096	3
OTHER ASIAN	8	3	-	-	-	1	1	-	-	-	-	-	-	-	1	-	2	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
NOT STATED	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	7,835	218	15	24	67	181	186	152	172	149	196	282	448	646	914	1,077	3,085	23
AMERICAN INDIAN	23	-	-	-	3	4	1	-	-	1	-	2	2	-	2	3	5	-
BLACK	333	39	-	2	4	11	10	21	18	11	21	30	26	29	27	26	36	-
CAMBODIAN	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN DIEGO (CONT'D)																		
CHINESE	26	2	-	-	-	-	-	-	1	-	1	1	-	3	4	4	10	-
FILIPINO	76	6	-	-	1	-	1	2	1	1	1	3	4	7	8	10	31	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	18	-	-	-	1	-	1	1	-	-	-	1	1	-	1	4	8	-
KOREAN	8	2	-	1	1	-	-	1	-	1	1	1	-	-	-	-	-	-
PACIFIC ISLANDER	19	-	-	-	1	-	1	-	-	-	2	2	1	3	3	3	3	-
VIETNAMESE	11	1	1	-	1	-	-	1	-	-	-	2	-	-	1	1	3	-
WHITE	7,293	164	14	21	35	165	172	126	132	134	169	238	412	602	864	1,025	2,966	14
OTHER ASIAN	14	3	-	-	-	1	-	-	-	1	1	1	-	1	4	-	2	-
NOT STATED	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	9
SAN FRANCISCO	8,228	92	8	8	25	61	141	233	267	233	221	261	420	585	699	961	4,006	7
AMERICAN INDIAN	17	-	-	-	-	1	2	1	4	-	-	2	2	-	2	-	3	-
BLACK	918	26	1	1	1	16	27	38	31	39	37	38	74	98	114	129	206	2
CAMBODIAN	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
CHINESE	704	9	1	-	2	3	6	5	8	7	4	24	40	55	59	103	378	-
FILIPINO	233	10	1	-	-	1	1	5	4	1	6	8	13	17	22	32	112	-
INDIAN (INDIA)	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-
JAPANESE	71	-	-	-	-	-	1	1	-	-	1	1	6	9	5	5	42	-
KOREAN	14	-	1	-	-	1	-	-	-	2	2	1	-	-	3	-	4	-
PACIFIC ISLANDER	30	3	-	-	-	-	1	1	1	-	1	3	4	4	6	2	5	-
VIETNAMESE	11	1	-	2	-	-	2	-	-	-	-	1	-	2	-	-	3	-
WHITE	6,175	33	3	5	21	38	101	180	215	182	130	160	277	393	486	687	3,239	5
OTHER ASIAN	25	3	1	-	1	1	1	-	3	2	-	-	1	5	-	1	6	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	21	6	-	-	-	-	1	1	-	-	-	2	2	1	1	1	6	-
FEMALE	3,582	40	3	3	4	13	29	29	38	40	37	79	120	186	273	417	2,249	2
AMERICAN INDIAN	9	-	-	-	-	-	2	-	1	-	-	2	1	-	1	-	2	-
BLACK	369	12	1	1	-	3	9	9	11	10	19	16	27	31	49	61	109	1
CHINESE	302	3	-	-	-	1	3	-	5	5	3	11	16	17	16	38	184	-
FILIPINO	67	6	1	-	-	1	1	3	2	1	2	2	4	4	8	14	18	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-
JAPANESE	39	-	-	-	-	-	-	1	-	-	-	1	3	4	3	3	24	-
KOREAN	4	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-
PACIFIC ISLANDER	16	2	-	-	-	-	-	-	1	-	-	2	-	1	4	1	5	-
VIETNAMESE	3	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	2	-
WHITE	2,756	16	-	1	4	7	13	16	17	23	32	44	68	124	191	299	1,900	1
OTHER ASIAN	6	-	1	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
MALE	4,646	52	5	5	21	48	112	204	229	193	164	182	300	399	426	544	1,757	5
AMERICAN INDIAN	8	-	-	-	-	1	-	1	3	-	-	-	1	-	1	-	1	-
BLACK	549	14	-	-	1	13	18	29	20	29	38	42	47	67	65	68	97	1
CAMBODIAN	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
CHINESE	402	6	1	-	2	2	3	5	3	2	1	13	24	38	43	65	194	-
FILIPINO	166	4	-	-	-	-	-	2	2	-	4	6	9	13	14	18	94	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
JAPANESE	32	-	-	-	-	-	1	-	-	-	1	-	3	5	2	2	18	-
KOREAN	10	-	1	-	-	-	-	-	-	2	1	-	-	-	3	-	3	-
PACIFIC ISLANDER	14	1	-	-	-	-	-	1	-	-	1	1	4	3	2	1	-	-
VIETNAMESE	6	1	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
WHITE	3,419	17	3	4	17	31	88	164	198	159	118	116	209	269	295	388	1,339	4
OTHER ASIAN	19	3	-	-	1	1	-	-	2	1	-	-	1	3	-	1	6	-
NOT STATED	17	3	-	-	-	-	1	1	1	-	-	2	1	1	1	1	4	-
SAN JOAQUIN	3,363	94	9	10	22	60	55	56	67	50	75	107	204	285	334	477	1,636	2
AMERICAN INDIAN	17	2	-	-	-	-	-	1	-	1	-	1	3	1	4	1	3	-
BLACK	230	17	-	-	2	9	3	4	6	7	6	10	16	18	30	32	69	1
CAMBODIAN	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CHINESE	23	-	-	-	-	-	-	-	1	1	-	1	3	1	3	4	9	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	124	2	-	1	1	2	3	4	-	-	-	1	3	6	6	21	74	-
INDIAN (INDIA)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	41	-	-	-	-	1	-	-	-	1	1	4	2	5	4	7	16	-
KOREAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VIETNAMESE	10	3	1	1	-	-	1	-	1	1	1	-	-	-	-	1	-	-
WHITE	3,081	38	7	8	17	48	46	47	55	37	66	90	175	253	305	409	1,439	1
OTHER ASIAN	15	2	1	-	2	-	1	-	2	1	1	-	-	-	1	1	3	-
OTHER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 3-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN JOAQUIN (CONT'D)																		
NOT STATED	8	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
FEMALE	1,388	44	4	5	5	16	11	12	21	17	24	43	74	123	130	187	852	-
AMERICAN INDIAN	10	1	-	-	-	-	-	-	-	1	-	-	3	1	2	-	2	-
BLACK	101	12	-	-	-	4	1	2	3	3	3	4	3	7	10	10	35	-
CAMBODIAN	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	7	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	3	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	22	-	-	1	-	-	-	4	-	-	-	-	2	3	2	2	6	-
INDIAN (INDIA)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	20	-	-	-	-	1	-	-	-	-	-	3	1	2	3	3	7	-
KOREAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	1,411	25	4	4	4	11	9	6	15	13	18	36	62	107	131	170	796	-
OTHER ASIAN	7	1	-	-	1	-	-	-	1	-	1	-	-	-	1	-	2	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MALE	1,975	30	5	5	17	44	44	44	46	33	51	64	130	162	204	290	784	2
AMERICAN INDIAN	7	1	-	-	-	-	-	1	-	-	-	1	-	-	2	1	1	-
BLACK	129	5	-	-	2	5	2	2	3	4	1	6	11	11	20	22	34	1
CAMBODIAN	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CHINESE	16	-	-	-	-	-	-	-	-	1	-	1	2	1	2	3	6	-
FILIPINO	102	2	-	-	1	2	3	-	-	-	-	1	1	1	4	19	68	-
JAPANESE	21	-	-	-	-	-	-	-	1	1	1	1	1	3	1	4	9	-
PACIFIC ISLANDER	4	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
VIETNAMESE	7	1	1	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-
WHITE	1,670	33	3	4	13	37	37	41	40	24	48	54	113	146	174	239	663	1
OTHER ASIAN	8	1	1	-	1	-	1	-	1	1	-	-	-	-	-	1	1	-
OTHER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NOT STATED	7	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
SAN LUIS OBISPO	1,512	26	1	5	7	15	18	24	27	13	23	39	61	110	161	206	776	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BLACK	7	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	4	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	11	-	-	-	-	1	-	1	1	-	-	-	-	-	1	3	4	-
INDIAN (INDIA)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-
KOREAN	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
WHITE	1,480	26	-	5	7	14	16	22	26	11	22	39	61	109	159	203	760	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE	714	9	1	3	1	5	3	5	7	8	6	14	18	46	58	89	441	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
KOREAN	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	701	9	-	3	1	4	3	5	6	7	6	14	18	46	58	89	432	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	798	17	-	2	6	10	15	19	20	5	17	25	43	64	103	117	333	-
BLACK	5	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	2	-
FILIPINO	9	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	4	-
INDIAN (INDIA)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	779	17	-	2	6	10	13	17	20	4	16	25	43	63	101	114	328	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SAN MATEO	4,660	105	4	2	24	37	65	65	80	82	110	137	239	399	301	345	2,222	3
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-
BLACK	218	10	-	-	2	5	4	9	13	7	7	12	19	22	29	21	58	-
CHINESE	53	3	-	-	-	1	-	-	-	2	4	2	4	6	4	7	20	-
FILIPINO	112	10	1	-	1	-	3	3	3	7	6	2	5	7	11	14	39	-
INDIAN (INDIA)	17	1	-	-	-	-	-	1	1	1	2	2	1	3	2	1	2	-
JAPANESE	32	1	-	-	-	-	1	-	3	1	-	1	1	6	1	3	14	-
KOREAN	3	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
PACIFIC ISLANDER	35	5	-	-	1	2	1	2	-	-	3	2	2	5	4	3	5	-

TABLE 3-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN MATEO (CONT'D)																		
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VIETNAMESE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	4,193	70	3	2	20	48	56	50	60	61	88	135	227	348	449	496	2,078	2
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	7	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
FEMALE	2,289	38	1	1	11	13	15	16	31	33	30	37	103	164	231	247	1,275	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
BLACK	93	5	-	-	-	1	1	1	5	2	5	6	8	9	14	10	26	-
CHINESE	22	2	-	-	-	-	-	1	-	2	-	1	1	3	1	2	11	-
FILIPINO	50	4	1	-	1	-	1	1	2	3	4	1	2	4	6	5	15	-
INDIAN (INDIA)	6	1	-	-	-	-	-	-	1	1	-	1	1	1	-	-	1	-
JAPANESE	12	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	7	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
PACIFIC ISLANDER	11	-	-	-	-	1	-	2	-	-	2	-	-	2	1	1	2	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	2,087	25	-	1	10	11	13	12	23	26	37	49	92	143	208	228	1,208	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	2,391	67	3	1	13	44	30	49	49	49	60	100	134	235	270	298	947	2
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
BLACK	125	5	-	-	2	4	3	8	8	5	2	6	11	13	15	11	32	-
CHINESE	31	1	-	-	-	1	-	-	-	2	2	2	3	3	3	3	9	-
FILIPINO	62	6	-	-	-	-	2	2	1	4	2	1	3	3	5	9	24	-
INDIAN (INDIA)	11	-	-	-	-	-	-	1	1	-	2	1	-	2	2	1	1	-
JAPANESE	20	1	-	-	-	-	1	-	2	1	-	1	-	3	-	2	7	-
KOREAN	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	24	5	-	-	1	1	1	-	-	-	1	2	2	3	3	2	3	-
VIETNAMESE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,106	45	3	1	10	37	43	38	37	35	51	86	135	205	241	268	870	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
SANTA BARBARA	2,612	54	3	5	12	22	32	43	37	42	43	61	135	166	232	262	1,442	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
BLACK	42	3	-	-	-	-	2	3	3	3	4	1	3	4	4	4	8	-
CHINESE	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-
FILIPINO	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	10	-
JAPANESE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	-
KOREAN	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	2,532	50	3	5	12	21	30	40	33	39	39	39	130	162	224	247	1,418	-
OTHER ASIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE	1,277	25	1	2	7	4	7	14	18	15	16	26	42	67	96	105	831	1
BLACK	13	1	-	-	-	-	1	-	1	-	1	-	-	2	1	2	6	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	1,250	23	1	2	7	4	6	14	17	13	13	25	42	65	93	99	822	-
OTHER ASIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	1,335	29	2	3	5	18	25	29	39	27	27	35	93	99	136	137	611	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
BLACK	27	2	-	-	-	-	1	3	2	3	3	1	3	2	3	2	2	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-
FILIPINO	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	9	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
KOREAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	1,282	27	2	3	5	17	24	26	36	24	24	34	88	97	131	148	596	-
SANTA CLARA	8,266	229	25	24	89	127	132	157	163	176	202	326	464	654	802	949	3,721	6
AMERICAN INDIAN	33	-	1	-	1	-	-	1	6	-	6	1	2	3	2	2	8	-
BLACK	173	12	2	2	4	5	6	11	6	8	7	13	12	18	14	12	41	-
CAMBODIAN	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 3-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
SANTA CLARA (CONT'D)																		
CHINESE	101	5	1	1	2	-	-	2	2	2	4	5	8	8	10	17	34	-
FILIPINO	119	9	-	1	-	4	1	1	3	2	2	5	6	16	11	13	43	-
INDIAN (INDIA)	14	2	-	-	-	-	-	1	1	3	2	-	2	-	-	1	2	-
JAPANESE	115	1	-	-	2	2	5	4	1	1	5	5	5	10	13	8	54	-
KOREAN	21	2	1	-	-	-	2	1	1	3	3	1	-	3	-	2	2	-
PACIFIC ISLANDER	22	2	-	-	-	1	-	3	-	1	1	1	1	1	6	2	3	-
THAI	5	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-
VIETNAMESE	62	11	2	1	2	2	7	5	2	4	-	1	1	3	6	5	10	-
WHITE	7,562	171	15	19	78	111	130	127	140	131	172	292	423	589	738	884	3,315	5
OTHER ASIAN	14	4	3	-	-	-	-	1	1	1	-	-	1	1	1	1	-	-
OTHER	6	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	2	-
NOT STATED	16	8	-	-	-	-	-	-	1	-	-	-	1	1	1	-	3	1
FEMALE	3,993	90	11	10	24	35	34	47	62	63	94	123	165	265	330	447	2,172	1
AMERICAN INDIAN	16	-	1	-	-	-	-	1	2	-	1	1	1	1	1	1	6	-
BLACK	80	5	2	-	1	1	4	4	5	3	2	6	5	11	5	8	18	-
CAMBODIAN	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	43	2	-	-	1	-	-	2	2	1	1	1	1	4	5	6	17	-
FILIPINO	38	3	-	-	-	3	-	1	1	-	2	3	4	8	2	3	8	-
INDIAN (INDIA)	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
JAPANESE	53	-	-	-	2	1	1	-	-	-	1	3	3	4	4	4	30	-
KOREAN	8	1	-	-	-	-	1	-	-	1	1	-	-	2	-	1	2	-
PACIFIC ISLANDER	7	2	-	-	-	-	-	1	-	1	-	1	-	-	-	1	1	-
THAI	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	16	3	-	-	-	1	2	1	-	1	-	1	-	-	3	3	3	-
WHITE	3,702	65	6	10	20	28	26	36	52	55	86	103	169	234	308	416	2,063	2
OTHER ASIAN	11	1	2	-	-	-	-	1	-	1	-	-	1	1	1	1	-	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NOT STATED	8	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-
MALE	4,273	139	14	14	65	92	118	110	101	113	108	203	279	369	472	502	1,549	3
AMERICAN INDIAN	17	-	-	-	1	-	-	-	4	-	5	-	1	2	1	1	2	-
BLACK	93	7	-	2	3	4	2	7	1	5	5	7	7	7	9	4	23	-
CHINESE	58	3	1	1	1	-	-	-	1	1	3	4	7	4	5	11	17	-
FILIPINO	81	6	-	1	-	1	1	-	2	2	-	2	2	8	9	10	37	-
INDIAN (INDIA)	11	1	-	-	-	-	-	1	1	3	2	-	1	-	-	1	1	-
JAPANESE	62	1	-	-	-	1	4	4	-	1	4	2	2	6	9	4	24	-
KOREAN	13	1	1	-	-	-	1	1	1	2	2	1	-	2	-	1	-	-
PACIFIC ISLANDER	15	-	-	-	-	1	-	2	-	-	1	-	1	1	6	1	2	-
THAI	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-
VIETNAMESE	44	8	2	1	2	1	5	4	2	3	-	1	3	3	3	2	7	-
WHITE	3,860	106	9	9	58	83	104	91	88	96	86	187	236	353	430	466	1,432	4
OTHER ASIAN	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
OTHER	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-
NOT STATED	8	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1
SANTA CRUZ	1,783	38	4	2	13	26	20	28	26	29	23	41	54	103	146	187	1,043	-
AMERICAN INDIAN	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BLACK	8	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	3	-
CHINESE	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	5	-
FILIPINO	25	3	-	-	-	-	-	1	1	-	-	1	-	-	-	3	16	-
INDIAN (INDIA)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
JAPANESE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	-
KOREAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	1,719	29	4	2	13	23	20	26	22	29	22	40	54	101	146	178	1,008	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	878	16	2	1	2	5	7	10	6	11	6	17	24	50	61	83	575	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BLACK	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
CHINESE	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	4	-
FILIPINO	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
JAPANESE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-
WHITE	852	12	2	1	2	4	7	9	5	11	6	17	24	48	61	81	562	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
MALE	905	22	2	1	11	21	13	18	20	18	17	24	30	53	85	102	468	-
AMERICAN INDIAN	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	4	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 3-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SANTA CRUZ (CONT'D)																		
FILIPINO	20	1	-	-	-	-	-	-	1	-	-	1	-	-	-	3	14	-
INDIAN (INDIA)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
JAPANESE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-
KOREAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	867	17	2	1	11	21	13	17	17	18	16	23	30	33	85	97	446	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHASTA	1,133	28	5	6	14	20	13	12	18	12	23	32	65	91	144	174	474	-
AMERICAN INDIAN	11	-	-	1	-	-	-	-	-	-	1	-	1	1	3	-	4	-
BLACK	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	1,114	28	5	5	14	20	13	12	17	12	24	32	64	89	139	174	446	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE	533	17	3	1	9	5	6	2	5	5	7	15	32	36	54	70	266	-
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-
WHITE	528	17	3	1	9	5	6	2	5	5	7	15	31	36	51	70	265	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	600	11	2	5	5	15	7	10	13	7	18	17	33	55	90	104	208	-
AMERICAN INDIAN	7	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	4	-
BLACK	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	586	11	2	4	5	15	7	10	12	7	17	17	33	53	88	104	201	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SIERRA	36	1	-	1	-	-	-	-	1	-	1	-	2	2	6	10	12	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	35	1	-	1	-	-	-	-	1	-	1	-	2	2	6	9	12	-
FEMALE	13	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	7	-
WHITE	13	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	7	-
MALE	23	1	-	1	-	-	-	-	-	-	-	-	2	2	4	8	5	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	22	1	-	1	-	-	-	-	-	-	-	-	2	2	4	7	5	-
SISKIYOU	379	8	1	-	3	4	4	4	2	8	4	13	13	35	35	65	160	-
AMERICAN INDIAN	5	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
PACIFIC ISLANDER	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	370	6	1	-	2	4	4	3	2	8	4	12	13	34	34	63	176	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	165	3	-	-	-	-	1	1	1	5	2	6	6	13	12	25	90	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	164	3	-	-	-	-	1	1	1	5	2	6	6	13	12	25	89	-
MALE	214	5	1	-	3	4	3	3	1	3	2	7	7	22	23	40	90	-
AMERICAN INDIAN	3	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	206	3	1	-	2	4	3	2	1	3	2	6	7	21	22	40	89	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
SOLANO	1,763	52	5	6	10	30	27	32	32	44	53	74	103	137	184	232	721	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
BLACK	105	9	-	2	1	5	1	7	8	6	10	7	22	20	18	26	42	1
CHINESE	8	-	-	-	1	-	1	-	-	-	-	1	-	1	1	-	3	-
FILIPINO	46	-	-	1	1	2	-	1	1	4	-	1	-	3	4	8	20	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
JAPANESE	7	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-	2	-
PACIFIC ISLANDER	7	-	-	-	-	1	-	-	-	-	1	-	4	-	-	-	1	-
WHITE	1,505	43	5	3	7	21	25	24	20	34	42	63	76	133	139	197	653	-
FEMALE	794	27	1	1	3	9	7	6	16	16	16	34	42	57	73	89	393	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
BLACK	91	4	-	-	1	3	1	1	4	-	3	4	11	8	9	14	26	-
CHINESE	3	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	18	-	-	-	1	1	-	-	1	3	-	-	-	2	1	3	6	-
JAPANESE	6	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	2	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
SOLANO (CONT'D)																		
WHITE	672	23	1	1	2	5	5	5	8	13	11	28	29	47	62	72	360	-
MALE	969	25	4	5	5	21	20	26	16	28	37	40	61	100	111	143	326	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BLACK	94	5	-	2	-	2	-	6	4	6	5	3	11	12	9	12	16	1
CHINESE	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-
FILIPINO	28	-	-	1	-	1	-	1	-	1	-	1	-	1	3	5	14	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
JAPANESE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-
WHITE	833	20	4	2	5	16	20	19	12	21	31	35	47	86	97	125	293	-
SONOMA	3,028	47	4	10	26	36	28	37	43	53	55	90	125	207	288	383	1,593	1
AMERICAN INDIAN	11	2	-	-	-	1	-	-	1	1	-	-	1	-	1	2	2	-
BLACK	21	1	-	1	1	1	-	-	1	2	-	2	2	2	6	-	3	-
CAMBODIAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	8	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	3	-
FILIPINO	12	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	6	-
JAPANESE	8	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	3	-
KOREAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
VIETNAMESE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,958	41	4	9	23	34	28	37	42	48	54	87	121	204	278	376	1,572	-
OTHER ASIAN	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
OTHER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
FEMALE	1,425	17	-	5	7	7	6	10	12	17	17	30	46	82	123	168	878	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
BLACK	12	1	-	-	-	1	-	-	-	1	-	2	1	1	3	-	2	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	1,397	16	-	5	6	6	6	10	11	16	17	28	43	81	118	165	869	-
OTHER ASIAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	1,603	30	4	5	19	29	22	27	33	36	38	60	79	125	165	215	715	1
AMERICAN INDIAN	8	2	-	-	-	1	-	-	-	1	-	-	-	-	1	2	1	-
BLACK	9	-	-	1	1	-	-	-	1	-	-	-	1	1	3	-	1	-
CAMBODIAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-
FILIPINO	9	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	6	-
JAPANESE	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
KOREAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
VIETNAMESE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,361	25	4	4	17	28	22	27	31	32	37	59	78	123	160	211	703	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
OTHER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
STANISLAUS	2,641	73	5	8	26	22	33	45	31	46	50	64	128	219	257	331	1,283	-
AMERICAN INDIAN	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
BLACK	36	4	1	-	-	-	2	1	-	1	1	3	2	4	5	5	7	-
CAMBODIAN	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
CHINESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
INDIAN (INDIA)	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
VIETNAMESE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,571	65	4	8	25	21	29	44	31	45	48	61	123	212	249	342	1,264	-
OTHER ASIAN	5	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-
NOT STATED	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-
FEMALE	1,171	22	1	4	7	2	10	16	13	20	17	19	30	83	108	128	669	-
AMERICAN INDIAN	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
BLACK	12	1	-	-	-	-	1	-	-	1	1	1	-	1	2	1	3	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
STANISLAUS (CONT'D)																		
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,144	21	1	4	6	2	8	16	13	19	16	18	49	83	104	123	661	-
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	1,470	31	4	4	19	20	23	29	18	26	33	43	78	134	149	223	614	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BLACK	24	3	1	-	-	-	1	1	-	-	-	2	2	3	3	4	4	-
CAMBODIAN	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
INDIAN (INDIA)	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	1,427	44	3	4	19	19	21	28	18	26	32	43	74	129	145	219	603	-
OTHER ASIAN	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-
SUTTER	499	15	-	1	5	7	16	6	8	13	6	12	18	36	53	69	233	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
BLACK	6	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	-
CHINESE	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
INDIAN (INDIA)	12	-	-	-	-	1	-	1	-	-	-	1	2	-	4	1	3	-
JAPANESE	7	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	5	-
WHITE	465	13	-	1	5	6	14	5	7	12	6	10	16	35	46	63	221	1
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	230	6	-	-	3	1	5	-	2	5	2	5	4	15	22	25	135	-
BLACK	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
WHITE	218	6	-	-	3	1	5	-	2	4	2	5	3	14	19	23	131	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	269	9	-	1	2	6	11	6	6	8	4	7	14	21	31	44	98	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
BLACK	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
CHINESE	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
INDIAN (INDIA)	9	-	-	-	-	1	-	1	-	-	-	1	1	-	2	1	2	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	-
WHITE	247	9	-	1	2	5	9	5	5	8	4	5	13	21	27	42	90	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
TEHAMA	474	8	3	1	2	7	4	4	3	8	6	8	23	45	38	36	238	-
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	467	8	3	1	2	7	4	4	3	6	5	7	23	45	38	35	236	-
FEMALE	214	4	1	-	1	3	-	1	1	3	3	6	7	20	16	23	125	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	211	4	1	-	1	3	-	1	1	1	3	5	7	20	16	23	125	-
MALE	260	4	2	1	1	4	4	3	2	5	3	2	16	25	42	33	113	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	256	4	2	1	1	4	4	3	2	5	2	2	16	25	42	32	111	-
TRINITY	100	2	1	-	-	2	3	-	1	1	4	4	4	7	11	14	43	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
WHITE	94	2	1	-	-	2	3	-	1	1	4	2	4	7	11	14	42	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TRINITY (CONT'D)																		
FEMALE	43	1	-	-	-	2	1	-	1	-	2	1	2	1	5	4	23	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	41	1	-	-	-	2	1	-	1	-	2	-	2	1	5	4	22	-
MALE	57	1	1	-	-	-	2	-	-	1	2	3	2	6	6	10	22	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	53	1	1	-	-	-	2	-	-	1	2	2	2	6	6	10	20	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
TULARE	2,123	70	4	7	41	46	31	32	36	46	38	61	93	153	200	230	1,009	2
AMERICAN INDIAN	10	1	-	-	1	1	-	-	-	-	1	-	-	2	1	2	1	-
BLACK	25	1	-	-	-	-	1	1	-	1	-	1	1	3	2	4	12	-
CHINESE	6	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	3	-
FILIPINO	17	2	-	-	1	3	-	-	-	-	-	-	-	-	-	2	8	-
JAPANESE	10	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	4	-
KOREAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	2,044	63	4	7	38	42	30	31	37	45	37	60	92	143	197	237	979	2
OTHER ASIAN	5	3	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	978	29	-	3	17	12	9	8	14	19	10	28	37	61	79	117	535	-
AMERICAN INDIAN	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
BLACK	9	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	6	-
CHINESE	5	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	2	-
JAPANESE	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	4	-
WHITE	950	23	-	3	16	12	9	7	14	19	10	27	37	56	78	114	523	-
OTHER ASIAN	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	1,145	41	4	4	24	34	22	24	24	27	28	33	56	92	121	133	474	2
AMERICAN INDIAN	6	-	-	-	1	1	-	-	-	-	1	-	-	1	1	1	1	-
BLACK	16	1	-	-	-	-	1	-	-	1	-	-	1	1	1	3	7	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	17	2	-	-	1	3	-	-	-	-	-	-	-	-	-	3	8	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
KOREAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	1,094	38	4	4	22	30	21	24	23	26	27	33	55	87	119	123	456	2
OTHER ASIAN	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
TUOLUMNE	393	5	-	2	3	4	5	2	7	12	11	12	15	37	38	32	168	-
AMERICAN INDIAN	8	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	4	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	382	5	-	2	3	4	5	2	7	12	11	11	14	36	38	30	162	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	168	1	-	1	1	-	1	-	2	3	4	5	8	21	23	20	78	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
WHITE	165	1	-	1	1	-	1	-	2	3	4	4	8	20	23	20	77	-
MALE	225	4	-	1	2	4	4	2	5	9	7	7	7	16	15	12	90	-
AMERICAN INDIAN	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	217	4	-	1	2	4	4	2	5	9	7	7	6	16	15	10	85	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
VENTURA	3,593	106	11	13	40	47	51	64	57	72	70	106	208	299	339	408	1,680	4
AMERICAN INDIAN	4	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-
BLACK	42	2	-	1	-	-	-	1	2	1	1	3	3	4	2	4	18	-
CHINESE	8	1	-	-	-	-	-	-	2	-	-	-	-	1	1	-	3	-
FILIPINO	21	2	-	-	-	-	-	-	-	-	-	-	-	1	8	-	10	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	16	-	-	-	1	-	-	1	1	-	2	-	2	3	2	1	4	-
KOREAN	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
VIETNAMESE	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	3,483	100	11	12	39	47	49	62	51	71	66	100	198	289	345	403	1,638	2
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
VENTURA (CONT'D)																		
NOT STATED	11	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	4	2
FEMALE	1,658	50	5	3	15	9	11	12	17	27	31	47	74	110	144	175	928	-
AMERICAN INDIAN	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
BLACK	21	1	-	-	-	-	-	-	1	1	1	1	1	-	-	2	13	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	5	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
JAPANESE	7	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	2	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
VIETNAMESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	1,613	47	5	3	15	9	10	11	15	26	29	46	69	108	138	173	909	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-
MALE	1,937	36	6	10	25	38	40	52	40	45	39	39	134	189	215	233	732	4
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
BLACK	21	1	-	1	-	-	-	1	1	-	-	4	2	4	-	2	5	-
CHINESE	7	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	3	-
FILIPINO	16	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	10	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	9	-	-	-	1	-	-	-	1	-	1	-	1	2	1	-	2	-
KOREAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
WHITE	1,870	53	6	9	24	38	39	51	36	45	37	34	129	181	207	230	729	2
NOT STATED	7	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	2
YOLO	917	10	4	1	6	13	13	8	11	20	30	27	59	69	104	115	423	4
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-
BLACK	14	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	4	-
CHINESE	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-
FILIPINO	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
JAPANESE	12	-	-	-	-	1	-	-	-	-	-	1	1	1	-	2	6	-
WHITE	872	9	4	1	6	12	13	8	10	20	29	25	52	64	101	108	407	3
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE	398	5	2	-	1	3	6	2	5	7	11	13	20	24	39	43	217	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
BLACK	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
WHITE	382	5	2	-	1	3	6	2	5	7	11	13	17	23	36	42	209	-
MALE	519	5	2	1	5	10	7	6	6	13	19	14	39	45	65	72	206	4
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
BLACK	8	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	-
CHINESE	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
FILIPINO	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
JAPANESE	7	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	1	-
WHITE	490	4	2	1	5	9	7	6	5	13	18	12	35	41	65	66	198	3
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
YUBA	437	12	1	-	6	7	5	6	7	12	9	16	34	42	46	73	181	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
BLACK	14	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	5	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
FILIPINO	6	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	4	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	431	11	1	-	6	7	4	6	7	12	9	15	33	37	43	70	170	-
FEMALE	192	5	-	-	1	1	2	2	2	5	4	7	13	19	16	29	86	-
BLACK	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	184	5	-	-	1	1	1	2	2	5	4	6	13	17	16	27	84	-

TABLE 3-3 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
YUBA (CONT'D)																		
MALE	263	7	1	-	5	6	3	4	5	7	5	9	21	23	30	44	95	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
BLACK	9	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	3	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	247	6	1	-	5	6	3	4	5	7	5	9	20	20	27	43	86	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 3-6

DEATHS BY MONTH OF DEATH

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL DEATHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	201,815	20,639	18,293	17,593	16,145	15,991	15,635	15,762	15,876	15,110	16,059	16,516	18,196
ALAMEDA	9,733	1,035	894	874	811	734	722	707	805	703	770	802	834
ALPINE	6	2	1	1	-	-	-	1	-	-	-	1	-
AMADOR	235	39	24	14	20	17	14	22	18	17	16	13	21
BUTTE	1,661	185	167	124	126	125	113	133	115	133	136	152	152
CALAVERAS	303	33	24	25	20	19	25	29	23	24	32	25	24
COLUSA	135	11	8	10	9	12	16	9	12	13	12	11	12
CONTRA COSTA	5,345	581	482	480	423	439	412	417	385	389	421	439	477
DEL NORTE	196	16	20	21	21	15	14	8	17	12	15	20	17
EL DORADO	787	93	70	76	49	71	56	62	64	56	63	63	64
FRESNO	4,298	458	382	372	325	281	371	338	335	336	354	368	378
GLENN	218	18	21	21	19	17	21	17	23	14	11	14	22
HUMBOLDT	1,074	118	113	85	82	90	87	77	74	76	93	89	90
IMPERIAL	731	92	72	51	56	53	64	55	64	50	57	55	62
INYO	209	23	19	17	26	18	14	17	18	13	17	14	13
KERN	3,713	368	319	299	291	293	287	302	317	296	297	314	330
KINGS	580	61	62	63	42	36	40	50	39	46	38	52	51
LAKE	672	73	59	64	44	66	40	64	42	47	49	54	70
LASSEN	183	29	22	16	16	14	8	10	12	9	20	12	17
LOS ANGELES	62,195	6,128	5,697	5,383	5,001	4,917	4,767	5,026	4,858	4,608	4,992	5,097	5,721
MADERA	387	56	56	56	57	46	42	39	44	30	39	30	43
MARIN	1,755	201	144	159	139	124	144	140	148	152	135	138	131
MARIPOSA	127	13	8	6	18	14	7	7	12	11	8	10	13
MENDOCINO	776	86	78	57	66	64	68	61	65	50	59	48	74
MERCED	1,067	107	100	93	87	96	73	74	82	83	85	79	106
MODOC	99	14	9	11	5	8	6	8	6	11	9	5	7
MONO	30	2	-	3	3	3	3	4	3	3	3	3	-
MONTEREY	2,206	246	183	201	150	198	186	179	186	161	143	183	190
NAPA	992	84	88	99	82	87	76	89	87	67	69	78	86
NEVADA	595	66	43	46	49	49	42	41	50	51	42	53	61
ORANGE	13,538	1,378	1,217	1,181	1,070	1,063	1,032	1,036	1,133	1,020	1,047	1,115	1,246
PLACER	1,093	110	83	85	91	90	88	87	96	81	79	115	88
PLUMAS	148	18	12	17	8	8	13	14	8	18	10	12	10
RIVERSIDE	7,831	758	721	705	615	626	593	581	637	592	618	654	731
SACRAMENTO	6,922	722	573	625	556	611	572	525	543	545	552	511	587
SAN BENITO	218	28	25	15	22	19	8	11	16	13	24	23	14
SAN BERNARDINO	8,118	752	740	707	655	663	644	676	643	607	663	636	732
SAN DIEGO	15,255	1,592	1,320	1,342	1,178	1,211	1,147	1,208	1,207	1,143	1,167	1,289	1,451
SAN FRANCISCO	8,228	864	739	682	666	644	661	632	680	610	627	701	722
SAN JOAQUIN	3,563	367	333	289	279	270	302	292	257	272	296	283	323
SAN LUIS OBISPO	1,512	144	158	125	119	119	137	95	117	108	140	133	117
SAN MATEO	4,680	502	432	409	367	366	353	358	366	357	373	361	436
SANTA BARBARA	2,612	279	279	219	214	203	213	216	189	197	192	181	230
SANTA CLARA	6,266	692	763	775	726	619	628	618	635	611	671	654	674
SANTA CRUZ	1,783	196	159	152	140	150	159	131	119	132	155	144	146
SHASTA	1,133	123	123	103	73	100	112	78	69	79	92	87	94
SIERRA	36	3	3	2	1	1	8	2	6	4	-	2	4
SISKIYOU	379	41	38	35	33	25	29	27	31	30	31	27	32
SOLANO	1,763	184	165	124	139	141	131	133	153	124	149	157	163
SONOMA	3,028	300	270	289	239	238	214	218	219	228	232	253	308
STANISLAUS	2,641	242	249	246	211	207	188	200	202	196	233	222	245
SUTTER	499	64	28	33	49	42	50	34	50	41	28	43	37
TEHAMA	474	41	57	30	31	26	32	40	35	36	35	44	47
TRINITY	100	7	8	11	4	7	13	10	8	9	6	9	8
TULARE	2,123	223	189	172	154	150	171	161	175	154	206	166	202
TUOLUMNE	393	49	27	35	29	37	34	23	29	29	26	35	40
VENTURA	3,595	351	297	319	318	297	279	247	261	274	307	303	342
YOLO	917	111	78	71	73	76	73	85	56	72	83	73	64
YUBA	457	40	40	46	48	36	33	38	32	36	30	41	37

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 3-7

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING
CALIFORNIA COUNTIES, 1985

(BY PLACE OF OCCURRENCE)

COUNTY	UNINTENTIONAL DEATHS E800-E869, E880-E929	TRANSPORT INJURIES			NONTRANSPORT INJURIES						
						POISIONING BY					
		TOTAL E800-E848	MOTOR VEHICLE E810-E825	OTHER E800-E807, E826-E848	TOTAL E850-E869, E880-E928	SOLIDS AND LIQUIDS E850-E866	GASES AND VAPORS E867-E869	FALLS E880-E886	FIRE AND FLAMES E890-E899	DROWNING E910	OTHER E900-E909, E911-E928
CALIFORNIA	10,176	5,630	5,314	316	4,464	1,392	63	1,127	323	533	1,026
ALAMEDA	390	155	149	6	226	49	5	65	14	16	77
ALPINE	1	1	1	-	-	-	-	-	-	-	-
AMADOR	18	14	14	-	4	-	-	3	-	1	-
BUTTE	116	53	51	2	63	10	2	20	5	3	23
CALAVERAS	13	9	9	-	4	-	-	-	-	2	2
COLUSA	8	7	7	-	1	-	-	-	-	1	-
CONTRA COSTA	187	107	93	14	80	24	1	27	5	9	14
DEL NORTE	10	7	7	-	3	-	-	1	1	1	-
EL DORADO	56	33	28	5	23	2	5	6	-	1	9
FRESNO	338	222	216	6	115	37	1	22	5	18	32
GLENN	11	4	4	-	7	-	-	2	1	-	4
HUMBOLDT	63	38	30	8	23	8	1	8	-	1	5
IMPERIAL	124	59	54	5	65	12	-	5	2	29	17
INYO	29	26	21	5	3	-	-	1	-	1	1
KERN	304	190	172	18	114	31	1	16	15	21	30
KINGS	43	29	27	2	14	4	-	1	-	3	6
LAKE	16	10	10	-	6	-	-	1	-	3	2
LASSEN	13	13	13	-	-	-	-	-	-	-	-
LOS ANGELES	2,368	1,287	1,249	38	1,252	514	18	318	86	115	201
MADERA	42	27	26	1	15	7	-	1	1	3	3
MARIN	57	24	23	1	31	5	-	16	-	4	6
MARIPOSA	16	5	3	2	11	-	-	5	-	1	5
MENDOCINO	61	38	36	2	23	3	-	8	1	2	9
MERCED	85	54	52	2	30	4	-	5	5	4	12
MODOC	11	10	10	-	1	-	-	-	-	-	1
MONO	7	6	5	1	1	-	-	-	-	-	1
MONTEREY	146	84	76	8	61	14	-	19	3	9	16
NAPA	56	37	34	3	19	4	-	5	1	2	7
NEVADA	39	24	24	-	15	1	-	3	-	-	11
ORANGE	618	345	331	14	270	112	-	53	16	33	56
PLACER	71	40	33	7	28	4	2	8	-	4	10
PLUMAS	18	14	13	1	4	-	-	3	-	-	1
RIVERSIDE	464	308	291	17	156	37	2	33	11	29	44
SACRAMENTO	384	220	214	6	162	45	-	47	15	26	29
SAN BENITO	18	14	14	-	4	1	-	-	-	-	3
SAN BERNARDINO	614	404	389	15	207	57	3	40	33	22	52
SAN DIEGO	764	449	413	36	309	125	6	61	15	33	69
SAN FRANCISCO	332	86	82	4	239	91	3	79	16	9	41
SAN JOAQUIN	198	103	94	9	93	10	1	25	10	15	32
SAN LUIS OBISPO	78	59	57	2	19	2	1	4	2	2	8
SAN MATEO	152	66	54	12	85	31	2	24	6	6	16
SANTA BARBARA	121	70	63	7	50	21	-	13	4	1	11
SANTA CLARA	413	213	208	5	198	49	2	68	21	27	31
SANTA CRUZ	92	55	53	2	36	10	1	10	3	5	7
SHASTA	80	53	46	7	27	2	-	6	2	8	9
SIERRA	3	-	-	-	3	-	2	-	-	1	-
SISKIYOU	22	12	10	2	10	1	-	1	-	2	6
SOLANO	80	39	37	2	41	5	1	16	1	6	12
SONOMA	164	109	101	8	54	8	1	17	2	14	12
STANISLAUS	181	87	79	8	93	18	1	23	3	14	34
SUTTER	15	6	5	1	9	1	-	-	-	4	4
TEHAMA	9	6	6	-	3	-	-	1	1	-	1
TRINITY	13	8	8	-	5	-	-	1	4	-	-
TULARE	153	109	103	4	42	14	-	8	4	5	11
TUOLUMNE	28	15	12	3	13	1	1	3	-	2	6
VENTURA	166	109	102	7	55	14	-	16	4	7	14
YOLO	54	25	24	1	29	3	-	6	4	8	8
YUBA	43	33	26	7	10	1	-	3	1	-	5

TABLE 3-7 (CONTINUED)

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING
CALIFORNIA COUNTIES, 1985

(BY PLACE OF OCCURRENCE)

CNTY	LATE EFFECTS OF UNINTENTIONAL INJURY 929	MEDICAL				SUICIDE 950-959	HOMICIDE 960-969	LEGAL INTERVENTION 970-978	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED 980-989	INJURY RESULTING FROM OPERATIONS OF WAR 990-999
		TOTAL 870-879, 930-949	MISADVENTURES: SURGICAL AND MEDICAL 870-876	ADVERSE PATIENT REACTION: SURGICAL AND MEDICAL 878-879	ADVERSE PATIENT REACTION: DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES 930-949					
CALIFORNIA	82	237	84	135	18	3,800	2,862	57	204	1
ALAMEDA	9	20	6	13	1	156	127	1	24	-
ALPINE	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	11	4	-	-	-
BUTTE	-	2	1	1	-	39	4	2	-	-
CALAVERAS	-	-	-	-	-	3	7	-	1	-
COLUSA	-	-	-	-	-	3	2	-	-	-
CONTRA COSTA	-	7	-	6	1	95	54	-	2	-
DEL NORTE	-	-	-	-	-	2	3	-	-	-
EL DORADO	-	1	-	1	-	21	8	-	-	-
FRESNO	1	6	2	4	-	67	81	4	4	-
GLENN	-	-	-	-	-	-	1	-	-	-
HUMBOLDT	2	-	-	-	-	18	8	1	4	-
IMPERIAL	-	2	1	1	-	14	6	-	2	-
INYO	-	-	-	-	-	7	2	-	-	-
KERN	-	5	1	4	-	92	58	-	2	-
KINGS	-	-	-	-	-	1	7	-	-	-
LAKE	-	-	-	-	-	13	1	-	-	-
LASSEN	-	-	-	-	-	7	1	-	-	-
LOS ANGELES	29	68	30	35	3	1,025	1,414	21	26	1
MADERA	-	1	-	1	-	8	6	-	1	-
MARIN	2	2	-	2	-	44	14	1	9	-
MARIPOSA	-	-	-	-	-	3	4	-	-	-
MENDOCINO	-	1	-	1	-	15	4	-	1	-
MERCED	1	2	-	2	-	26	11	2	1	-
MODOC	-	-	-	-	-	2	1	-	-	-
MONO	-	-	-	-	-	3	-	-	-	-
MONTEREY	1	4	1	2	1	50	22	-	-	-
NAPA	-	1	1	-	-	21	4	-	1	-
NEVADA	-	-	-	-	-	17	3	-	-	-
ORANGE	3	10	4	5	1	288	124	8	5	-
PLACER	3	-	-	-	-	22	7	-	-	-
PLUMAS	-	-	-	-	-	2	-	-	-	-
RIVERSIDE	-	6	1	1	2	137	67	1	-	-
SACRAMENTO	2	11	5	5	1	150	67	-	20	-
SAN BENITO	-	-	-	-	-	6	3	-	-	-
SAN BERNARDINO	3	8	3	4	1	171	104	2	13	-
SAN DIEGO	6	20	7	10	3	330	164	6	31	-
SAN FRANCISCO	7	12	6	5	1	143	86	2	22	-
SAN JOAQUIN	2	1	1	-	-	64	38	-	3	-
SAN LUIS OBISPO	-	1	-	1	-	35	13	-	-	-
SAN MATEO	1	6	1	5	-	79	27	-	7	-
SANTA BARBARA	1	1	-	1	-	72	19	-	-	-
SANTA CLARA	2	8	3	4	1	175	69	5	5	-
SANTA CRUZ	1	-	-	-	-	31	19	-	2	-
SHASTA	-	1	-	1	-	25	11	-	2	-
SIERRA	-	-	-	-	-	1	4	-	-	-
SISKIYOU	-	1	-	1	-	4	1	-	-	-
SOLANO	-	4	2	2	-	37	13	-	2	-
SONOMA	1	5	2	3	-	64	16	-	2	-
STANISLAUS	1	7	2	5	-	45	18	-	1	-
SUTTER	-	2	-	2	-	7	4	-	-	-
TEHAMA	-	-	-	-	-	10	4	-	1	-
TRINITY	-	-	-	-	-	3	4	-	1	-
TULARE	2	2	-	1	1	20	26	-	-	-
TUOLUMNE	-	-	-	-	-	12	2	-	-	-
VENTURA	2	10	3	6	1	75	19	1	8	-
YOLO	-	1	1	-	-	18	6	-	1	-
YUBA	-	-	-	-	-	11	8	-	-	-

NOTE: NUMBERS APPEARING IN COLUMN HEADINGS ARE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES NUMBERS.
SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 3-8

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	CALIFORNIA		ALAMEDA	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO
		NUMBER	RATE										
001-999	TOTAL, ALL CAUSES	201,815	765.5	9,733	6	235	1,661	303	135	5,345	196	787	4,298
001-139	INFECTIOUS AND PARASITIC DISEASES	2,351	8.9	131	-	2	21	-	1	68	3	6	49
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	42	0.2	1	-	1	-	-	-	4	-	-	1
010-018	TUBERCULOSIS	193	0.7	10	-	-	-	-	-	3	-	-	9
036	MENINGOCOCCAL INFECTION	26	0.1	2	-	-	1	-	1	-	-	-	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	117	0.4	3	-	-	-	-	-	2	-	2	2
070	VIRAL HEPATITIS	174	0.7	7	-	-	-	-	-	2	-	-	-
090-097	SYPHILIS	8	0.0	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	1,789	6.8	108	-	1	20	-	-	57	3	4	37
140-208	MALIGNANT NEOPLASMS	45,615	173.0	2,230	2	58	356	84	34	1,301	37	188	904
140-149	LIP,ORAL CAVITY AND PHARYNX	874	3.3	52	-	2	11	-	1	23	1	2	10
151	STOMACH	1,518	5.8	61	-	1	5	2	2	48	-	4	32
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	9,894	37.5	318	-	11	74	16	5	274	6	30	194
162	TRACHEA, BRONCHUS AND LUNG	12,077	45.8	574	1	18	102	26	10	336	4	65	235
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	421	1.6	20	-	-	2	-	-	9	1	2	8
174-175	BREAST	4,070	30.3AB	197	-	3	34	8	2	132	3	17	81
180	CERVIX UTERI	412	3.1B	18	-	1	3	-	1	6	-	1	5
179,181-182	OTHER PARTS OF UTERUS	576	4.3B	21	-	-	6	-	1	21	-	2	8
183-184	OTHER FEMALE GENITAL ORGANS	1,297	9.7B	67	-	1	14	1	-	25	2	2	27
185-187	MALE GENITAL ORGANS	2,578	19.8B	118	1	4	18	4	2	68	1	13	55
188-189	BLADDER AND OTHER URINARY ORGANS	1,697	6.4	81	-	1	14	2	1	34	1	6	31
170-173,190-199	OTHER AND UNSPECIFIED SITES	3,611	22.0	284	-	11	41	17	6	183	14	24	116
201	HODGKIN'S DISEASE	164	0.6	10	-	1	4	-	-	5	-	1	4
204-208	LEUKEMIA	1,809	6.9	84	-	1	10	4	2	42	2	6	40
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	2,417	9.2	105	-	3	18	4	1	73	2	13	58
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	705	2.7	35	-	-	3	1	-	19	1	2	11
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	4,383	16.6	229	-	8	39	4	1	129	6	11	110
250	DIABETES MELLITUS	2,997	11.4	147	-	6	28	2	-	94	5	8	79
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	1,386	5.3	82	-	2	11	2	1	35	1	3	31
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	664	2.5	47	-	1	6	-	2	31	3	3	6
280-285	ANEMIAS	250	0.9	16	-	1	2	-	1	10	2	-	4
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	414	1.6	31	-	-	4	-	1	21	1	3	2
290-319	MENTAL DISORDERS	1,740	6.6	103	-	4	13	-	1	61	3	9	47
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	3,086	11.7	167	-	5	23	3	-	89	3	12	68
320-322	MENINGITIS	147	0.6	3	-	-	1	-	-	2	-	1	3
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	52	0.2	6	-	-	-	-	-	2	-	1	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	2,887	11.0	158	-	5	24	3	-	85	3	10	65

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	CALIFORNIA		ALAMEDA	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO
		NUMBER	RATE										
390-459	DISEASES OF THE CIRCULATORY SYSTEM	90,116	341.8	4,346	2	92	700	127	67	2,256	95	300	1,844
390-398,402, 404-429	DISEASES OF THE HEART	69,046	261.9	3,278	1	63	527	107	47	1,713	72	231	1,434
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	803	3.0	40	-	-	6	2	-	21	-	2	14
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	3,024	11.5	263	-	-	9	1	-	87	-	4	83
410-411	ACUTE ISCHAEMIC HEART DISEASE	21,628	82.0	797	-	24	170	27	23	501	24	73	480
412	OLD MYOCARDIAL INFARCTION	91	0.3	7	-	-	-	-	-	1	-	-	3
413	ANGINA PECTORIS	71	0.3	2	-	-	1	-	-	1	-	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	26,884	102.0	1,363	-	26	200	49	15	721	22	91	604
424	OTHER DISEASES OF ENDOCARDIUM	1,140	4.3	58	-	1	20	3	2	36	1	3	19
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	15,405	58.4	748	1	12	121	23	7	347	23	56	229
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	708	2.7	36	-	2	4	-	1	34	1	2	16
430-438	CEREBROVASCULAR DISEASE	13,222	57.7	789	1	17	117	16	15	396	19	38	283
440	ATHEROSCLEROSIS	2,388	9.1	122	-	5	25	3	-	41	1	13	62
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	2,281	8.7	94	-	5	25	1	4	38	2	11	40
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	473	1.8	27	-	-	2	-	-	12	-	5	7
460-519	DISEASES OF THE RESPIRATORY SYSTEM	18,591	70.5	873	2	25	220	36	12	522	17	82	396
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	90	0.3	5	-	-	2	-	-	2	-	-	4
487	INFLUENZA	301	1.1	10	-	-	9	-	-	6	-	8	11
480,486	VIRAL PNEUMONIA	118	0.4	2	-	-	1	-	-	-	-	-	1
481-482	BACTERIAL PNEUMONIA	690	2.6	32	-	1	5	1	-	18	-	6	6
484-486	OTHER AND UNSPECIFIED PNEUMONIA	6,937	26.3	321	-	11	78	9	4	200	5	20	139
490	BRONCHITIS, UNSPECIFIED	73	0.3	4	-	-	1	-	1	2	-	1	-
491	CHRONIC BRONCHITIS	428	1.6	21	-	3	4	-	1	11	-	3	3
492	EMPHYSEMA	2,001	7.6	81	-	3	12	3	-	48	5	10	33
493	ASTHMA	460	1.7	19	-	-	-	3	1	11	-	2	12
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	5,644	21.4	278	-	7	84	15	3	151	4	27	137
515	POSTINFLAMMATORY PULMONARY FIBROSIS	431	1.6	18	-	-	8	2	-	12	1	-	12
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	1,418	5.4	82	2	-	16	3	2	61	2	5	38
520-579	DISEASES OF THE DIGESTIVE SYSTEM	8,503	32.3	409	-	9	62	9	4	258	8	40	182
531-533	ULCER OF STOMACH AND DUODENUM	837	3.2	31	-	1	7	-	-	22	3	7	15
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	503	1.9	23	-	-	2	-	-	13	1	2	16
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	3,963	15.0	161	-	2	24	3	2	122	-	14	83
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	258	1.0	12	-	-	5	-	-	10	-	1	7
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	2,940	11.2	162	-	6	24	6	2	91	4	16	61
580-629	DISEASES OF THE GENITOURINARY SYSTEM	3,101	11.8	162	-	1	27	5	3	73	3	7	70
580	ACUTE GLOMERULONEPHRITIS	8	0.0	-	-	-	-	-	-	1	-	-	-
581	NEPHROTIC SYNDROME	16	0.1	1	-	-	-	-	-	-	-	-	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	142	0.5	4	-	1	2	-	-	1	-	1	5
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	1,300	4.9	70	-	-	14	1	3	37	1	1	45
590	INFECTIONS OF KIDNEY	234	0.9	13	-	-	-	1	-	4	-	-	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	187	0.7	14	-	-	3	1	-	2	-	-	2
600	HYPERPLASIA OF PROSTATE	57	0.48	9	-	-	-	-	-	1	-	-	1
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	1,157	4.4	51	-	-	8	2	-	27	2	5	17

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	CALIFORNIA		ALAMEDA	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO
		NUMBER	RATE										
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	36	0.1C	1	-	-	1	-	-	2	-	-	1
740-759	CONGENITAL ANOMALIES	1,598	6.1	75	-	1	11	3	-	48	1	7	38
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1,992	423.1D	85	-	-	8	-	1	27	1	12	49
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	860	3.3	34	-	-	8	2	-	29	-	2	20
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1,232	4.7D	72	-	1	15	1	-	25	3	8	35
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	682	144.9	40	-	1	5	1	-	12	2	5	17
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	550	2.1	32	-	-	10	-	-	13	1	3	18
800-949	ACCIDENTS AND ADVERSE EFFECTS	10,380	39.4	420	-	16	107	18	5	243	7	68	303
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	5,158	19.6	158	-	13	37	11	2	119	4	34	177
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	138	0.5	1	-	-	2	1	-	3	-	-	6
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	352	1.3	10	-	-	3	-	-	18	-	2	7
910	DROWNINGS	521	2.0	17	-	-	3	1	1	9	1	1	18
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	1,307	5.0	49	-	-	13	1	-	26	-	1	33
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	17	0.1	-	-	-	-	-	-	2	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	118	0.4	7	-	-	2	-	-	4	-	3	4
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	83	0.3	3	-	-	1	-	-	1	-	1	2
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	133	0.5	11	-	-	2	-	-	8	-	1	1
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	2,353	9.7	162	-	3	44	4	2	33	2	23	33
950-959	SUICIDE	3,782	14.3	159	-	9	33	4	3	97	2	19	70
960-969	HOMICIDE	2,818	10.7	118	-	3	4	3	1	38	3	8	84
970-978	LEGAL INTERVENTION	56	0.2	1	-	-	-	-	-	2	-	-	3
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	203	0.8	16	-	-	-	1	-	3	-	3	4
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	1	0.0	-	-	-	-	-	-	-	-	-	-

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	GLENN	HUM-BOLDT	IM-PERIAL	INYO	KERN	KINGS	LAKE	LASSEN	LOS ANGELES	MADERA	MARIN	MARI-POSA
001-999	TOTAL, ALL CAUSES	218	1,074	731	209	3,713	580	672	185	62,195	587	1,755	127
001-139	INFECTIOUS AND PARASITIC DISEASES	-	9	15	1	30	6	6	1	696	6	23	3
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	-	-	-	1	-	-	1	18	-	-	-
010-018	TUBERCULOSIS	-	1	3	-	4	1	-	-	88	-	1	-
036	MENINGOCOCCAL INFECTION	-	-	-	-	-	-	-	-	8	-	-	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	-	-	-	3	-	-	-	40	-	1	-
070	VIRAL HEPATITIS	-	-	2	-	2	1	2	-	60	-	3	-
090-097	SYPHILIS	-	-	-	-	-	-	-	-	6	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	-	8	10	1	40	4	4	-	476	6	20	3
140-208	MALIGNANT NEOPLASMS	45	245	128	38	777	117	165	38	13,608	139	457	32
140-149	LIP,ORAL CAVITY AND PHARYNX	-	3	2	-	12	2	3	1	262	1	12	2
151	STOMACH	-	3	5	3	18	3	-	-	491	6	16	-
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	9	45	18	11	189	25	28	9	3,036	24	108	9
162	TRACHEA, BRONCHUS AND LUNG	20	70	48	11	214	32	64	10	3,426	42	127	7
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	-	2	1	-	8	2	-	1	140	1	1	-
174-175	BREAST	5	17	6	2	54	8	10	5	1,225	14	40	4
180	CERVIX UTERI	1	2	3	-	7	-	-	-	166	2	3	-
179,181-182	OTHER PARTS OF UTERUS	-	1	1	-	9	1	2	1	177	2	4	-
183-184	OTHER FEMALE GENITAL ORGANS	-	4	4	-	24	4	2	1	450	-	13	-
185-187	MALE GENITAL ORGANS	2	18	12	2	43	7	9	2	724	8	16	2
188-189	BLADDER AND OTHER URINARY ORGANS	-	10	3	2	33	8	8	-	514	5	11	2
170-173,190-199	OTHER AND UNSPECIFIED SITES	6	39	14	3	88	13	24	3	1,674	17	59	4
201	HODGKIN'S DISEASE	-	-	-	-	4	-	-	-	52	-	2	-
204-208	LEUKEMIA	1	8	5	2	40	7	5	2	560	3	13	1
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	1	23	6	2	34	5	10	3	711	14	30	1
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	1	6	3	3	15	2	1	2	185	-	6	-
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	5	36	17	4	74	22	9	8	1,332	22	39	1
250	DIABETES MELLITUS	2	27	13	4	57	17	6	6	982	15	22	-
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	3	9	4	-	17	5	3	2	370	7	17	1
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	5	3	-	11	5	5	1	188	6	6	-
280-285	ANEMIAS	-	3	2	-	3	-	1	-	74	3	2	-
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	2	1	-	8	5	4	1	114	3	4	-
290-319	MENTAL DISORDERS	5	19	4	1	25	5	6	2	420	4	15	1
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	5	35	9	1	52	6	6	2	787	6	40	2
320-322	MENINGITIS	1	2	1	-	5	-	1	-	42	-	-	-
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	-	-	-	-	-	-	-	16	-	-	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	4	33	8	1	47	6	5	2	729	6	40	2

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	GLENN	HUM-BOLDT	IM-PERIAL	INYO	KERN	KINGS	LAKE	LASSEN	LOS ANGELES	MADERA	MARIN	MARI-POSA
390-459	DISEASES OF THE CIRCULATORY SYSTEM	91	446	292	93	1,392	281	295	82	29,408	247	730	60
390-398,402, 404-429	DISEASES OF THE HEART	61	331	216	67	1,268	200	215	69	23,110	209	548	43
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	1	3	1	1	9	2	2	-	233	1	8	3
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	-	6	4	2	30	8	2	4	1,404	3	14	1
410-411	ACUTE ISCHAEMIC HEART DISEASE	23	139	99	27	407	36	66	13	6,608	71	176	16
412	OLD MYOCARDIAL INFARCTION	-	-	-	1	2	1	-	1	27	-	-	-
413	ANGINA PECTORIS	-	-	-	-	2	-	-	1	18	-	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	26	107	58	20	544	80	97	33	6,317	91	226	13
424	OTHER DISEASES OF ENDOCARDIUM	-	9	7	1	18	6	3	2	244	7	14	1
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	9	67	47	15	236	47	45	13	6,239	34	110	9
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	1	3	1	-	6	2	2	1	234	1	3	-
430-438	CEREBROVASCULAR DISEASE	22	65	59	23	240	52	57	11	4,576	23	149	13
440	ATHEROSCLEROSIS	1	10	3	1	38	17	4	-	608	7	24	2
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	2	14	13	2	31	8	17	1	354	4	24	2
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	4	3	-	-	9	2	-	-	106	1	2	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM	24	82	72	25	337	36	92	20	4,934	47	139	10
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	-	-	-	1	-	-	-	24	1	-	-
487	INFLUENZA	-	1	2	2	2	-	4	2	48	4	6	-
480,483	VIRAL PNEUMONIA	-	-	1	-	3	-	1	-	38	-	3	-
481-482	BACTERIAL PNEUMONIA	-	3	1	-	13	-	4	1	268	1	2	2
484-486	OTHER AND UNSPECIFIED PNEUMONIA	12	17	24	12	126	6	32	5	1,927	12	69	4
490	BRONCHITIS, UNSPECIFIED	-	-	-	-	-	-	1	-	7	-	-	-
491	CHRONIC BRONCHITIS	-	1	-	2	6	-	2	-	110	1	3	-
492	EMPHYSEMA	1	11	4	-	56	1	28	1	500	4	21	-
493	ASTHMA	1	1	-	1	9	3	-	-	133	2	5	-
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	9	33	31	5	103	20	14	8	1,440	14	36	3
515	POSTINFLAMMATORY PULMONARY FIBROSIS	1	3	2	-	6	1	1	-	106	-	3	-
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	-	12	7	3	32	5	5	3	333	8	11	1
520-579	DISEASES OF THE DIGESTIVE SYSTEM	15	56	45	12	161	19	25	6	2,473	17	78	4
531-533	ULCER OF STOMACH AND DUODENUM	-	10	2	2	11	2	2	4	240	2	7	-
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	-	3	2	1	9	-	1	1	121	1	3	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	6	24	28	4	65	7	12	-	1,338	10	35	-
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	1	3	1	-	4	-	2	-	76	1	-	-
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	8	16	12	5	72	10	8	1	700	3	33	4
580-629	DISEASES OF THE GENITOURINARY SYSTEM	3	19	20	3	71	18	8	1	964	8	23	3
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	-	-	-	-	4	-	-	-
581	NEPHROTIC SYNDROME	-	-	1	-	1	-	-	-	7	-	-	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	-	2	-	-	2	-	1	-	40	1	2	-
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	2	7	12	3	37	12	4	1	334	6	8	1
590	INFECTIONS OF KIDNEY	1	-	3	-	8	2	-	-	57	1	1	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	-	-	-	-	4	-	-	-	47	-	3	-
600	HYPERPLASIA OF PROSTATE	-	1	1	-	-	-	-	-	15	-	2	-
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	-	9	3	-	19	4	3	-	438	-	7	2

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	GLENN	HUM-BOLDT	IM-PERIAL	INYO	KERN	KINGS	LAKE	LASSEN	LOS ANGELES	MADERA	MARIN	MARI-POSA
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	-	-	-	1	-	-	-	11	-	-	-
740-759	CONGENITAL ANOMALIES	-	10	3	2	33	3	2	1	560	3	9	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	3	9	6	-	32	4	-	1	806	7	4	2
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	-	4	4	1	10	3	3	3	249	4	10	-
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	4	9	10	1	16	1	7	1	313	10	5	1
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	1	7	2	1	9	1	5	1	197	4	3	-
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	3	2	8	-	7	-	2	-	116	6	2	1
800-949	ACCIDENTS AND ADVERSE EFFECTS	14	57	79	18	275	40	27	8	2,726	47	71	8
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	9	29	31	15	143	24	17	7	1,286	24	27	6
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	-	2	2	-	4	-	-	-	37	1	1	-
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	-	5	1	-	13	1	-	1	73	1	3	-
910	DROWNINGS	-	1	19	1	17	2	2	-	131	2	5	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	-	8	7	-	30	4	1	-	493	9	6	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	-	-	-	-	-	3	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	-	1	2	-	3	-	-	-	28	-	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	-	1	-	1	-	-	-	29	-	-	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	-	-	1	-	3	1	1	-	34	2	3	-
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	5	11	15	2	61	8	6	-	612	8	26	2
950-959	SUICIDE	2	15	15	5	65	1	14	7	1,050	6	40	-
960-969	HOMICIDE	1	8	6	1	34	9	1	1	1,403	5	8	-
970-978	LEGAL INTERVENTION	-	1	-	-	-	-	-	-	23	-	1	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	-	3	-	-	2	-	-	-	34	1	9	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MENDO-CINO	MERCED	MODOC	MONO	MON-TEREY	NAPA	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO
001-999	TOTAL, ALL CAUSES	776	1,067	99	30	2,206	992	595	13,538	1,093	148	7,831	6,922
001-139	INFECTIOUS AND PARASITIC DISEASES	4	6	-	1	19	6	2	128	16	5	66	73
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	-	-	-	1	-	-	1	1	-	-	-
010-018	TUBERCULOSIS	-	-	-	-	-	-	-	10	-	-	5	7
036	MENINGOCOCCAL INFECTION	-	-	-	-	1	-	-	1	1	-	1	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	-	-	-	1	2	-	7	-	-	5	1
070	VIRAL HEPATITIS	2	1	-	-	2	-	-	11	1	-	7	6
090-097	SYPHILIS	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	2	5	-	1	14	4	2	98	13	5	48	39
140-208	MALIGNANT NEOPLASMS	173	229	11	5	520	246	130	3,212	265	43	1,699	1,608
140-149	LIP,ORAL CAVITY AND PHARYNX	4	5	-	-	5	5	-	67	5	-	27	30
151	STOMACH	8	7	-	-	15	6	7	103	13	1	54	48
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	36	37	3	1	125	50	30	679	58	8	380	334
162	TRACHEA, BRONCHUS AND LUNG	49	73	2	3	136	68	29	864	71	12	454	423
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	-	3	1	-	3	2	1	33	4	1	17	13
174-175	BREAST	15	25	1	-	45	17	11	284	21	4	127	150
180	CERVIX UTERI	2	3	-	-	4	-	1	34	2	-	12	9
179,181-182	OTHER PARTS OF UTERUS	3	4	-	-	8	3	3	46	-	-	20	18
183-184	OTHER FEMALE GENITAL ORGANS	7	3	-	-	18	3	4	102	6	1	38	40
185-187	MALE GENITAL ORGANS	10	11	-	-	32	17	7	177	17	1	124	88
188-189	BLADDER AND OTHER URINARY ORGANS	6	14	1	-	14	15	3	116	12	1	72	58
170-173,190-199	OTHER AND UNSPECIFIED SITES	18	24	2	1	39	35	17	383	31	9	215	229
201	HODGKIN'S DISEASE	-	1	-	-	1	1	-	7	1	-	4	8
204-208	LEUKEMIA	6	7	1	-	16	8	4	137	9	2	54	76
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	9	12	-	-	37	12	8	160	15	3	101	84
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	8	5	-	-	9	4	4	45	8	-	32	19
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	19	32	2	1	39	19	9	205	26	1	138	147
250	DIABETES MELLITUS	12	25	1	1	25	10	9	147	17	-	96	103
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	7	7	1	-	14	9	-	58	9	1	42	42
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	1	5	-	1	7	1	2	40	4	-	23	25
280-285	ANEMIAS	1	1	-	1	2	-	2	18	1	-	8	8
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	4	-	-	5	1	-	22	3	-	15	17
290-319	MENTAL DISORDERS	8	8	2	-	12	4	2	80	10	-	39	70
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	21	15	2	-	32	16	15	171	17	3	110	122
320-322	MENINGITIS	1	2	-	-	5	-	-	14	-	-	7	2
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	-	-	-	1	-	-	2	-	-	1	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	20	13	2	-	26	18	13	153	17	3	102	120

TABLE 3-6 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MENDO-CINO	MERCED	MODOC	MONO	MON-TEREY	NAPA	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO
390-459	DISEASES OF THE CIRCULATORY SYSTEM	318	429	45	17	964	432	268	6,078	471	55	3,582	2,948
390-398,402, 404-429	DISEASES OF THE HEART	232	325	34	12	695	329	211	4,774	335	40	2,689	2,234
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	2	4	-	-	5	6	4	63	7	2	35	30
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	13	7	2	-	10	14	4	120	5	3	52	82
410-411	ACUTE ISCHAEMIC HEART DISEASE	77	116	6	6	263	73	65	1,866	92	13	1,058	747
412	OLD MYOCARDIAL INFARCTION	-	-	-	-	1	-	-	7	1	-	4	3
413	ANGINA PECTORIS	-	-	-	-	1	-	-	-	1	-	2	4
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	103	129	12	3	261	160	90	1,771	145	13	1,096	869
424	OTHER DISEASES OF ENDOCARDIUM	1	6	2	1	17	12	4	68	8	3	46	49
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	36	63	12	2	137	64	44	859	76	6	396	470
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	3	6	-	1	5	2	-	43	3	1	22	28
430-438	CEREBROVASCULAR DISEASE	62	70	10	4	199	71	37	916	97	11	613	496
440	ATHEROSCLEROSIS	10	11	-	-	27	19	6	143	16	1	93	75
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	9	16	1	-	25	11	13	162	18	1	122	77
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	2	1	-	-	13	-	1	40	-	1	43	16
460-519	DISEASES OF THE RESPIRATORY SYSTEM	78	102	15	1	203	106	64	1,325	116	14	814	692
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	1	-	-	-	1	-	3	-	-	3	-
487	INFLUENZA	3	1	3	-	7	6	-	13	7	-	5	16
480,483	VIRAL PNEUMONIA	-	1	-	-	3	-	-	8	-	-	2	3
481-482	BACTERIAL PNEUMONIA	5	6	1	-	17	2	3	42	4	-	25	22
484-486	OTHER AND UNSPECIFIED PNEUMONIA	31	30	5	-	58	45	29	388	32	4	346	209
490	BRONCHITIS, UNSPECIFIED	-	-	-	-	1	-	2	3	-	-	4	6
491	CHRONIC BRONCHITIS	1	1	-	-	2	3	1	28	4	-	28	22
492	EMPHYSEMA	11	16	3	-	14	13	3	151	9	3	78	68
493	ASTHMA	2	1	-	-	1	3	2	27	2	-	10	15
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	20	30	2	1	72	27	18	366	46	5	243	271
515	POSTINFLAMMATORY PULMONARY FIBROSIS	1	1	1	-	4	1	-	27	4	-	24	9
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	4	14	-	-	24	5	6	69	8	2	46	49
520-579	DISEASES OF THE DIGESTIVE SYSTEM	32	50	7	-	94	39	25	357	39	5	319	287
531-533	ULCER OF STOMACH AND DUODENUM	1	2	1	-	10	10	2	66	8	-	46	35
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	5	7	-	-	4	1	4	37	3	-	19	13
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	15	15	3	-	44	14	7	271	10	2	141	125
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	1	2	-	-	2	1	-	17	2	-	7	6
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	10	24	3	-	34	13	12	166	16	3	106	108
580-629	DISEASES OF THE GENITOURINARY SYSTEM	7	22	1	-	36	27	7	196	9	2	120	111
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	-	-	-	-	-	-	-	-
581	NEPHROTIC SYNDROME	-	-	-	-	-	-	-	1	-	-	3	1
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	-	-	-	-	2	-	-	10	-	-	7	3
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	4	17	-	-	11	15	4	55	5	1	37	30
590	INFECTIONS OF KIDNEY	-	1	-	-	8	2	-	20	1	-	7	13
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	1	1	-	-	3	2	1	12	1	1	9	9
600	HYPERPLASIA OF PROSTATE	-	-	-	-	2	-	-	2	-	-	3	-
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	2	3	1	-	10	0	2	96	2	-	34	35

TABLE S-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MENDO-CINO	MERCED	MODOC	MONO	MON-TEREY	NAPA	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	-	-	-	-	-	-	3	-	-	2	-
740-759	CONGENITAL ANOMALIES	3	10	-	1	23	4	2	127	4	3	54	36
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	8	11	-	-	33	8	7	148	3	-	67	64
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	2	4	-	-	8	6	-	36	2	-	32	30
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	11	11	3	-	4	6	2	63	7	1	36	67
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	9	2	2	-	-	4	1	43	3	1	18	23
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	2	9	1	-	4	2	1	20	4	-	18	44
800-949	ACCIDENTS AND ADVERSE EFFECTS	39	87	8	1	133	42	34	693	69	13	474	377
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	36	45	4	1	64	20	20	376	41	8	262	190
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	2	2	-	-	2	-	1	8	-	-	6	2
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	1	7	-	-	2	3	-	18	2	1	24	16
910	DROWNINGS	-	6	-	-	6	3	-	29	3	-	26	27
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	2	3	-	-	13	1	1	101	4	-	45	42
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	-	1	-	-	1	-	-	2	1
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	1	1	-	-	-	3	2	3	-	-	3	2
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	2	-	-	-	1	1	-	3	-	-	2	4
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	1	3	-	-	2	1	-	3	1	-	3	3
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	14	20	4	-	44	10	10	149	18	4	99	90
950-959	SUICIDE	17	28	2	2	46	20	15	293	19	3	139	144
960-969	HOMICIDE	6	12	1	-	20	3	7	126	6	-	84	84
970-978	LEGAL INTERVENTION	-	1	-	-	-	-	-	7	1	-	1	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	1	-	-	-	-	1	-	3	1	-	-	18
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SAN BENITO	SAN BER-NARDINO	SAN DIEGO	SAN FRAN-CISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA
001-999	TOTAL, ALL CAUSES	218	8,118	15,255	8,228	3,543	1,512	4,680	2,612	8,266	1,783	1,133	36
001-139	INFECTIOUS AND PARASITIC DISEASES	2	59	147	306	55	11	43	30	87	18	12	-
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	1	1	-	2	1	-	1	1	-	-	-
010-018	TUBERCULOSIS	-	6	11	13	4	-	-	1	5	2	-	-
036	MENINGOCOCCAL INFECTION	-	-	2	-	-	-	1	-	3	-	1	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	7	8	9	3	-	4	2	3	1	-	-
070	VIRAL HEPATITIS	1	7	12	10	6	1	3	1	7	2	1	-
090-097	SYPHILIS	-	1	-	-	1	-	-	-	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	1	37	113	274	39	9	33	25	66	13	10	-
140-208	MALIGNANT NEOPLASMS	32	1,731	3,710	1,812	733	371	1,204	559	1,949	361	286	10
140-149	LIP,ORAL CAVITY AND PHARYNX	2	28	73	40	20	6	27	8	30	3	8	-
151	STOMACH	1	55	118	67	22	13	41	19	68	13	9	1
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	11	373	743	441	162	75	266	104	423	90	56	1
162	TRACHEA, BRONCHUS AND LUNG	13	485	1,053	376	218	109	308	124	471	87	97	1
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	-	25	25	25	3	-	9	1	17	3	2	-
174-175	BREAST	3	151	361	166	55	38	118	53	193	34	21	-
180	CERVIX UTERI	-	20	26	15	4	2	11	2	15	2	4	-
179,181-182	OTHER PARTS OF UTERUS	1	13	53	23	13	2	21	14	24	4	1	-
183-184	OTHER FEMALE GENITAL ORGANS	2	45	107	25	17	9	35	15	56	6	9	1
185-187	MALE GENITAL ORGANS	4	89	213	97	40	23	67	50	107	25	20	1
188-189	BLADDER AND OTHER URINARY ORGANS	2	61	123	68	24	16	55	29	69	14	11	-
170-173,190-199	OTHER AND UNSPECIFIED SITES	8	216	472	295	92	44	133	86	279	39	30	2
201	HODGKIN'S DISEASE	-	10	8	5	2	1	3	3	6	1	-	2
204-208	LEUKEMIA	2	81	162	61	25	8	34	21	69	19	10	-
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	3	79	173	108	36	23	56	30	122	21	8	1
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	1	19	62	33	9	6	22	9	41	13	8	-
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	6	169	316	289	103	25	73	32	183	28	21	-
250	DIABETES MELLITUS	3	125	194	107	73	14	47	36	141	21	15	-
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	1	44	122	182	30	11	26	16	42	7	6	-
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	29	47	14	15	2	10	7	38	3	5	-
280-285	ANEMIAS	-	14	16	5	6	-	-	3	13	1	2	-
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	15	31	9	9	2	10	2	25	2	3	-
290-319	MENTAL DISORDERS	1	68	155	91	64	22	52	36	87	17	7	1
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6	115	283	102	44	28	90	62	158	41	23	-
320-322	MENINGITIS	-	1	13	3	1	-	2	2	7	2	1	-
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	3	3	7	-	1	2	1	1	2	-	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6	111	269	92	43	27	86	59	150	37	22	-

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SAN BENITO	SAN BERNARDINO	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA
390-459	DISEASES OF THE CIRCULATORY SYSTEM	90	3,648	6,335	3,502	1,544	684	2,029	1,200	3,481	786	416	15
390-398,402, 404-429	DISEASES OF THE HEART	64	2,806	4,927	2,628	1,142	507	1,461	913	2,665	583	312	11
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	1	41	59	26	12	3	16	13	34	9	4	-
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	2	56	174	58	36	13	29	48	143	26	7	-
410-411	ACUTE ISCHAEMIC HEART DISEASE	25	931	1,741	767	325	136	435	241	806	176	87	2
412	OLD MYOCARDIAL INFARCTION	-	3	12	4	1	-	2	1	3	-	-	-
413	ANGINA PECTORIS	-	6	10	5	1	-	-	2	5	-	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	20	1,318	1,942	1,231	540	245	703	289	892	191	100	6
424	OTHER DISEASES OF ENDOCARDIUM	3	36	90	62	29	11	29	28	43	19	3	-
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	13	393	899	475	198	97	247	291	737	162	111	3
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	-	25	52	23	11	4	13	8	30	5	1	-
430-438	CEREBROVASCULAR DISEASE	13	599	1,164	663	269	122	415	219	602	150	84	3
440	ATHEROSCLEROSIS	4	84	178	76	56	25	38	31	69	30	5	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	6	111	187	93	54	21	91	25	94	13	15	1
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	3	23	27	19	12	5	11	4	21	5	1	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM	27	762	1,328	779	352	147	416	244	758	216	144	2
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	3	8	4	1	3	10	2	2	2	1	-
487	INFLUENZA	2	4	26	10	7	2	2	4	20	9	8	-
480,483	VIRAL PNEUMONIA	-	5	9	4	1	-	2	4	3	1	3	-
481-482	BACTERIAL PNEUMONIA	1	22	44	27	9	5	12	5	23	4	5	-
484-486	OTHER AND UNSPECIFIED PNEUMONIA	8	295	479	296	125	44	154	79	304	83	33	-
490	BRONCHITIS, UNSPECIFIED	-	4	6	6	3	1	2	1	9	-	2	-
491	CHRONIC BRONCHITIS	1	12	41	8	8	5	11	8	25	3	10	-
492	EMPHYSEMA	11	77	151	119	33	11	54	32	78	15	22	-
493	ASTHMA	1	20	42	21	13	2	15	8	16	4	7	1
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	1	240	560	191	118	56	184	74	200	76	46	1
515	POSTINFLAMMATORY PULMONARY FIBROSIS	-	22	44	18	7	6	14	10	15	4	1	-
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	2	38	118	73	27	12	38	17	63	15	6	-
520-579	DISEASES OF THE DIGESTIVE SYSTEM	7	340	624	455	151	61	222	92	374	88	48	2
531-533	ULCER OF STOMACH AND DUODENUM	1	24	77	30	13	8	17	6	40	2	6	-
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	1	17	38	25	10	3	15	9	27	2	4	1
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	2	173	264	211	63	19	113	36	176	46	12	-
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	-	13	24	11	4	1	2	2	11	4	-	-
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	3	111	221	178	61	30	73	39	120	34	26	1
580-629	DISEASES OF THE GENITOURINARY SYSTEM	2	121	191	128	72	18	64	49	114	25	11	-
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	-	-	-	-	1	-	-	-
581	NEPHROTIC SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	-	10	12	7	1	1	2	3	1	2	-	-
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	-	42	76	32	37	10	29	21	39	14	3	-
590	INFECTIONS OF KIDNEY	1	9	20	9	4	-	6	4	12	1	2	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	-	5	15	9	7	2	2	4	13	-	1	-
600	HYPERPLASIA OF PROSTATE	-	2	1	5	2	-	2	3	2	-	-	-
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	1	53	67	46	21	5	23	14	26	8	5	-

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SAN BENITO	SAN BER-NARDINO	SAN DIEGO	SAN FRAN-CISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	3	4	1	-	1	-	-	2	-	-	-
740-759	CONGENITAL ANOMALIES	1	88	106	27	26	8	26	25	72	9	-	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	4	89	136	29	31	7	40	16	80	11	6	1
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	-	27	77	45	13	4	31	14	50	8	3	-
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1	60	91	56	32	3	31	13	51	13	17	1
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	-	31	56	23	14	2	19	5	38	8	10	-
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1	29	35	33	18	1	12	8	13	5	7	1
800-949	ACCIDENTS AND ADVERSE EFFECTS	15	520	735	323	214	63	200	118	431	98	78	3
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	10	308	387	90	110	35	68	57	225	63	44	1
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	-	11	12	-	2	2	-	4	6	1	1	-
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	2	7	30	4	8	1	17	5	17	2	3	-
910	DROWNINGS	-	15	30	12	13	1	12	1	34	2	8	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	1	53	101	63	11	2	36	20	48	9	3	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	1	2	1	-	-	-	-	1	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	-	6	13	2	2	2	5	1	3	2	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	3	5	3	2	-	1	-	3	-	-	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	-	2	10	1	1	1	4	1	5	-	1	-
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	2	114	145	147	65	19	57	29	109	19	18	2
950-959	SUICIDE	5	158	323	129	61	33	81	70	190	30	29	1
960-969	HOMICIDE	-	101	150	86	40	15	37	15	91	15	13	-
970-978	LEGAL INTERVENTION	-	1	4	2	-	-	-	-	4	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	-	10	29	19	4	1	7	1	5	3	4	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SIS-KIYOU	SOLANO	SONOMA	STANI-SLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUO-LUMNE	VENTURA	YOLO	YUBA
001-999	TOTAL, ALL CAUSES	379	1,763	3,028	2,641	499	474	100	2,123	393	3,595	917	457
001-139	INFECTIOUS AND PARASITIC DISEASES	3	23	39	15	4	-	-	24	2	31	10	3
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	1	1	-	-	-	-	1	-	2	-	-
010-018	TUBERCULOSIS	-	2	-	2	-	-	-	2	-	4	1	-
036	MENINGOCOCCAL INFECTION	-	-	-	-	-	-	-	-	-	-	1	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 136,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	2	4	2	-	-	-	1	-	1	1	-
070	VIRAL HEPATITIS	-	2	4	3	-	-	-	2	-	1	-	-
090-097	SYPHILIS	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	3	18	30	8	4	-	-	18	2	23	7	3
140-208	MALIGNANT NEOPLASMS	63	448	727	550	91	111	22	409	88	885	204	93
140-149	LIP,ORAL CAVITY AND PHARYNX	2	11	16	5	1	1	-	12	1	20	3	2
151	STOMACH	2	18	12	8	2	3	-	17	3	37	6	1
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	18	97	172	106	23	20	4	70	11	187	48	13
162	TRACHEA, BRONCHUS AND LUNG	30	128	187	180	32	39	6	120	32	239	60	36
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	1	7	2	6	1	2	-	2	-	7	2	3
174-175	BREAST	6	37	64	33	8	11	2	37	9	82	14	7
180	CERVIX UTERI	-	5	4	2	-	-	-	5	1	6	1	1
179,181-182	OTHER PARTS OF UTERUS	1	6	13	5	-	-	-	5	-	8	2	3
183-184	OTHER FEMALE GENITAL ORGANS	1	10	24	15	2	-	1	12	-	32	6	2
185-187	MALE GENITAL ORGANS	9	22	49	34	4	10	2	29	8	50	7	5
188-189	BLADDER AND OTHER URINARY ORGANS	2	18	32	18	1	4	2	14	8	36	7	4
170-173,190-199	OTHER AND UNSPECIFIED SITES	6	56	82	82	11	12	4	49	9	101	29	11
201	HODGKIN'S DISEASE	-	3	5	4	-	-	-	1	-	4	-	-
204-208	LEUKEMIA	2	11	21	23	2	3	-	19	2	37	10	3
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	3	19	44	27	4	4	1	17	4	39	9	4
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	1	5	11	9	3	1	-	8	-	9	4	1
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	7	38	62	50	13	11	2	44	5	85	24	15
250	DIABETES MELLITUS	5	20	40	39	9	10	1	29	4	65	18	13
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	2	18	22	11	4	1	1	15	1	20	6	2
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	1	8	10	9	1	-	-	7	-	16	2	2
280-285	ANEMIAS	-	3	3	4	1	-	-	3	-	8	2	-
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	1	5	7	7	-	-	-	4	-	8	-	2
290-319	MENTAL DISORDERS	3	21	35	15	3	4	-	13	5	43	10	4
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	7	27	60	44	8	8	1	35	8	65	11	7
320-322	MENINGITIS	-	5	2	6	-	1	-	2	1	3	-	-
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	-	-	-	-	1	-	-	-	1	1	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	7	22	58	38	8	6	1	33	7	61	10	7

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SIS-KIYOU	SOLANO	SONOMA	STANI-SLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUO-LUMNE	VENTURA	YOLO	YUBA
390-459	DISEASES OF THE CIRCULATORY SYSTEM	164	696	1,327	1,193	236	204	44	912	172	1,549	409	203
390-398,402, 404-429	DISEASES OF THE HEART	135	512	947	856	176	149	30	709	120	1,164	303	164
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	1	5	10	12	3	2	-	3	3	15	2	2
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	2	14	34	30	1	6	1	29	2	41	8	1
410-411	ACUTE ISCHAEMIC HEART DISEASE	36	186	265	329	57	39	6	225	36	337	101	71
412	OLD MYOCARDIAL INFARCTION	-	2	-	-	-	-	-	1	-	1	2	-
413	ANGINA PECTORIS	-	1	5	-	-	-	-	2	1	-	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	39	190	413	297	66	47	14	320	54	428	114	50
424	OTHER DISEASES OF ENDOCARDIUM	2	18	24	18	3	1	-	12	2	27	5	1
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	35	96	196	170	46	34	9	117	22	335	71	39
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	-	4	10	14	1	2	1	3	-	15	2	-
430-438	CEREBROVASCULAR DISEASE	17	140	287	234	30	39	5	136	38	235	74	33
440	ATHEROSCLEROSIS	7	18	34	29	3	7	5	25	7	53	11	3
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	5	19	43	39	6	7	2	19	7	39	15	2
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	-	3	6	23	-	-	1	-	-	3	4	3
460-519	DISEASES OF THE RESPIRATORY SYSTEM	41	184	292	293	41	61	7	239	44	286	101	30
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	-	1	2	1	-	-	1	-	1	-	1
487	INFLUENZA	1	2	7	7	-	4	-	5	1	3	-	1
480,483	VIRAL PNEUMONIA	-	1	5	1	-	-	-	2	1	5	1	1
481-482	BACTERIAL PNEUMONIA	-	4	7	7	1	3	-	4	3	10	3	-
484-486	OTHER AND UNSPECIFIED PNEUMONIA	13	39	134	124	19	17	4	86	16	94	41	18
490	BRONCHITIS, UNSPECIFIED	-	1	-	3	1	-	-	-	-	1	-	-
491	CHRONIC BRONCHITIS	1	2	9	6	1	1	2	5	-	6	1	1
492	EMPHYSEMA	3	22	31	40	5	7	1	20	8	32	12	6
493	ASTHMA	1	6	11	3	1	3	-	3	-	13	3	-
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	11	38	36	78	10	22	-	92	12	72	28	15
515	POSTINFLAMMATORY PULMONARY FIBROSIS	1	14	4	8	-	1	-	6	-	7	1	-
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	8	15	27	16	2	3	-	15	3	22	11	7
520-579	DISEASES OF THE DIGESTIVE SYSTEM	16	72	113	125	28	24	8	91	20	143	37	14
531-533	ULCER OF STOMACH AND DUODENUM	1	7	11	16	3	3	2	8	1	9	2	1
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	1	6	9	20	2	1	-	10	1	6	3	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	4	23	34	36	8	4	3	43	8	61	17	2
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	-	2	2	8	1	1	-	2	1	3	1	-
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	10	34	37	43	14	15	3	28	9	62	14	11
580-629	DISEASES OF THE GENITOURINARY SYSTEM	11	33	61	34	7	7	-	49	10	44	13	7
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	1	-	-	1	-	-	-	-
581	NEPHROTIC SYNDROME	-	-	-	-	1	-	-	-	-	-	-	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	-	2	-	6	-	1	-	2	2	3	-	1
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	9	13	37	14	4	5	-	18	3	19	9	4
590	INFECTIONS OF KIDNEY	1	-	2	5	-	-	-	8	2	4	1	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	-	3	2	2	-	-	-	3	1	1	-	1
600	HYPERPLASIA OF PROSTATE	-	-	-	1	-	-	-	1	-	1	-	-
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	1	13	20	6	1	1	-	16	2	14	3	1

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SISKIYOU	SOLANO	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUOLUMNE	VENTURA	YOLO	YUBA
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	-	-	1	1	-	-	-	-	1	-	-
740-759	CONGENITAL ANOMALIES	-	13	14	20	3	1	-	24	2	37	4	3
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	2	17	11	21	3	2	-	17	2	33	3	3
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	2	8	8	11	4	1	-	8	2	13	3	-
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	3	11	18	3	3	6	2	13	4	36	4	3
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	2	7	9	3	1	3	1	10	2	13	1	-
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	3	4	9	2	2	3	1	3	2	21	3	3
800-949	ACCIDENTS AND ADVERSE EFFECTS	27	99	157	183	30	19	8	183	16	207	31	29
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	13	46	84	73	16	10	1	116	8	112	24	17
820-823	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	1	1	3	-	-	2	-	3	-	4	-	-
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	-	6	5	7	2	1	-	9	1	12	-	1
910	DROWNINGS	1	3	13	13	2	-	1	6	-	12	6	1
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	1	3	9	17	1	-	-	14	-	18	-	2
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	-	-	-	-	1	-	1	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	-	3	3	2	-	-	-	-	-	1	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	2	1	2	-	-	-	-	-	3	2	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	1	1	4	3	-	-	-	3	-	7	-	1
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	10	32	35	62	9	6	6	29	7	37	19	7
950-959	SUICIDE	4	41	65	40	12	8	3	23	9	73	19	7
960-969	HOMICIDE	2	12	13	17	6	5	2	22	4	26	7	7
970-978	LEGAL INTERVENTION	-	-	-	-	-	-	-	-	-	2	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	-	3	3	2	-	1	1	-	-	7	1	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-

A 025 MALE DEATHS WERE ASSIGNED NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES NUMBER 175.
B SEX-SPECIFIC RATES (PER 100,000 POPULATION), CALIFORNIA MALE AND FEMALE POPULATION FOR 1985 WERE ESTIMATED TO BE 13,003,210 AND 13,361,867 RESPECTIVELY.
C PER 10,000 LIVE BIRTHS (1985 LIVE BIRTHS-470,816).
D PER 1,000 LIVE BIRTHS.

SOURCE : STATE OF CALIFORNIA, DEPARTMENT OF FINANCE, POPULATION PROJECTIONS FOR CALIFORNIA COUNTIES BY AGE AND SEX, BASELINE 86, DECEMBER 1986.

STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-9

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TOTAL	201,815	5,360	439	449	1,677	2,834	3,203	3,508	3,773	3,891	4,846	6,802	10,844	16,226	20,108	24,287	93,401	158
HISPANIC	16,329	1,510	110	96	447	725	733	652	573	543	606	688	1,032	1,197	1,199	1,340	4,846	30
CUBAN	429	10	1	-	4	6	8	19	8	10	20	29	19	37	42	33	162	1
MEXICAN	12,392	1,151	95	76	354	569	533	459	410	395	444	530	831	947	915	996	3,666	19
PUERTO RICAN	383	16	1	-	5	10	8	17	10	11	18	17	23	34	37	43	132	1
OTHER HISPANIC	3,125	333	13	20	84	140	184	157	145	129	124	112	159	179	205	248	884	9
NON-HISPANIC	182,338	3,654	324	348	1,201	2,063	2,414	2,777	3,112	3,243	4,145	5,968	9,588	14,772	18,633	22,617	87,422	97
NOT STATED	3,148	196	5	5	29	46	58	79	88	103	95	146	229	259	276	330	1,133	71
FEMALE	95,447	2,281	164	173	467	643	771	920	1,159	1,346	1,748	2,539	4,096	6,319	8,301	10,550	53,731	39
HISPANIC	6,596	634	41	35	96	119	117	138	149	149	218	260	420	477	523	634	2,562	4
CUBAN	145	5	1	-	1	1	-	1	-	-	1	7	9	10	14	15	80	-
MEXICAN	4,978	498	34	26	72	87	85	92	103	113	160	198	329	371	396	472	1,937	3
PUERTO RICAN	170	11	1	-	1	3	2	7	3	2	5	7	9	14	15	20	70	-
OTHER HISPANIC	1,303	140	5	9	22	28	30	38	43	32	32	48	73	82	98	127	475	1
NON-HISPANIC	87,643	1,559	122	137	362	516	642	765	988	1,168	1,503	2,251	3,606	5,966	7,685	9,797	50,354	22
NOT STATED	1,208	68	1	1	9	8	12	17	22	29	27	28	70	76	93	119	615	13
MALE	106,368	3,079	275	276	1,210	2,191	2,434	2,588	2,614	2,545	3,098	4,263	6,753	9,709	11,807	13,737	39,670	119
HISPANIC	9,733	876	69	61	351	606	616	514	424	396	388	428	612	720	676	706	2,284	26
CUBAN	284	5	-	-	3	5	8	18	8	10	19	22	10	27	28	38	82	1
MEXICAN	7,414	653	61	50	282	482	448	367	307	280	284	332	502	576	519	524	1,731	16
PUERTO RICAN	213	5	-	-	4	7	6	10	7	9	13	10	14	20	22	23	63	1
OTHER HISPANIC	1,822	193	8	11	62	112	154	119	102	97	72	64	86	97	107	121	409	8
NON-HISPANIC	94,695	2,095	202	211	839	1,547	1,772	2,012	2,124	2,075	2,642	3,717	5,982	8,806	10,948	12,820	36,868	35
NOT STATED	1,940	128	4	4	20	38	46	62	66	74	68	118	159	183	183	211	518	58

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 3-10

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
ALAMEDA	9,733	230	16	16	58	120	143	178	217	187	260	325	562	794	976	1,181	4,463	8
HISPANIC	449	29	2	2	5	14	8	16	9	15	20	18	23	33	36	46	172	1
CUBAN	9	2	-	-	-	-	-	-	-	1	-	1	-	-	2	1	2	-
MEXICAN	289	22	2	2	3	10	4	13	9	9	13	14	18	24	16	19	111	-
PUERTO RICAN	39	1	-	-	1	2	-	1	-	-	4	2	2	1	6	3	16	-
OTHER HISPANIC	112	4	-	-	1	2	4	2	-	5	3	1	3	8	12	23	43	1
NON-HISPANIC	8,938	174	14	14	49	104	130	153	201	165	231	290	517	734	901	1,097	4,160	4
NOT STATED	346	27	-	-	4	2	5	9	7	7	9	17	22	27	39	38	130	3
FEMALE	4,725	88	5	7	14	30	42	41	60	81	94	123	214	327	400	535	2,620	4
HISPANIC	189	8	1	1	3	-	1	5	1	6	9	6	10	13	17	19	89	-
CUBAN	6	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-
MEXICAN	122	4	1	1	1	-	-	4	1	5	7	4	7	10	9	10	58	-
PUERTO RICAN	11	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	6	-
OTHER HISPANIC	50	1	-	-	1	-	1	1	-	1	2	1	2	3	5	8	24	-
NON-HISPANIC	4,378	74	4	6	10	30	39	35	75	72	81	111	193	304	367	523	2,452	2
NOT STATED	158	6	-	-	1	-	2	1	4	3	4	6	11	10	16	13	79	2
MALE	5,008	142	11	9	44	90	101	137	137	106	166	202	348	467	576	626	1,842	4
HISPANIC	260	21	1	1	2	14	7	11	8	9	11	12	13	20	19	27	83	1
CUBAN	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
MEXICAN	167	18	1	1	2	10	4	9	8	4	6	10	11	14	7	9	53	-
PUERTO RICAN	28	-	-	-	-	2	-	1	-	-	4	2	1	1	5	2	10	-
OTHER HISPANIC	62	3	-	-	-	2	3	1	-	4	1	-	1	3	7	15	19	1
NON-HISPANIC	4,560	100	10	8	39	74	91	118	126	93	150	179	324	430	534	574	1,708	2
NOT STATED	188	21	-	-	3	2	3	8	3	4	5	11	11	17	23	25	51	1
ALPINE	6	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-
NON-HISPANIC	6	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NON-HISPANIC	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
MALE	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
NON-HISPANIC	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
AMADOR	235	3	1	-	2	5	3	4	1	4	6	9	12	18	26	33	108	-
HISPANIC	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-
MEXICAN	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	230	2	1	-	2	5	3	4	1	4	6	9	12	18	24	33	106	-
FEMALE	88	1	-	-	-	3	-	-	-	-	3	4	6	7	8	10	46	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	87	1	-	-	-	3	-	-	-	-	3	4	6	7	7	10	46	-
MALE	147	2	1	-	2	2	3	4	1	4	3	5	6	11	18	23	62	-
HISPANIC	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
MEXICAN	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
NON-HISPANIC	143	1	1	-	2	2	3	4	1	4	3	5	6	11	17	23	60	-
BUTTE	1,661	36	-	6	8	12	12	21	18	28	25	29	81	126	177	232	850	-
HISPANIC	16	2	-	-	1	-	1	1	1	2	-	-	1	1	1	-	5	-
MEXICAN	14	2	-	-	1	-	1	1	1	1	-	-	1	1	1	-	4	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
NON-HISPANIC	1,639	34	-	6	7	12	11	20	17	25	25	29	79	125	175	230	844	-
NOT STATED	6	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	-
FEMALE	783	15	-	2	1	2	3	3	9	16	13	8	35	46	80	89	461	-
HISPANIC	7	2	-	-	-	-	-	-	1	2	-	-	-	-	-	-	2	-
MEXICAN	6	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NON-HISPANIC	775	13	-	2	1	2	3	3	8	14	13	8	35	46	80	88	459	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MALE	878	21	-	4	7	10	9	18	9	12	12	21	46	80	97	143	389	-
HISPANIC	9	-	-	-	1	-	1	1	-	-	-	-	1	1	1	-	3	-
MEXICAN	8	-	-	-	1	-	1	1	-	-	-	-	1	1	1	-	2	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	864	21	-	4	6	10	8	17	9	11	12	21	44	79	93	142	385	-
NOT STATED	5	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-
CALAVERAS	303	3	-	1	2	4	5	4	2	6	3	14	18	32	37	49	123	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE-ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
CALAVERAS (CONT'D)																		
HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	300	3	-	1	2	4	5	4	2	6	3	14	18	32	36	49	121	-
FEMALE	133	-	-	-	1	1	1	1	1	-	2	4	8	11	15	20	68	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	132	-	-	-	1	1	1	1	1	-	2	4	8	11	14	20	68	-
MALE	170	3	-	1	1	3	4	3	1	6	1	10	10	21	22	29	53	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	168	3	-	1	1	3	4	3	1	6	1	10	10	21	22	29	53	-
COLUSA	135	1	-	-	-	3	2	-	1	7	2	5	14	12	9	17	62	-
HISPANIC	18	1	-	-	-	3	1	-	-	2	1	2	2	2	-	1	4	-
MEXICAN	17	1	-	-	-	3	1	-	-	1	1	2	2	2	-	1	3	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
NON-HISPANIC	117	-	-	-	-	-	1	-	1	6	1	3	12	10	9	16	58	-
FEMALE	56	-	-	-	-	1	-	-	-	3	1	4	4	6	3	2	32	-
HISPANIC	9	-	-	-	-	1	-	-	-	-	1	2	1	1	-	-	3	-
MEXICAN	9	-	-	-	-	1	-	-	-	-	1	2	1	1	-	-	3	-
NON-HISPANIC	47	-	-	-	-	-	-	-	-	3	-	2	3	5	3	2	29	-
MALE	79	1	-	-	-	2	2	-	1	4	1	1	10	6	6	15	30	-
HISPANIC	9	1	-	-	-	2	1	-	-	1	-	-	1	1	-	1	1	-
MEXICAN	8	1	-	-	-	2	1	-	-	1	-	-	1	1	-	1	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	70	-	-	-	-	-	1	-	1	3	1	1	9	5	6	14	29	-
CONTRA COSTA	5,345	96	12	15	32	60	81	88	109	115	142	186	313	470	584	657	2,382	3
HISPANIC	159	3	-	1	4	4	5	11	5	6	9	4	13	9	8	18	59	-
CUBAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	110	2	-	1	3	4	1	10	4	3	7	-	11	6	5	12	41	-
PUERTO RICAN	11	-	-	-	-	-	-	1	-	-	2	1	-	1	1	1	4	-
OTHER HISPANIC	37	1	-	-	1	-	3	1	-	3	-	3	2	2	2	5	14	-
NON-HISPANIC	5,117	80	12	14	28	53	75	75	103	107	133	182	297	436	570	630	2,300	2
NOT STATED	69	13	-	-	-	3	1	2	1	2	-	-	3	5	6	9	23	1
FEMALE	2,545	41	6	4	10	14	22	23	36	42	61	58	119	206	330	293	1,358	2
HISPANIC	69	1	-	1	-	1	-	2	-	3	4	1	6	6	6	10	28	-
MEXICAN	47	1	-	1	-	1	-	1	-	2	4	-	4	3	4	8	18	-
PUERTO RICAN	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-
OTHER HISPANIC	18	-	-	-	-	-	-	1	-	1	-	1	2	2	1	1	9	-
NON-HISPANIC	2,451	38	6	3	10	13	21	20	36	39	57	57	113	197	244	277	1,318	2
NOT STATED	25	2	-	-	-	-	1	1	-	-	-	-	-	3	-	6	12	-
MALE	2,800	55	6	11	22	46	59	65	73	73	81	128	194	264	334	364	1,024	1
HISPANIC	90	2	-	-	4	3	5	9	5	3	5	3	7	3	2	8	31	-
CUBAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	63	1	-	-	3	3	1	9	4	1	3	-	7	3	1	4	23	-
PUERTO RICAN	7	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	3	-
OTHER HISPANIC	19	1	-	-	1	-	3	-	-	2	-	2	-	-	1	4	5	-
NON-HISPANIC	2,666	42	6	11	18	40	54	55	67	68	76	125	184	259	326	353	982	-
NOT STATED	44	11	-	-	-	3	-	1	1	2	-	-	3	2	6	3	11	1
DEL NORTE	196	4	-	1	1	2	5	1	4	2	5	7	7	24	28	21	84	-
HISPANIC	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
MEXICAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	193	4	-	1	1	2	4	1	4	2	5	6	7	24	27	21	84	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	88	2	-	-	1	2	1	1	-	1	2	3	1	11	15	5	43	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	86	2	-	-	1	2	1	1	-	1	2	2	1	11	14	5	43	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	108	2	-	1	-	-	4	-	4	1	3	4	6	13	13	16	41	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
DEL NORTE (CONT'D)																		
HISPANIC	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	107	2	-	1	-	-	3	-	4	1	3	4	6	13	13	16	41	-
EL DORADO	787	27	3	3	14	12	11	19	9	10	20	28	40	70	87	106	328	-
HISPANIC	8	-	-	-	-	1	1	1	1	-	-	-	-	1	1	-	2	-
MEXICAN	5	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
NON-HISPANIC	777	26	3	3	14	11	10	18	8	10	20	28	40	69	86	106	325	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	354	15	1	-	5	1	1	8	2	2	11	6	17	31	32	41	181	-
NON-HISPANIC	353	14	1	-	5	1	1	8	2	2	11	6	17	31	32	41	181	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	433	12	2	3	9	11	10	11	7	8	9	22	23	39	55	65	147	-
HISPANIC	8	-	-	-	-	1	1	1	1	-	-	-	-	1	1	-	2	-
MEXICAN	5	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
NON-HISPANIC	424	12	2	3	9	10	9	10	6	8	9	22	23	38	54	65	144	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FRESNO	4,298	137	13	12	47	84	75	81	88	96	91	130	246	300	396	517	1,955	10
HISPANIC	656	47	7	7	23	40	34	33	36	22	19	28	42	32	45	50	186	3
MEXICAN	602	43	7	6	22	40	33	27	33	21	16	25	37	30	44	48	169	1
PUERTO RICAN	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
OTHER HISPANIC	51	4	-	1	1	-	3	6	3	-	3	2	4	2	1	2	17	2
NON-HISPANIC	3,586	88	6	5	23	44	39	45	51	72	71	122	201	266	348	459	1,743	3
NOT STATED	56	2	-	-	1	-	-	3	1	2	1	-	3	2	3	8	26	4
FEMALE	1,943	61	5	3	10	20	15	20	29	36	35	55	92	122	153	224	1,062	1
HISPANIC	229	26	3	1	1	7	6	5	11	5	7	12	12	16	19	27	71	-
MEXICAN	208	22	3	1	1	7	5	4	9	5	6	10	11	16	19	25	64	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER HISPANIC	20	4	-	-	-	-	1	1	2	-	1	1	1	-	-	2	7	-
NON-HISPANIC	1,697	35	2	2	9	13	9	14	18	30	27	43	79	106	134	195	980	1
NOT STATED	17	-	-	-	-	-	-	1	-	1	1	-	1	-	-	2	11	-
MALE	2,355	76	8	9	37	64	60	61	59	60	56	95	134	178	243	293	893	9
HISPANIC	427	21	4	6	22	33	30	28	25	17	12	16	30	16	26	23	115	3
MEXICAN	394	21	4	5	21	33	28	23	24	16	10	15	26	14	25	23	105	1
PUERTO RICAN	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
OTHER HISPANIC	31	-	-	1	1	-	2	5	1	-	2	1	3	2	1	-	10	2
NON-HISPANIC	1,859	53	4	3	14	31	30	31	33	42	44	79	122	160	214	264	763	2
NOT STATED	39	2	-	-	1	-	-	2	1	1	-	-	2	2	3	6	15	4
GLENN	218	5	-	1	1	2	2	3	4	-	7	4	12	16	21	28	112	-
HISPANIC	5	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-
MEXICAN	4	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	212	4	-	1	1	1	1	3	4	-	7	4	12	16	21	28	109	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	108	4	-	-	-	1	1	2	-	-	3	1	5	9	8	12	62	-
HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	106	3	-	-	-	1	1	2	-	-	3	1	5	9	8	12	61	-
MALE	110	1	-	1	1	1	1	1	4	-	4	3	7	7	13	16	50	-
HISPANIC	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	106	1	-	1	1	-	-	1	4	-	4	3	7	7	13	16	48	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
HUMBOLDT	1,074	29	3	2	5	12	14	20	24	21	21	40	50	89	136	136	472	-
HISPANIC	12	1	-	-	-	-	-	-	2	2	-	1	-	1	-	-	5	-
MEXICAN	7	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	2	-
OTHER HISPANIC	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-
NON-HISPANIC	1,052	26	3	2	5	12	14	20	22	19	21	39	48	88	134	134	463	-
NOT STATED	10	2	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-
FEMALE	502	11	1	2	1	3	7	10	6	8	7	16	14	28	53	67	266	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
HUMBOLDT (CONT'D)																		
HISPANIC	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
NON-HISPANIC	492	9	1	2	1	3	7	10	5	8	7	16	16	27	51	66	263	-
NOT STATED	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
MALE	572	18	2	-	4	9	7	10	18	13	14	24	34	61	83	69	206	-
HISPANIC	8	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-	3	-
MEXICAN	5	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	1	-
OTHER HISPANIC	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NON-HISPANIC	560	17	2	-	4	9	7	10	17	11	14	23	32	61	83	68	202	-
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-
IMPERIAL	731	17	4	-	8	13	10	9	10	11	25	21	31	64	85	111	291	21
HISPANIC	195	9	2	-	4	8	5	6	4	4	6	9	10	16	18	21	68	3
MEXICAN	182	7	2	-	4	7	5	5	4	4	6	9	9	16	16	21	63	4
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	12	2	-	-	-	1	-	1	-	-	-	-	1	-	2	-	4	1
NON-HISPANIC	459	5	2	-	3	4	5	3	6	7	15	9	18	43	61	82	196	-
NOT STATED	77	3	-	-	1	1	-	-	-	-	4	3	3	5	6	8	27	16
FEMALE	271	6	2	-	1	3	3	4	3	3	6	6	8	25	36	35	128	2
HISPANIC	67	2	-	-	1	3	2	3	1	1	2	3	3	7	4	8	27	-
MEXICAN	65	2	-	-	1	3	2	2	1	1	2	3	3	7	4	8	26	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	184	2	2	-	-	-	1	1	2	2	3	3	5	16	30	25	92	-
NOT STATED	20	2	-	-	-	-	-	-	-	-	1	-	-	2	2	2	9	2
MALE	460	11	2	-	7	10	7	5	7	8	19	15	23	39	49	76	163	19
HISPANIC	128	7	2	-	3	5	3	3	3	3	4	6	7	9	14	13	41	5
MEXICAN	117	5	2	-	3	4	3	3	3	3	4	6	6	9	12	13	37	4
OTHER HISPANIC	11	2	-	-	-	1	-	-	-	-	-	-	1	-	2	-	4	1
NON-HISPANIC	275	3	-	-	3	4	4	2	4	5	12	6	13	27	31	57	104	-
NOT STATED	57	1	-	-	1	1	-	-	-	-	3	3	3	3	4	6	18	14
INYO	209	5	-	-	3	2	2	3	5	5	1	4	6	12	19	25	117	-
HISPANIC	8	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	6	-
MEXICAN	5	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	3	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
NON-HISPANIC	198	5	-	-	2	2	2	3	5	5	1	4	5	12	19	25	108	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
FEMALE	102	2	-	-	1	-	-	-	3	5	1	2	1	6	9	9	63	-
HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NON-HISPANIC	97	2	-	-	1	-	-	-	3	5	1	2	1	6	9	9	58	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	107	3	-	-	2	2	2	3	2	-	-	2	5	6	10	16	54	-
HISPANIC	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-
MEXICAN	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	101	3	-	-	1	2	2	3	2	-	-	2	4	6	10	16	50	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
KERN	3,713	131	14	12	45	65	71	82	67	66	96	116	195	327	418	516	1,489	3
HISPANIC	388	43	5	4	15	20	21	19	14	13	20	16	23	24	32	32	86	1
CUBAN	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
MEXICAN	326	34	4	4	13	15	20	15	12	12	16	15	21	20	24	23	75	1
PUERTO RICAN	6	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	2	-
OTHER HISPANIC	53	9	1	-	1	5	1	3	2	-	2	1	1	3	8	7	9	-
NON-HISPANIC	3,305	87	9	8	30	44	50	63	53	53	76	100	171	302	382	479	1,396	2
NOT STATED	20	1	-	-	-	1	-	-	-	-	-	-	1	1	4	5	7	-
FEMALE	1,622	54	5	3	8	17	21	15	24	25	31	47	62	143	178	206	782	1
HISPANIC	138	18	2	-	-	3	4	4	5	6	7	6	7	8	13	16	39	-
MEXICAN	118	15	1	-	-	2	4	3	4	6	6	6	7	6	12	13	33	-
PUERTO RICAN	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
OTHER HISPANIC	18	3	1	-	-	1	-	-	1	-	-	-	-	2	1	3	6	-
NON-HISPANIC	1,476	35	3	3	8	14	17	11	19	19	24	41	54	134	164	189	740	1
NOT STATED	8	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
KERN (CONT'D)																		
MALE	2,091	77	9	9	37	48	50	67	43	41	65	69	133	184	240	310	707	2
HISPANIC	250	25	3	4	15	17	17	15	9	7	13	10	16	16	19	16	47	1
CUBAN	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
MEXICAN	208	19	3	4	13	13	16	12	8	6	10	9	14	14	12	12	42	1
PUERTO RICAN	4	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-
OTHER HISPANIC	35	6	-	-	1	4	1	3	1	-	2	1	1	1	7	4	3	-
NON-HISPANIC	1,829	52	6	5	22	30	33	52	34	34	52	59	117	168	218	290	656	1
NOT STATED	12	-	-	-	-	1	-	-	-	-	-	-	-	-	3	4	4	-
KINGS	580	16	2	1	7	14	11	6	11	6	9	16	39	69	55	69	249	-
HISPANIC	88	7	-	-	2	8	6	1	4	1	1	5	7	8	5	10	23	-
MEXICAN	76	6	-	-	2	8	5	-	2	-	1	3	6	8	5	9	21	-
OTHER HISPANIC	12	1	-	-	-	-	1	1	2	1	-	2	1	-	-	1	2	-
NON-HISPANIC	489	9	2	1	5	6	5	5	7	5	8	11	31	60	49	59	226	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE	261	7	-	-	2	-	2	2	3	3	5	5	22	31	25	27	127	-
HISPANIC	35	6	-	-	1	-	-	-	1	-	-	2	3	4	2	4	12	-
MEXICAN	33	6	-	-	1	-	-	-	1	-	-	2	3	4	2	4	10	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NON-HISPANIC	225	1	-	-	1	-	2	2	2	3	5	3	19	27	22	23	115	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	319	9	2	1	5	14	9	4	8	3	4	11	17	38	30	42	122	-
HISPANIC	53	1	-	-	1	6	6	1	3	1	1	3	4	4	3	6	11	-
MEXICAN	43	-	-	-	1	6	5	-	1	-	1	1	3	4	3	5	11	-
OTHER HISPANIC	10	1	-	-	-	-	1	1	2	1	-	2	1	-	-	1	-	-
NON-HISPANIC	264	8	2	1	4	6	3	3	5	2	3	8	12	33	27	36	111	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
LAKE	672	10	2	3	4	4	7	9	7	2	16	15	29	48	76	115	325	-
HISPANIC	9	1	-	1	-	-	-	-	-	-	1	-	1	-	1	-	4	-
MEXICAN	6	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	2	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-
NON-HISPANIC	660	9	2	2	4	4	7	9	7	2	15	15	28	47	75	115	319	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
FEMALE	309	3	-	2	-	1	2	1	2	1	5	6	13	16	32	47	178	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NON-HISPANIC	307	3	-	2	-	1	2	1	2	1	5	6	12	16	32	47	177	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	363	7	2	1	4	3	5	8	5	1	11	9	16	32	44	68	147	-
HISPANIC	8	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	4	-
MEXICAN	5	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-
NON-HISPANIC	353	6	2	-	4	3	5	8	5	1	10	9	16	31	43	68	142	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
LASSEN	185	3	-	-	4	4	3	1	4	7	6	4	8	23	17	22	79	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
NON-HISPANIC	183	3	-	-	4	4	3	1	4	7	6	4	8	23	16	22	78	-
FEMALE	85	-	-	-	1	1	-	1	3	4	4	1	5	9	8	10	38	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	84	-	-	-	1	1	-	1	3	4	4	1	5	9	7	10	38	-
MALE	100	3	-	-	3	3	3	-	1	3	2	3	3	14	9	12	41	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	99	3	-	-	3	3	3	-	1	3	2	3	3	14	9	12	40	-
LOS ANGELES	62,195	1,878	136	110	545	688	1,110	1,186	1,262	1,292	1,678	2,301	3,503	5,126	5,998	7,155	28,010	13
HISPANIC	7,401	745	48	35	206	296	346	303	268	265	307	328	471	538	522	563	2,137	3
CUBAN	323	6	1	-	3	5	4	12	4	7	18	25	12	28	30	40	127	1
MEXICAN	5,390	535	40	25	158	213	235	194	193	175	212	242	365	398	393	411	1,600	1
PUERTO RICAN	150	6	1	2	2	2	2	10	5	4	7	2	8	17	14	19	51	-
OTHER HISPANIC	1,538	198	6	10	43	76	105	87	86	79	70	59	86	95	85	93	339	1
NON-HISPANIC	53,590	1,084	87	73	325	571	739	851	939	984	1,324	1,913	2,924	4,481	5,378	6,460	25,445	10
NOT STATED	1,204	49	1	2	14	21	25	32	35	43	47	58	110	107	98	132	428	2

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
LOS ANGELES (CONT'D)																		
FEMALE	30,165	820	52	42	135	201	243	337	378	419	562	821	1,334	2,104	2,539	3,211	16,958	7
HISPANIC	3,038	326	17	15	49	40	48	54	83	67	106	109	198	221	228	270	1,206	1
CUBAN	104	3	1	-	-	-	-	-	-	-	1	6	7	8	7	11	60	-
MEXICAN	2,235	230	13	10	37	26	30	28	59	45	76	79	149	160	170	200	922	1
PUERTO RICAN	73	2	1	-	-	-	1	5	2	1	3	2	3	6	6	10	31	-
OTHER HISPANIC	626	91	2	5	12	14	17	21	22	21	26	22	39	47	45	49	193	-
NON-HISPANIC	26,671	476	35	27	81	157	195	275	287	337	445	703	1,107	1,854	2,284	2,894	15,509	5
NOT STATED	456	18	-	-	5	4	2	8	8	15	11	9	29	29	27	47	243	1
MALE	32,030	1,058	84	68	410	687	865	849	884	873	1,116	1,480	2,171	3,022	3,459	3,944	11,052	8
HISPANIC	4,363	419	31	20	157	256	298	249	205	198	201	219	273	317	294	293	931	2
CUBAN	219	3	-	-	3	5	4	12	4	7	17	19	5	20	23	29	67	1
MEXICAN	3,155	305	27	15	121	187	205	166	134	130	136	163	216	238	223	211	678	-
PUERTO RICAN	77	4	-	-	2	2	1	5	3	3	4	-	3	11	8	9	20	-
OTHER HISPANIC	912	107	4	5	31	62	88	66	64	58	44	37	47	48	40	44	166	1
NON-HISPANIC	26,919	608	52	46	244	414	544	576	652	647	879	1,212	1,817	2,627	3,094	3,566	9,936	5
NOT STATED	748	31	1	2	9	17	23	24	27	28	36	49	81	78	71	85	185	1
MADERA	587	21	2	3	2	9	9	11	14	18	10	14	26	51	52	79	264	2
HISPANIC	84	7	-	-	1	7	3	3	1	6	4	4	7	2	9	8	21	1
MEXICAN	71	6	-	-	1	5	2	3	-	5	3	4	7	2	8	7	17	1
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
OTHER HISPANIC	11	1	-	-	-	2	1	-	1	1	1	-	-	-	1	-	3	-
NON-HISPANIC	488	13	2	3	1	2	6	7	13	11	6	10	19	49	43	70	233	-
NOT STATED	15	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	10	1
FEMALE	232	6	1	3	1	1	1	5	3	6	1	6	7	16	18	33	124	-
HISPANIC	30	4	-	-	1	-	-	1	-	2	1	1	3	1	1	3	12	-
MEXICAN	28	3	-	-	1	-	-	1	-	2	1	1	3	1	1	3	11	-
OTHER HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	196	2	1	3	-	1	1	3	3	3	-	5	4	15	17	30	108	-
NOT STATED	6	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	4	-
MALE	355	15	1	-	1	8	8	6	11	12	9	8	19	35	34	46	140	2
HISPANIC	54	3	-	-	-	7	3	2	1	4	3	3	4	1	8	3	9	1
MEXICAN	43	3	-	-	-	5	2	2	-	3	2	3	4	1	7	4	6	1
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
OTHER HISPANIC	9	-	-	-	-	2	1	-	1	1	1	-	-	-	1	-	2	-
NON-HISPANIC	292	11	1	-	1	1	5	4	10	8	6	5	15	34	26	40	115	-
NOT STATED	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	1
MARIN	1,755	17	3	3	7	17	20	22	38	39	37	67	93	138	156	201	897	-
HISPANIC	22	-	-	-	-	-	2	2	2	-	2	-	2	-	-	1	11	-
MEXICAN	15	-	-	-	-	-	-	1	1	-	1	-	2	-	-	1	9	-
PUERTO RICAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	6	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	2	-
NON-HISPANIC	1,720	17	3	3	7	17	18	20	36	38	35	66	90	136	155	200	879	-
NOT STATED	13	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	7	-
FEMALE	899	6	1	3	4	8	6	5	15	11	14	30	32	34	65	86	339	-
HISPANIC	10	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	7	-
MEXICAN	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	5	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-
NON-HISPANIC	884	6	1	3	4	8	6	5	14	11	13	30	32	33	65	85	548	-
NOT STATED	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-
MALE	856	11	2	-	3	9	14	17	23	28	23	37	61	84	91	115	338	-
HISPANIC	12	-	-	-	-	-	2	2	1	-	1	-	2	-	-	-	4	-
MEXICAN	9	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	4	-
PUERTO RICAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	836	11	2	-	3	9	12	15	22	27	22	36	58	83	90	115	331	-
NOT STATED	8	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	3	-
MARIPOSA	127	2	-	-	3	-	1	1	2	1	2	3	2	13	14	20	63	-
HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
NON-HISPANIC	124	2	-	-	3	-	1	1	1	1	2	3	2	13	14	20	61	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	57	1	-	-	1	-	-	1	1	1	1	2	-	7	5	6	31	-
HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS: UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
MARIPOSA (CONT'D)																		
NON-HISPANIC	55	1	-	-	1	-	-	1	-	1	1	2	-	7	5	6	30	-
MALE	70	1	-	-	2	-	1	-	1	-	1	1	2	6	9	14	32	-
NON-HISPANIC	69	1	-	-	2	-	1	-	1	-	1	1	2	6	9	14	31	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MENDOCINO	776	21	2	2	12	9	9	10	9	19	15	24	38	65	83	97	361	-
HISPANIC	9	2	-	-	2	-	1	-	-	-	-	1	1	-	2	-	-	-
MEXICAN	8	2	-	-	2	-	1	-	-	-	-	1	1	-	1	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	761	17	2	2	10	9	8	10	9	19	15	23	37	65	81	96	358	-
NOT STATED	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
FEMALE	377	7	1	-	4	2	3	2	6	11	8	9	16	30	36	45	197	-
HISPANIC	3	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-
MEXICAN	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	371	6	1	-	3	2	3	2	6	11	8	9	16	30	34	44	196	-
NOT STATED	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
MALE	399	14	1	2	8	7	6	8	3	8	7	15	22	35	47	52	164	-
HISPANIC	6	2	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
MEXICAN	6	2	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
NON-HISPANIC	390	11	1	2	7	7	5	8	3	8	7	14	21	35	47	52	162	-
NOT STATED	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MERCED	1,067	39	7	4	9	21	13	23	15	19	21	39	71	87	129	123	447	-
HISPANIC	125	11	2	-	1	7	3	6	2	5	6	4	11	6	11	15	35	-
MEXICAN	112	8	2	-	1	7	3	5	1	5	6	4	11	6	9	15	29	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	12	3	-	-	-	-	-	1	1	-	-	-	-	-	1	-	6	-
NON-HISPANIC	933	26	4	4	8	13	9	16	13	14	15	34	60	81	118	108	410	-
NOT STATED	9	2	1	-	-	1	1	1	-	-	-	1	-	-	-	-	2	-
FEMALE	455	19	4	1	1	6	2	6	7	4	12	10	28	29	40	54	232	-
HISPANIC	44	3	1	-	-	-	-	1	-	2	2	-	4	2	3	10	16	-
MEXICAN	42	2	1	-	-	-	-	1	-	2	2	-	4	2	2	10	16	-
OTHER HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	408	16	3	1	1	5	1	5	7	2	10	9	24	27	37	44	216	-
NOT STATED	3	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
MALE	612	20	3	3	8	15	11	17	8	15	9	29	43	58	89	69	215	-
HISPANIC	81	8	1	-	1	7	3	5	2	3	4	4	7	4	8	5	19	-
MEXICAN	70	6	1	-	1	7	3	4	1	3	4	4	7	4	7	5	13	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	10	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	6	-
NON-HISPANIC	525	10	1	3	7	8	8	11	6	12	5	25	36	54	81	64	194	-
NOT STATED	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
MODOC	99	3	-	-	1	2	-	-	-	-	2	-	6	3	14	9	58	1
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	97	3	-	-	1	2	-	-	-	-	2	-	6	2	14	9	57	1
FEMALE	39	2	-	-	-	1	-	-	-	-	2	-	1	-	4	3	26	-
NON-HISPANIC	39	2	-	-	-	1	-	-	-	-	2	-	1	-	4	3	26	-
MALE	60	1	-	-	1	1	-	-	-	-	-	-	5	3	10	6	32	1
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	58	1	-	-	1	1	-	-	-	-	-	-	5	2	10	6	31	1
MONO	30	1	-	-	-	-	1	-	2	-	-	-	-	4	2	2	18	-
NON-HISPANIC	30	1	-	-	-	-	1	-	2	-	-	-	-	4	2	2	18	-
FEMALE	13	1	-	-	-	-	1	-	1	-	-	-	-	2	-	-	8	-
NON-HISPANIC	13	1	-	-	-	-	1	-	1	-	-	-	-	2	-	-	8	-
MALE	17	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	10	-
NON-HISPANIC	17	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	10	-

TABLE S-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
MONTEREY	2,206	76	7	4	22	32	41	35	20	37	52	70	104	173	220	246	1,065	2
HISPANIC	224	25	1	-	10	10	12	7	3	9	5	6	14	21	19	21	60	1
CUBAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
MEXICAN	183	20	1	-	10	6	8	6	3	7	5	6	13	18	15	14	50	1
PUERTO RICAN	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	36	4	-	-	-	3	4	-	-	2	-	-	1	3	4	7	8	-
NON-HISPANIC	1,971	51	6	4	12	22	29	28	17	27	47	61	89	151	201	222	1,003	1
NOT STATED	11	-	-	-	-	-	-	-	-	1	-	3	1	1	-	3	2	-
FEMALE	1,077	40	3	2	6	7	9	12	5	12	26	31	50	63	91	118	602	-
HISPANIC	90	15	1	-	1	3	-	1	1	2	2	3	4	6	10	12	29	-
MEXICAN	27	12	1	-	1	3	-	1	1	2	2	3	4	5	8	8	26	-
PUERTO RICAN	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	10	2	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	-
NON-HISPANIC	982	25	2	2	5	4	9	11	4	10	24	27	45	57	81	104	572	-
NOT STATED	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-
MALE	1,129	36	4	2	16	25	32	23	15	25	26	39	54	110	129	128	463	2
HISPANIC	134	10	-	-	9	7	12	6	2	7	3	3	10	15	9	9	31	1
CUBAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
MEXICAN	106	8	-	-	9	3	8	5	2	5	3	3	9	13	7	6	24	1
PUERTO RICAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	26	2	-	-	-	3	4	-	-	2	-	-	1	2	2	3	7	-
NON-HISPANIC	989	26	4	2	7	18	20	17	13	17	23	34	44	94	120	118	431	1
NOT STATED	6	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	1	-
NAPA	992	20	1	4	5	8	9	8	17	6	9	37	40	61	109	127	530	1
HISPANIC	25	2	-	1	-	1	2	-	1	-	-	2	3	1	1	1	10	-
MEXICAN	16	1	-	1	-	1	1	-	1	-	-	-	2	1	1	1	6	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	8	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-	3	-
NON-HISPANIC	953	17	1	3	4	7	7	8	16	6	9	34	36	60	108	121	515	1
NOT STATED	14	1	-	-	1	-	-	-	-	-	-	1	1	-	-	5	5	-
FEMALE	472	13	1	1	2	2	1	2	3	3	3	13	15	19	30	49	294	1
HISPANIC	14	2	-	-	-	-	1	-	-	-	-	1	2	1	1	1	5	-
MEXICAN	6	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	7	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	3	-
NON-HISPANIC	453	10	1	1	2	2	-	2	3	3	3	12	13	18	49	47	286	1
NOT STATED	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
MALE	520	7	-	3	3	6	8	6	14	3	6	24	25	42	59	78	236	-
HISPANIC	11	-	-	1	-	1	1	-	1	-	-	1	1	-	-	-	5	-
MEXICAN	10	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	5	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	500	7	-	2	2	5	7	6	13	3	6	22	23	42	59	74	229	-
NOT STATED	9	-	-	-	1	-	-	-	-	-	-	1	1	-	-	4	2	-
NEVADA	595	17	-	2	9	4	7	7	3	9	12	16	21	44	75	70	298	1
HISPANIC	7	1	-	-	1	-	-	-	-	1	-	-	1	-	1	-	2	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MEXICAN	4	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NON-HISPANIC	585	15	-	2	8	4	7	7	3	8	12	16	20	44	74	69	296	-
NOT STATED	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
FEMALE	281	8	-	-	3	-	2	2	1	3	5	10	9	18	28	30	161	1
HISPANIC	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MEXICAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	275	6	-	-	3	-	2	2	1	3	5	10	8	18	27	30	160	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	314	9	-	2	6	4	5	5	2	6	7	6	12	26	47	40	137	-
HISPANIC	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
MEXICAN	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	310	9	-	2	5	4	5	5	2	5	7	6	12	26	47	39	136	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ORANGE	13,538	377	23	29	135	199	214	218	221	233	344	471	784	1,123	1,230	1,443	6,472	3
HISPANIC	863	117	5	8	31	38	38	34	25	27	34	34	59	64	64	71	213	1

TABLE 3-10 (CONT

DEATHS BY SEX, SPANISH/HISPAN

CALIFORNIA COUNTI

(BY PLACE OF RES

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34
ORANGE (CONT'D)								
CUBAN	28	2	-	-	-	-	-	1
MEXICAN	691	94	4	7	25	30	31	28
PUERTO RICAN	22	2	-	-	-	2	-	1
OTHER HISPANIC	122	19	1	1	6	6	7	4
NON-HISPANIC	12,622	256	18	21	104	159	175	184
NOT STATED	53	4	-	-	-	2	1	-
FEMALE	6,591	150	10	16	39	51	58	56
HISPANIC	358	49	3	5	8	12	7	10
CUBAN	12	-	-	-	-	-	-	-
MEXICAN	280	39	3	4	4	8	6	10
PUERTO RICAN	12	2	-	-	-	2	-	-
OTHER HISPANIC	54	8	-	1	4	2	1	-
NON-HISPANIC	6,210	99	7	11	31	38	51	46
NOT STATED	23	2	-	-	-	1	-	-
MALE	6,947	227	13	13	96	148	136	162
HISPANIC	505	68	2	3	23	26	31	24
CUBAN	16	2	-	-	-	-	-	1
MEXICAN	411	55	1	3	21	22	25	18
PUERTO RICAN	10	-	-	-	-	-	-	1
OTHER HISPANIC	68	11	1	-	2	4	6	4
NON-HISPANIC	6,412	157	11	10	73	121	124	138
NOT STATED	30	2	-	-	-	1	1	-
PLACER	1,093	16	3	3	11	12	9	24
HISPANIC	30	1	-	-	-	2	-	1
MEXICAN	20	1	-	-	-	1	-	1
PUERTO RICAN	3	-	-	-	-	-	-	-
OTHER HISPANIC	7	-	-	-	-	1	-	-
NON-HISPANIC	1,052	15	3	3	10	10	9	23
NOT STATED	11	-	-	-	1	-	-	-
FEMALE	484	7	1	2	4	2	2	6
HISPANIC	16	1	-	-	-	-	-	1
MEXICAN	11	1	-	-	-	-	-	1
PUERTO RICAN	1	-	-	-	-	-	-	-
OTHER HISPANIC	4	-	-	-	-	-	-	-
NON-HISPANIC	461	6	1	2	3	2	2	5
NOT STATED	7	-	-	-	1	-	-	-
MALE	609	9	2	1	7	10	7	18
HISPANIC	14	-	-	-	-	2	-	-
MEXICAN	9	-	-	-	-	1	-	-
PUERTO RICAN	2	-	-	-	-	-	-	-
OTHER HISPANIC	3	-	-	-	-	1	-	-
NON-HISPANIC	591	9	2	1	7	8	7	18
NOT STATED	4	-	-	-	-	-	-	-
PLUMAS	148	3	1	-	1	2	3	4
HISPANIC	2	1	-	-	-	-	-	-
CUBAN	1	-	-	-	-	-	-	-
MEXICAN	1	1	-	-	-	-	-	-
NON-HISPANIC	146	2	1	-	1	2	3	4
FEMALE	61	1	1	-	1	1	2	1
NON-HISPANIC	61	1	1	-	1	1	2	1
MALE	87	2	-	-	-	1	1	3
HISPANIC	2	1	-	-	-	-	-	-
CUBAN	1	-	-	-	-	-	-	-
MEXICAN	1	1	-	-	-	-	-	-
NON-HISPANIC	85	1	-	-	-	1	1	3
RIVERSIDE	7,831	193	25	15	69	121	105	109
HISPANIC	507	49	6	1	10	26	22	18
CUBAN	1	-	-	-	-	-	-	-
MEXICAN	425	41	3	1	7	21	16	13
PUERTO RICAN	7	-	-	-	-	1	-	-
OTHER HISPANIC	74	8	3	-	3	4	6	5
NON-HISPANIC	7,248	141	19	14	57	93	80	90
NOT STATED	76	3	-	-	2	-	3	1

TABLE 5-10 (CONTINUED)

EATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

	AGE IN YEARS													
4	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
	-	-	-	1	2	-	-	1	1	2	4	4	11	-
	25	30	31	28	17	22	27	28	54	56	46	53	167	-
	-	2	-	1	-	-	-	3	2	1	3	1	7	-
	6	6	7	4	6	5	7	2	2	5	11	11	28	1
	104	159	175	184	194	205	309	436	722	1,051	1,181	1,368	6,238	1
	-	2	1	-	2	1	1	1	3	8	5	4	21	-
	39	51	58	56	70	86	124	190	302	416	522	638	3,863	-
	8	12	7	10	4	6	15	15	32	28	22	27	115	-
	-	-	-	-	-	-	-	1	1	-	2	2	7	-
	4	8	6	10	2	6	11	12	28	24	14	18	91	-
	-	2	-	-	-	-	1	2	1	1	1	-	3	-
	4	2	1	-	2	-	4	2	1	3	5	7	14	-
	31	38	51	46	65	80	108	175	269	387	497	610	3,736	-
	-	1	-	-	1	-	1	-	1	1	3	1	12	-
	96	148	156	162	151	147	220	281	482	707	728	805	2,609	2
	23	26	31	24	21	21	19	19	27	36	42	44	98	1
	-	-	-	1	2	-	-	1	-	2	2	2	4	-
	21	22	25	18	13	16	16	16	26	32	32	37	76	-
	-	-	-	1	-	-	-	2	-	-	2	1	4	-
	2	4	6	4	4	5	3	-	1	2	6	4	14	1
	73	121	124	138	129	125	201	261	453	664	684	738	2,302	1
	-	1	1	-	1	1	-	1	2	7	2	3	9	-
	11	12	9	24	14	16	28	27	61	94	124	133	495	3
	-	2	-	1	-	-	1	2	2	2	3	3	13	-
	-	1	-	1	-	-	1	1	2	2	1	2	8	-
	-	-	-	-	-	-	1	1	-	-	-	-	2	-
	-	1	-	-	-	-	-	-	-	-	2	1	3	-
	10	10	9	23	14	15	27	25	58	92	121	147	479	1
	1	-	-	-	-	1	-	-	1	-	-	3	3	2
	4	2	2	6	3	7	12	9	13	34	48	59	273	2
	-	-	-	1	-	-	1	-	1	1	2	2	7	-
	-	-	-	1	-	-	1	-	1	1	-	1	5	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	-	-	-	-	-	-	-	-	-	-	2	1	1	-
	3	2	2	5	3	6	11	9	12	33	46	56	264	
	1	-	-	-	-	1	-	-	-	-	-	1	2	2
	7	10	7	18	11	9	16	18	48	60	76	94	222	1
	-	2	-	-	-	-	-	2	1	1	1	1	6	-
	-	1	-	-	-	-	-	1	1	1	1	1	3	-
	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	-	1	-	-	-	-	-	-	-	-	-	-	2	-
1	7	8	7	18	11	9	16	16	46	59	75	91	215	1
	-	-	-	-	-	-	-	-	1	-	-	2	1	-
	1	2	3	4	1	3	2	4	5	14	17	17	71	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	1	2	3	4	1	3	2	4	5	13	17	17	71	-
	1	1	2	1	1	2	1	2	-	7	4	6	31	-
	1	1	2	1	1	2	1	2	-	7	4	6	31	-
	-	1	1	3	-	1	1	2	5	7	13	11	40	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	3	-	1	1	2	5	6	13	11	40	-
3	69	121	105	109	113	108	134	213	374	610	811	1,069	3,752	10
1	10	26	22	18	17	16	16	24	32	51	43	36	139	1
	-	-	-	-	-	-	-	-	-	-	-	-	1	-
1	7	21	16	15	14	12	12	19	28	46	36	32	120	-
	-	1	-	-	-	-	-	1	-	1	3	-	1	-
	3	4	6	3	3	4	4	4	4	4	4	4	17	1
4	57	93	80	90	93	92	116	188	339	334	761	1,025	3,377	7
	2	-	3	1	3	-	2	1	3	5	7	8	36	2

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
RIVERSIDE (CONT'D)																		
FEMALE	3,491	77	9	7	16	17	29	22	28	35	50	86	142	246	333	436	1,965	3
HISPANIC	198	21	4	1	3	3	8	4	1	3	5	8	9	20	25	15	67	1
MEXICAN	173	20	3	1	2	3	6	3	1	2	4	6	9	20	21	13	59	-
PUERTO RICAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
OTHER HISPANIC	22	1	1	-	1	-	2	1	-	1	1	2	-	-	2	2	7	1
NON-HISPANIC	3,259	56	5	6	13	14	21	18	27	32	44	58	132	222	298	437	1,874	2
NOT STATED	34	-	-	-	-	-	-	-	-	-	1	-	1	4	-	4	24	-
MALE	4,340	116	16	8	53	104	76	87	85	73	84	147	232	364	488	613	1,787	7
HISPANIC	309	28	2	-	7	23	14	14	16	13	11	16	23	31	18	21	72	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	252	21	2	-	5	18	10	12	13	10	8	13	19	26	15	19	61	-
PUERTO RICAN	4	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-
OTHER HISPANIC	52	7	-	-	2	4	4	2	3	3	3	2	4	4	2	2	10	-
NON-HISPANIC	3,989	85	14	8	44	81	59	72	66	60	72	130	207	332	463	588	1,703	5
NOT STATED	42	3	-	-	2	-	3	1	3	-	1	1	2	1	7	4	12	2
SACRAMENTO	6,922	171	10	9	48	106	98	110	121	136	189	238	380	604	755	858	3,068	1
HISPANIC	248	17	2	-	2	12	9	3	7	8	9	11	18	18	27	21	84	-
CUBAN	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
MEXICAN	186	11	2	-	-	11	5	2	4	6	6	7	14	9	24	17	68	-
PUERTO RICAN	9	-	-	-	-	1	1	1	1	1	-	-	1	3	-	-	2	-
OTHER HISPANIC	51	6	-	-	2	1	3	1	2	1	2	4	3	5	3	4	14	-
NON-HISPANIC	6,659	154	8	9	45	94	89	106	113	128	180	247	361	584	726	836	2,979	-
NOT STATED	15	-	-	-	1	-	-	1	1	-	-	-	1	2	2	1	3	1
FEMALE	3,195	57	-	2	12	25	21	32	41	52	84	95	132	225	291	342	1,754	-
HISPANIC	98	6	-	-	-	3	2	1	2	3	3	5	7	5	9	9	43	-
MEXICAN	70	5	-	-	-	3	1	1	-	2	2	2	5	2	8	7	32	-
PUERTO RICAN	4	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-
OTHER HISPANIC	24	1	-	-	-	-	1	-	2	-	1	3	2	1	1	2	10	-
NON-HISPANIC	3,091	51	-	2	12	22	19	31	38	49	81	90	144	219	281	332	1,710	-
NOT STATED	6	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-
MALE	3,727	104	10	7	36	81	77	78	80	84	105	183	228	379	464	516	1,314	1
HISPANIC	150	11	2	-	2	9	7	2	5	5	6	6	11	13	18	12	41	-
CUBAN	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
MEXICAN	116	6	2	-	-	8	4	1	4	4	4	5	9	7	16	10	36	-
PUERTO RICAN	5	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	1	-
OTHER HISPANIC	27	5	-	-	2	1	2	1	-	1	1	1	1	4	2	2	4	-
NON-HISPANIC	3,568	93	8	7	33	72	70	75	75	79	99	177	217	365	445	504	1,269	-
NOT STATED	9	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	4	1
SAN BENITO	218	6	2	1	1	1	2	2	1	8	5	8	6	14	26	31	104	-
HISPANIC	43	5	1	1	1	1	2	1	1	3	2	2	2	3	1	4	13	-
MEXICAN	39	5	1	1	1	1	2	1	1	3	2	2	2	2	1	3	11	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-
NON-HISPANIC	175	1	1	-	-	-	-	1	-	5	3	6	4	11	25	27	91	-
FEMALE	100	3	1	-	1	-	-	-	-	3	2	5	4	7	10	9	33	-
HISPANIC	18	2	1	-	1	-	-	-	-	1	-	1	2	1	1	2	6	-
MEXICAN	16	2	1	-	1	-	-	-	-	1	-	1	2	1	1	1	5	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NON-HISPANIC	82	1	-	-	-	-	-	-	-	2	2	4	2	6	9	7	49	-
MALE	118	3	1	1	-	1	2	2	1	5	3	3	2	7	16	22	49	-
HISPANIC	25	3	-	1	-	1	2	1	1	2	2	1	-	2	-	2	7	-
MEXICAN	23	3	-	1	-	1	2	1	1	2	2	1	-	1	-	2	6	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
NON-HISPANIC	93	-	1	-	-	-	-	1	-	3	1	2	2	5	16	20	42	-
SAN BERNARDINO	8,118	271	24	33	74	137	131	132	145	175	204	282	447	658	846	992	3,543	14
HISPANIC	664	60	5	9	17	39	27	29	21	26	22	24	48	56	41	54	185	1
CUBAN	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
MEXICAN	511	36	4	5	11	27	19	21	14	19	18	21	37	48	32	41	157	1
PUERTO RICAN	21	4	-	-	1	-	2	1	-	-	-	1	3	2	-	1	6	-
OTHER HISPANIC	127	20	1	4	5	12	6	7	7	7	4	2	8	6	8	11	19	-
NON-HISPANIC	7,421	209	19	24	57	97	104	102	123	148	181	257	398	610	804	934	3,345	9
NOT STATED	33	2	-	-	-	1	-	1	1	1	1	1	1	2	1	4	13	4
FEMALE	3,758	113	8	10	19	20	33	39	46	64	65	114	169	268	340	414	2,031	3
HISPANIC	266	20	-	1	2	7	6	13	5	7	9	11	14	25	22	28	96	-
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN BERNARDINO (CONT'D)																		
MEXICAN	205	12	-	-	2	4	4	8	2	5	5	10	9	22	16	22	84	-
PUERTO RICAN	10	3	-	-	-	-	1	1	-	-	-	-	1	1	-	1	2	-
OTHER HISPANIC	49	5	-	1	-	3	1	4	3	2	4	1	4	2	6	5	8	-
NON-HISPANIC	3,481	92	8	9	17	13	27	25	41	57	56	103	154	243	318	386	1,928	4
NOT STATED	11	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	7	1
MALE	4,360	158	16	23	55	117	98	93	99	111	139	168	278	400	306	378	1,512	9
HISPANIC	398	40	5	8	15	32	21	16	16	19	13	13	34	31	19	26	89	1
CUBAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
MEXICAN	306	24	4	5	9	23	15	13	12	14	13	11	28	26	16	19	73	1
PUERTO RICAN	11	1	-	-	1	-	1	-	-	-	-	1	2	1	-	-	4	-
OTHER HISPANIC	78	15	1	3	5	9	5	3	4	5	-	1	4	4	2	6	11	-
NON-HISPANIC	3,940	117	11	15	40	84	77	77	82	91	125	154	244	367	286	348	1,417	5
NOT STATED	22	1	-	-	-	1	-	-	1	1	1	1	-	2	1	4	6	3
SAN DIEGO	15,255	399	25	42	108	235	250	219	246	227	308	483	733	1,140	1,581	1,921	7,310	28
HISPANIC	906	78	6	6	17	38	45	27	30	22	24	34	49	69	77	89	288	7
CUBAN	12	-	-	-	1	1	-	-	1	-	-	-	1	2	-	1	5	-
MEXICAN	772	72	6	5	15	34	39	23	20	21	23	31	42	39	64	72	241	5
PUERTO RICAN	15	1	-	-	-	-	1	-	-	-	-	1	-	4	4	2	2	-
OTHER HISPANIC	107	5	-	1	2	3	4	4	9	1	1	2	6	4	9	14	40	2
NON-HISPANIC	14,303	318	19	35	91	196	204	192	215	205	284	449	682	1,068	1,500	1,829	7,010	6
NOT STATED	46	3	-	1	-	1	1	-	1	-	-	-	2	3	4	3	12	15
FEMALE	7,420	181	10	18	41	54	64	67	74	78	112	201	285	494	667	844	4,225	5
HISPANIC	417	39	4	2	4	8	12	9	7	4	2	17	22	28	38	42	177	2
CUBAN	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	4	-
MEXICAN	353	38	4	2	4	6	10	6	5	4	2	13	18	24	34	34	145	2
PUERTO RICAN	7	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-
OTHER HISPANIC	52	-	-	-	-	1	2	3	2	-	-	2	4	2	3	6	27	-
NON-HISPANIC	6,984	139	6	15	37	45	52	58	66	74	110	184	261	464	627	802	4,043	1
NOT STATED	19	3	-	1	-	1	-	-	1	-	-	-	2	2	2	-	5	2
MALE	7,835	218	15	24	67	181	186	152	172	149	196	282	448	646	914	1,077	3,085	23
HISPANIC	489	39	2	4	13	30	33	18	23	18	22	17	27	41	39	47	111	5
CUBAN	7	-	-	-	-	-	1	-	1	-	-	-	1	2	-	1	1	-
MEXICAN	419	34	2	3	11	28	29	17	15	17	21	16	24	35	30	38	96	3
PUERTO RICAN	8	-	-	-	-	-	1	-	-	-	-	1	-	2	3	-	1	-
OTHER HISPANIC	55	5	-	1	2	2	2	1	7	1	1	-	2	2	6	8	13	2
NON-HISPANIC	7,319	179	13	20	54	151	152	134	149	131	174	265	421	604	873	1,027	2,967	5
NOT STATED	27	-	-	-	-	-	1	-	-	-	-	-	-	1	2	3	7	13
SAN FRANCISCO	8,228	92	8	8	35	61	141	233	267	233	221	261	420	585	699	961	4,006	7
HISPANIC	466	11	1	3	7	13	18	27	18	11	15	17	29	28	35	42	191	-
CUBAN	10	-	-	-	1	-	1	1	-	-	-	-	1	-	2	1	3	-
MEXICAN	174	6	1	2	2	4	6	9	12	4	4	4	14	11	13	10	72	-
PUERTO RICAN	32	-	-	-	-	-	1	2	1	1	2	1	4	-	1	4	15	-
OTHER HISPANIC	250	5	-	1	4	9	10	15	5	6	9	12	10	17	19	27	101	-
NON-HISPANIC	7,299	58	7	5	18	44	114	190	224	196	184	211	355	513	620	883	3,675	2
NOT STATED	463	23	-	-	-	4	9	16	25	26	22	33	36	44	44	36	140	5
FEMALE	3,582	40	3	3	4	13	29	29	38	40	57	79	120	186	273	417	2,249	2
HISPANIC	199	4	-	-	3	3	2	2	-	-	8	9	12	13	19	17	107	-
CUBAN	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
MEXICAN	71	3	-	-	1	1	-	1	-	-	2	3	7	4	8	3	38	-
PUERTO RICAN	12	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	7	-
OTHER HISPANIC	114	1	-	-	1	2	2	1	-	-	5	5	4	9	9	13	62	-
NON-HISPANIC	3,240	27	3	3	1	10	25	25	34	37	43	66	99	165	239	388	2,073	2
NOT STATED	143	9	-	-	-	-	2	2	4	3	6	4	9	8	15	12	69	-
MALE	4,646	52	5	5	21	48	112	204	229	193	164	182	300	399	426	544	1,757	5
HISPANIC	267	7	1	3	4	10	16	25	18	11	7	8	17	15	16	25	84	-
CUBAN	8	-	-	-	-	-	1	1	-	-	-	-	1	-	1	1	3	-
MEXICAN	103	3	1	2	1	3	6	6	12	4	2	1	7	7	5	7	34	-
PUERTO RICAN	20	-	-	-	-	1	2	1	1	1	-	3	-	-	3	8	-	-
OTHER HISPANIC	136	4	-	1	3	7	8	14	5	6	4	7	6	8	10	14	39	-
NON-HISPANIC	4,059	31	4	2	17	34	89	165	190	159	141	145	256	348	381	495	1,602	-
NOT STATED	320	14	-	-	-	4	7	14	21	23	16	29	27	36	29	24	71	5
SAN JOAQUIN	3,563	94	9	10	22	60	55	56	67	50	75	107	204	285	354	477	1,636	8
HISPANIC	327	23	1	1	8	15	23	12	14	8	15	16	21	32	22	29	86	1
CUBAN	8	-	-	-	-	-	2	1	2	-	1	1	1	-	-	1	-	-
MEXICAN	284	22	1	1	7	13	21	9	11	5	14	12	18	29	20	26	75	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS: UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
SAN JOAQUIN (CONT'D)																		
PUERTO RICAN	5	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1
OTHER HISPANIC	30	1	-	-	1	2	2	1	1	-	1	3	2	2	2	2	10	-
NON-HISPANIC	3,215	67	8	9	14	45	32	44	32	41	60	90	161	249	328	448	1,546	1
NOT STATED	21	4	-	-	-	-	-	-	1	1	-	1	2	4	4	-	4	-
FEMALE	1,568	44	4	5	5	16	11	12	21	17	24	43	74	123	150	187	852	-
HISPANIC	114	11	-	-	-	4	4	1	5	3	2	6	10	12	8	14	34	-
MEXICAN	98	10	-	-	-	3	4	1	4	3	2	5	8	10	6	13	29	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
OTHER HISPANIC	14	1	-	-	-	1	-	-	1	-	-	1	2	1	2	1	4	-
NON-HISPANIC	1,469	33	4	5	5	12	7	11	16	14	22	37	63	111	140	173	816	-
NOT STATED	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-
MALE	1,975	50	5	5	17	44	44	44	46	33	51	64	130	162	204	290	784	2
HISPANIC	213	12	1	1	8	11	19	11	9	5	13	10	11	20	14	15	52	1
CUBAN	8	-	-	-	-	-	-	2	1	2	-	1	1	-	-	1	-	-
MEXICAN	186	12	1	1	7	10	17	8	7	2	12	7	10	19	14	13	46	-
PUERTO RICAN	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1
OTHER HISPANIC	16	-	-	-	1	1	2	1	-	-	1	2	-	1	-	1	6	-
NON-HISPANIC	1,746	34	4	4	9	33	25	33	36	27	38	53	118	138	188	275	730	1
NOT STATED	16	4	-	-	-	-	-	-	1	1	-	1	1	4	2	-	2	-
SAN LUIS OBISPO	1,512	26	1	5	7	15	18	24	27	13	23	39	61	110	161	206	776	-
HISPANIC	45	2	-	1	1	4	2	1	1	-	2	2	1	6	3	4	15	-
CUBAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
MEXICAN	32	2	-	1	-	4	1	-	1	-	1	1	1	5	3	2	10	-
OTHER HISPANIC	12	-	-	-	1	-	1	-	-	-	1	1	-	1	-	2	5	-
NON-HISPANIC	1,460	23	1	4	6	11	16	23	26	13	21	37	60	103	158	202	756	-
NOT STATED	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-
FEMALE	714	9	1	3	1	5	3	5	7	8	6	14	18	46	58	89	441	-
HISPANIC	15	1	-	-	-	-	-	-	-	-	-	-	-	3	1	3	7	-
MEXICAN	10	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	5	-
OTHER HISPANIC	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-
NON-HISPANIC	697	8	1	3	1	5	3	5	7	8	6	14	18	43	57	86	432	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MALE	798	17	-	2	6	10	15	19	20	5	17	25	43	64	103	117	335	-
HISPANIC	30	1	-	1	1	4	2	1	1	-	2	2	1	3	2	1	8	-
CUBAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
MEXICAN	22	1	-	1	-	4	1	-	1	-	1	1	1	3	2	1	5	-
OTHER HISPANIC	7	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	3	-
NON-HISPANIC	763	15	-	1	5	6	13	18	19	5	15	23	42	60	101	116	324	-
NOT STATED	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-
SAN MATEO	4,680	105	4	2	24	57	65	65	80	82	110	137	259	399	501	545	2,222	3
HISPANIC	221	20	1	-	3	10	13	9	4	9	7	6	18	17	11	14	79	-
CUBAN	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-
MEXICAN	110	12	1	-	-	7	8	5	1	5	2	3	9	12	6	5	34	-
PUERTO RICAN	12	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	5	-
OTHER HISPANIC	95	8	-	-	3	3	5	4	3	4	5	2	7	3	3	4	39	-
NON-HISPANIC	4,355	72	3	2	21	44	51	54	74	70	101	139	234	374	476	528	2,111	1
NOT STATED	104	13	-	-	-	3	1	2	2	3	2	12	7	8	14	3	32	2
FEMALE	2,289	38	1	1	11	13	15	16	31	33	30	57	105	164	231	247	1,275	1
HISPANIC	102	8	-	-	1	1	2	2	1	6	5	2	8	5	5	10	46	-
CUBAN	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
MEXICAN	43	6	-	-	-	-	2	1	-	4	2	2	2	1	1	3	19	-
PUERTO RICAN	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	-
OTHER HISPANIC	48	2	-	-	1	1	-	1	1	2	3	-	5	2	4	4	22	-
NON-HISPANIC	2,147	27	1	1	10	12	13	13	29	27	44	53	95	136	218	236	1,211	1
NOT STATED	40	3	-	-	-	-	-	1	1	-	1	2	2	3	8	1	18	-
MALE	2,391	67	3	1	13	44	50	49	49	49	60	80	154	235	270	298	947	2
HISPANIC	119	12	1	-	2	9	11	7	3	3	2	4	10	12	6	4	33	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MEXICAN	67	6	1	-	-	7	6	4	1	1	-	1	7	11	5	2	15	-
PUERTO RICAN	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-
OTHER HISPANIC	47	6	-	-	2	2	5	3	2	2	2	2	2	1	1	-	17	-
NON-HISPANIC	2,208	45	2	1	11	32	38	41	45	43	57	86	139	218	258	292	900	-
NOT STATED	64	10	-	-	-	3	1	1	1	3	1	10	5	5	6	2	14	2
SANTA BARBARA	2,612	54	3	5	12	22	32	43	57	42	43	61	135	166	232	262	1,442	1

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SANTA BARBARA (CONT'D)																		
HISPANIC	214	18	1	1	2	7	5	6	6	6	10	5	11	14	14	25	83	-
CUBAN	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
MEXICAN	184	15	1	1	1	7	3	5	3	4	8	5	11	11	13	24	72	-
OTHER HISPANIC	28	3	-	-	1	-	1	-	3	2	2	-	-	3	1	1	11	-
NON-HISPANIC	2,384	31	1	4	10	15	27	35	50	35	33	56	123	152	218	236	1,358	-
NOT STATED	14	5	1	-	-	-	-	2	1	1	-	-	1	-	-	1	1	1
FEMALE	1,277	25	1	2	7	4	7	14	18	15	16	26	42	67	96	105	831	1
HISPANIC	90	10	-	1	1	1	1	2	3	2	4	3	4	3	6	11	39	-
CUBAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
MEXICAN	74	8	-	1	1	1	1	1	-	1	3	3	4	2	5	10	33	-
OTHER HISPANIC	15	2	-	-	-	-	-	-	3	1	1	-	-	1	-	1	5	-
NON-HISPANIC	1,184	13	1	1	6	3	6	12	15	13	12	23	38	64	90	94	793	-
NOT STATED	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	1,335	29	2	3	5	18	25	29	39	27	27	35	93	99	136	157	611	-
HISPANIC	124	8	1	-	1	6	4	4	3	6	6	2	7	11	8	14	43	-
CUBAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	110	7	1	-	-	6	2	4	3	3	5	2	7	9	8	14	39	-
OTHER HISPANIC	13	1	-	-	1	-	1	-	-	1	1	-	-	2	-	-	6	-
NON-HISPANIC	1,200	18	-	3	4	12	21	23	35	22	21	33	85	88	128	142	565	-
NOT STATED	11	3	1	-	-	-	-	2	1	1	-	-	1	-	-	1	1	-
SANTA CLARA	8,266	229	25	24	89	127	152	157	163	176	202	326	464	654	802	949	3,721	6
HISPANIC	750	54	6	5	28	29	28	32	23	23	22	34	51	60	62	69	226	1
CUBAN	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-
MEXICAN	577	44	6	5	23	22	19	22	16	18	17	30	42	49	46	69	168	1
PUERTO RICAN	20	-	-	-	-	1	-	-	-	2	1	1	-	3	3	3	6	-
OTHER HISPANIC	147	10	-	-	5	6	9	10	5	3	4	3	9	8	11	14	50	-
NON-HISPANIC	7,374	162	21	17	61	96	117	122	137	150	179	288	403	584	732	864	3,440	1
NOT STATED	142	13	-	2	-	2	7	3	3	3	1	4	10	10	9	16	55	4
FEMALE	3,993	90	11	10	24	35	34	47	62	63	94	123	185	265	330	447	2,172	1
HISPANIC	291	16	1	3	6	9	3	8	7	4	11	15	20	24	23	29	112	-
CUBAN	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-
MEXICAN	227	12	1	3	6	7	3	5	6	4	9	12	17	22	19	19	82	-
PUERTO RICAN	8	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	3	-
OTHER HISPANIC	54	4	-	-	-	1	-	3	1	-	2	2	3	2	2	8	26	-
NON-HISPANIC	3,646	68	10	7	18	26	28	39	54	59	82	106	162	239	306	417	2,030	-
NOT STATED	56	6	-	-	-	-	3	-	1	-	1	2	3	2	1	1	30	1
MALE	4,273	139	14	14	65	92	118	110	101	113	108	203	279	389	472	502	1,549	5
HISPANIC	459	38	3	2	22	20	25	24	16	19	11	19	31	36	38	40	114	1
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
MEXICAN	350	32	3	2	17	15	16	17	12	14	8	16	23	27	27	38	86	1
PUERTO RICAN	14	-	-	-	-	-	-	-	-	2	1	-	-	3	2	3	3	-
OTHER HISPANIC	93	6	-	-	5	5	9	7	4	3	1	1	8	9	9	6	24	-
NON-HISPANIC	3,728	94	11	10	43	70	89	83	83	91	[illegible]	182	241	345	420	452	1,410	3
NOT STATED	86	7	-	2	-	2	4	3	2	3	-	2	7	8	6	10	25	3
SANTA CRUZ	1,783	35	4	2	13	26	20	28	26	29	23	41	54	103	146	187	1,043	-
HISPANIC	81	14	-	1	6	9	3	3	3	-	1	2	1	7	6	5	18	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MEXICAN	70	12	-	1	6	9	3	3	3	-	1	2	-	7	4	3	11	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	9	2	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-
NON-HISPANIC	1,689	21	4	1	7	17	15	23	23	29	21	39	53	96	140	179	1,019	-
NOT STATED	13	3	-	-	-	-	-	-	-	-	1	-	-	-	-	3	6	-
FEMALE	878	16	2	1	2	5	7	10	9	11	9	17	24	50	61	83	573	-
HISPANIC	17	6	-	-	1	-	1	2	-	-	-	-	-	1	2	2	4	-
MEXICAN	14	3	-	-	1	-	1	2	-	-	-	-	-	1	2	2	2	-
OTHER HISPANIC	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NON-HISPANIC	859	11	2	1	1	5	6	8	9	11	9	17	24	49	59	81	568	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-
MALE	905	22	2	1	11	21	13	16	20	18	17	24	30	53	85	102	460	-
HISPANIC	64	10	-	1	3	9	4	1	3	-	1	2	1	6	4	3	14	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MEXICAN	36	8	-	1	3	9	4	1	3	-	1	2	-	6	2	1	12	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	6	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-
NON-HISPANIC	834	10	2	-	8	12	9	17	17	18	15	22	29	47	81	98	431	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SANTA CRUZ (CONT'D)																		
NOT STATED	7	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-
SHASTA	1,133	28	5	6	14	20	13	12	18	12	25	32	65	91	144	174	474	-
HISPANIC	18	3	-	-	2	3	-	-	-	-	-	1	1	1	-	3	4	-
MEXICAN	11	3	-	-	2	2	-	-	-	-	-	-	1	1	-	-	2	-
OTHER HISPANIC	7	-	-	-	-	1	-	-	-	-	-	1	-	-	-	3	2	-
NON-HISPANIC	1,110	25	5	6	12	16	13	12	18	12	25	31	64	89	143	171	469	-
NOT STATED	5	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	-
FEMALE	533	17	3	1	9	5	6	2	5	5	7	15	32	36	54	70	266	-
HISPANIC	8	3	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-
MEXICAN	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
NON-HISPANIC	523	14	3	1	9	4	6	2	5	5	7	15	32	36	54	68	262	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MALE	600	11	2	5	5	15	7	10	13	7	18	17	33	55	90	104	208	-
HISPANIC	10	-	-	-	2	2	-	-	-	-	-	1	1	1	-	1	2	-
MEXICAN	7	-	-	-	2	2	-	-	-	-	-	-	1	1	-	-	1	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
NON-HISPANIC	587	11	2	5	3	12	7	10	13	7	18	16	32	53	89	103	206	-
NOT STATED	3	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
SIERRA	36	1	-	1	-	-	-	-	1	-	1	-	2	2	6	10	12	-
NON-HISPANIC	35	1	-	1	-	-	-	-	1	-	1	-	2	2	6	10	11	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	13	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	7	-
NON-HISPANIC	12	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	6	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	23	1	-	1	-	-	-	-	-	-	-	-	2	2	4	8	5	-
NON-HISPANIC	23	1	-	1	-	-	-	-	-	-	-	-	2	2	4	8	5	-
SISKIYOU	379	8	1	-	3	4	4	4	2	8	4	13	13	35	35	65	180	-
HISPANIC	5	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-
MEXICAN	5	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-
NON-HISPANIC	372	8	1	-	3	4	4	3	2	8	4	12	12	34	34	64	179	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE	165	3	-	-	-	-	1	1	1	5	2	6	6	13	12	25	90	-
HISPANIC	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
MEXICAN	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
NON-HISPANIC	163	3	-	-	-	-	1	-	1	5	2	6	5	13	12	25	90	-
MALE	214	5	1	-	3	4	3	3	1	3	2	7	7	22	23	40	90	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
MEXICAN	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
NON-HISPANIC	209	5	1	-	3	4	3	3	1	3	2	6	7	21	22	39	89	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
SOLANO	1,763	52	5	6	10	30	27	32	32	44	53	74	103	137	184	232	721	1
HISPANIC	30	3	1	-	1	3	1	3	-	1	1	4	1	1	2	7	21	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	23	1	-	-	1	3	1	2	-	1	1	3	1	1	-	5	5	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	22	2	1	-	-	-	-	1	-	-	-	1	-	-	2	2	13	-
NON-HISPANIC	1,598	44	3	6	7	25	26	28	30	39	50	67	97	148	174	210	643	1
NOT STATED	115	5	1	-	2	2	-	1	2	4	2	3	5	8	8	15	57	-
FEMALE	794	27	1	1	5	9	7	6	16	16	16	34	42	57	73	89	395	-
HISPANIC	26	1	-	-	-	1	-	-	-	-	1	3	-	-	2	3	15	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	9	-	-	-	-	1	-	-	-	-	1	3	-	-	-	2	2	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	14	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	10	-
NON-HISPANIC	717	23	-	1	4	8	7	6	15	14	15	30	40	54	67	81	352	-
NOT STATED	51	3	1	-	1	-	-	-	1	2	-	1	2	3	4	5	28	-
MALE	969	25	4	5	5	21	20	26	16	28	37	40	61	80	111	143	326	1
HISPANIC	24	2	1	-	1	2	1	3	-	1	-	1	1	1	-	4	6	-
MEXICAN	16	1	-	-	1	2	1	2	-	1	-	-	1	1	-	3	3	-
OTHER HISPANIC	8	1	1	-	-	-	-	1	-	-	-	1	-	-	-	1	3	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SOLANO (CONT'D)																		
NON-HISPANIC	881	21	3	5	3	17	19	22	15	25	35	37	57	94	107	129	291	1
NOT STATED	64	2	-	-	1	2	-	1	1	2	2	2	3	5	4	10	29	-
SONOMA	3,028	47	4	10	26	36	28	37	45	53	55	90	125	207	285	383	1,593	1
HISPANIC	81	9	-	1	4	8	6	1	3	-	2	2	4	7	7	8	19	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	58	7	-	-	4	8	6	1	3	-	1	1	4	5	3	4	11	-
PUERTO RICAN	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-
OTHER HISPANIC	16	2	-	1	-	-	-	-	-	-	1	1	-	2	3	2	4	-
NON-HISPANIC	2,921	37	4	9	22	28	21	33	42	52	52	88	121	198	279	372	1,563	-
NOT STATED	26	1	-	-	-	-	1	3	-	1	1	-	-	2	2	3	11	1
FEMALE	1,425	17	-	5	7	7	6	10	12	17	17	30	46	82	123	168	878	-
HISPANIC	25	3	-	1	-	1	-	-	1	-	1	1	1	1	2	6	7	-
MEXICAN	15	2	-	-	-	1	-	-	1	-	-	-	1	1	1	3	5	-
PUERTO RICAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
OTHER HISPANIC	7	1	-	1	-	-	-	-	-	-	1	1	-	-	-	2	1	-
NON-HISPANIC	1,389	13	-	4	7	6	6	9	11	16	16	29	45	80	121	160	866	-
NOT STATED	11	1	-	-	-	-	-	1	-	1	-	-	-	1	-	2	5	-
MALE	1,603	30	4	5	19	29	22	27	33	36	38	60	79	125	165	215	715	1
HISPANIC	56	6	-	-	4	7	6	1	2	-	1	1	3	6	5	2	12	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	43	5	-	-	4	7	6	1	2	-	1	1	3	4	2	1	6	-
PUERTO RICAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
OTHER HISPANIC	9	1	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	-
NON-HISPANIC	1,532	24	4	5	15	22	15	24	31	36	36	59	76	118	158	212	697	-
NOT STATED	15	-	-	-	-	-	1	2	-	-	1	-	-	1	2	1	6	1
STANISLAUS	2,541	73	5	8	26	22	33	45	31	46	50	64	128	219	257	351	1,283	-
HISPANIC	120	16	1	1	7	6	5	10	5	4	1	3	5	7	11	8	28	-
MEXICAN	104	14	-	1	6	8	5	9	5	4	-	3	5	6	10	7	21	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER HISPANIC	15	2	1	-	1	-	-	1	-	-	-	-	-	1	1	1	7	-
NON-HISPANIC	2,509	54	4	7	18	14	28	35	26	42	48	60	121	210	246	342	1,254	-
NOT STATED	12	3	-	-	1	-	-	-	-	-	1	1	2	2	-	1	1	-
FEMALE	1,171	22	1	4	7	2	10	16	13	20	17	19	30	65	108	128	669	-
HISPANIC	45	7	1	1	-	-	-	3	1	2	-	1	2	3	7	2	15	-
MEXICAN	37	6	-	1	-	-	-	3	1	2	-	1	2	2	7	1	11	-
OTHER HISPANIC	8	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-
NON-HISPANIC	1,124	15	-	3	7	2	10	13	12	18	17	18	47	81	101	126	654	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
MALE	1,470	51	4	4	19	20	33	29	18	26	33	45	78	134	149	223	614	-
HISPANIC	75	9	-	-	7	8	5	7	4	2	1	2	3	4	4	6	13	-
MEXICAN	67	8	-	-	6	8	5	6	4	2	-	2	3	4	3	6	10	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER HISPANIC	7	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	3	-
NON-HISPANIC	1,385	39	4	4	11	12	18	22	14	24	31	42	74	129	145	216	600	-
NOT STATED	10	3	-	-	1	-	-	-	-	-	1	1	1	1	-	1	1	-
SUTTER	499	13	-	1	5	7	16	6	8	13	6	12	18	36	53	69	233	1
HISPANIC	22	4	-	-	1	4	1	1	1	-	-	1	2	2	-	-	4	1
MEXICAN	20	3	-	-	1	4	1	1	1	-	-	1	2	2	-	-	3	1
OTHER HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	471	11	-	1	3	3	15	5	7	13	6	11	16	34	52	67	217	-
NOT STATED	6	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	2	-
FEMALE	230	6	-	-	3	1	5	-	2	5	2	5	4	15	22	25	135	-
HISPANIC	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
MEXICAN	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	220	4	-	-	1	1	5	-	2	5	2	5	4	15	21	24	131	-
NOT STATED	5	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-
MALE	269	9	-	1	2	6	11	6	6	8	4	7	14	21	31	44	98	1
HISPANIC	17	2	-	-	-	4	1	1	1	-	-	1	2	2	-	-	2	1
MEXICAN	17	2	-	-	-	4	1	1	1	-	-	1	2	2	-	-	2	1
NON-HISPANIC	251	7	-	1	2	2	10	5	5	8	4	6	12	19	31	43	96	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
TEHAMA	474	8	3	1	2	7	4	4	3	8	6	8	23	45	58	80	238	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																	
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
TEHAMA (CONT'D)																		
HISPANIC	6	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	4	-
MEXICAN	5	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	3	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	467	8	3	1	2	6	4	4	2	8	6	8	23	45	58	56	233	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	214	4	1	-	1	3	-	1	1	3	3	6	7	20	16	23	125	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NON-HISPANIC	212	4	1	-	1	3	-	1	1	3	3	6	7	20	16	23	123	-
MALE	260	4	2	1	1	4	4	3	2	5	3	2	16	25	42	33	113	-
HISPANIC	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-
MEXICAN	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	255	4	2	1	1	3	4	3	1	5	3	2	16	25	42	33	110	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
TRINITY	100	2	1	-	-	2	3	-	1	1	4	4	4	7	11	14	45	1
NON-HISPANIC	99	2	1	-	-	2	3	-	1	1	4	4	4	7	11	14	45	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE	43	1	-	-	-	2	1	-	1	-	2	1	2	1	5	4	23	-
NON-HISPANIC	43	1	-	-	-	2	1	-	1	-	2	1	2	1	5	4	23	-
MALE	57	1	1	-	-	-	2	-	-	1	2	3	2	6	6	10	22	1
NON-HISPANIC	56	1	1	-	-	-	2	-	-	1	2	3	2	6	6	10	22	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
TULARE	2,123	70	4	7	41	46	31	32	38	46	38	61	95	153	200	250	1,009	2
HISPANIC	282	29	1	2	14	19	15	12	11	15	7	14	11	14	21	16	79	2
CUBAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
MEXICAN	252	24	1	2	13	18	12	10	9	12	6	14	11	13	19	14	72	2
PUERTO RICAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	26	5	-	-	1	1	3	1	2	3	1	-	-	1	1	2	5	-
NON-HISPANIC	1,775	34	3	5	27	26	14	19	27	29	31	44	79	133	174	228	902	-
NOT STATED	66	7	-	-	-	1	2	1	-	2	-	3	5	6	5	6	28	-
FEMALE	978	29	-	3	17	12	9	8	14	19	10	25	37	61	79	117	535	-
HISPANIC	96	12	-	-	4	3	4	2	3	6	3	5	6	2	9	6	31	-
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
MEXICAN	87	10	-	-	3	3	4	2	3	5	3	5	6	2	8	5	28	-
OTHER HISPANIC	7	2	-	-	1	-	-	-	-	1	-	-	-	-	-	1	2	-
NON-HISPANIC	849	16	-	3	13	8	4	6	11	12	7	21	28	56	69	109	486	-
NOT STATED	33	1	-	-	-	1	1	-	-	1	-	2	3	3	1	2	18	-
MALE	1,145	41	4	4	24	34	22	24	24	27	28	33	58	92	121	133	474	2
HISPANIC	186	17	1	2	10	16	11	10	8	9	4	9	5	12	12	10	48	2
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	165	14	1	2	10	13	8	8	6	7	3	9	5	11	11	9	44	2
PUERTO RICAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	19	3	-	-	-	1	3	1	2	2	1	-	-	1	1	1	3	-
NON-HISPANIC	926	18	3	2	14	18	10	13	16	17	24	23	51	77	105	119	416	-
NOT STATED	33	6	-	-	-	-	1	1	-	1	-	1	2	3	4	4	10	-
TUOLUMNE	393	5	-	2	3	4	5	2	7	12	11	12	15	37	38	32	168	-
HISPANIC	8	-	-	-	-	-	-	-	-	-	1	1	-	3	1	-	2	-
MEXICAN	6	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	2	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	384	5	-	2	3	4	5	2	7	12	10	11	13	34	37	51	166	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	168	1	-	1	1	-	1	-	2	3	4	5	8	21	23	20	78	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NON-HISPANIC	165	1	-	1	1	-	1	-	2	3	4	4	8	20	23	20	77	-
MALE	225	4	-	1	2	4	4	2	5	9	7	7	7	16	35	32	90	-
HISPANIC	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-
MEXICAN	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-
NON-HISPANIC	219	4	-	1	2	4	4	2	5	9	6	7	7	14	34	31	89	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGIN , AND AGE

CALIFORNIA COUNTIES, 1985

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
VENTURA	3,595	106	11	13	40	47	51	64	57	72	70	106	208	299	359	408	1,680	4
HISPANIC	356	34	3	4	8	10	11	9	8	11	7	16	27	31	23	36	118	-
CUBAN	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-
MEXICAN	306	30	3	3	6	9	8	7	7	10	7	13	21	29	21	33	99	-
PUERTO RICAN	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
OTHER HISPANIC	41	3	-	1	2	1	3	2	-	1	-	2	5	2	2	2	15	-
NON-HISPANIC	3,210	71	8	9	32	37	39	55	47	60	63	89	180	267	332	368	1,553	-
NOT STATED	29	1	-	-	-	-	1	-	2	1	-	1	1	1	4	4	9	4
FEMALE	1,658	50	5	3	15	9	11	12	17	27	31	47	74	110	144	175	928	-
HISPANIC	152	15	-	2	3	2	2	1	2	5	3	9	11	12	9	18	58	-
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MEXICAN	128	12	-	1	2	2	1	1	1	4	3	8	9	11	8	18	47	-
PUERTO RICAN	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	19	2	-	1	1	-	1	-	-	1	-	1	2	1	1	-	8	-
NON-HISPANIC	1,486	34	5	1	12	7	9	11	15	21	28	38	63	97	131	153	861	-
NOT STATED	20	1	-	-	-	-	-	-	-	1	-	-	-	1	4	4	9	-
MALE	1,937	56	6	10	25	38	40	52	40	45	39	59	134	189	215	233	752	4
HISPANIC	204	19	3	2	5	8	9	8	6	6	4	7	16	19	14	18	60	-
CUBAN	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
MEXICAN	178	18	3	2	4	7	7	6	6	6	4	5	12	18	13	15	52	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER HISPANIC	22	1	-	-	1	1	2	2	-	-	-	1	3	1	1	2	7	-
NON-HISPANIC	1,724	37	3	8	20	30	30	44	32	39	35	51	117	170	201	215	692	-
NOT STATED	9	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-	-	4
YOLO	917	10	4	1	6	13	13	8	11	20	30	27	39	69	104	115	423	4
HISPANIC	76	3	4	-	1	5	2	2	-	3	5	3	5	6	8	6	23	-
MEXICAN	63	2	3	-	1	3	2	2	-	3	4	2	3	6	8	6	18	-
PUERTO RICAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	12	1	1	-	-	1	-	-	-	-	1	1	2	-	-	-	5	-
NON-HISPANIC	830	7	-	1	5	8	11	6	11	17	25	23	34	63	94	108	394	3
NOT STATED	11	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	6	1
FEMALE	398	5	2	-	1	3	6	2	5	7	11	13	20	24	39	43	217	-
HISPANIC	36	3	2	-	-	2	1	-	-	1	2	1	3	2	1	5	13	-
MEXICAN	28	2	2	-	-	1	1	-	-	1	2	-	2	2	1	5	9	-
OTHER HISPANIC	8	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	4	-
NON-HISPANIC	359	2	-	-	1	1	5	2	5	6	9	12	17	22	37	38	202	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
MALE	519	5	2	1	5	10	7	6	6	13	19	14	39	45	65	72	206	4
HISPANIC	40	-	2	-	1	3	1	2	-	2	3	2	2	4	7	1	10	-
MEXICAN	35	-	1	-	1	2	1	2	-	2	2	2	1	4	7	1	9	-
PUERTO RICAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	4	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
NON-HISPANIC	471	5	-	1	4	7	6	4	6	11	16	11	37	41	57	70	192	3
NOT STATED	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	1
YUBA	457	12	1	-	6	7	5	6	7	12	9	16	34	42	46	73	181	-
HISPANIC	14	1	-	-	-	1	-	1	-	-	1	-	-	-	2	2	6	-
MEXICAN	11	-	-	-	-	1	-	1	-	-	1	-	-	-	1	1	6	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	442	11	-	-	6	6	5	5	7	12	8	16	34	42	44	71	175	-
NOT STATED	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	192	5	-	-	1	1	2	2	2	5	4	7	13	19	16	29	86	-
HISPANIC	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-
MEXICAN	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-
OTHER HISPANIC	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	188	4	-	-	1	1	2	2	2	5	3	7	13	19	16	29	84	-
MALE	265	7	1	-	5	6	3	4	5	7	5	9	21	23	30	44	95	-
HISPANIC	10	-	-	-	-	1	-	1	-	-	-	-	-	-	2	2	4	-
MEXICAN	8	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	4	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	254	7	-	-	5	5	3	3	5	7	5	9	21	23	28	42	91	-
NOT STATED	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

Table 5-11

DEATHS FROM SIX CAUSES ASSOCIATED WITH AIDS BY SEX AND AGE CALIFORNIA, 1984 AND 1985

(By place of residence)

SEX/AGE	ALL SIX CAUSES			CYTOMEGALOVIRUS INFECTION (078.5)			CYPTOCOCCAL INFECTION (117.5)			PNEUMOCYSTIS CARINII PNEUMONIA (136.3)			OTHER MALIGNANT NEOPLASM OF SKIN SITE UNSPECIFIED (173.9)			IMMUNODEFICIENCY WITH PREDOMINATE T-CELL DEFECT, UNSPECIFIED (279.1)			IMMUNODEFICIENCY UNSPECIFIED (279.3)		
	1984	1985	Percent Change 1984 to 1985	1984	1985	Percent Change 1984 to 1985	1984	1985	Percent Change 1984 to 1985	1984	1985	Percent Change 1984 to 1985	1984	1985	Percent Change 1984 to 1985	1984	1985	Percent Change 1984 to 1985	1984	1985	Percent Change 1984 to 1985
TOTAL	693	1,190	71.7	30	40	33.3	28	64	128.6	234	418	78.6	116	152	31.0	256	493	92.6	29	23	(20.7)
Male	633	1,119	76.8	25	32	28.0	24	61	154.2	218	391	79.4	102	141	38.2	248	479	93.1	16	15	(6.3)
Under 20	12	11	(8.3)	2	2	–	–	–	–	6	5	(16.7)	1	–	–	2	3	50.0	1	1	–
20–29	91	149	63.7	2	4	100.0	1	9	800.0	31	59	90.3	13	21	61.5	43	55	27.9	1	1	–
30–39	249	478	92.0	6	14	133.3	8	27	237.5	86	160	86.0	37	59	59.5	111	214	92.8	1	4	300.0
40–49	153	287	87.6	8	10	25.0	5	11	120.0	53	98	84.9	25	30	20.0	57	133	133.3	5	5	–
50 and Over	128	194	51.6	7	2	(71.4)	10	14	40.0	42	69	64.3	26	31	19.2	35	74	111.4	8	4	50.0
Female	60	71	18.3	5	8	60.0	4	3	(25.0)	16	27	68.8	14	11	(21.4)	8	14	75.0	13	8	(38.5)
Under 20	11	10	(9.1)	3	1	(66.7)	1	–	–	5	6	20.0	–	–	–	1	2	100.0	1	1	–
20–29	5	7	40.0	–	1	–	–	–	–	1	3	200.0	–	–	–	3	2	(33.3)	1	1	–
30–39	2	8	300.0	–	2	–	–	–	–	1	2	100.0	–	–	–	1	4	300.0	–	–	–
40–49	3	9	200.0	–	1	–	–	1	–	–	5	–	–	–	–	2	1	(50.0)	1	1	–
50 and Over	39	37	(5.1)	2	3	50.0	3	2	(33.3)	9	11	22.2	14	11	(21.4)	1	5	400.0	10	5	(50.0)

Source: California Death Records.

6. SOURCES, QUALITY, AND LIMITATIONS OF DATA

Page

VITAL STATISTICS REGISTRATION
- History of Vital Statistics Registration 354
- Registration Systems at Present 354
- Live Birth, Death, and Fetal Death Registration .. 355
- Marriage and Marriage Dissolution Registration ... 356

SOURCES AND QUALITY OF VITAL STATISTICS DATA
- Records 356
- Births, Deaths, and Fetal Deaths 357
- California Birth Cohort File 357
- Quality Control Procedures 357
- Population 357

LIMITATIONS OF DATA
- Cause of Death 360
- Tabulations of Cause of Death 361
- Variability of Rates 361
- Sampling Error and Vital Statistics 362
- Time Periods and Geographic Bases 364
- Race and Ethnicity 364
- Age 366
- Length of Gestation 366

VITAL STATISTICS REGISTRATION

History of Vital Statistics Registration

Less than a decade after the formation of California State Government in 1850, a law was enacted requiring the state registration of vital events. The law was repealed in 1860; births and deaths were then registered by local offices and were incomplete. Effective statewide registration of births, deaths, and marriages began in California in 1905 when the Bureau of Vital Statistics was established to direct the maintenance of a statewide registration and reporting system. Statewide registration and reporting of births, deaths, and marriages has continued without interruption since that date. California was admitted to the United States Death Registration Area in 1906, to the Birth Registration Area in 1919, to the Marriage Registration Area in 1957, and to the Divorce Registration Area in 1968.

In 1962, a statewide reporting system for divorces and annulments was established. Because the report of final decree contained very few items of information, only a limited index and simple counts by county were available. A more extensive divorce reporting system went into effect in 1966, requiring that initial complaints and final decrees be reported. The Family Law Act of 1969, implemented January 1, 1970, removed adversary proceedings, changed the name of the decrees of marital dissolution, and reduced the waiting period from initial filing to final decree. In 1978, the Legislature sharply reduced the scope of California's marriage dissolution reporting system, and in that same year, California was dropped from the U.S. Divorce Registration Area. Since 1978, county clerks report to the State Registrar only type of final decree, county case number, spouses' names, and date decree granted.

From 1905 through 1939, a stillbirth required filing both a birth and a death certificate. The birth certificate contained an item requiring the attendant at birth to indicate whether or not the child was born alive. Processing of these birth certificates was exactly the same as for certificates of live birth, except that they were excluded from the live birth tabulations. Beginning in 1940, stillbirths were registered on a Certificate of Stillbirth, which has been known as a Certificate of Fetal Death since 1952.

Registration Systems at Present

In California, the registration of vital events is uniformly governed by statutory provisions set forth in Division 9 of the California Health and Safety Code. The Director of Health Serv-

ices is the State Registrar of Vital Statistics. Forms, standards, and guidelines are provided by the Office of State Registrar, State Department of Health Services. (See "The Vital Statistics System in California," inside front cover, for further functional definitions.)

Live Birth, Death, and Fetal Death Registration

Births, deaths, and fetal deaths are registered with the local registrar in the county where the event took place. Registration forms are furnished by the State Registrar. Local registrars prepare and maintain copies of original certificates; original certificates are then mailed to the State Registrar, indexed, and filed as permanent records.

The Health and Safety Code names local health officers of approved full-time local health departments as local registrars. Forty-seven of California's 58 counties have approved full-time local health departments. In the 11 counties (Alpine, Amador, Calaveras, Glenn, Lassen, Mariposa, Modoc, Mono, San Benito, Sierra, and Trinity) without approved full-time health departments, local registrars are appointed by the State Registrar.

Each live birth must be registered with the local registrar within ten days following the birth. For births occurring in a hospital, the hospital administrator or designee is responsible for registering the birth. For out-of-hospital births, the physician or other person in attendance is responsible for the registration; if no attendant is present, one of the parents must complete the registration (Health and Safety Code, Division 9, Chapter 3, Article 1).

Each fetal death in which the fetus has advanced to or beyond the 20th week of uterogestation must be registered with the local registrar within five days following delivery, prior to any disposition of the fetus (Health and Safety Code, Division 9, Chapter 4, Article 1). It is the responsibility of the attending physician or the coroner to certify the cause of death. It is the responsibility of the funeral director, or person acting in lieu thereof, to obtain all information other than that in the medical and health section, and to register the certificate.

Each death must be registered with the local registrar within five days after the death occurs, prior to any disposition of the human remains. The persons charged with this responsibility are the funeral director, or person acting in lieu thereof, and the physician in attendance or the coroner (Health and Safety Code, Division 9, Chapter 5, Article 1).

It is the responsibility of the physician last in attendance to complete the medical and health section of the death certificate, including the cause of death. However, in the event that no physician was in attendance within 20 days of the death, or the physician is unable to state the cause of death, the death becomes a coroner's case. In all cases where suicide or homicide is suspected, or where there was an accident or injury, it is the coroner's duty to investigate the death.

Marriage and Marriage Dissolution Registration

There are two types of marriage licenses which may be issued in California, a "regular" license (Civil Code, Section 4100) and a "confidential" license (Civil Code, Section 4213). Both types of licenses are contained in a three-part form. The forms are furnished by the Office of State Registrar to the county clerks responsible for issuing them. The original portion, Part 1, becomes the marriage certificate after the ceremony has been solemnized.

A regular license may be used anywhere in the State of California while a ceremony performed based upon the issuance of a confidential license may only be performed in the county in which the license was issued. Each marriage must be registered with the local registrar by the person performing the ceremony within four days after the solemnization. The county recorder is the local registrar of regular marriages and is responsible for transmitting the Certificate of Registry of Marriage to the Office of State Registrar.

The county clerk is the local registrar of confidential marriages and is responsible for transmitting a copy of the Certificate of Confidential Marriage to the Office of State Registrar. Unlike records of regular marriage, records of confidential marriages are not open to public inspection in the local registrar's office or the Office of State Registrar, except upon order of the Superior Court.

Certificates of Final Decree of Dissolution of Marriage, Judgment of Nullity, or Legal Separation are transmitted to the State Registrar by the county clerk of the county in which the decree was granted.

SOURCES AND QUALITY OF VITAL STATISTICS DATA

Records

Vital statistics records of the State Department of Health Services are the source of data presented in this report. These

records include certificates of live birth, death, fetal death, registry of marriage, and reports of marriage dissolution granted.

Births, Deaths, and Fetal Deaths

Certificates of live birth, death, and fetal death that occur out of state are reallocated to the state of residence. In this report, events occurring out of state to California residents are included in tables subtitled "by place of residence". Mortality and natality data have been tabulated by place of residence since 1945; in all years since then, except 1947, reallocated certificates have been included in California residence data.

Reallocation of birth, death, and fetal death certificates to the state of residence has been virtually complete within the United States since 1955. This was made possible by a cooperative program among the states to exchange copies of certificates for nonresident events. There is no reallocation of records for events occurring in foreign countries.

California birth registration is considered to be complete for births occurring in California, and nearly so for out-of-state births to California residents. An extensive study of the completeness of birth registration was conducted by the Bureau of the Census.[1/] It found that during a five-year period in the United States, birth registration was 99.2 percent complete.

Death registration is considered to be almost 100 percent complete because a death certificate must be filed before a burial permit is issued. Some underregistration may occur for deaths of children under one year of age, and particularly to children dying in the first day of life.

Though no thorough study of the completeness of California's fetal death registration has been conducted recently, it appears that the legally mandated death registration of fetuses that have advanced to or beyond the 20th week of gestation is not complete. The extent and consistency of such nonreporting is unknown at this time.

California Birth Cohort File

In population research, a cohort is a group of individuals who have experienced the same significant demographic event

---

1/ U. S. Department of Commerce, Bureau of the Census, *Test of Birth Registration Completeness, 1964-1968*, PHC (E)-2, 1973.

during a specific period of time (usually a year), and who may be identified as a group at successive later dates by this common demographic experience. Cohort studies enable accurate descriptions of changes occurring in a specific group of individuals over time. The most common and important cohort is a birth cohort, persons born during the same year or years.

Since 1965, the Department of Health Services has linked California's live births and infant deaths on computer tapes to create the California Birth Cohort File. Each cohort consists of records of all the live births and fetal deaths of 20 or more weeks' gestation that occur in a calendar year. The death records of infants in the cohort who die during their first year of life are then matched and linked to their live birth records to complete the California Birth Cohort File. Rates computed from this file are a direct measure of the incidence of infant loss because they represent a follow-up of the mortality experience of a particular group (cohort) of infants from birth to one year of age.

The Birth Cohort File may be used to compute fetal, neonatal, perinatal, postneonatal, and infant mortality rates for a number of characteristics of the mother and child that are only available on the birth and fetal death certificates, such as age of mother, age of father, birth order, place of delivery, trimester prenatal care began, birthweight, gestational age, and race/ethnicity.

Studies have shown that the designation of race/ethnicity for the birth certificate is more accurate than for the death certificate.[8/] The Birth Cohort File enables more accurate death rates by race of child, since race for both the numerator and the denominator are taken from the birth certificate information. The category "White Spanish" for race of child in the Birth Cohort data is not strictly comparable to "Spanish/Hispanic Origin" used in this report for live births and fetal deaths.

8/ Frank D. Norris and Paul W. Shipley, "A Closer Look at Race Differentials in California's Infant Mortality, 1965-67," *Health Services and Mental Health Administration Health Reports*, Vol. 86, No. 9: 810-814, September 1971; Frost, F. and Shy, K. K.: "Racial Differences Between Linked Birth and Infant Death Records in Washington State," *American Journal of Public Health*, Vol. 70, No. 9: 974-976, September 1980.

The Birth Cohort assignment is made by computer identification of Spanish surname,[9/] while for live births and fetal deaths, race of child is generated from mothers' and/or fathers' identification of their own race/ethnicity from multiple-choice lists.

Quality Control Procedures

Because about a million California certificates are processed annually, errors can be introduced into vital statistics data unless provisions are made for appropriate quality control measures. Selected certificate information is key-entered and verified onto computer tapes which are then edited for completeness and accuracy. Finally, a sample of records is reviewed to identify random errors. Error rates in the aggregate are less than one percent, and identified errors are corrected.

Population

Vital statistics provide better measures of health status when they are related to the characteristics of the population. Because human populations vary in size and composition, and the number of vital events that occur depends on both these factors, *rates* or *ratios* are used to make accurate comparisons. These control for population variability by reporting the number of events *per unit of population* (or other standard denominator).

The population data used as denominators for calculating rates of vital events per unit of population are prepared by the Population Research Unit of the California Department of Finance. The data employed include the resident military and civilian populations, as of July 1, for each year.

The population and rates for the years 1980 - 1984 were revised to reflect the latest population projections and estimates. Intercensal years prior to 1980 have already been adjusted by the Population Research Unit to reflect the respective censuses and were used as adjusted. This office revises its population denominators as the population data are revised by the Population Research Unit. For these reasons, care should be taken when comparing rates to earlier publications.

9/ For method used to classify Spanish, see Robert W. Buechley, "A Reproducible Method of Counting Persons of Spanish Surname," *Journal of the American Statistical Association*, 55: 88-97,1961. Blacks with Spanish surnames are included in "Black" race category.

LIMITATIONS OF DATA

Limitations of the data must be recognized before valid interpretation is possible. For vital statistics data, these limitations are related to difficulties in reporting and classifying information and to some underregistration of events. It is necessary to exercise particular caution when evaluating vital statistics trend data because medical concepts, legal codes, definitions concerning vital statistics events, estimates of the population, race, and methods of assigning causes of death change over time.

Cause of Death

One of the most important uses of vital statistics data is the study of trends over time in the number and rate of deaths, by cause of death. Vital statistics trend research yields invaluable information on the health status of the population, and discloses which health and medical programs are succeeding. Even more importantly, studies of cause-of-death trends help identify emerging public health problems, so that remedial strategies can be developed and needed resources focused and applied.

However, vital statistics trend data are complicated by technical difficulties which limit the comparability of data over time. Changes in the method of assigning or coding causes of death are perhaps the greatest concern.

Cause-of-death statistics are derived from the medical certification information reported on the death or fetal death certificate by the attending physician or coroner. The medical certification item on certificates of death and fetal death makes provision for the reporting of three causes of death -- immediate, intervening, and underlying -- plus additional information related to the cause of death. The cause of death selected for coding and tabulating in this report is the "underlying cause of death," which is generally defined as the disease or injury which initiated the sequence of morbid events leading directly to death.

Causes of death are coded according to the *Ninth Revision International Classification of Diseases (ICD)*, and the *Vital Statistics Instruction Manual, Part 2a, Instructions for Classifying the Underlying Cause of Death, 1981*. For the years 1969-1978, the causes of death were coded using the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.

Since its inception in 1898, the classification of diseases has been revised approximately every ten years. Each of the decennial revisions has produced some break in the comparability of cause-of-death statistics. These discontinuities have complicated the interpretation of trends in cause-of-death statistics over time. To facilitate trend analysis, comparability ratios between consecutive revisions of the *International Classification* may be calculated and applied. Ratios between the *Ninth Revision* and the *Eighth Revision* have not been calculated for California mortality data. However, the National Center for Health Statistics has published comparability ratios between the *Ninth* and the *Eighth Revisions* for deaths in the United States as a whole.[10/] For an approximation, the ratios for the United States may be used to adjust California data for comparability between coding by the *Ninth Revision* (1979 to 1985), and coding by the *Eighth Revision* (1969-1978). For comparing the latter to 1960-1968 California deaths, see *Data Matters Topical Report*, "Comparability Between 7th and 8th Revisions, International Classification of Diseases," No. 725-0192-601, March 1976, State of California, Department of Health Services, Center for Health Statistics.

Tabulations of Cause of Death

Deaths by cause are presented in this report in several levels of detail. The table headed "Deaths from Each Cause by Sex and Age" presents the frequency of deaths assigned to each underlying cause of death in the Ninth Revision of the ICD for which there were one or more deaths in 1985. All fourth-digit subcategories are included. This table can be found on the microfiche attached to the inside of the back cover of this report.

Variability of Rates

Vital statistics rates are sensitive to variations in the size of both the numerator (the number of vital events that occurred), and the denominator (the estimated population, or the number of births). For example, in small counties, a variation of only a few cases in the numerator can cause a relatively large shift in a rate, while in a large county, it may cause no change at all. Alternatively, a minor revision in the estimate

---

10/ NCHS, "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revisions of the International Classification of Diseases", Monthly Vital Statistics Report, Vol. 28, No. 11, Supplement, February 29, 1980.

of the population in a small county may cause a relatively major change in a vital rate in that county.

All vital rates previously published for the years 1980 through 1984, which are included in this publication, have been recalculated, using revised population estimates. Recalculated rates for some counties may differ from those previously published even more than the statewide rates do.

Rates and ratios based on the number of births, instead of the population, are not subject to variability caused by changes in the size of estimated denominators. However, in small counties, these rates are just as sensitive to small shifts in the numerator as are rates based on the population, since few births occur in counties with small populations, and the denominator is correspondingly small.

Sampling Error and Vital Statistics

The number of births and deaths for an area reported in California's Vital Statistics represents complete counts; as such, they are not subject to sampling error, although they are subject to errors in the registration process. However, when the figures are used for analytic purposes, such as comparison of rates over a time period or for different areas, the number of events that actually occurred may be considered as one of a larger series of possible results that could have arisen under the same circumstances.[11/] The probable range of values may be estimated from the actual figures according to certain statistical assumptions. The problem of small frequencies is well presented in the Technical Appendix to "The Vital Statistics of the United States, 1978, Volume I, Natality"[12/] and is repeated here.

11/ National Office of Vital Statistics: "Standard Error of the Age-Adjusted Death Rate" by C. L. Chiang, **Vital Statistics -- Special Reports**, Vol. 47, No. 9, Public Health Service, Washington, DC, August 1961.

12/ National Center for Health Statistics: *Vital Statistics of the United States, 1978*, Vol. 1, DHHS Publ. No. (PHS) 82-1100, Public Health Service, Washington, DC, 1982.

In general, distributions of vital events may be assumed to follow the binomial distribution. Estimates of standard error and tests of significance under this assumption are described in most standard statistics texts. When the number of events is large, the standard error, expressed as a percent of the number or rate, is usually small.

When the number of events is small (perhaps less than 100) and the probability of such an event is small, considerable caution must be observed in interpreting the conditions described by the figures. Events of rare nature may be assumed to follow a Poisson probability distribution.

For this distribution, a simple approximation may be used to estimate the error as follows:

"If N is the number of births and R is the corresponding rate, the chances are 19 in 20 that

"1. The 'true' number of events lies between

$$N - 2\sqrt{N} \text{ and } N + 2\sqrt{N}$$

"2. The 'true' rate lies between

$$"R - 2\sqrt{\frac{R}{N}} \text{ and } R + 2\sqrt{\frac{R}{N}}$$

"If the rate R corresponding to N events is compared with the rate S corresponding to M events, the difference between the two rates may be regarded as statistically significant if it exceeds

$$2\sqrt{\frac{R^2}{N} + \frac{S^2}{M}}$$

"For example, suppose that the observed birth rate for Area A was 15.0 per 1,000 population and that this rate was based on 20 recorded births. Given prevailing conditions, the chances are 19 in 20 that the 'true' or underlying birth rate for that area

lies between 8.3 and 21.7 per 1,000 population. Let it be further supposed that the birth rate for Area A of 15.0 per 1,000 population were being compared with a rate of 20.0 per 1,000 population for Area B which is based on ten recorded births. While the difference between the rates for the two areas is 5.0, this difference is less than twice the standard error of the difference

$$2\sqrt{\frac{(15.0)^2}{20} + \frac{(20.0)^2}{10}}$$

of the two rates which is computed to be 14.3. From this, it is concluded that the difference between the rates for the two areas is not statistically significant."

Time Periods and Geographic Bases

Before 1947, births and deaths were tabulated by year of registration. In 1947, births were tabulated by year of occurrence, while deaths were tabulated by year of registration. Beginning in 1948, births, deaths, fetal deaths, marriages, and marriage dissolutions have been tabulated by the calendar year in which the event occurred.

From 1949 through 1967, deaths in hospitals, sanitariums, and all other institutions were allocated to the previous residence regardless of the decedent's length of stay in the institution. Since 1968, deaths occurring in hospitals, sanitariums, and other resident institutions have been allocated to the last previous residence, unless the decedent resided in the institution for at least one year. All deaths in penal institutions and mental hospitals are allocated to the previous place of residence regardless of the length of stay in the institution.

Race and Ethnicity

Since 1979, information on the race and ethnicity of the father and mother has been reported voluntarily on the birth certificates. This information was mandatory prior to 1979. The percent of birth certificates with ethnicity reported was 96.5 in 1979, 98.3 in 1980, 98.6 in 1981, 99.2 in 1982, 99.2 in 1983, 99.5 in 1984, and 99.6 in 1985. The information obtained from the race and ethnicity items on both the birth and death certificates reflects the certificate informant's own responses.

From 1970 to 1977, the race of father and mother on the birth certificate was coded independently and the race of child

was generated from the parents' codes. Starting in 1978, ethnicity was added to the coding scheme. Race and ethnicity of both parents were then used to generate the race and ethnicity of the newborn child. In 1982, the race/ethnicity categories used for births and fetal deaths were changed in order to be comparable with those used in the 1980 Census and thus, differ greatly from the 1981 categories. For information on prior comparisons, please refer to Vital Statistics of California, 1982 (Tables 7-1 and 7-2 and microfiche), State of California, Department of Health Services, Health Data and Statistics Branch of the Rural and Community Health Division.

In 1981, race/ethnicity was classified into eight categories for statistical analysis purposes: White, Black, Mexican/American, American Indian, Chinese, Japanese, Filipino, and Other. Statistically speaking, these groups were mutually exclusive; that is, an individual birth could be classified into only one of these categories. For example, the reporting of Mexican/American precluded being classified as White or any of the other groups. However, in 1982, the reporting of race/ethnicity and the reporting of Spanish/Hispanic origin were made completely independent of each other. A birth identified as one of the race/ethnicity groups could also be identified as Spanish/Hispanic origin; conversely, a live birth identified as Spanish/Hispanic origin would also be identified as one of the race/ethnicity groups. As a result, a number of the live birth and fetal death tables in this report tabulated by race/ethnicity are repeated for Spanish/Hispanic origin.

Beginning with 1985 California vital events, the coding rules for determining specific race/ethnicity and Spanish/Hispanic origin were modified slightly to be consistent with the National Center of Health Statistics (NCHS) coding specifications. To be consistent, California had to modify the Spanish/Hispanic origin coding instructions and categories used previously. Three new categories were added to Spanish/Hispanic origin they were "Central/South American," "Other Spanish/Hispanic" (born outside the U.S.), and "Other Spanish/Hispanic" (born inside the U.S.). In order for California's 1985 tape files to be comparable with 1984, Central/South American and Other Spanish/Hispanic (born outside the U.S.) are now combined with "Other Hispanic." Other Spanish/Hispanic (born inside the U.S.) is now combined with "Mexican."

One of the new categories added to comply with State Law was "Other Pacific Islander," which is now combined with the previous "Pacific Islander" category. Prior to adding "Other Pacific Islander", those births were placed into the "Other Races" category.

In order to get comparable race/ethnicity categories for 1985 and 1984 deaths, a schemata was designed to recode the 1985 classifications so that the race/ethnicity of the deceased could be redistributed into the 1984 categories. The regrouping schemata is as follows:

1985 Classification	1978-84 Classification
White	White
Black	Black
American Indian	American Indian
Chinese	Chinese
Japanese	Japanese
Filipino	Filipino
Cambodian	Other
Indian (India)	Other
Korean	Other
Pacific Islander	Other
Thai	Other
Vietnamese	Other
Other Asian	Other
Other	Other
Not Stated	White

For the first time in this report, the Spanish/Hispanic origin data are reported separately for the death tabulations. The Spanish/Hispanic death tables are reported in a similar fashion as in the Spanish/Hispanic birth tables.

Age

The death certificate contains both the age and the date of birth of the decedent. For computer tabulations, the age at death is generated from the difference between the date of birth and the date of death. For infants living less than 24 hours and for other deaths where date of birth is not reported, the stated age is accepted.

Length of Gestation

Length of gestation is calculated for live births and fetal deaths by subtracting the date the last normal menses began from the date of birth. The accuracy of this calculation is contingent upon the mother's recall of her last menstrual period. If only the month and year are given, the day is imputed. If a date is not reported, no calculation is made. The calculation is made in completed weeks of gestation.

7. APPENDIX

Page

DEFINITIONS 369

RATES AND RATIOS 372

CERTIFICATES AND LISTS OF VARIABLES

Figure 7-A Certificate of live birth, 1985 374
7-B Certificate of live birth medical data supplemental worksheet 375
7-C Statistical information available for live births, 1985 377
7-D Certificate of fetal death, 1985 378
7-E Certificate of fetal death medical data supplemental worksheet 379
7-F Statistical information available for fetal deaths, 1985 381
7-G Certificate of death, 1985 382
7-H Statistical information available for deaths, 1985 383

CERTIFICATES AND LISTS OF VARIABLES

The vital statistics data presented in this report constitute only a part of the information reported on vital records. Other variables which were processed for births, deaths, and fetal deaths are shown in this section. Tabulations and cross-tabulations for most of these items can be provided for at cost, upon request.

DEFINITIONS

Following is a glossary of technical terms used in this report:

Place of occurrence: The place where the event occurred (regardless of place of residence).

Place of residence: The place where a person lives or maintains legal residency. For live births and fetal deaths, the mother's residence is used.

Births

Childbearing age: Women 15 through 44 years of age.

Fetal death: A death prior to the complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy); the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3. If the fetus is of 20 weeks or more gestational age, the death must be registered with the local registrar.

Live birth: The complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy) which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3.

Total births: Total deliveries: live births plus fetal deaths.

Live birth order: The number of live births delivered by this mother including the current birth.

Low birthweight: A live birth or fetal death weighing less than 2,500 grams (5 pounds, 8 ounces). (Prior to 1979, low birthweight was 2,500 grams or less. This definition complies with a change adopted by the National Center for Health Statistics, beginning with 1979 data.)

Premature: A live birth or fetal death occurring before the 37th week of gestation.

Deaths

Maternal death:	A death resulting from complications of pregnancy or childbirth.
Fetal death:	(See Births).
Neonatal death:	A death occurring during the first 27 days of life.
Postneonatal death:	A death occurring between the 28th day and the end of the first year of life.
Perinatal deaths:	All fetal deaths of 20 or more weeks' gestation, plus neonatal deaths.
Infant death:	A death occurring during the first year of life.

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and iniencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

RATES AND RATIOS

Birth Rates and Ratios

Age-specific birth rate = $\frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}}$ x 1,000

Fetal death ratio = $\frac{\text{number of reportable fetal deaths}}{\text{total number of live births}}$ x 1,000

General fertility rate = $\frac{\text{number of live births}}{\text{estimated female population 15—44 years old}}$ x 1,000

Live birth rate (crude birth rate) = $\frac{\text{number of live births}}{\text{estimated total population}}$ x 1,000

Total fertility rate = sum of each age-specific birth rate multiplied by the number of years in each age group (e.g., for 5-year groups, 15—19, 20—24, . . . 40—44, the sum of the birth rates for each age group is multiplied by 5).

Death Rates and Ratios

Age-adjusted death rate (direct method) = $\frac{\text{total number of expected deaths in a standard population (if the persons in this population had experienced the same age-specific death rates as the population being adjusted)}}{\text{total standard population}}$ x 100,000

Age-specific death rate = $\frac{\text{number of deaths in specific age group}}{\text{estimated population in that age group}}$ x 1,000 (or 100,000, as specified)

Death rate (crude death rate) = $\frac{\text{number of deaths}}{\text{estimated total population}}$ x 1,000

Death rate from a specific cause = $\frac{\text{number of deaths from a specific cause}}{\text{estimated total population}}$ x 100,000

Fetal death ratio = (See Births)

$$\text{Infant death rate} = \frac{\text{number of deaths under 1 year of age}}{\text{total number of live births}} \times 1{,}000 \text{ (or } 100{,}000\text{, as specified)}$$

$$\text{Maternal death rate} = \frac{\text{number of deaths due to complications of pregnancy and childbirth}}{\text{total number of live births}} \times 10{,}000$$

$$\text{Neonatal death rate} = \frac{\text{number of deaths under 28 days of age}}{\text{total number of live births}} \times 1{,}000 \text{ (or } 100{,}000\text{, as specified)}$$

$$\text{Postneonatal death rate} = \frac{\text{number of deaths between 28 days of age and 1 year of age}}{\text{total number of live births}} \times 1{,}000 \text{ (or } 100{,}000\text{, as specified)}$$

$$\text{Perinatal death rate} = \frac{\text{number of fetal deaths of 20 or more weeks' gestation, plus neonatal deaths}}{\text{total number of births}} \times 1{,}000 \text{ (or } 100{,}000\text{, as specified)}$$

104 –

STATE BIRTH CERTIFICATE NUMBER

CERTIFICATE OF LIVE BIRTH
STATE OF CALIFORNIA

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS CHILD

1A. NAME OF CHILD—FIRST | 1B. MIDDLE | 1C. LAST

2. SEX | 3A. THIS BIRTH, SINGLE, TWIN, ETC. | 3B. IF MULTIPLE, THIS CHILD 1ST, 2ND, ETC. | 4A. DATE OF BIRTH—MONTH, DAY, YEAR | 4B. HOUR—(24 HOUR CLOCK TIME)

PLACE OF BIRTH

5A. PLACE OF BIRTH—NAME OF HOSPITAL OR FACILITY | 5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)

5C. CITY OR TOWN | 5D. COUNTY

FATHER OF CHILD

6A. NAME OF FATHER—FIRST | 6B. MIDDLE | 6C. LAST | 7. STATE OF BIRTH | 8. AGE OF FATHER

MOTHER OF CHILD

9A. NAME OF MOTHER—FIRST | 9B. MIDDLE | 9C. LAST (BIRTH NAME) | 10. STATE OF BIRTH | 11. AGE OF MOTHER

PARENT'S CERTIFICATION

I CERTIFY THAT I HAVE REVIEWED THE STATED INFORMATION AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE | 12A. PARENT OR OTHER INFORMANT—SIGNATURE | 12B. RELATIONSHIP TO CHILD | 12C. DATE SIGNED

ATTENDANT'S CERTIFICATION

I CERTIFY THAT I ATTENDED THIS BIRTH AND THAT THE CHILD WAS BORN ALIVE AT THE HOUR, DATE AND PLACE STATED | 13A. PHYSICIAN OR OTHER ATTENDANT—SIGNATURE—DEGREE OR TITLE | 13B. LICENSE NUMBER | 13C. DATE SIGNED

14. | 13D. TYPED NAME AND ADDRESS

LOCAL REGISTRAR

15. DEATH—ENTER DATE OF DEATH | 16. LOCAL REGISTRAR—SIGNATURE | 17. DATE ACCEPTED FOR REGISTRATION

CONFIDENTIAL INFORMATION FOR PUBLIC HEALTH USE ONLY

FATHER

18. RACE/ETHNICITY | 19. SPANISH/HISPANIC ☐ NO | 20A. USUAL OCCUPATION | 20B. KIND OF BUSINESS OR INDUSTRY

MOTHER

21. RACE/ETHNICITY | 22. SPANISH/HISPANIC ☐ NO | 23A. USUAL OCCUPATION | 23B. KIND OF BUSINESS OR INDUSTRY

24A. RESIDENCE (STREET, NUMBER OR LOCATION) | 24C. COUNTY

24D. CITY OR TOWN | 24E. STATE | 24F. ZIP CODE

MEDICAL DATA

25A. DATE LAST NORMAL MENSES BEGAN: MONTH | DAY | YEAR | 25B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND . . . 6TH, 9TH)

26. BIRTHWEIGHT GRAMS

27. PREGNANCY HISTORY (COMPLETE EACH SECTION)

	LIVE BIRTHS (DO NOT COUNT THIS CHILD)		OTHER TERMINATIONS (EXCLUDE INDUCED ABORTIONS)	
	NOW LIVING (NUMBER)	NOW DEAD (NUMBER)	BEFORE 20 WKS (NUMBER)	AFTER 20 WKS (NUMBER)
	A	B	C	D

ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 28 THRU 32 FROM THE VS 10A SUPPLEMENTAL WORKSHEET: IF NONE CHECK—NONE

28. CESAREAN SECTION ☐ NO

29. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES ☐ NONE

30. BIRTH INJURY TO CHILD ☐ NONE

DATE OF LAST LIVE BIRTH: MONTH | DAY | YEAR — E

DATE OF LAST TERMINATION: MONTH | YEAR — F

31. COMPLICATIONS OF LABOR AND DELIVERY ☐ NONE

32. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD ☐ NONE

STATE REGISTRAR

A. | B. | C. | D. | E. | F. | CENSUS TRACT

NOTICE: THE INFORMATION YOU PROVIDE IN COMPLETING THE BOTTOM HALF OF THE BIRTH CERTIFICATE WILL BE KEPT STRICTLY CONFIDENTIAL AND WILL BE USED FOR HEALTH AND MEDICAL PURPOSES ONLY.

VS 10 (Rev 9-83) PENALTY FOR UNAUTHORIZED RELEASE. $500 FINE OR SIX MONTHS IMPRISONMENT

Figure 7–A
CERTIFICATE OF LIVE BIRTH, 1985

Figure 7—B

CERTIFICATE OF LIVE BIRTH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

IF ANY ITEMS 28 THROUGH 32 ON CERTIFICATE OF LIVE BIRTH (FORM VS 10) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORK SHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 28. IF CESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Elective* Primary	3	Nonelective Primary
2	Elective* Repeat	4	Nonelective Repeat

* Cesarean section before or at onset of labor.

Item 29. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as many codes as are appropriate)

01	Placental Complications	09	Pulmonary
02	Pre-Eclampsia/Eclampsia/Toxemia	10	Syphilis
03	Hemoglobinopathy	11	Rubella
04	Urinary Tract/Kidney Infection	12	Rh (D) Iso-Immunization
05	Anemia Less Than 10 GM HB	13	Unspecified Uterine Bleeding Not Associated with Labor
06	Transport of Mother From Another Hospital After Onset of Labor	14	Renal Disease
		15	Previous Cesarean Section
07	Heart Disease/Essential Hypertension	16	Other
08	Diabetes		

Item 30. BIRTH INJURY TO CHILD (Use as Many Codes as are Appropriate)

1	To Brain	3	To Bone or Nerve
2	To Spinal Cord	4	Other

Item 31. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis	5	Fetal Distress
2	Hemorrhage Associated with Labor	6	Maternal Blood Transfusion
3	Cephalopelvic Disproportion	7	Postpartum Hemorrhage
4	Breech or Other Abnormal Presentation	8	Transport of Infant to Another Hospital Within 24 Hours of Birth
		9	Other

Item 32. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD (Use Codes on Reverse Side of This Sheet)

Do not enter any identification by name or number of the patient on this work sheet.

VS 10A (7/82)

Figure 7—B (Continued)

CERTIFICATE OF LIVE BIRTH
MEDICAL DATA SUPPLEMENTAL WORK SHEET

Item 32. CONGENITAL ANOMALIES (ICD-9). Circle up to five most important anomalies.

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and iniencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

Figure 7–C

STATISTICAL INFORMATION AVAILABLE FOR LIVE BIRTHS, 1985

VARIABLE	CERTIFICATE ITEM NUMBER
THIS CHILD	
Name of child (first, middle, last)	1A,B,C
Sex of child	2
Single, twin, triplet, quadruplet, quintuplet or more	3A
If multiple birth, birth order	3B
Date of birth (month, day, year)	4A
Race/ethnicity of child (determined by race/ethnicity of mother and father)	18,21,
Spanish/Hispanic origin (determined by Spanish/Hispanic origin of mother)	22
Birthweight (in grams)	26
PLACE OF BIRTH	
Maternity hospital or facility	5A
Type of hospital	5A
County of occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/ethnicity	21
Spanish/Hispanic origin	22
Usual residence	24C,E
Request omission from solicitation lists	14
FATHER OF CHILD	
Age	8
Race/ethnicity	18
Spanish/Hispanic origin	19
ATTENDANT'S CERTIFICATION	
Type of certifier	13A
LOCAL REGISTRAR	
Date of death if infant died	15
MEDICAL DATA	
First day of last normal menses	25A
Completed days of gestation	4A,25A
Month of pregnancy prenatal care began	25B
Previous deliveries to this mother	27A,B,C,D
Date of last live birth	27E
Date of last termination	27F
Complications of pregnancy	29
Complications of labor and delivery	31
Caesarean section	28
Birth injury to child	30
Congenital malformation	32

CERTIFICATE OF FETAL DEATH

STATE OF CALIFORNIA

STATE FILE NUMBER | LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS FETUS

1A. NAME—FIRST | 1B. MIDDLE | 1C. LAST

2. SEX | 3A. THIS DELIVERY, SINGLE, TWIN, ETC. | 3B. IF MULTIPLE, THIS FETUS 1ST, 2ND, ETC. | 4A. DATE OF DELIVERY—MONTH, DAY, YEAR | 4B. HOUR (24 HOUR CLOCK TIME)

PLACE OF DELIVERY

5A. PLACE OF DELIVERY—NAME OF HOSPITAL | 5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)

5C. CITY OR TOWN | 5D. COUNTY

FATHER

6A. NAME OF FATHER—FIRST | 6B. MIDDLE | 6C. LAST | 7. STATE OF BIRTH | 8. AGE OF FATHER

MOTHER

9A. NAME OF MOTHER—FIRST | 9B. MIDDLE | 9C. LAST (BIRTHNAME) | 10. STATE OF BIRTH | 11. AGE OF MOTHER

CERTIFICATION

I CERTIFY THAT THIS FETUS WAS BORN DEAD AT THE HOUR, DATE AND PLACE STATED AND FROM THE CAUSES STATED.

12A. PHYSICIAN OR CORONER—DEGREE OR TITLE AND TYPED NAME | 12B. DATE SIGNED

FUNERAL DIRECTOR AND LOCAL REGISTRAR

13. DISPOSITION | 14. DATE (MONTH, DAY, YEAR) | 15. NAME AND ADDRESS OF CEMETERY OR CREMATORY

16. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH) | 17. LOCAL REGISTRAR—SIGNATURE | 18. DATE ACCEPTED BY LOCAL REGISTRAR

CONFIDENTIAL HEALTH AND MEDICAL INFORMATION

CAUSE OF DEATH

19. FETAL DEATH WAS CAUSED BY — ENTER ONLY ONE CAUSE PER LINE FOR A, B AND C

FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH: IMMEDIATE CAUSE (A)

FETAL AND/OR MATERNAL CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST: DUE TO, OR AS A CONSEQUENCE OF (B)

DUE TO, OR AS A CONSEQUENCE OF (C)

20. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER—CONTRIBUTION TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN 19A. | 21. AUTOPSY (SPECIFY YES OR NO)

FATHER

22. RACE/ETHNICITY | 23. SPANISH/HISPANIC ☐ NO | 24A. USUAL OCCUPATION | 24B. KIND OF BUSINESS OR INDUSTRY

MOTHER

25. RACE/ETHNICITY | 26. SPANISH/HISPANIC ☐ NO | 27A. USUAL OCCUPATION | 27B. KIND OF BUSINESS OR INDUSTRY

28A. RESIDENCE (STREET, NUMBER OR LOCATION) | 28B. CITY OR TOWN | 28C. STATE | 28D. ZIP CODE | 28E. COUNTY

MEDICAL DATA

29A. DATE LAST NORMAL MENSES BEGAN (MONTH, DAY, YEAR) | 29B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND ... 8TH, 9TH)

30. BIRTHWEIGHT GRAMS

31. PREGNANCY HISTORY (COMPLETE EACH SECTION)

LIVE BIRTHS (DO NOT COUNT THIS CHILD)		OTHER TERMINATIONS (EXCLUDE INDUCED ABORTIONS)	
NOW LIVING (NUMBER) A	NOW DEAD (NUMBER) B	BEFORE 20 WKS (NUMBER) C	AFTER 20 WKS (NUMBER) D

ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 32 THRU 36 FROM THE VS 12A SUPPLEMENTAL WORKSHEET. IF NONE CHECK—NONE

32. CESAREAN SECTION ☐ NO

33. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES ☐ NONE

34. BIRTH INJURY TO CHILD ☐ NONE

DATE OF LAST LIVE BIRTH (MONTH, DAY, YEAR) E

DATE OF LAST TERMINATION (MONTH, YEAR) F

35. COMPLICATIONS OF LABOR AND DELIVERY ☐ NONE

36. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD ☐ NONE

STATE REGISTRAR

A. | B. | C. | D. | E. | F. | CENSUS TRACT

VS 12 (REV 2-84) **PENALTY FOR UNAUTHORIZED RELEASE, $500 FINE OR SIX MONTHS IMPRISONMENT.** 31715-449 4-84 20M © OSP

Figure 7–D

CERTIFICATE OF FETAL DEATH, 1985

Figure 7—E

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

IF ANY OF ITEMS 32 THROUGH 36 ON CERTIFICATE OF FETAL DEATH (FORM VS 12) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORK SHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 32. IF CESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Elective* Primary	3	Nonelective Primary
2	Elective* Repeat	4	Nonelective Repeat

* Cesarean section before or at onset of labor.

Item 33. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as many codes as are appropriate)

01	Placental Complications	09	Pulmonary
02	Pre-Eclampsia/Eclampsia/Toxemia	10	Syphilis
03	Hemoglobinopathy	11	Rubella
04	Urinary Tract/Kidney Infection	12	Rh (D) Iso-Immunization
05	Anemia Less Than 10 GM HB	13	Unspecified Uterine Bleeding Not Associated with Labor
06	Transport of Mother From Another Hospital After Onset of Labor	14	Renal Disease
		15	Previous Cesarean Section
07	Heart Disease/Essential Hypertension	16	Other
08	Diabetes		

Item 34. BIRTH INJURY TO FETUS (Use as Many Codes as are Appropriate)

1	To Brain	3	To Bone or Nerve
2	To Spinal Cord	4	Other

Item 35. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis	5	Fetal Distress
2	Hemorrhage Associated with Labor	6	Maternal Blood Transfusion
3	Cephalopelvic Disproportion	7	Postpartum Hemorrhage
4	Breech or Other Abnormal Presentation	9	Other

Item 36. CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Use Codes on Reverse Side of This Sheet)

Do not enter any identification by name or number of the patient on this work sheet.

VS 12A (7/82)

Figure 7–E (Continued)

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

Item 36. CONGENITAL ANOMALIES (ICD-9). Circle up to five most important anomalies.

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and inienencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

Figure 7–F

STATISTICAL INFORMATION AVAILABLE
FOR FETAL DEATHS, 1985

VARIABLE	CERTIFICATE ITEM NUMBER
THIS FETUS	
Name (first, middle, last)	1A,B,C
Sex	2
Single, twin, triplet, quadruplet, quintuplet, or more	3A
If multiple birth, birth order	3B
Date of delivery (month, day, year)	4A
Race/Ethnicity of child (determined by race/ethnicity of mother and father)	22,25
Spanish/Hispanic origin (determined by Spanish/Hispanic origin of mother)	26
Birthweight	30
PLACE OF DELIVERY	
Maternity hospital code	5A
Type of hospital	5A
County of occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/Ethnicity	25
Spanish/Hispanic origin	26
County of residence	28E
FATHER OF CHILD	
Age	8
Race/Ethnicity	22
Spanish/Hispanic origin	23
MEDICAL AND HEALTH DATA	
Type of certifier	12A
Underlying cause of death	19C
Autopsy	21
Date last normal menses began	29A
Completed days of gestation	4A,29A
Month of pregnancy prenatal care began	29B
Previous deliveries to this mother	31A,B,C,D
Date of last live birth	31E
Date of last termination	31F
Caesarean section	32
Complications of pregnancy	33
Birth injury	34
Complications of labor and delivery	35
Congenital malformations	36



CERTIFICATE OF DEATH

STATE OF CALIFORNIA

STATE FILE NUMBER

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

DECEDENT PERSONAL DATA

1A. NAME OF DECEDENT—FIRST | 1B. MIDDLE | 1C. LAST | 2A. DATE OF DEATH (MONTH, DAY, YEAR) | 2B. HOUR

3. SEX | 4. RACE/ETHNICITY | 5. SPANISH/HISPANIC NO ☐ | 6. DATE OF BIRTH | 7. AGE YEARS | IF UNDER 1 YEAR MONTHS | DAYS | IF UNDER 24 HOURS HOURS | MINUTES

8. BIRTHPLACE OF DECEDENT (STATE OR FOREIGN COUNTRY) | 9. NAME AND BIRTHPLACE OF FATHER | 10. BIRTH NAME AND BIRTHPLACE OF MOTHER

11A. CITIZEN OF WHAT COUNTRY | 11B. IF DECEASED WAS EVER IN MILITARY GIVE DATES OF SERVICE. 19__ TO 19__ | 12. SOCIAL SECURITY NUMBER | 13. MARITAL STATUS | 14. NAME OF SURVIVING SPOUSE (IF WIFE, ENTER BIRTH NAME)

15. PRIMARY OCCUPATION | 16. NUMBER OF YEARS THIS OCCUPATION | 17. EMPLOYER (IF SELF-EMPLOYED, SO STATE) | 18. KIND OF INDUSTRY OR BUSINESS

USUAL RESIDENCE

19A. USUAL RESIDENCE—STREET ADDRESS (STREET AND NUMBER OR LOCATION) | 19B. | 19C. CITY OR TOWN

19D. COUNTY | 19E. STATE | 20. NAME AND ADDRESS OF INFORMANT—RELATIONSHIP

PLACE OF DEATH

21A. PLACE OF DEATH | 21B. COUNTY

21C. STREET ADDRESS (STREET AND NUMBER OR LOCATION) | 21D. CITY OR TOWN

CAUSE OF DEATH

22. DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR A, B, AND C)

IMMEDIATE CAUSE ◀

CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST.

(A) ◀

DUE TO, OR AS A CONSEQUENCE OF

(B) ◀

DUE TO, OR AS A CONSEQUENCE OF

(C) ◀

APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH

24. WAS DEATH REPORTED TO CORONER?

25. WAS BIOPSY PERFORMED?

26. WAS AUTOPSY PERFORMED?

23. OTHER SIGNIFICANT CONDITIONS—CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN 22A

27. WAS OPERATION PERFORMED FOR ANY CONDITION IN ITEMS 22 OR 23? TYPE OF OPERATION | DATE

PHYSICIAN'S CERTIFICATION

28A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED.
I ATTENDED DECEDENT SINCE (ENTER MO. DA. YR.) | I LAST SAW DECEDENT ALIVE (ENTER MO. DA. YR.)

28B. PHYSICIAN—SIGNATURE AND DEGREE OR TITLE | 28C. DATE SIGNED | 28D. PHYSICIAN'S LICENSE NUMBER

28E. TYPE PHYSICIAN'S NAME AND ADDRESS

INJURY INFORMATION

29. SPECIFY ACCIDENT, SUICIDE, ETC. | 30. PLACE OF INJURY | 31. INJURY AT WORK | 32A. DATE OF INJURY—MONTH, DAY, YEAR | 32B. HOUR

33. LOCATION (STREET AND NUMBER OR LOCATION AND CITY OR TOWN) | 34. DESCRIBE HOW INJURY OCCURRED (EVENTS WHICH RESULTED IN INJURY)

CORONER'S USE ONLY

35A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED. AS REQUIRED BY LAW I HAVE HELD AN (INQUEST-INVESTIGATION) | 35B. CORONER—SIGNATURE AND DEGREE OR TITLE | 35C. DATE SIGNED

36. DISPOSITION | 37. DATE—MONTH, DAY, YEAR | 38. NAME AND ADDRESS OF CEMETERY OR CREMATORY | 39. EMBALMER'S LICENSE NUMBER AND SIGNATURE

40A. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH) | 40B. LICENSE NO. | 41. LOCAL REGISTRAR—SIGNATURE | 42. DATE ACCEPTED BY LOCAL REGISTRAR

STATE REGISTRAR | A. | B. | C. | D. | E. | F.

VS-11 (1-85)

Figure 7–G

CERTIFICATE OF DEATH, 1985

Figure 7–H

STATISTICAL INFORMATION AVAILABLE FOR DEATHS, 1985

VARIABLE	CERTIFICATE ITEM NUMBER
DECEDENT PERSONAL DATA	
Name of decedent (first, middle, last)	1A,B,C
Date of death (month, day, year)	2A
Sex	3
Race/ethnicity	4
Spanish/Hispanic origin	5
Date of birth	6
Age	7
Birthplace	8
Father's surname	9
Mother's maiden surname	10
Citizenship	11A
Military service	11B
Social security number	12
Marital status	13
Initials of surviving spouse	14
Occupation code	15
Years in occupation	16
USUAL RESIDENCE	
County of residence	19D
PLACE OF DEATH	
Type of facility	21A
County of occurrence	21B
MEDICAL AND HEALTH DATA	
Underlying cause of death	22C
Special medical indicator	22,23
Reported to coroner	24
Biopsy performed	25
Autopsy performed	26
Operation performed	27
Accident, suicide, or homicide	29
Place of injury	30
Work injury	31
Date of injury	32A
County where injury occurred	33
Type of certifier	28B,35B
Cause of death group code	22
Days between injury and death	2A,32A

VITAL STATISTICS REGISTRATION IN CALIFORNIA

RECORD	PERSONS RESPONSIBLE FOR COMPLETING RECORDS	PERSONS RESPONSIBLE FOR FILING RECORD WITH LOCAL REGISTRAR	LOCAL REGISTRARS– TRANSMIT RECORDS TO STATE
Certificate of Live Birth.	Attending physician or parent for unattended birth.	Attending physician or parent for unattended birth.	Directors of full-time approved local health departments in 45 of California's 58 counties; others appointed by State Registrar.
Certificate of Fetal Death.	Funeral director and physician or coroner for medical certification.	Funeral director or person acting in lieu of the director.	Directors of full-time approved local health departments in 45 of California's 58 counties; others appointed by State Registrar.
Certificate of Death.	Funeral director and physician or coroner for medical certification.	Funeral director or person acting in lieu of the director.	Directors of full-time approved local health departments in 45 of California's 58 counties; others appointed by State Registrar.
Certificate of Registry of Marriage.	Persons applying for license and clerk of county issuing license.	Minister or other person performing marriage ceremony.	County recorder of county in which marriage license was issued.
Copy of the Final Dissolution of Marriage, of Legal Separation, and of Declaration of Nullity.	Attorney for party obtaining the final decree.	Attorney for party obtaining the final decree.	County clerk of county granting decree.

Source: *Statutory Provisions Relating to Vital Statistics*, 1983, State of California, Office of State Registrar, 410 N Street, Sacramento, CA 95814.

87 77051

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1965

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
1-999	ALL CAUSES	M	201,815	4,475	885	439	449	1,677	2,834	3,205	3,508	3,773	3,891	4,846	6,802	10,849	16,228	20,108	24,287	24,784	25,649	21,379	13,570	4,849	970	138
			106,368	2,567	512	275	276	1,210	2,191	2,434	2,388	2,614	2,545	3,098	4,263	6,753	9,709	11,607	13,737	14,228	11,876	8,013	4,136	1,199	218	119
		F	95,447	1,908	373	164	173	467	643	771	920	1,159	1,346	1,748	2,539	4,096	6,519	8,301	10,550	12,556	13,773	13,366	9,434	3,650	752	39
1-139	TOTAL, INFECTIOUS AND PARASITIC DISEASES	M	2,351	67	26	8	9	18	46	104	165	180	146	132	112	133	158	178	184	205	169	143	102	21	4	1
		F	1,500	49	17	5	6	10	32	85	154	158	119	94	67	85	96	115	103	109	79	48	38	5	-	1
			851	38	9	3	3	8	14	19	11	22	27	33	25	48	62	63	81	96	110	95	64	16	4	-
1-9	INTESTINAL INFECTIOUS DISEASES	M	60	16	5	-	-	-	-	-	4	1	-	2	-	-	3	7	4	6	4	3	4	1	-	-
		F	29	6	4	-	-	-	-	-	4	1	-	2	-	-	1	4	1	4	-	1	1	-	-	-
			31	10	1	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	4	2	3	1	-	-
3	OTHER SALMONELLA INFECTIONS	M	12	1	1	-	-	-	-	-	1	1	-	-	-	-	2	3	-	1	1	2	1	-	-	-
		F	8	1	1	-	-	-	-	-	1	1	-	-	-	-	1	2	-	1	1	-	1	-	-	-
			4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
3.0	SALMONELLA GASTROENTERITIS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
3.1	SALMONELLA SEPTICAEMIA	M	7	-	1	-	-	-	-	-	1	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-
		F	5	-	1	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
3.2	LOCALIZED SALMONELLA INFECTIONS	M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
4 —	SHIGELLOSIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5	OTHER FOOD POISONING (BACTERIAL)	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
5.1	BOTULISM	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	AMOEBIASIS	M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
6.0	ACUTE AMOEBIC DYSENTERY WITHOUT MENTION OF ABSCESS	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6.3	AMOEBIC LIVER ABSCESS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
6.9	AMOEBIASIS, UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
7	OTHER PROTOZOAL INTESTINAL DISEASES	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.2	COCCIDIOSIS	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	INTESTINAL INFECTIONS DUE TO OTHER ORGANISMS	M	22	6	2	-	-	-	-	-	2	2	-	-	-	-	-	1	2	3	2	1	2	1	-	-
		F	11	2	2	-	-	-	-	-	2	-	-	-	-	-	-	1	2	2	2	1	1	1	-	-
8.4	OTHER SPECIFIED BACTERIA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
8.5	BACTERIAL ENTERITIS, UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8.8	OTHER ORGANISM, NOT ELSEWHERE CLASSIFIED	M	20	6	2	-	-	-	-	-	2	2	-	-	-	-	-	1	2	3	2	1	2	1	-	-
		F	10	2	2	-	-	-	-	-	2	-	-	-	-	-	-	1	2	2	2	1	1	1	-	-
9	ILL-DEFINED INTESTINAL INFECTIONS	M	19	6	3	-	-	-	-	-	2	2	-	-	-	-	-	1	2	2	2	1	2	1	-	-
		F	6	2	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
9.0	INFECTIOUS COLITIS, ENTERITIS AND GASTROENTERITIS	M	13	6	3	-	-	-	-	-	2	2	-	-	-	-	-	1	2	2	2	1	2	1	-	-
		F	6	2	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
10-18	TUBERCULOSIS	M	195	1	1	1	3	6	11	9	6	13	20	21	22	34	25	10	5	2	1	1	-	-	-	1
		F	116	1	1	1	4	5	7	6	3	12	14	14	10	14	7	3	5	2	1	1	-	-	-	1
			77	-	-	-	-	1	4	3	3	1	6	7	12	20	18	7	5	3	2	1	-	-	-	-
11	PULMONARY TUBERCULOSIS	M	161	1	1	1	3	6	7	6	3	13	17	20	20	26	22	8	5	2	1	1	-	-	-	1
		F	103	1	1	1	4	4	5	3	3	10	14	14	9	12	6	3	5	2	1	1	-	-	-	1
			58	-	-	-	-	2	2	3	-	3	3	6	11	14	11	5	3	2	1	2	-	-	-	-
11.2	TUBERCULOSIS OF LUNG WITH CAVITATION	M	5	-	-	-	-	1	1	1	-	1	1	1	1	1	1	1	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	1	1	1	-	1	-	1	-	-	1	1	-	-	-	1	-	-	-	-
			3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
11.3	TUBERCULOSIS OF BRONCHUS	M	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			6	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	1	1	3	2	-	-	-	-
11.4	TUBERCULOUS FIBROSIS OF LUNG	M	4	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	1	1	2	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
11.5	TUBERCULOUS BRONCHIECTASIS	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
			18	-	-	-	-	-	-	1	-	2	2	2	2	2	2	2	2	1	1	1	1	-	-	1
11.6	TUBERCULOUS PNEUMONIA (ANY FORM)	M	14	-	-	-	-	-	-	1	-	2	1	1	2	2	2	2	2	1	1	1	1	-	-	1
		F	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
			128	1	1	1	3	5	4	5	3	5	6	6	9	12	11	17	17	17	22	18	6	5	2	1
11.9	UNSPECIFIED	M	82	1	1	1	3	4	3	4	3	4	5	5	5	8	10	12	8	8	10	10	5	3	2	1
		F	46	-	-	-	-	1	1	1	-	1	1	1	4	4	1	5	9	9	12	8	1	2	-	-
13	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	M	7	1	1	-	-	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-
		F	4	1	1	-	-	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-
13.0	TUBERCULOUS MENINGITIS	M	3	1	1	-	-	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-
		F	1	1	1	-	-	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-
13.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	TUBERCULOSIS OF BONES AND JOINTS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15.0	VERTEBRAL COLUMN	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	TUBERCULOSIS OF GENITOURINARY SYSTEM	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16.0	KIDNEY	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	TUBERCULOSIS OF OTHER ORGANS	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17.0	SKIN AND SUBCUTANEOUS CELLULAR TISSUE	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
18	MILIARY TUBERCULOSIS		19	-	-	-	-	-	-	-	1	1	1	1	1	2	2	-	1	6	2	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	1	-	1	1	1	2	2	-	1	1	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	5	2	1	-	-	-	-
18.9	UNSPECIFIED		19	-	-	-	-	-	-	-	1	1	1	1	1	2	2	-	1	6	2	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	1	1	1	1	1	2	2	-	1	1	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	1	-	-	-	-
27	OTHER ZOONOTIC BACTERIAL DISEASES		27	3	-	-	-	-	1	-	-	-	-	2	1	1	3	5	2	2	6	1	-	-	-	-
		M	13	1	-	-	-	-	1	-	-	-	-	1	1	1	1	3	2	2	3	-	-	-	-	-
		F	14	2	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	3	1	-	-	-	-
27.0	LISTERIOSIS		27	3	-	-	-	-	1	-	-	-	-	2	1	1	3	5	2	2	6	1	-	-	-	-
		M	13	1	-	-	-	-	1	-	-	-	-	1	1	1	1	3	2	2	3	1	-	-	-	-
		F	14	2	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	3	-	-	-	-	-
30-41	OTHER BACTERIAL DISEASES		881	34	10	1	2	6	5	12	17	35	23	20	38	36	47	68	88	118	121	98	83	16	2	-
		M	473	21	7	1	1	2	2	9	13	28	15	13	28	23	27	48	55	63	50	32	32	3	-	-
		F	408	13	3	-	1	4	3	3	4	7	8	7	10	13	20	20	33	55	71	67	51	13	2	-
31	DISEASES DUE TO OTHER MYCOBACTERIA		80	-	-	-	-	-	-	6	11	20	11	4	11	2	5	1	4	4	2	-	-	-	-	-
		M	70	-	-	-	-	-	-	6	11	20	10	3	11	2	4	1	2	4	2	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-
31.0	PULMONARY		61	-	-	-	-	-	-	6	7	14	8	3	7	2	4	1	4	4	2	-	-	-	-	-
		M	51	-	-	-	-	-	-	6	7	14	7	2	7	2	3	1	2	4	2	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-
31.9	UNSPECIFIED		19	-	-	-	-	-	-	-	4	6	3	1	4	-	1	-	-	-	-	-	-	-	-	-
		M	19	-	-	-	-	-	-	-	4	6	3	1	4	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	MENINGOCOCCAL INFECTION		26	12	4	-	1	3	-	-	-	1	-	1	1	-	-	-	-	1	2	-	-	-	-	-
		M	16	9	4	-	1	2	-	-	-	1	-	1	1	-	-	-	-	1	2	-	-	-	-	-
		F	10	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36.0	MENINGOCOCCAL MENINGITIS		6	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36.2	MENINGOCOCCAEMIA		16	9	3	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	6	3	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36.3	WATERHOUSE-FRIDERICHSEN SYNDROME, MENINGOCOCCAL		3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
36.4	MENINGOCOCCAL CARDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	SEPTICAEMIA		738	22	5	-	1	2	5	5	6	12	12	14	24	33	39	66	80	108	111	96	80	16	1	-
		M	374	12	3	-	-	1	2	3	2	7	5	10	17	20	21	47	51	60	47	31	32	3	-	-
		F	364	10	2	-	1	1	3	2	4	5	7	4	7	13	18	19	29	48	64	65	48	13	1	-
38.9	STREPTOCOCCAL SEPTICAEMIA		18	2	-	-	-	-	-	1	1	1	1	1	1	2	-	-	1	2	-	1	3	1	-	-
		M	7	1	-	-	-	-	-	1	1	1	1	1	1	1	-	-	1	1	-	-	-	-	-	-
		F	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	1	-	-
38.1	STAPHYLOCOCCAL SEPTICAEMIA		58	1	-	-	-	-	1	1	1	3	1	-	3	6	6	4	9	8	4	5	3	2	-	-
		M	34	1	-	-	-	-	1	1	1	2	1	-	2	3	3	3	4	5	1	1	-	1	-	-
		F	24	-	-	-	-	-	-	-	-	1	-	-	1	3	3	1	5	3	3	4	3	1	-	-
38.2	PNEUMOCOCCAL SEPTICAEMIA		134	1	1	-	-	-	1	1	1	1	1	-	2	1	1	1	2	3	1	1	1	-	-	-
		M	14	1	1	-	-	-	-	-	-	1	1	-	1	1	1	1	2	2	1	1	1	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
38.3	SEPTICAEMIA DUE TO ANAEROBES		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
38.4	SEPTICAEMIA DUE TO OTHER GRAM-NEGATIVE ORGANISMS		95	6	2	-	-	1	-	1	-	1	1	3	2	5	4	12	8	15	12	10	6	1	-	-
		M	61	4	1	-	-	1	-	1	-	1	1	3	1	4	2	8	6	9	8	4	5	1	-	-
		F	34	2	1	-	-	-	-	-	-	-	-	-	1	1	2	4	2	6	4	6	1	-	-	-
38.8	OTHER SPECIFIED SEPTICAEMIAS		6	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38.9	UNSPECIFIED SEPTICAEMIA		341	12	2	-	1	1	4	2	3	7	6	11	16	18	27	49	59	78	91	77	64	12	1	-
		M	267	6	1	-	-	1	2	2	2	3	2	8	12	12	15	36	37	42	36	24	26	1	-	-
		F	274	6	1	-	1	1	2	2	1	4	4	3	4	6	12	13	22	36	55	53	38	11	1	-
39	ACTINOMYCOTIC INFECTIONS		7	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	2	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-
39.1	PULMONARY		4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
39.8	OF OTHER SPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39.9	OF UNSPECIFIED SITE		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	OTHER BACTERIAL DISEASES		15	-	-	-	-	1	-	1	1	1	1	2	2	1	1	-	1	2	1	-	2	1	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	1	1	1	-	2	1	-	-
		F	12	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
40.0	GAS GANGRENE		4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	-	-
40.2	WHIPPLE'S DISEASE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40.8	OTHER BACTERIAL DISEASES		10	-	-	-	-	1	-	1	1	1	1	-	1	1	-	-	1	2	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
		F	8	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	1	1	1	-	-	-	-	-
41	BACTERIAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE		15	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	3	-	-	-	-
		M	7	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	-	-	-	-
		F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
41.0	STREPTOCOCCUS		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.1	STAPHYLOCOCCUS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
41.4	ESCHERICHIA COLI		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.7	PSEUDOMONAS		6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	-	-	-
		M	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
41.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
41.9	BACTERIAL INFECTION, UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
45-49	POLIOMYELITIS AND OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM		81	3	1	-	-	-	1	1	3	3	6	5	4	8	11	12	10	6	4	5	1	-	-	-
		M	49	1	-	-	-	-	1	1	3	3	6	5	2	2	6	8	4	3	3	2	1	-	-	-
		F	32	2	1	-	-	-	-	-	-	-	-	-	2	6	5	4	6	3	1	3	-	-	-	-
45	ACUTE POLIOMYELITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1965

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
45.9	ACUTE POLIOMYELITIS, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
46	SLOW VIRUS INFECTION OF CENTRAL NERVOUS SYSTEM	F	42	1	-	-	-	-	-	1	-	3	4	2	2	6	7	8	4	2	2	-	-	-	-	-
		M	24	-	-	-	-	-	-	1	-	3	4	2	2	3	5	5	3	2	2	-	-	-	-	-
46.1	JAKOB-CREUTZFELDT DISEASE	F	18	1	-	-	-	-	-	-	-	-	1	-	-	4	2	3	4	1	2	-	-	-	-	-
		M	29	1	-	-	-	-	-	-	-	-	1	-	-	4	5	5	4	1	2	-	-	-	-	-
46.3	PROGRESSIVE MULTIFOCAL LEUCOENCEPHALOPATHY	F	16	1	-	-	-	-	-	1	-	3	3	2	1	2	2	5	3	1	1	-	-	-	-	-
		M	13	-	-	-	-	-	-	1	-	3	3	2	1	2	2	5	3	1	1	-	-	-	-	-
47	MENINGITIS DUE TO ENTEROVIRUS	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47.9	UNSPECIFIED	M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM	M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
49	OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM	M	21	1	-	-	-	-	1	2	-	3	1	2	2	3	5	2	1	1	1	-	1	-	-	-
		F	12	1	1	-	-	-	-	2	-	3	1	2	1	1	3	2	1	1	1	-	-	-	-	-
49.0	LYMPHOCYTIC CHORIOMENINGITIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
49.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
49.9	UNSPECIFIED	M	31	1	1	-	-	-	1	4	-	3	2	2	2	4	3	2	-	1	-	-	1	-	-	-
		F	11	-	-	-	-	-	1	2	-	3	1	2	1	2	2	2	1	1	1	-	1	-	-	-
50-57	VIRAL DISEASES ACCOMPANIED BY EXANTHEM	M	48	5	2	2	1	2	1	2	1	3	2	2	2	2	4	2	4	3	2	3	-	-	-	-
		F	22	2	1	1	1	2	1	2	1	3	2	2	2	2	3	2	3	3	2	1	-	-	-	-
52	CHICKENPOX	M	26	3	2	2	1	2	1	2	1	3	2	2	2	2	4	2	4	3	2	2	-	-	-	-
		F	13	3	2	2	1	2	1	2	1	3	2	2	2	2	3	2	3	3	2	2	-	-	-	-
53	HERPES ZOSTER	M	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
53.1	WITH OTHER NERVOUS SYSTEM COMPLICATIONS	M	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
53.2	WITH OPHTHALMIC COMPLICATIONS	F	6	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
53.9	HERPES ZOSTER WITHOUT MENTION OF COMPLICATION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
54	HERPES SIMPLEX	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54.3	HERPETIC MENINGOENCEPHALITIS	M	25	2	2	1	-	-	1	1	-	2	1	1	1	1	2	1	4	2	1	1	-	-	-	-
		F	11	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	1	2	1	-	-	-	-	-
54.7	WITH OTHER COMPLICATIONS	M	14	2	1	1	-	-	1	1	-	1	-	1	1	-	2	1	4	2	1	1	-	-	-	-
		F	7	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	3	1	1	-	-	-	-	-
54.9	HERPES SIMPLEX WITHOUT MENTION OF COMPLICATION	M	10	1	1	-	-	-	-	1	-	2	-	-	-	1	2	1	1	1	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	1	1	1	-	-	-	-
60-66	ARTHROPOD-BORNE VIRAL DISEASES	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
62	MOSQUITO-BORNE VIRAL ENCEPHALITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
62.3	ST. LOUIS ENCEPHALITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
70-79	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	M	257	11	3	1	2	0	14	14	16	20	20	23	7	11	21	24	14	12	12	13	5	2	2	-
		F	154	9	2	1	2	3	7	11	13	16	13	17	6	5	12	16	11	3	3	3	1	-	-	-
70	VIRAL HEPATITIS	M	103	2	1	1	-	3	7	3	3	4	7	6	1	6	9	8	3	9	9	10	5	1	2	-
		F	174	3	2	1	1	6	13	8	10	9	12	20	6	10	19	21	12	12	4	6	-	-	-	-
70.0	VIRAL HEPATITIS A WITH HEPATIC COMA	M	106	3	2	1	1	3	6	6	7	7	6	13	5	4	12	14	10	3	1	3	-	-	-	-
		F	68	-	-	-	-	1	7	2	3	2	6	7	1	6	7	7	2	9	3	3	-	-	-	-
70.1	VIRAL HEPATITIS A WITHOUT MENTION OF HEPATIC COMA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70.2	VIRAL HEPATITIS B WITH HEPATIC COMA	M	18	-	-	-	-	-	3	-	1	2	1	1	-	-	2	3	1	1	1	-	-	-	-	-
		F	12	-	-	-	-	-	3	-	1	2	1	1	-	-	2	2	1	1	1	-	-	-	-	-
70.3	VIRAL HEPATITIS B WITHOUT MENTION OF HEPATIC COMA	M	6	-	-	-	-	-	2	-	-	-	1	-	-	-	2	1	-	-	1	2	-	-	-	-
		F	4	-	-	-	-	-	2	-	-	-	1	-	-	-	2	1	-	-	1	1	-	-	-	-
70.6	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	M	91	1	1	-	-	3	4	6	2	2	7	13	3	5	10	14	8	2	2	-	-	-	-	-
		F	61	1	-	-	-	2	2	5	2	2	3	10	2	3	8	11	6	2	2	-	-	-	-	-
70.9	UNSPECIFIED VIRAL HEPATITIS WITHOUT MENTION OF HEPATIC COMA	M	30	-	-	-	-	1	2	1	1	-	4	5	1	2	2	3	2	-	-	-	-	-	-	-
		F	57	2	1	1	1	3	4	2	6	5	3	4	1	5	6	4	3	3	2	3	-	-	-	-
75	INFECTIOUS MONONUCLEOSIS	M	30	2	1	1	1	3	1	1	3	3	2	2	1	4	3	3	3	3	1	2	-	-	-	-
		F	27	-	-	-	-	3	3	1	3	2	1	2	-	2	3	1	3	1	1	1	-	-	-	-
78	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	62	4	3	3	-	1	3	5	11	7	4	-	1	2	1	2	1	1	1	-	-	-	-	-
78.5	CYTOMEGALIC INCLUSION DISEASE	M	33	3	1	2	-	1	2	1	2	1	1	-	1	1	1	1	1	1	1	-	-	-	-	-
		F	40	3	2	2	-	1	4	5	11	7	4	-	1	2	1	2	1	1	1	-	-	-	-	-
78.6	OTHER	M	32	2	2	2	-	1	3	5	9	6	4	-	1	2	1	1	1	1	1	-	-	-	-	-
		F	8	1	1	1	-	-	1	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
79	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	M	40	4	2	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	-	-	-	-	-
		F	15	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	-	-	-	-	-
79.9	UNSPECIFIED	M	25	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	-	-	-	-	-
		F	15	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	-	-	-	-	-
80-88	RICKETTSIOSES AND OTHER ARTHROPOD-BORNE DISEASES	M	5	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
84	MALARIA		4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
84.6	UNSPECIFIED		3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
84.8	BLACKWATER FEVER		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	TRYPANOSOMIASIS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
86.0	CHAGAS'S DISEASE WITH HEART INVOLVEMENT		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90-99	SYPHILIS AND OTHER VENEREAL DISEASES		8	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
90	CONGENITAL SYPHILIS		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90.4	JUVENILE NEUROSYPHILIS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90.9	CONGENITAL SYPHILIS, UNSPECIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93	CARDIOVASCULAR SYPHILIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
93.1	SYPHILITIC AORTITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
93.2	SYPHILITIC ENDOCARDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
94	NEUROSYPHILIS		3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
94.0	TABES DORSALIS		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
94.1	GENERAL PARESIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
110-118	MYCOSES		232	7	1	2	2	2	8	13	14	22	12	13	16	20	22	24	25	14	6	8	2	1	-	-
		M	166	6	1	2	2	2	6	11	14	19	10	7	12	10	15	17	16	12	3	5	1	1	-	-
		F	66	1	-	-	-	-	2	2	-	3	2	6	4	10	7	7	9	2	3	3	1	-	-	-
112	CANDIDIASIS		60	5	1	-	1	-	1	1	-	1	2	2	3	8	5	7	10	4	3	6	2	-	-	-
		M	36	4	1	-	1	-	-	1	-	1	1	2	3	4	5	5	6	4	2	3	2	-	-	-
		F	24	1	-	-	-	-	1	-	-	-	1	-	-	4	-	2	4	-	1	3	-	-	-	-
112.4	OF LUNG		5	1	-	-	-	-	-	1	-	-	-	1	1	1	3	2	1	2	1	1	-	-	-	-
		M	3	1	-	-	-	-	-	1	-	-	-	1	1	1	3	2	1	2	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112.5	DISSEMINATED		43	3	1	-	-	-	-	-	-	1	1	1	2	6	4	6	9	2	2	2	2	-	-	-
		M	25	3	1	-	-	-	-	-	-	1	1	1	2	4	4	4	5	2	1	2	2	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	1	-	-	-	-	-
112.8	OF OTHER SITES		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112.9	OF UNSPECIFIED SITE		9	1	-	-	1	-	1	-	-	-	-	1	-	-	-	2	2	2	1	1	-	-	-	-
		M	6	1	-	-	1	-	1	-	-	-	-	1	-	-	-	2	2	2	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	COCCIDIOIDOMYCOSIS		27	2	-	-	-	-	2	1	1	2	1	2	2	1	1	3	5	2	1	1	-	-	-	-
		M	19	2	-	-	-	-	1	1	1	2	1	2	2	1	1	3	5	2	1	1	-	-	-	-
		F	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115	HISTOPLASMOSIS		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116	BLASTOMYCOTIC INFECTION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
116.0	BLASTOMYCOSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
117	OTHER MYCOSES		142	2	-	2	1	-	5	9	13	19	9	9	10	11	13	15	9	9	2	3	1	1	-	-
		M	111	2	-	2	-	-	5	8	13	16	6	6	8	6	10	10	5	7	2	2	1	1	-	-
		F	31	-	-	-	1	-	-	1	-	3	3	3	2	5	3	5	4	2	-	1	-	-	-	-
117.3	ASPERGILLOSIS		30	-	-	1	1	-	-	1	-	1	1	2	1	4	3	5	4	4	1	1	-	-	-	-
		M	20	-	-	1	-	-	-	1	-	1	1	2	1	2	3	5	4	4	1	1	-	-	-	-
		F	10	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
117.5	CRYPTOCOCCOSIS		64	-	-	-	-	-	3	6	12	15	6	6	6	4	2	2	2	1	1	-	-	-	-	-
		M	61	-	-	-	-	-	3	6	12	15	6	5	6	3	2	2	2	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
117.6	ALLESCHERIOSIS (PETRIELLIDOSIS)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117.7	ZYGOMYCOSIS (PHYCOMYCOSIS OR MUCORMYCOSIS)		7	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117.9	OTHER AND UNSPECIFIED		40	2	-	1	-	-	2	1	-	2	3	2	1	1	2	6	2	4	1	2	-	1	-	-
		M	26	2	-	1	-	-	2	1	-	2	2	2	1	1	2	3	2	2	1	2	-	1	-	-
		F	14	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	2	-	-	-	-	-	-
120-129	HELMINTHIASES		7	-	-	-	-	-	-	1	-	1	-	2	1	-	-	1	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
121	OTHER TREMATODE INFECTIONS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121.1	CLONORCHIASIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	ECHINOCOCCOSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122.9	ECHINOCOCCUS, OTHER AND UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123	OTHER CESTODE INFECTION		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123.1	CYSTICERCOSIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127	OTHER INTESTINAL HELMINTHIASES		2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127.2	STRONGYLOIDIASIS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
129	INTESTINAL PARASITISM, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-136	OTHER INFECTIOUS AND PARASITIC DISEASES	M	501	5	3	1	2	1	15	54	102	80	74	51	33	33	18	6	8	6	3	2	2	-	-	-
		F	445	2	2	-	1	1	15	49	99	77	68	47	29	27	14	4	2	4	3	2	1	-	-	-
			56	3	1	1	1	-	-	5	3	3	6	4	4	6	4	2	6	2	2	2	1	-	-	-
130	TOXOPLASMOSIS	M	37	-	-	-	-	-	-	5	7	5	8	5	5	1	1	-	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	5	7	5	8	5	5	1	1	-	-	-	-	-	-	-	-	-
132	PEDICULOSIS AND PHTHIRUS INFESTATION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
132.9	PEDICULOSIS, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
135	SARCOIDOSIS	M	33	-	-	-	-	-	-	2	2	4	4	4	3	5	3	-	4	1	1	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	2	1	2	-	2	2	-	-	1	-	-	-	-	-	-
			23	-	-	-	-	-	-	2	2	2	3	2	3	3	1	-	4	-	1	-	-	-	-	-
136	OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES	M	430	5	3	1	2	1	15	47	93	71	62	42	25	27	13	6	4	5	4	2	2	-	-	-
		F	397	2	2	-	1	1	15	44	91	70	59	40	24	24	11	4	2	3	3	2	1	-	-	-
			33	3	1	1	1	-	-	3	2	1	3	2	1	3	2	2	2	2	1	-	1	-	-	-
136.1	BEHCET'S SYNDROME	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136.3	PNEUMOCYSTOSIS	M	418	4	3	1	2	1	15	47	92	70	62	41	25	27	12	6	4	3	3	2	1	-	-	-
		F	391	1	2	-	1	1	15	44	90	70	59	39	24	24	11	4	2	2	2	2	1	-	-	-
			27	3	1	1	1	-	-	3	2	-	3	2	1	3	1	2	2	1	1	-	-	-	-	-
136.9	UNSPECIFIED	M	11	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	1	2	2	-	-	-
		F	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
			6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	2	-	-	-
137-139	LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES	M	48	-	1	1	-	-	-	1	-	1	1	1	2	5	5	10	11	2	3	4	-	-	-	-
		F	19	-	1	1	-	-	-	1	-	1	1	-	1	3	3	4	5	2	1	1	-	-	-	-
			29	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	6	-	2	3	-	-	-	-
137	LATE EFFECTS OF TUBERCULOSIS	M	31	-	-	-	-	-	-	1	-	-	-	-	1	3	2	8	10	1	1	-	-	-	-	-
		F	13	-	-	-	-	-	-	1	-	-	-	-	1	2	-	4	5	1	1	-	-	-	-	-
			18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	-	-	-	-	-	-	-
137.0	LATE EFFECTS OF RESPIRATORY OR UNSPECIFIED TUBERCULOSIS	M	31	-	-	-	-	-	-	1	-	-	-	-	1	3	2	8	10	1	1	4	-	-	-	-
		F	13	-	-	-	-	-	-	1	-	-	-	-	1	2	-	4	5	1	1	1	-	-	-	-
			18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	-	-	3	-	-	-	-
138	LATE EFFECTS OF POLIOMYELITIS	M	4	-	-	-	-	-	-	-	-	1	1	1	1	2	-	2	1	1	1	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	1	-	-	3	-	-	-	-
			2	-	1	1	-	-	-	-	-	-	-	1	-	2	-	1	-	1	1	-	-	-	-	-
139	LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES	M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139.8	LATE EFFECTS OF OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES	M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-239	NEOPLASMS	M	46,320	18	80	85	80	103	151	268	440	682	973	1,467	2,418	3,977	6,037	6,928	7,223	6,421	4,625	2,783	1,206	307	40	8
		F	24,090	9	54	53	50	58	86	166	228	312	454	690	1,211	2,101	3,197	3,766	3,920	3,493	2,377	1,271	473	107	11	3
			22,230	9	26	32	30	45	65	102	212	370	519	777	1,207	1,876	2,840	3,162	3,303	2,928	2,248	1,512	733	200	29	5
140-149	MALIGNANT NEOPLASM OF LIP, ORAL CAVITY AND PHARNYX	M	876	-	-	-	-	1	3	4	10	14	22	29	54	101	128	153	126	101	60	41	20	5	1	1
		F	503	-	-	-	-	1	2	2	5	8	16	20	37	78	71	82	68	63	33	14	10	-	1	1
			371	-	-	-	-	1	1	2	5	6	6	9	17	23	57	71	58	38	27	27	10	5	1	-	-
140	MALIGNANT NEOPLASM OF LIP	M	9	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-
			3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140.1	LOWER LIP, VERMILION BORDER	M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140.9	LIP, UNSPECIFIED, VERMILION BORDER	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
141	MALIGNANT NEOPLASM OF TONGUE	M	199	-	-	-	-	-	1	-	2	4	5	8	13	29	23	33	29	23	9	13	6	1	-	-
		F	123	-	-	-	-	-	-	-	1	1	4	4	12	22	14	19	19	16	3	5	3	-	-	-
			76	-	-	-	-	-	1	-	1	3	1	4	1	7	9	14	10	7	6	8	3	1	-	-
141.0	BASE OF TONGUE	M	21	-	-	-	-	-	-	-	-	-	2	1	1	4	2	2	2	3	-	2	2	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	2	1	1	3	1	2	2	3	-	2	1	-	-	-
			3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
141.6	LINGUAL TONSIL	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
141.9	TONGUE, UNSPECIFIED	M	176	-	-	-	-	-	1	-	2	4	3	7	12	24	21	30	26	20	9	11	5	1	-	-
		F	104	-	-	-	-	-	-	-	1	1	2	3	11	18	13	17	17	13	3	3	2	-	-	-
			72	-	-	-	-	-	1	-	1	3	1	4	1	6	8	13	9	7	6	8	3	1	-	-
142	MALIGNANT NEOPLASM OF MAJOR SALIVARY GLANDS	M	63	-	-	-	-	-	-	-	4	5	-	3	8	6	10	8	5	6	6	-	-	-	-	-
		F	39	-	-	-	-	-	-	-	1	3	-	2	6	5	5	7	4	5	1	-	-	-	-	-
			24	-	-	-	-	-	-	-	3	2	-	1	2	1	5	1	1	1	5	-	-	-	-	-
142.0	PAROTID GLAND	M	44	-	-	-	-	-	-	-	3	4	-	3	6	4	8	4	2	7	3	-	-	-	-	-
		F	27	-	-	-	-	-	-	-	1	2	-	2	5	3	4	3	2	4	2	-	-	-	-	-
			17	-	-	-	-	-	-	-	2	2	-	1	1	1	4	1	-	3	2	-	-	-	-	-
142.1	SUBMANDIBULAR GLAND	M	8	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142.9	SITE UNSPECIFIED	M	14	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	3	2	1	3	-	-	-	-
		F	8	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	3	1	1	3	-	-	-	-
			6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
143	MALIGNANT NEOPLASM OF GUM	M	9	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	1	3	2	1	1	-	-	-
		F	5	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	1	2	2	1	1	-	-	-
			4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
143.0	UPPER GUM	M	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
			4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
143.1	LOWER GUM	M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
143.9	GUM, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144	MALIGNANT NEOPLASM OF FLOOR OF MOUTH	M	56	-	-	-	-	-	-	-	-	-	1	6	3	7	4	9	10	8	6	2	1	2	-	-
		F	31	-	-	-	-	-	-	-	-	-	1	5	2	7	2	5	2	3	4	2	1	2	-	-
			25	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	8	5	2	-	-	-	-	-	-
144.9	PART UNSPECIFIED	M	56	-	-	-	-	-	-	-	-	-	1	6	3	7	4	9	10	8	6	2	1	2	-	-
		F	31	-	-	-	-	-	-	-	-	-	1	5	2	7	2	5	2	3	4	2	1	2	-	-
			25	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	8	5	2	-	-	-	-	-	-
145	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH	M	131	-	-	-	-	-	-	-	1	-	4	4	10	11	16	20	24	18	11	6	1	1	-	-
		F	67	-	-	-	-	-	-	-	1	-	3	2	6	6	7	11	10	11	6	1	1	-	-	-
			64	-	-	-	-	-	-	-	-	-	1	2	4	5	9	9	14	7	5	5	-	1	-	-	-
145.0	CHEEK MUCOSA	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
145.2	HARD PALATE	M	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
145.3	SOFT PALATE	M	13	-	-	-	-	-	-	-	-	-	1	-	2	4	3	2	1	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-
145.5	PALATE, UNSPECIFIED	M	8	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	1	2	1	1	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	3	1	1	-	-	-	-
145.6	RETROMOLAR AREA	M	10	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
145.9	MOUTH, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146	MALIGNANT NEOPLASM OF OROPHARYNX	M	90	-	-	-	-	-	-	-	-	-	2	3	6	6	11	16	18	10	7	5	4	-	1	-
		F	31	-	-	-	-	-	-	-	1	-	-	2	5	5	5	9	8	7	5	1	1	-	-	-
		M	59	-	-	-	-	-	-	-	-	-	2	1	1	1	6	7	10	3	2	4	3	-	1	-
		F	120	-	-	-	-	-	-	1	-	-	2	1	8	10	20	27	14	12	12	1	6	1	-	1
		M	71	-	-	-	-	-	-	1	-	-	2	3	4	6	13	13	7	9	7	1	2	-	-	-
		F	49	-	-	-	-	-	-	-	-	-	-	1	4	4	7	14	7	3	5	-	4	1	-	-
146.0	TONSIL	M	69	-	-	-	-	-	-	-	-	1	1	4	7	5	8	17	10	8	5	-	3	-	-	-
		F	60	-	-	-	-	-	-	-	-	1	1	3	4	3	5	6	7	7	2	-	2	-	-	-
146.1	TONSILLAR FOSSA	M	29	-	-	-	-	-	-	-	-	-	1	1	3	2	3	11	3	1	3	1	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	1	-	-	-	-	-	-
146.2	TONSILLAR PILLARS (ANTERIOR) (POSTERIOR)	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
146.9	OROPHARYNX UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	42	-	-	-	-	-	-	1	-	-	1	-	1	3	2	10	4	3	2	-	2	1	-	1
		M	24	-	-	-	-	-	-	1	-	-	-	-	-	2	2	7	3	2	5	-	1	-	-	1
147	MALIGNANT NEOPLASM OF NASOPHARYNX	M	16	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	2	2	1	1	1	-	-
		F	81	-	-	-	-	1	1	2	2	6	3	2	5	13	12	13	7	6	4	2	1	-	-	-
		M	43	-	-	-	-	1	1	1	1	3	2	1	2	7	8	7	5	4	2	1	1	-	-	-
147.9	NASOPHARYNX, UNSPECIFIED	F	38	-	-	-	-	1	1	1	1	3	2	1	3	6	4	6	2	4	2	1	1	-	-	-
		M	81	-	-	-	-	1	1	2	2	6	3	2	5	13	12	13	7	6	4	2	1	1	-	-
		F	43	-	-	-	-	1	1	1	1	5	2	1	2	7	8	7	5	4	2	1	1	-	-	-
148	MALIGNANT NEOPLASM OF HYPOPHARYNX	M	38	-	-	-	-	-	-	1	1	5	2	1	3	6	4	6	2	2	1	1	-	1	-	-
		F	68	-	-	-	-	-	-	-	-	-	1	1	1	11	16	12	13	7	1	1	1	-	-	-
		M	44	-	-	-	-	-	-	-	-	-	1	1	1	10	9	9	9	3	1	1	1	-	-	-
148.1	PYRIFORM SINUS	F	24	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	4	1	1	1	-	-	-
		M	30	-	-	-	-	-	-	-	-	-	-	-	-	4	8	6	6	1	1	1	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	3	6	4	5	1	-	-	-	-	-	-
148.2	ARYEPIGLOTTIC FOLD, HYPOPHARYNGEAL ASPECT	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-
148.9	HYPOPHARYNX, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-	-	1	1	1	7	10	5	3	3	1	-	-	-	-	-
		M	23	-	-	-	-	-	-	-	-	-	1	1	1	7	3	3	4	2	1	-	-	-	-	-
149	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX	M	133	-	-	-	-	-	-	-	-	1	2	3	6	11	10	26	27	18	20	6	-	-	-	-
		F	70	-	-	-	-	-	-	-	-	1	2	3	6	6	6	12	11	8	4	3	-	-	-	-
		M	63	-	-	-	-	-	-	-	-	1	2	-	5	4	4	14	16	10	10	3	-	-	-	-
149.0	PHARYNX, UNSPECIFIED	M	132	-	-	-	-	-	-	-	-	1	2	3	6	11	10	25	27	18	20	6	-	-	-	-
		F	69	-	-	-	-	-	-	-	-	1	2	3	6	6	6	11	11	8	10	3	-	-	-	-
		M	63	-	-	-	-	-	-	-	-	-	-	-	5	4	4	14	16	10	10	3	-	-	-	-
149.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150-159	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM	M	11,412	1	3	1	-	4	13	21	61	91	170	295	470	857	1,354	1,706	1,830	1,790	1,344	839	429	102	11	-
		F	6,056	1	3	1	-	2	5	13	33	56	104	176	309	530	813	982	1,018	910	603	330	134	29	2	-
		M	5,356	-	-	-	-	2	8	8	28	35	66	119	161	327	539	724	812	880	741	509	295	73	9	-
150	MALIGNANT NEOPLASM OF OESOPHAGUS	M	834	-	-	-	-	-	-	-	2	-	11	24	31	85	151	142	145	113	54	36	18	-	1	-
		F	587	-	-	-	-	-	-	-	1	-	3	3	10	14	38	48	46	30	20	22	11	-	1	-
		M	247	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150.0	CERVICAL PART	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150.3	UPPER THIRD	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
150.4	MIDDLE THIRD	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
150.5	LOWER THIRD	M	18	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	2	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	3	1	-	-	-	-
150.9	OESOPHAGUS, UNSPECIFIED	M	811	-	-	-	-	-	-	-	3	-	11	24	30	85	148	139	142	106	50	34	18	-	1	-
		F	568	-	-	-	-	-	-	-	2	-	8	21	20	71	110	92	96	78	30	13	7	-	-	-
		M	243	-	-	-	-	-	-	-	1	-	3	3	10	14	38	47	46	28	20	21	11	-	1	-
151	MALIGNANT NEOPLASM OF STOMACH	M	1,516	-	-	-	-	-	-	4	17	24	35	46	81	126	165	204	247	207	176	114	57	14	1	-
		F	693	-	-	-	-	-	-	3	9	16	23	27	52	82	116	135	136	117	85	47	19	4	-	-
		M	625	-	-	-	-	-	-	1	8	8	12	19	29	44	49	69	89	90	91	67	38	10	1	-
151.0	CARDIA	M	56	-	-	-	-	-	-	-	-	2	3	2	5	7	11	8	7	4	2	2	1	-	-	-
		F	48	-	-	-	-	-	-	-	-	2	4	2	4	7	11	6	6	4	1	1	-	-	-	-
151.1	PYLORUS	M	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
151.2	PYLORIC ANTRUM	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
151.3	FUNDUS OF STOMACH	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
151.9	STOMACH, UNSPECIFIED	M	1,458	-	-	-	-	-	-	4	17	22	30	44	73	119	134	196	240	202	172	112	56	14	1	-
		F	643	-	-	-	-	-	-	3	9	14	19	25	47	75	105	129	132	113	83	46	19	4	-	-
		M	615	-	-	-	-	-	-	1	8	8	11	19	26	44	49	67	88	89	89	66	37	10	1	-
152	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM	M	79	-	-	-	-	-	-	-	1	-	2	2	3	8	7	9	11	13	13	5	1	-	-	-
		F	48	-	-	-	-	-	-	-	1	-	2	2	2	4	6	5	4	8	8	3	1	-	-	-
152.0	DUODENUM	M	31	-	-	-	-	-	-	-	-	-	1	1	1	4	1	4	4	7	7	3	2	-	-	-
		F	35	-	-	-	-	-	-	-	1	-	1	2	1	5	2	3	4	7	7	2	1	-	-	-
		M	20	-	-	-	-	-	-	-	1	-	1	1	-	3	1	2	2	3	4	1	1	-	-	-
152.1	JEJUNUM	F	15	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	4	3	1	1	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	2	1	1	1	-	-	-	-
152.2	ILEUM	F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
152.3	MECKEL'S DIVERTICULUM	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
152.9	SMALL INTESTINE, UNSPECIFIED	M	28	-	-	-	-	-	-	-	-	-	-	-	3	2	-	2	4	7	4	2	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	3	3	4	2	2	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1965

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
153	MALIGNANT NEOPLASM OF COLON		4,437	-	-	-	-	1	6	8	16	25	58	94	143	283	470	632	693	760	600	383	196	45	4	-
		M	2,205	-	-	-	-	1	2	6	7	14	37	48	85	165	269	353	365	373	258	148	59	14	1	-
		F	2,232	-	-	-	-	-	4	2	9	11	21	46	58	118	201	279	328	387	342	235	137	31	3	-
153.1	TRANSVERSE COLON		51	-	-	-	-	-	-	-	-	-	1	2	3	3	6	7	3	11	8	4	1	2	-	-
		M	23	-	-	-	-	-	-	-	-	-	1	1	2	3	3	3	2	6	5	3	1	1	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	1	1	-	3	4	1	5	3	1	-	1	-	-
153.2	DESCENDING COLON		98	-	-	-	-	-	-	-	-	-	1	1	3	5	8	16	25	13	12	7	3	-	-	-
		M	55	-	-	-	-	-	-	-	-	-	-	1	2	2	7	10	16	9	4	2	1	-	-	-
		F	43	-	-	-	-	-	-	-	-	-	1	-	1	3	1	6	9	4	8	5	2	-	-	-
153.3	SIGMOID COLON		313	-	-	-	-	-	2	-	1	1	1	5	11	17	38	51	44	58	42	26	13	2	1	-
		M	165	-	-	-	-	-	-	-	1	1	1	3	7	13	21	23	28	32	21	11	3	1	-	-
		F	148	-	-	-	-	-	2	-	1	-	-	2	4	4	17	28	16	26	21	15	10	1	1	-
153.4	CAECUM		191	-	-	-	-	-	-	1	-	-	1	3	2	11	13	25	28	30	30	29	15	3	-	-
		M	89	-	-	-	-	-	-	-	-	-	1	2	1	6	5	14	13	16	11	13	5	-	-	-
		F	102	-	-	-	-	-	-	1	-	-	-	1	1	5	8	11	15	14	19	16	10	3	-	-
153.5	APPENDIX		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
153.6	ASCENDING COLON		301	-	-	-	-	1	-	-	3	1	3	8	7	13	29	30	42	58	44	28	10	4	-	-
		M	142	-	-	-	-	-	-	-	1	1	2	5	2	7	17	26	18	29	18	13	2	1	-	-
		F	159	-	-	-	-	1	-	-	2	-	1	3	5	6	12	24	24	29	26	15	8	3	-	-
153.7	SPLENIC FLEXURE		6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
153.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
153.9	COLON, UNSPECIFIED	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
			3,468	-	-	-	-	1	3	7	12	23	51	74	116	232	374	501	548	586	460	287	134	34	3	-
		M	1,721	-	-	-	-	1	2	6	6	12	31	35	70	137	214	276	286	281	200	104	48	11	1	-
		F	1,747	-	-	-	-	-	1	1	6	11	20	39	46	95	160	225	262	305	262	183	106	23	2	-
154	MALIGNANT NEOPLASM OF RECTUM, RECTOSIGMOID JUNCTION AND ANUS		875	-	-	-	-	1	2	4	2	9	9	19	38	62	122	118	137	118	104	78	34	17	1	-
		M	463	-	-	-	-	-	2	1	2	7	3	13	25	31	65	66	80	66	53	34	13	3	1	-
		F	412	-	-	-	-	1	-	1	-	2	6	6	13	31	57	52	57	52	51	44	21	14	-	-
154.0	RECTOSIGMOID JUNCTION		173	-	-	-	-	-	1	1	1	1	1	2	8	17	27	27	31	14	21	14	6	2	-	-
		M	95	-	-	-	-	-	1	-	1	1	1	2	5	9	18	17	18	6	9	7	2	-	-	-
		F	78	-	-	-	-	-	-	1	-	-	-	-	3	8	9	10	13	8	12	7	4	2	-	-
154.1	RECTUM		636	-	-	-	-	1	1	2	6	6	15	28	39	85	83	102	99	83	63	27	13	1	-	-
		M	355	-	-	-	-	1	1	2	6	4	11	19	21	43	46	61	58	44	27	11	2	-	-	-
		F	301	-	-	-	-	-	-	1	1	2	4	9	18	42	37	41	41	39	36	16	11	1	-	-
154.2	ANAL CANAL		2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
154.3	ANUS, UNSPECIFIED		27	-	-	-	-	-	-	-	-	1	2	1	1	3	6	5	3	3	-	1	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	1	-	-	1	-	-	-
		F	21	-	-	-	-	-	-	-	-	1	1	-	1	2	5	3	3	2	-	1	-	-	-	-
154.8	OTHER		17	-	-	-	-	-	-	-	-	1	-	1	1	3	3	3	2	1	-	-	2	1	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	-	-	1	1	-	-
		F	11	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	-	1	-	-	-
155	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS		738	1	3	1	-	2	3	3	13	10	15	34	39	66	98	115	106	107	54	49	12	7	-	-
		M	456	1	2	1	-	1	2	2	10	8	14	25	29	46	64	74	55	53	36	26	6	2	-	-
		F	282	-	1	-	-	1	1	1	3	2	1	9	10	20	34	41	51	54	18	23	6	5	-	-
155.0	LIVER, PRIMARY		373	-	2	1	-	2	1	2	10	7	11	27	24	43	48	58	48	50	22	14	2	1	-	-
		M	261	-	2	1	-	1	1	2	7	6	10	20	17	32	38	39	28	31	14	11	1	1	-	-
		F	112	-	-	-	-	1	1	-	3	1	1	7	7	11	10	19	20	19	8	3	1	-	-	-
155.1	INTRAHEPATIC BILE DUCTS		96	-	-	-	-	-	-	-	3	-	1	3	4	7	18	17	17	11	7	3	-	1	-	-
		M	53	-	-	-	-	-	-	-	3	-	1	2	2	5	9	8	8	6	4	3	-	1	-	-
		F	43	-	-	-	-	-	-	-	-	-	-	1	2	2	9	9	9	5	3	3	-	-	-	-
155.2	LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY		269	1	1	-	-	-	2	1	-	3	3	4	11	16	32	40	41	46	33	28	10	5	-	-
		M	142	1	1	-	-	-	2	1	-	2	3	3	10	9	17	27	18	16	18	12	5	5	-	-
		F	127	-	-	-	-	-	-	-	-	1	-	1	1	7	15	13	23	30	15	16	5	-	-	-
156	MALIGNANT NEOPLASM OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS		396	-	-	-	-	-	-	-	2	1	7	11	13	29	32	35	64	69	55	32	22	1	1	-
		M	143	-	-	-	-	-	-	-	-	1	2	4	4	13	10	26	34	24	13	9	4	1	-	-
		F	253	-	-	-	-	-	-	-	2	-	5	7	9	16	22	29	30	45	42	23	18	-	1	-
156.0	GALLBLADDER		195	-	-	-	-	-	-	-	1	2	3	4	7	18	16	24	37	28	27	16	11	1	-	-
		M	50	-	-	-	-	-	-	-	-	-	1	2	1	5	2	9	16	6	6	3	4	1	-	-
		F	145	-	-	-	-	-	-	-	1	2	2	2	6	13	14	15	21	22	21	13	7	-	-	-
156.1	EXTRAHEPATIC BILE DUCTS		116	-	-	-	-	-	-	-	-	1	2	3	3	6	10	20	17	23	17	8	6	-	-	-
		M	51	-	-	-	-	-	-	-	-	1	1	2	2	5	4	10	11	9	5	2	1	-	-	-
		F	65	-	-	-	-	-	-	-	-	-	1	1	1	1	6	10	6	14	12	6	5	-	-	-
156.2	AMPULLA OF VATER		35	-	-	-	-	-	-	-	-	-	-	2	1	2	4	5	6	6	5	1	-	-	-	1
		M	12	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	3	4	1	-	-	-	1
		F	23	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	3	1	-	-	-	-	-
156.9	BILIARY TRACT, PART UNSPECIFIED		50	-	-	-	-	-	-	-	1	-	-	2	2	3	1	4	5	6	3	5	4	-	-	-
		M	30	-	-	-	-	-	-	-	1	-	-	2	2	3	1	2	4	6	3	3	4	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	-	-	-	-
157	MALIGNANT NEOPLASM OF PANCREAS		2,320	-	-	-	-	-	-	2	6	17	30	65	97	183	288	397	396	356	259	141	74	15	2	-
		M	1,161	-	-	-	-	-	-	-	2	11	15	37	68	107	161	220	206	163	102	43	20	5	1	-
		F	1,159	-	-	-	-	-	-	2	4	6	15	28	29	76	127	177	190	193	157	98	54	10	1	-
157.0	HEAD OF PANCREAS		53	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	10	13	7	9	8	-	-	-
		M	26	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	7	6	2	3	3	-	-	-
		F	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	5	6	5	-	-	-
157.1	BODY OF PANCREAS		6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157.2	TAIL OF PANCREAS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157.4	ISLETS OF LANGERHANS		9	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	2	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
157.9	PART UNSPECIFIED		2,248	-	-	-	-	-	-	2	6	17	29	62	93	181	285	382	383	341	250	132	66	15	2	-
		M	1,127	-	-	-	-	-	-	-	2	11	14	36	67	105	159	217	198	156	99	40	17	5	1	-
		F	1,121	-	-	-	-	-	-	2	4	6	15	26	26	76	126	165	185	185	151	92	49	10	1	-
158	MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM		50	-	-	-	-	-	1	-	1	1	2	-	1	4	9	9	7	11	2	2	1	-	-	-
		M	30	-	-	-	-	-	1	-	1	1	1	-	1	4	4	6	3	9	2	2	1	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	1	-	-	-	5	3	4	2	-	-	-	-	-	-
158.0	RETROPERITONEUM		35	-	-	-	-	-	1	-	1	-	2	-	1	3	6	5	5	6	1	2	1	1	-	-
		M	22	-	-	-	-	-	1	-	1	-	1	-	1	3	3	3	3	5	1	2	1	1	-	-
		F	13	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	2	1	-	-	-	-	-	-
158.8	SPECIFIED PARTS OF PERITONEUM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158.9	PERITONEUM, UNSPECIFIED		13	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	4	3	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
159	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM	M	165	-	-	-	-	-	1	-	-	3	1	-	4	9	12	15	24	34	25	19	14	3	1	-
		F	72	-	-	-	-	-	1	-	-	1	1	-	2	7	7	6	12	14	12	4	4	1	-	-
			93	-	-	-	-	-	-	-	-	2	-	-	2	2	5	9	12	20	13	15	10	3	1	-	-
159.0	INTESTINAL TRACT, PART UNSPECIFIED		121	-	-	-	-	-	1	-	-	2	-	-	2	6	7	14	18	25	17	16	9	2	-	-
		M	46	-	-	-	-	-	1	-	-	-	1	-	2	5	4	5	9	7	7	4	2	-	-	-
		F	75	-	-	-	-	-	-	-	-	2	-	-	-	1	3	9	9	18	10	12	7	2	-	-
159.1	SPLEEN, NOT ELSEWHERE CLASSIFIED		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159.9	ILL-DEFINED		42	-	-	-	-	-	-	-	-	1	-	-	-	3	5	1	6	9	8	3	4	1	1	-
		M	25	-	-	-	-	-	-	-	-	1	-	-	-	2	3	1	3	7	6	1	2	1	1	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	2	2	2	-	-	-
160-165	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS		12,498	-	-	2	3	10	22	60	169	404	752	1,374	2,010	2,317	2,202	1,660	935	419	127	22	6	1
		M	7,930	-	-	1	2	7	15	34	97	245	431	899	1,263	1,661	1,406	1,123	616	250	73	10	6	1
		F	4,568	-	-	1	1	3	7	26	72	159	321	475	747	656	796	535	319	169	54	12	-	-
160	MALIGNANT NEOPLASM OF NASAL CAVITIES, MIDDLE EAR AND ACCESSORY SINUSES		46	-	-	-	1	1	1	-	1	-	1	-	-	5	3	10	6	6	4	1	-	-	-	-
		M	27	-	-	-	1	1	-	-	1	-	1	-	-	3	2	4	4	2	4	1	-	-	-	-
		F	19	-	-	-	-	-	1	1	-	-	-	-	-	2	1	6	2	4	-	-	-	-	-	-
160.0	NASAL CAVITIES		5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
160.1	AUDITORY TUBE, MIDDLE EAR AND MASTOID AIR CELLS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160.2	MAXILLARY SINUS		30	-	-	-	-	1	1	-	-	-	-	-	-	4	3	7	5	4	3	1	1	-	-	-
		M	15	-	-	-	-	1	1	-	-	-	-	-	-	4	2	2	3	2	1	1	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	2	2	-	-	-	-	-
160.3	ETHMOIDAL SINUS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
160.4	FRONTAL SINUS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
160.9	ACCESSORY SINUS, UNSPECIFIED		8	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-
		M	5	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	MALIGNANT NEOPLASM OF LARYNX		295	-	-	-	-	-	-	-	-	1	6	18	17	31	54	50	48	33	14	14	7	4	-	-
		M	234	-	-	-	-	-	-	-	-	1	5	15	12	28	45	43	34	26	7	12	6	4	-	-
		F	61	-	-	-	-	-	-	-	-	-	1	3	5	3	9	7	14	7	7	2	1	-	-	-
161.0	GLOTTIS		3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-
161.1	SUPRAGLOTTIS		23	-	-	-	-	-	-	-	-	-	-	2	1	2	7	2	6	2	1	1	1	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	2	1	2	5	1	3	2	1	1	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-
161.2	SUBGLOTTIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
161.3	LARYNGEAL CARTILAGES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
161.9	LARYNX, UNSPECIFIED		267	-	-	-	-	-	-	-	-	1	6	16	15	28	46	47	41	33	14	14	6	4	-	-
		M	214	-	-	-	-	-	-	-	-	1	5	13	11	25	39	41	30	26	7	12	6	4	-	-
		F	53	-	-	-	-	-	-	-	-	-	1	3	4	3	7	6	11	7	7	2	-	-	-	-
162	MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS AND LUNG		12,077	-	-	-	2	1	1	7	21	57	160	382	730	1,330	1,943	2,244	2,138	1,610	908	397	117	22	6	1
		M	7,638	-	-	-	1	-	1	-	14	32	90	227	416	860	1,211	1,405	1,363	1,085	604	244	67	12	6	1
		F	4,439	-	-	-	1	1	1	7	7	25	70	155	314	470	732	839	775	525	304	153	50	10	6	1
162.0	TRACHEA		13	-	-	-	-	-	-	-	1	1	-	-	-	2	2	1	2	2	1	1	-	-	-	-
		M	10	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	1	2	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
162.2	MAIN BRONCHUS		16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	6	1	1	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	5	1	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
162.3	UPPER LOBE, BRONCHUS OR LUNG		235	-	-	-	-	-	-	-	-	2	6	24	28	34	48	60	67	33	20	5	3	-	-	-
		M	152	-	-	-	-	-	-	-	-	2	5	20	19	20	28	33	25	13	7	1	2	-	-	-
		F	83	-	-	-	-	-	-	-	-	-	1	4	9	14	20	27	42	20	13	4	1	-	-	-
162.4	MIDDLE LOBE, BRONCHUS OR LUNG		15	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	5	2	1	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	3	1	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
162.5	LOWER LOBE, BRONCHUS OR LUNG		89	-	-	-	-	-	-	-	1	1	-	1	3	4	17	25	12	17	7	3	1	-	-	-
		M	52	-	-	-	-	-	-	-	1	-	-	1	2	1	14	14	6	10	7	3	1	-	-	-
		F	37	-	-	-	-	-	-	-	-	1	-	-	1	3	3	11	6	7	-	-	-	-	-	-
162.9	BRONCHUS AND LUNG, UNSPECIFIED		11,709	-	-	-	2	1	1	7	19	55	138	373	716	1,293	1,886	2,162	2,066	1,556	879	390	114	22	6	1
		M	7,406	-	-	-	1	1	1	7	12	31	88	221	409	836	1,173	1,357	1,317	1,047	586	242	65	12	6	1
		F	4,303	-	-	-	1	1	1	-	7	24	70	154	307	457	711	805	749	509	293	148	49	10	-	-
163	MALIGNANT NEOPLASM OF PLEURA		39	-	-	-	-	-	-	-	1	1	-	1	3	3	7	6	5	4	1	1	1	-	-	-
		M	29	-	-	-	-	-	-	-	1	1	-	1	3	3	5	5	5	4	1	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
163.9	PLEURA, UNSPECIFIED		39	-	-	-	-	-	-	-	1	1	-	1	3	3	7	6	5	4	1	1	1	-	-	-
		M	29	-	-	-	-	-	-	-	1	1	-	1	3	3	5	5	5	4	1	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
164	MALIGNANT NEOPLASM OF THYMUS, HEART AND MEDIASTINUM		40	-	-	-	-	1	1	2	2	2	3	2	2	5	3	7	4	4	1	1	1	-	-	-
		M	21	-	-	-	-	1	1	2	2	2	2	2	2	5	3	7	4	3	1	1	1	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
164.0	THYMUS		13	-	-	-	-	-	-	1	1	1	1	1	1	2	2	1	3	1	1	1	1	-	-	-
		M	6	-	-	-	-	-	-	1	1	1	1	1	1	2	2	1	3	1	1	1	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164.1	HEART		6	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	2	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	2	1	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164.2	ANTERIOR MEDIASTINUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164.9	MEDIASTINUM, PART UNSPECIFIED		20	-	-	-	-	1	1	-	-	-	2	1	1	1	3	1	1	4	3	1	1	-	-	-
		M	13	-	-	-	-	1	1	-	-	-	2	1	1	1	2	1	1	3	2	1	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
165	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND IN INTRATHORACIC ORGANS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
165.0	UPPER RESPIRATORY TRACT, PART UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170-175	MALIGNANT NEOPLASM OF BONE, CONNECTIVE TISSUE, SKIN AND BREAST		5,400	-	5	8	18	20	34	64	139	211	275	292	440	369	702	647	628	528	387	236	135	39	6	3
		M	863	-	4	4	11	9	18	39	67	63	64	45	68	65	79	90	84	58	41	36	13	4	-	1
		F	4,537	-	1	4	7	11	16	25	72	148	211	247	372	304	623	557	544	470	346	200	122	35	6	2
170	MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE		131	-	-	7	11	10	14	5	5	3	3	3	6	2	10	6	10	15	8	6	2	1	-	-
		M	72	-	-	3	6	6	10	4	3	2	2	3	3	1	5	3	7	5	5	2	2	1	-	-
		F	59	-	-	4	5	4	4	1	2	1	1	-	3	1	5	3	3	10	3	4	-	-	-	-
170.0	BONES OF SKULL AND FACE		18	-	-	-	-	-	-	2	1	-	1	-	-	-	2	-	3	2	1	2	-	-	-	-
		M	9	-	-	-	-	-	-	2	1	-	1	-	-	-	2	-	3	2	1	2	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
170.1	LOWER JAW BONE	M	9	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	2	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-
170.2	VERTEBRAL COLUMN, EXCLUDING SACRUM AND COCCYX	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
		F	6	-	-	1	-	1	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
170.3	RIBS, STERNUM AND CLAVICLE	M	3	-	-	1	-	1	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
		F	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.4	LONG BONES OF UPPER LIMB AND SCAPULA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-
170.5	UPPER LIMB, SHORT BONES	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.6	PELVIC BONES, SACRUM AND COCCYX	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	2	-	-	2	1	-	-	-
170.7	LOWER LIMB, LONG BONES	M	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
170.9	SITE UNSPECIFIED	M	10	-	-	-	1	1	2	1	1	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
		F	4	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	6	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
		F	73	-	-	6	10	8	11	2	3	1	2	3	3	-	3	3	3	6	4	2	1	-	-	-
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE	M	41	-	-	3	5	2	3	1	3	-	-	2	2	-	2	-	-	-	2	1	1	-	-	-
		F	283	-	3	1	7	9	7	7	20	11	13	10	18	19	35	32	27	20	18	20	5	1	-	-
		M	138	-	3	1	5	2	2	2	14	7	7	3	7	8	13	21	16	9	9	10	2	-	-	-
		F	145	-	-	2	7	5	5	6	6	6	7	7	11	11	22	11	11	11	12	10	3	1	-	-
171.0	HEAD, FACE AND NECK	M	5	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
171.3	LOWER LIMB, INCLUDING HIP	M	2	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
		F	22	-	-	-	1	2	1	-	2	1	-	1	3	-	2	2	1	-	2	1	1	-	-	-
		M	9	-	-	-	1	1	1	-	-	1	-	-	1	-	1	1	1	-	-	1	-	-	-	-
		F	13	-	-	-	-	1	-	-	2	-	-	1	2	-	1	1	-	-	2	1	1	1	-	-
171.4	THORAX	M	11	-	-	-	-	-	-	-	1	1	-	-	3	-	1	2	2	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	1	1	-	-	1	-	1	2	-	-	1	-	-	-	-	-
171.5	ABDOMEN	M	12	-	-	-	1	-	-	-	-	1	-	-	1	1	1	1	-	-	1	4	-	-	-	-
		F	6	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3	2	-	-	-	-
171.6	PELVIS	M	11	-	-	-	1	2	-	-	-	1	-	-	1	1	1	1	1	-	-	3	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-
171.7	TRUNK, UNSPECIFIED	M	8	-	-	-	1	2	-	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
171.9	SITE UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	220	-	3	1	4	5	6	7	15	7	12	8	11	17	30	25	22	20	11	12	4	-	-	-
		M	108	-	3	1	3	1	1	2	11	3	7	2	3	7	11	15	13	9	5	6	2	-	-	-
		F	112	-	-	-	1	4	5	5	4	4	5	6	8	10	19	10	9	11	6	6	2	-	-	-
172	MALIGNANT MELANOMA OF SKIN	M	631	-	2	-	1	9	20	38	43	48	43	52	53	64	61	67	55	38	23	7	6	1	-	-
		F	389	-	1	-	1	4	14	21	26	30	28	38	35	42	40	45	29	16	12	3	2	1	-	-
		M	243	-	1	-	-	5	6	17	17	18	15	14	18	22	21	22	26	22	11	4	4	-	-	-
172.0	LIPS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172.2	EAR AND EXTERNAL AURICULAR CANAL	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
172.3	OTHER AND UNSPECIFIED PARTS OF FACE	M	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	2	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
172.4	SCALP AND NECK	M	22	-	-	-	-	-	-	-	3	-	2	-	4	-	1	2	5	1	2	2	1	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	2	-	3	-	1	2	4	1	2	1	1	-	-	-
172.5	TRUNK, EXCEPT SCROTUM	M	40	-	-	-	-	-	1	2	3	3	5	6	3	4	5	3	1	1	1	2	-	-	-	-
		F	28	-	-	-	-	-	1	2	1	2	2	3	3	-	4	3	1	1	-	1	-	-	-	-
172.6	UPPER LIMB INCLUDING SHOULDER	M	12	-	-	-	-	-	-	-	2	1	3	3	-	-	1	-	1	1	1	1	-	-	-	-
		F	20	-	-	-	-	-	2	1	2	2	1	1	1	-	1	2	1	1	-	-	-	-	-	-
172.7	LOWER LIMB INCLUDING HIP	M	13	-	-	-	-	-	1	-	1	1	1	1	2	2	2	1	3	2	2	2	1	-	-	-
		F	7	-	-	-	-	-	1	1	-	1	-	-	-	-	2	-	2	-	-	-	-	-	-	-
172.9	SITE UNSPECIFIED	M	21	-	-	-	-	-	-	-	-	2	1	-	2	2	2	1	4	3	2	2	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	1	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-	-	-	-	-	-
		F	518	-	2	-	-	1	6	17	31	36	39	35	41	46	52	52	53	48	32	15	3	1	-	-
173	OTHER MALIGNANT NEOPLASM OF SKIN	M	316	-	1	-	-	1	2	12	19	23	25	23	30	33	30	31	36	24	13	9	1	-	-	-
		F	202	-	1	-	-	-	4	5	12	13	14	12	11	13	22	21	17	24	19	6	2	1	-	-
		M	285	-	-	-	-	-	3	19	32	26	23	14	17	22	19	27	26	17	14	10	6	1	-	-
		F	240	-	-	-	-	-	2	19	32	28	23	11	15	17	16	23	18	14	9	4	5	2	-	-
173.0	SKIN OF LIP	M	45	-	-	-	-	-	1	-	-	-	-	3	2	5	3	4	8	3	3	4	3	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
173.1	EYELID, INCLUDING CANTHUS	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
173.2	EAR AND EXTERNAL AURICULAR CANAL	M	15	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	2	1	1	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	2	2	2	-	-	-
173.3	SKIN OF OTHER AND UNSPECIFIED PARTS OF FACE	M	20	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	2	2	3	2	1	1	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	-	-	-
173.4	SCALP AND SKIN OF NECK	M	80	-	-	-	-	-	-	-	-	-	1	4	8	11	14	18	11	6	2	2	1	1	-	-
		F	61	-	-	-	-	-	-	-	-	-	1	2	6	8	12	14	8	5	2	3	1	-	-	-
173.5	SKIN OF TRUNK, EXCEPT SCROTUM	M	19	-	-	-	-	-	-	-	-	-	-	2	2	3	2	4	3	1	2	4	1	-	-	-
		F	7	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	1	-	1	1	1	-	-	-
173.6	SKIN OF UPPER LIMB, INCLUDING SHOULDER	M	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
173.7	SKIN OF LOWER LIMB, INCLUDING HIP	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-
173.9	SITE UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
		F	152	-	-	-	-	-	2	19	32	27	22	8	6	7	3	6	6	5	6	3	3	-	-	-
		M	141	-	-	-	-	-	2	19	32	27	22	8	6	6	2	3	4	3	4	2	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	1	2	-	-	-
174	MALIGNANT NEOPLASM OF FEMALE BREAST	F	4,045	-	-	-	-	-	1	13	44	126	187	222	342	469	571	518	496	414	304	193	111	27	3	2
174.5	LOWER-OUTER QUADRANT	F	4,045	-	-	-	-	-	1	13	44	126	187	222	342	469	571	518	496	414	304	193	111	27	3	2
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
174.9	BREAST, UNSPECIFIED	F	4,044	-	-	-	-	-	1	13	44	126	187	222	341	469	571	518	496	414	304	193	111	27	3	2

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
175	MALIGNANT NEOPLASM OF MALE BREAST	M	25	-	-	-	-	-	-	-	-	-	1	-	2	4	3	3	2	1	5	2	2	-	-	-
179-189	MALIGNANT NEOPLASM OF GENITOURINARY ORGANS	M	6,560	1	2	3	3	4	12	37	44	82	103	144	219	377	681	905	1,067	1,086	889	585	232	69	11	-
		M	3,679	1	2	1	3	1	8	21	14	15	22	30	77	143	315	491	648	695	603	387	153	44	8	-
		F	2,881	-	-	2	-	3	4	16	30	67	81	114	142	234	366	414	419	393	286	198	79	25	3	-
179	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED	F	209	-	-	-	-	-	1	-	1	2	7	4	11	21	31	43	52	53	31	26	11	5	-	-
180	MALIGNANT NEOPLASM OF CERVIX UTERI	F	412	-	-	-	-	-	2	9	17	34	37	32	38	26	49	49	28	35	28	20	7	1	-	-
180.0	ENDOCERVIX	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-
180.9	CERVIX UTERI, UNSPECIFIED	F	407	-	-	-	-	-	2	9	17	34	37	31	37	26	49	48	28	34	27	20	7	1	-	-
181	MALIGNANT NEOPLASM OF PLACENTA	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182	MALIGNANT NEOPLASM OF BODY OF UTERUS	F	275	-	-	-	-	-	-	-	1	1	4	6	4	21	42	48	64	39	22	16	5	2	-	-
182.0	CORPUS UTERI, EXCEPT ISTHMUS	F	275	-	-	-	-	-	-	-	1	1	4	6	4	21	42	48	64	39	22	16	5	2	-	-
183	MALIGNANT NEOPLASM OF OVARY AND OTHER UTERINE ADNEXA	F	1,210	-	-	2	3	-	5	9	24	24	34	25	123	177	197	191	143	111	50	19	3	-	-
183.0	OVARY	F	1,186	-	-	2	3	-	5	8	24	24	34	23	120	170	195	187	139	111	50	19	2	-	-	-
183.2	FALLOPIAN TUBE	F	24	-	-	-	-	-	-	1	-	-	-	2	3	7	2	4	4	-	-	-	1	-	-	-
184	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	F	87	-	-	-	-	-	1	1	1	-	4	2	6	14	4	5	11	14	12	6	4	2	-	-
184.0	VAGINA	F	26	-	-	-	-	-	1	1	1	-	3	-	4	3	-	2	5	4	3	-	-	-	-	-
184.1	LABIA MAJORA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
184.3	CLITORIS	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
184.4	VULVA, UNSPECIFIED	F	49	-	-	-	-	-	-	1	-	1	2	2	6	4	-	5	8	9	5	4	2	-	-	-
184.8	OTHER	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
184.9	SITE UNSPECIFIED	F	8	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	1	-	-	-	1	-	-	-
185	MALIGNANT NEOPLASM OF PROSTATE	M	2,508	-	-	-	-	-	1	-	-	-	2	6	23	72	185	321	469	512	460	294	120	35	8	-
186	MALIGNANT NEOPLASM OF TESTIS	M	54	-	1	-	-	-	6	10	12	5	4	-	3	1	1	-	-	-	2	1	-	-	-	-
186.9	OTHER AND UNSPECIFIED	M	54	-	1	-	-	-	6	10	12	5	4	-	3	1	1	-	-	-	2	1	-	-	-	-
187	MALIGNANT NEOPLASM OF PENIS AND OTHER MALE GENITAL ORGANS	M	16	-	-	-	-	-	1	-	-	1	2	-	-	1	2	3	1	1	1	2	-	-	-	-
187.4	PENIS, PART UNSPECIFIED	M	14	-	-	-	-	-	1	-	-	1	2	-	-	1	2	3	1	1	1	2	-	-	-	-
187.9	SITE UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188	MALIGNANT NEOPLASM OF BLADDER	M	879	-	-	-	-	-	1	1	2	3	2	1	8	16	40	71	109	132	135	127	48	17	1	-
		M	597	-	-	-	-	-	1	1	1	1	1	1	4	14	27	54	83	101	91	67	26	9	1	-
		F	282	-	-	-	-	-	-	-	1	2	1	-	4	2	13	17	26	31	44	60	22	8	1	-
188.1	DOME	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
188.7	URACHUS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188.9	PART UNSPECIFIED	M	877	-	-	-	-	-	1	1	2	3	2	1	8	16	39	71	109	132	135	126	48	17	1	-
		M	595	-	-	-	-	-	1	1	1	1	1	1	4	14	26	54	83	101	91	66	26	9	1	-
		F	282	-	-	-	-	-	-	-	1	2	1	-	4	2	13	17	26	31	44	60	22	8	1	-
189	MALIGNANT NEOPLASM OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS	M	815	1	1	1	5	1	3	1	1	11	21	30	47	65	109	131	125	126	85	37	16	2	-	-
		M	504	1	1	1	4	1	2	1	1	7	13	20	37	41	73	94	77	86	69	33	7	2	-	-
		F	314	-	-	-	1	-	1	-	-	4	8	10	10	24	36	47	48	40	36	14	9	-	-	-
189.0	KIDNEY, EXCEPT PELVIS	M	762	1	1	1	5	1	3	1	1	10	20	30	46	59	100	123	121	117	73	34	14	2	-	-
		M	480	1	1	1	4	1	2	1	1	7	12	20	37	37	68	82	73	63	46	21	7	2	-	-
		F	282	-	-	-	1	-	1	-	-	3	8	10	9	22	32	41	48	54	27	13	7	2	-	-
189.1	RENAL PELVIS	M	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	4	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
189.2	URETER	M	30	-	-	-	-	-	-	-	-	-	1	-	1	3	5	3	2	4	1	2	2	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	2	2	1	2	2	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-
189.3	URETHRA	M	11	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	2	2	3	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	2	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
189.9	SITE UNSPECIFIED	M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190-199	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES	M	4,481	4	26	24	22	20	23	41	62	83	106	136	263	387	614	893	682	585	410	247	119	29	3	-
		M	2,308	3	15	16	15	11	14	24	33	57	63	73	145	212	342	520	352	297	183	88	39	6	3	-
		F	2,173	1	11	8	7	9	9	17	29	26	43	63	118	175	272	373	330	288	227	159	80	23	-	-
190	MALIGNANT NEOPLASM OF EYE	M	27	-	1	-	-	-	2	1	1	1	3	-	2	3	2	1	2	3	1	-	1	-	-	-
		M	12	-	1	-	-	-	1	1	-	1	2	-	1	2	1	-	1	2	1	-	1	-	-	-
		F	15	-	-	-	-	-	1	-	1	-	1	-	1	1	1	1	1	1	-	-	-	-	-	-
190.1	ORBIT	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190.5	RETINA	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
190.6	CHOROID	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	2	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	2	-	-	-	1	-	-	-
190.9	PART UNSPECIFIED	M	22	-	-	-	-	-	1	-	-	-	2	-	1	1	2	1	1	1	2	1	-	-	-	-
		M	10	-	-	-	-	-	1	-	-	-	2	-	1	1	2	1	1	1	2	1	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191	MALIGNANT NEOPLASM OF BRAIN	M	1,300	1	12	15	16	14	12	25	20	17	35	45	80	105	138	137	140	92	49	14	4	-	-	-
		M	553	1	6	6	12	6	7	16	14	27	22	27	48	61	80	72	68	44	23	6	2	-	-	-
		F	647	-	6	9	4	8	5	9	6	10	13	18	32	44	58	65	72	48	26	8	2	-	-	-
191.8	CEREBRUM, EXCEPT LOBES AND VENTRICLES	M	63	-	-	1	1	-	1	2	-	1	1	2	3	2	11	9	10	2	3	-	-	-	-	-
		M	36	-	-	1	1	-	1	2	-	1	1	2	2	1	7	6	6	1	1	-	-	-	-	-
		F	27	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	4	1	2	-	-	-	-	-
191.1	FRONTAL LOBE	M	43	-	-	-	1	-	1	1	-	1	1	2	5	4	8	5	4	6	2	-	-	-	-	-
		M	28	-	-	-	1	-	1	1	-	1	1	1	4	4	6	5	3	3	2	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	3	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
191.2	TEMPORAL LOBE	M	23	-	-	-	-	-	-	-	2	-	3	1	3	3	4	3	2	2	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	1	-	3	1	3	2	4	2	-	2	-	-	-	-	-	-
191.3	PARIETAL LOBE	M	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	2	1	2	1	1	5	2	6	1	2	-	-	-	-	-
191.4	OCCIPITAL LOBE	M	14	-	-	-	-	-	-	-	-	2	-	1	1	1	3	1	4	1	2	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	2	-	-	-	-	-	-	-
191.5	VENTRICLE	M	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191.6	CEREBELLUM	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
		M	24	-	2	2	3	6	2	2	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-
		F	16	-	2	2	2	4	1	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
191.7	BRAIN STEM	M	8	-	-	-	1	2	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
		F	15	-	1	4	2	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
191.8	OTHER	M	7	-	-	1	1	-	-	-	1	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-
		F	8	-	1	3	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	1	-	1	1	-	-	2	1	2	-	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
191.9	BRAIN, UNSPECIFIED	M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	791	1	9	8	8	8	9	19	22	29	26	33	65	60	113	114	111	80	40	12	4	-	-	-
192	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM	M	423	1	6	5	7	2	5	11	10	21	16	19	37	47	65	57	51	37	18	6	2	-	-	-
		F	368	-	3	3	1	6	4	8	12	8	10	14	28	33	48	57	60	43	22	6	2	-	-	-
		M	33	1	1	1	1	1	-	-	1	2	2	1	-	-	4	4	4	5	3	2	-	-	-	-
		F	15	1	-	-	-	-	-	-	1	2	2	-	-	-	2	1	3	3	3	1	-	-	-	-
192.0	CRANIAL NERVES	M	18	-	1	1	1	1	-	-	1	-	-	1	-	-	2	3	1	2	3	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
192.1	CEREBRAL MENINGES	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	3	2	2	-	-	-	-
192.2	SPINAL CORD	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	2	1	-	-	-	-
192.9	PART UNSPECIFIED	M	12	-	1	1	1	1	-	-	-	1	1	-	-	-	-	2	3	1	-	-	-	-	-	-
		F	6	-	1	1	1	1	-	-	-	1	1	-	-	-	-	1	2	1	-	-	-	-	-	-
		M	7	1	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
193	MALIGNANT NEOPLASM OF THYROID GLAND	M	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
		F	125	-	-	-	-	-	-	-	-	2	2	2	7	9	14	22	17	21	13	10	4	2	-	-
		M	50	-	-	-	-	-	-	-	-	2	-	2	4	6	8	6	9	7	5	-	1	2	-	-
		F	75	-	-	-	-	-	-	-	-	-	2	-	3	3	6	16	8	14	8	10	3	-	-	-
194	MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	M	66	1	11	8	2	2	1	2	-	3	2	3	5	2	6	4	6	2	2	2	-	-	-	-
		F	33	-	7	7	-	8	1	-	-	3	2	3	5	2	4	2	2	1	1	1	-	-	-	-
194.0	SUPRARENAL GLAND	M	33	1	4	1	2	-	-	2	-	-	2	-	-	-	2	2	4	1	1	1	-	-	-	-
		F	58	1	11	8	2	2	1	2	-	2	1	3	5	2	6	3	3	2	2	2	-	-	-	-
194.1	PARATHYROID GLAND	M	28	-	7	7	2	2	1	-	-	2	-	2	3	2	2	1	1	1	1	1	-	-	-	-
		F	30	1	4	1	2	-	-	2	-	-	1	3	5	-	4	2	2	1	1	1	-	-	-	-
194.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	-	-	-	-	-	-	-
194.9	SITE UNSPECIFIED	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
195	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES	M	268	-	-	-	-	-	-	2	1	2	2	2	7	20	19	34	37	34	32	27	16	10	3	2
		F	127	-	-	-	-	-	-	1	1	1	2	2	4	9	13	14	18	30	15	10	4	3	2	-
195.0	HEAD, FACE AND NECK	M	141	-	-	-	-	-	-	1	-	1	-	-	3	11	6	20	19	24	19	17	12	7	1	2
		F	109	-	-	-	-	-	-	1	1	1	-	-	4	15	14	16	18	20	9	3	5	1	1	2
195.1	THORAX	M	71	-	-	-	-	-	-	1	1	1	-	-	3	8	10	8	12	14	7	1	3	1	1	2
		F	38	-	-	-	-	-	-	-	-	-	-	-	1	7	4	6	6	6	2	2	2	-	-	-
195.2	ABDOMEN	M	24	-	-	-	-	-	-	1	-	-	-	1	1	1	-	4	3	8	3	1	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	5	-	-	-	-	-	-
195.3	PELVIS	M	106	-	-	-	-	-	-	1	-	-	-	-	2	1	3	13	13	23	15	20	9	5	1	1
		F	37	-	-	-	-	-	-	1	-	-	-	1	1	1	3	3	4	10	4	8	1	1	-	-
195.4	UPPER LIMB	M	69	-	-	-	-	-	-	-	-	-	-	1	3	-	2	10	9	13	11	12	6	2	1	1
		F	21	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	1	4	3	2	2	1	-
195.5	LOWER LIMB	M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	1	3	3	2	-	1	-
195.6	OTHER SPECIFIED SITES	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
199	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2,962	1	1	-	3	3	6	13	29	38	60	78	149	249	414	386	439	430	314	203	99	24	3	-
199.0	DISSEMINATED	M	1,518	1	-	-	3	3	4	7	17	21	38	42	83	129	233	219	239	227	143	76	32	4	-	-
		F	1,444	-	1	-	-	-	2	6	12	17	25	36	66	120	181	167	220	203	171	127	67	20	3	-
		M	214	-	-	-	-	-	1	1	3	2	4	1	9	17	31	23	37	30	25	20	9	1	-	-
		F	87	-	-	-	-	-	1	-	2	1	2	-	2	9	12	12	17	11	8	9	1	1	-	-
199.1	OTHER	M	127	-	-	-	-	-	-	1	1	1	2	1	7	8	19	11	20	19	17	11	8	1	1	-
		F	2,748	1	1	-	3	3	5	12	26	36	36	77	140	232	383	363	422	400	269	163	90	23	3	-
200-208	MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M	1,431	1	-	-	3	3	3	7	15	20	33	42	81	120	221	207	222	216	135	67	31	4	3	-
		F	1,317	-	1	-	-	-	2	5	11	16	21	35	59	112	162	156	200	184	134	116	59	19	3	-
		M	4,390	3	32	36	33	46	57	80	90	119	113	143	199	279	489	546	564	569	503	306	112	29	1	1
		F	2,396	1	19	25	21	30	35	54	54	66	77	88	129	164	281	307	303	307	259	127	42	7	1	1
200	LYMPHOSARCOMA AND RETICULOSARCOMA	M	1,994	2	13	11	12	16	22	26	36	53	36	55	70	115	208	239	261	262	244	179	70	22	-	1
		F	395	-	-	2	3	3	2	6	9	11	14	10	21	28	51	52	56	51	39	18	9	4	-	-
		M	218	-	-	2	3	3	2	4	3	7	-	4	11	17	30	32	25	22	18	5	6	3	-	1
		F	177	-	-	-	-	-	-	2	6	4	5	6	10	11	21	20	31	29	21	13	3	1	-	1
200.0	RETICULOSARCOMA	M	159	-	-	-	-	-	-	-	3	1	-	4	14	12	28	29	27	13	11	10	3	3	-	-
		F	79	-	-	-	-	-	-	-	3	1	-	4	8	6	17	16	8	4	4	2	2	2	-	-
200.1	LYMPHOSARCOMA	M	80	-	-	-	-	-	-	-	2	-	-	4	6	5	11	13	19	7	7	8	1	1	-	-
		F	171	-	-	-	1	2	6	3	3	4	4	6	5	9	19	15	23	34	26	6	4	1	-	1
200.2	BURKITT'S TUMOUR	M	98	-	-	-	1	2	3	3	2	4	1	4	2	6	11	11	14	16	13	2	3	1	-	1
		F	73	-	-	-	-	-	3	-	1	-	3	2	3	3	8	4	9	18	13	4	1	-	-	-
200.6	OTHER NAMED VARIANTS	M	21	-	-	-	2	1	1	2	-	3	4	2	1	1	-	-	2	2	-	-	-	-	-	-
		F	16	-	-	-	2	1	1	2	-	3	4	1	-	1	-	-	2	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-
		F	44	-	-	-	1	-	2	1	1	3	4	2	2	7	4	8	4	2	2	2	-	-	-	-
		M	23	-	-	-	1	-	1	1	1	3	3	1	1	4	2	3	2	-	2	1	-	-	-	-
		F	19	-	-	-	-	-	-	1	1	-	1	1	1	3	2	3	2	2	1	1	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
201	HODGKIN'S DISEASE		164	-	-	-	1	3	13	18	15	12	7	11	4	10	11	16	17	9	11	4	2	-	-	-
		M	109	-	-	-	1	2	10	16	9	9	5	9	3	5	6	8	11	4	8	3	-	-	-	-
		F	55	-	-	-	-	1	3	2	6	3	2	2	1	5	5	8	6	5	3	1	2	-	-	-
201.2	HODGKIN'S SARCOMA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
201.5	NODULAR SCLEROSIS		2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
201.6	MIXED CELLULARITY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
201.9	UNSPECIFIED		160	-	-	-	1	3	13	17	15	12	7	10	4	10	11	14	17	9	11	4	2	-	-	-
		M	107	-	-	-	1	2	10	15	9	9	5	8	3	5	6	8	11	4	8	3	-	-	-	-
		F	53	-	-	-	-	1	3	2	6	3	2	2	1	5	5	6	6	5	3	1	2	-	-	-
202	OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE		1,284	-	-	3	2	6	4	14	20	42	37	47	73	80	149	173	173	185	159	81	28	8	-	-
		M	693	-	-	2	1	5	2	9	14	27	27	35	46	54	79	94	89	95	73	32	10	1	-	-
		F	589	-	-	1	1	1	2	5	6	15	10	12	27	26	70	79	84	90	86	49	18	7	-	-
202.0	NODULAR LYMPHOMA		14	-	-	-	-	-	-	-	-	1	-	2	2	1	4	-	3	-	1	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2	-	1	-	-	-	-	-
202.1	MYCOSIS FUNGOIDES		22	-	-	-	-	-	-	-	-	-	-	2	-	1	1	6	5	2	2	2	1	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	2	-	1	1	5	1	2	1	-	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	2	-	-	-	-
202.2	SEZARY'S DISEASE		2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
202.3	MALIGNANT HISTIOCYTOSIS		5	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
202.4	LEUKAEMIC RETICULOENDOTHELIOSIS		11	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	3	1	1	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	3	1	1	-	-	-	-
202.6	MALIGNANT MAST-CELL TUMOURS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
202.8	OTHER LYMPHOMAS		1,224	-	-	2	2	6	4	14	18	41	37	42	70	74	144	163	161	179	154	78	27	8	-	-
		M	659	-	-	2	1	5	2	9	13	26	27	31	44	48	76	88	85	90	71	31	9	1	-	-
		F	565	-	-	-	1	1	2	5	5	15	10	11	26	26	68	75	76	89	83	47	18	7	-	-
202.9	OTHER AND UNSPECIFIED		5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-
203	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS		738	-	-	-	-	-	-	-	2	6	11	18	35	56	107	110	127	113	84	46	18	5	-	-
		M	365	-	-	-	-	-	-	-	-	2	8	9	24	32	59	66	62	53	44	17	6	1	-	-
		F	353	-	-	-	-	-	-	-	2	4	3	9	11	24	48	44	65	60	40	29	10	4	-	-
203.0	MULTIPLE MYELOMA		731	-	-	-	-	-	-	-	2	6	10	17	35	54	107	110	126	113	83	46	18	4	-	-
		M	382	-	-	-	-	-	-	-	-	2	7	9	24	31	59	66	62	53	43	17	8	1	-	-
		F	349	-	-	-	-	-	-	-	2	4	3	8	11	23	48	44	64	60	40	29	10	3	-	-
203.1	PLASMA CELL LEUKAEMIA		5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
203.8	OTHER IMMUNOPROLIFERATIVE NEOPLASMS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	LYMPHOID LEUKAEMIA		484	-	10	20	16	17	14	11	5	7	6	11	11	20	44	46	46	62	63	46	15	3	1	-
		M	265	-	8	13	9	11	6	7	2	3	3	7	7	13	29	27	24	37	32	20	5	-	-	-
		F	219	-	10	7	7	6	8	4	3	4	3	4	4	7	15	19	22	25	31	26	10	3	1	-
204.0	ACUTE		173	-	18	18	16	16	14	11	3	4	6	7	5	4	10	8	7	6	10	5	3	-	-	-
		M	89	-	8	11	9	11	8	7	-	2	3	3	2	-	6	3	3	3	6	3	2	-	-	-
		F	84	-	10	7	7	5	6	4	3	2	3	4	3	4	4	5	4	3	4	2	1	-	-	-
204.1	CHRONIC		272	-	-	1	-	1	-	-	2	2	-	3	6	15	31	34	37	45	48	32	12	3	-	-
		M	152	-	-	1	-	-	-	-	2	2	-	3	5	12	21	20	21	27	23	14	3	-	-	-
		F	120	-	-	-	-	1	-	-	-	-	-	-	1	3	10	14	16	18	25	18	9	3	-	-
204.9	UNSPECIFIED		39	-	-	-	-	-	-	-	-	2	-	1	-	1	3	4	2	9	7	9	-	-	1	-
		M	24	-	-	-	-	-	-	-	-	1	-	1	-	1	2	4	2	7	3	4	-	-	-	-
		F	15	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	2	4	5	-	-	1	-
205	MYELOID LEUKAEMIA		698	-	7	4	4	13	10	20	29	34	27	30	45	65	91	99	108	104	94	65	20	5	-	-
		M	479	-	5	3	2	5	5	10	16	11	17	14	31	33	56	54	55	61	58	33	8	3	-	-
		F	359	-	2	1	2	8	5	10	13	23	10	16	14	32	35	45	53	43	36	32	12	2	-	-
205.0	ACUTE		356	-	6	3	3	11	7	13	13	18	17	16	27	41	57	74	63	73	62	42	8	2	-	-
		M	304	-	4	2	2	5	3	5	7	7	9	5	18	20	36	43	34	40	35	23	4	2	-	-
		F	252	-	2	1	1	6	4	8	6	11	8	11	9	21	21	31	29	33	27	19	4	1	-	-
205.1	CHRONIC		269	-	1	1	1	2	3	7	14	15	10	13	16	22	31	21	30	24	27	18	9	2	-	-
		M	150	-	1	1	-	-	2	5	7	3	8	8	12	11	18	10	15	16	20	8	4	1	-	-
		F	119	-	-	-	1	2	1	2	7	12	2	5	4	11	13	11	15	8	7	10	5	1	-	-
205.2	SUBACUTE		7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205.3	MYELOID SARCOMA		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
205.9	UNSPECIFIED		33	-	-	-	-	-	-	-	1	-	-	1	-	2	3	3	4	6	6	3	3	1	-	-
		M	20	-	-	-	-	-	-	-	1	-	-	1	-	2	2	1	4	4	3	2	3	1	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	1	-	-	-	-
206	MONOCYTIC LEUKAEMIA		31	1	1	-	-	1	1	-	-	-	3	-	-	2	2	4	3	3	4	2	1	-	-	-
		M	19	-	1	-	-	1	1	-	-	-	2	-	-	2	2	3	3	3	2	1	1	-	-	-
		F	12	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	2	1	1	-	-	-
206.0	ACUTE		29	1	1	-	-	1	1	-	-	-	3	-	-	2	2	4	5	3	4	2	1	-	-	-
		M	19	-	1	-	-	1	1	-	-	-	2	-	-	2	2	3	3	3	2	1	1	-	-	-
		F	10	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	2	-	-	-	-	-
206.1	CHRONIC		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
206.2	SUBACUTE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	OTHER SPECIFIED LEUKAEMIA		18	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-
		M	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207.0	ACUTE ERYTHRAEMIA AND ERYTHROLEUKAEMIA		12	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-
		M	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
207.2	MEGAKARYOCYTIC LEUKAEMIA		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207.8	OTHER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
208	LEUKAEMIA OF UNSPECIFIED CELL TYPE		408	2	6	6	6	3	7	8	11	7	8	16	10	17	33	41	59	56	48	43	19	8	-	-
		M	215	1	5	4	4	3	5	6	6	3	6	8	7	9	22	19	33	29	23	15	5	2	-	-
		F	193	1	1	2	2	-	2	2	5	4	2	8	3	8	11	22	26	27	19	28	14	6	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
208.0	ACUTE		230	-	3	4	4	1	6	6	6	5	4	8	10	14	21	33	36	32	21	26	8	2	-	-
		M	135	-	3	3	2	1	6	5	3	2	2	5	7	8	16	17	18	14	13	10	5	2	-	-
		F	115	-	-	1	2	-	-	2	1	3	2	3	3	6	5	16	18	18	8	16	3	-	-	-
208.1	CHRONIC		21	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	4	3	2	3	2	-	-
		M	9	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	3	1	2	2	2	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
208.2	SUBACUTE		3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	2	1	2	2	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	2	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-
208.8	OTHER		7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	2	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
208.9	UNSPECIFIED		127	2	3	2	2	2	2	2	4	1	2	6	-	3	10	6	23	20	14	11	7	4	-	-
		M	65	1	2	1	2	2	1	1	2	1	2	5	-	1	5	2	15	12	6	2	1	2	-	-
		F	62	1	1	1	-	-	1	1	2	-	-	1	-	2	5	4	8	8	8	9	6	2	-	-
210-229	BENIGN NEOPLASMS		140	3	2	1	-	-	1	3	1	4	2	6	5	6	18	15	25	14	19	12	1	-	-	-
		M	53	2	1	-	-	-	1	1	-	3	2	2	2	2	9	7	7	7	4	4	1	-	-	-
		F	87	1	1	1	-	-	1	2	1	1	-	4	3	4	9	8	18	7	15	8	1	-	-	-
210	BENIGN NEOPLASM OF LIP, ORAL CAVITY AND PHARYNX		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210.2	MAJOR SALIVARY GLANDS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
211	BENIGN NEOPLASM OF OTHER PARTS OF DIGESTIVE SYSTEM		13	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	4	1	2	-	1	-	-	-
		M	9	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-
211.1	STOMACH		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
211.2	SMALL INTESTINE, INCLUDING DUODENUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
211.3	COLON		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211.4	RECTUM AND ANAL CANAL		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
211.5	LIVER AND BILIARY PASSAGES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211.6	PANCREAS, EXCEPT ISLETS OF LANGERHANS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
211.7	ISLETS OF LANGERHANS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
211.9	OTHER AND UNSPECIFIED SITE		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212	BENIGN NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS		11	1	1	1	-	-	-	1	-	1	-	-	-	-	1	-	2	1	1	1	-	-	-	-
		M	5	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-
		F	6	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
212.1	LARYNX		3	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
212.2	TRACHEA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212.3	BRONCHUS AND LUNG		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
212.5	MEDIASTINUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
212.6	THYMUS		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212.7	HEART		3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
215	OTHER BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
215.6	PELVIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
220	BENIGN NEOPLASM OF OVARY		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
222	BENIGN NEOPLASM OF MALE GENITAL ORGANS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
222.2	PROSTATE		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
223	BENIGN NEOPLASM OF KIDNEY AND OTHER URINARY ORGANS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
223.0	KIDNEY, EXCEPT PELVIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
225	BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM		78	-	1	-	-	-	1	1	-	2	5	4	3	7	10	14	10	11	9	-	-	-	-	-
		M	25	-	-	-	-	-	-	-	-	2	2	1	2	2	6	4	4	4	3	-	-	-	-	-
		F	53	-	1	-	-	-	1	1	-	-	3	3	1	5	4	10	6	11	6	-	-	-	-	-
225.0	BRAIN		7	-	1	-	-	-	1	1	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
225.1	CRANIAL NERVES		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
225.2	CEREBRAL MENINGES		65	-	-	-	-	-	-	-	-	1	3	4	3	5	8	12	9	9	9	-	-	-	-	-
		M	22	-	-	-	-	-	-	-	-	1	2	2	1	1	3	6	4	4	3	-	-	-	-	-
		F	43	-	-	-	-	-	-	-	-	-	1	2	2	4	5	6	5	5	6	-	-	-	-	-
225.4	SPINAL MENINGES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
226	BENIGN NEOPLASM OF THYROID GLAND		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
227	BENIGN NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES		14	-	-	-	-	-	2	-	-	1	-	-	-	-	2	3	3	1	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-
		F	11	-	-	-	-	-	2	-	-	-	-	-	-	-	1	2	3	-	1	1	-	-	-	-
227.0	SUPRARENAL GLAND		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
227.1	PARATHYROID GLAND		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
227.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		9	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	1	1	-	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE		15	2	-	-	-	-	1	-	-	-	-	-	-	2	-	-	4	1	2	1	-	-	-	-
		M	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-
		F	6	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
228.0	HAEMANGIOMA, ANY SITE		9	2	-	-	-	-	-	1	-	1	-	2	-	-	2	-	-	1	-	-	-	-	-	-
		M	5	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
228.1	LYMPHANGIOMA, ANY SITE		6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
229	BENIGN NEOPLASM OF OTHER AND UNSPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
229.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
230-234	CARCINOMA IN SITU		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
230	CARCINOMA IN SITU OF DIGESTIVE ORGANS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
230.8	LIVER AND BILIARY SYSTEM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
235-238	NEOPLASMS OF UNCERTAIN BEHAVIOUR		144	3	3	-	-	1	2	2	-	4	2	4	2	8	12	10	19	22	23	17	8	2	-	-
		M	72	1	3	-	-	1	1	1	-	2	1	3	2	5	6	5	9	8	11	7	4	1	-	-
		F	72	2	-	-	-	1	1	1	-	2	1	1	-	3	6	5	10	14	12	10	4	1	-	-
235	NEOPLASM OF UNCERTAIN BEHAVIOUR OF DIGESTIVE AND RESPIRATORY SYSTEMS		16	2	-	-	-	-	-	-	-	2	-	-	-	3	2	-	4	2	2	-	-	-	-	-
		M	7	1	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	1	1	-	-	-	-	-
		F	9	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	1	1	-	-	-	-	-
235.2	STOMACH, INTESTINES AND RECTUM		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
235.3	LIVER AND BILIARY PASSAGES		3	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
235.4	RETROPERITONEUM AND PERITONEUM		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
235.5	OTHER AND UNSPECIFIED DIGESTIVE ORGANS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
235.7	TRACHEA, BRONCHUS AND LUNG		2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
237	NEOPLASM OF UNCERTAIN BEHAVIOUR OF ENDOCRINE GLANDS AND NERVOUS SYSTEM		13	-	-	-	-	1	1	2	-	1	2	1	1	1	2	-	2	-	-	-	1	-	-	-
		M	10	-	-	-	-	1	1	1	-	-	1	1	1	1	2	-	2	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
237.0	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		6	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237.1	PINEAL GLAND		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237.4	OTHER AND UNSPECIFIED ENDOCRINE GLANDS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
237.5	BRAIN AND SPINAL CORD		3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
237.7	NEUROFIBROMATOSIS		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238	NEOPLASM OF UNCERTAIN BEHAVIOUR OF OTHER AND UNSPECIFIED SITES AND TISSUES		115	1	-	-	-	1	-	1	-	2	-	3	1	4	9	10	13	20	22	17	7	2	-	-
		M	55	1	-	-	-	1	-	-	-	1	-	2	1	3	5	5	7	7	10	7	3	1	-	-
		F	60	-	-	-	-	-	-	1	-	1	-	1	-	1	4	5	6	13	12	10	4	1	-	-
238.1	CONNECTIVE AND OTHER SOFT TISSUE		4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.4	POLYCYTHAEMIA VERA		30	-	-	-	-	-	-	1	-	-	-	-	-	-	2	4	4	3	10	5	2	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	5	2	-	-	-	-
		F	19	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4	1	3	5	3	2	1	-	-
238.6	PLASMA CELLS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
238.7	OTHER LYMPHATIC AND HAEMATOPOIETIC TISSUES		73	-	2	-	-	-	-	-	-	2	-	2	1	4	6	6	6	15	12	10	7	-	-	-
		M	37	-	2	-	-	-	-	-	-	1	-	1	1	3	3	3	3	5	5	3	1	-	-	-
		F	36	-	-	-	-	-	-	-	-	1	-	1	-	1	3	3	3	10	7	7	6	-	-	-
238.8	OTHER SPECIFIED SITES		2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.9	SITE UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239	NEOPLASM OF UNSPECIFIED NATURE		420	3	7	10	2	4	3	6	11	12	11	12	14	19	29	36	60	50	55	41	23	9	1	2
		M	208	3	7	6	2	2	2	4	7	8	8	8	11	9	14	21	25	23	21	19	15	4	1	1
		F	212	3	-	4	-	2	1	2	4	4	3	4	3	10	15	15	35	27	34	22	18	5	-	1
239.0	DIGESTIVE SYSTEM		33	-	1	-	-	-	-	-	-	-	-	-	-	-	3	1	4	7	5	6	4	2	-	-
		M	19	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	4	2	1	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	2	1	-	-
239.1	RESPIRATORY SYSTEM		30	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	4	3	6	3	3	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	3	3	6	3	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-
239.2	BONE, SOFT TISSUE AND SKIN		3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
239.4	BLADDER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239.5	OTHER GENITOURINARY ORGANS		8	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	2	-	1	1	1	-	-	1
		M	5	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	-	-	1
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
239.6	BRAIN		292	1	4	10	1	2	3	4	9	10	10	10	12	14	24	30	45	33	34	24	9	1	1	1
		M	144	1	4	6	1	2	2	2	5	6	7	6	9	7	13	17	18	12	14	10	2	1	1	1
		F	148	1	-	4	-	2	1	2	4	4	3	4	3	7	11	13	27	21	20	14	7	-	-	-
239.7	ENDOCRINE GLANDS, AND OTHER PARTS OF NERVOUS SYSTEM		16	-	2	-	-	-	-	2	-	1	-	-	1	1	1	1	1	3	1	2	-	-	-	-
		M	13	-	2	-	-	-	-	2	-	1	-	-	1	1	1	1	1	3	1	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239.8	OTHER SPECIFIED SITES		23	-	-	-	-	-	-	-	1	1	-	1	1	3	1	-	1	2	1	3	1	3	-	-
		M	6	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	2	1	3	1	3	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
239.9	SITE UNSPECIFIED		10	-	-	-	-	1	-	-	-	-	1	-	-	2	1	1	1	2	1	1	1	3	-	-
		M	4	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	1	2	1	1	1	3	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS		4,383	25	17	10	15	15	33	78	170	169	159	153	171	236	376	417	567	533	515	416	193	60	14	1
		M	2,238	16	8	5	8	5	21	60	146	159	127	113	105	143	202	169	269	242	184	144	70	16	4	-
		F	2,145	7	9	5	7	10	12	18	24	30	32	40	66	93	174	228	298	311	331	272	123	44	10	1

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
240-246	DISORDERS OF THYROID GLAND		33	-	-	-	-	-	1	-	-	-	-	-	1	2	1	3	4	5	3	5	4	2	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	3	2	-	-	-
		F	23	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	2	3	3	2	2	2	-	-
240	SIMPLE AND UNSPECIFIED GOITRE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
240.9	GOITRE, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
242	THYROTOXICOSIS WITH OR WITHOUT GOITRE		7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
242.4	THYROTOXICOSIS FROM ECTOPIC THYROID NODULE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
242.9	THYROTOXICOSIS WITHOUT MENTION OF GOITRE OR OTHER CAUSE		6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
244	ACQUIRED HYPOTHYROIDISM		24	-	-	-	-	-	1	-	-	-	-	-	-	1	-	4	3	4	2	5	2	2	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	1	-	-	-
		F	17	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	3	2	2	3	1	2	-	-
244.9	UNSPECIFIED HYPOTHYROIDISM		24	-	-	-	-	-	1	-	-	-	-	-	-	1	-	4	3	4	2	5	2	2	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	1	-	-	-
		F	17	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	3	2	2	3	1	2	-	-
246	OTHER DISORDERS OF THYROID		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
246.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
250-259	DISEASES OF OTHER ENDOCRINE GLANDS		3,031	4	1	3	1	7	8	18	41	64	58	72	121	177	305	344	475	468	415	318	113	33	4	1
		M	1,337	4	1	2	-	1	6	6	25	40	33	43	60	97	156	154	226	202	148	106	36	9	-	-
		F	1,694	-	-	1	1	6	2	10	16	24	25	29	61	80	149	190	249	266	267	212	77	24	4	1
250	DIABETES MELLITUS		2,997	-	-	1	1	5	8	18	38	63	56	72	121	173	293	342	470	463	410	311	113	32	6	1
		M	1,335	-	-	-	1	1	6	8	24	40	33	43	60	96	149	154	225	200	147	104	36	9	-	-
		F	1,662	-	-	1	-	4	2	10	14	23	23	29	61	77	144	188	245	263	263	207	77	23	4	1
250.0	DIABETES MELLITUS WITHOUT MENTION OF COMPLICATION		2,144	-	-	1	-	2	6	6	24	31	37	43	86	111	220	242	334	343	318	238	83	26	3	-
		M	939	-	-	-	-	-	4	-	7	19	24	23	44	65	109	112	160	151	113	76	26	6	-	-
		F	1,205	-	-	1	-	2	2	6	7	12	13	20	42	46	111	130	174	192	205	162	57	20	3	-
250.1	DIABETES WITH KETOACIDOSIS		179	-	-	-	1	3	2	6	12	16	10	9	12	13	10	15	19	19	17	11	4	-	-	-
		M	85	-	-	-	1	1	2	3	9	12	4	8	2	8	4	8	6	6	5	6	1	-	-	-
		F	94	-	-	-	-	2	-	3	3	4	6	1	10	5	6	7	13	13	12	5	3	-	-	-
250.2	DIABETES WITH COMA		122	-	-	-	-	-	-	1	1	2	1	2	1	7	10	7	17	12	24	25	7	3	-	1
		M	52	-	-	-	-	-	-	1	1	2	1	1	-	5	6	2	10	5	6	9	2	1	-	-
		F	70	-	-	-	-	-	-	-	-	-	-	1	1	2	4	5	7	7	18	16	5	2	-	1
250.3	DIABETES WITH RENAL MANIFESTATIONS		248	-	-	-	-	-	-	4	7	10	6	13	11	27	34	43	41	27	12	10	3	-	-	-
		M	112	-	-	-	-	-	-	4	3	2	6	7	10	20	17	15	11	3	5	3	-	-	-	-
		F	136	-	-	-	-	-	-	-	4	8	7	4	5	4	17	14	26	24	16	9	5	-	-	-
250.4	DIABETES WITH OPHTHALMIC MANIFESTATIONS		9	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250.5	DIABETES WITH NEUROLOGICAL MANIFESTATIONS		21	-	-	-	-	-	-	-	2	1	-	-	3	-	1	3	3	1	-	2	-	1	-	-
		M	12	-	-	-	-	-	-	-	2	1	-	-	1	-	1	1	3	1	-	2	-	1	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-
250.6	DIABETES WITH PERIPHERAL CIRCULATORY DISORDERS		196	-	-	-	-	-	-	1	1	1	1	4	6	12	15	25	39	36	24	19	10	2	1	-
		M	94	-	-	-	-	-	-	1	1	1	1	3	3	6	5	10	16	13	5	3	2	-	-	-
		F	102	-	-	-	-	-	-	-	-	-	-	1	3	6	10	15	23	20	11	14	7	2	1	-
250.7	DIABETES WITH OTHER SPECIFIED MANIFESTATIONS		70	-	-	-	-	-	-	-	-	1	-	1	2	2	4	5	11	10	13	6	5	1	-	-
		M	32	-	-	-	-	-	-	-	-	1	-	1	2	2	4	3	5	4	6	1	1	-	-	-
		F	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	7	5	4	1	-	-
250.9	DIABETES WITH UNSPECIFIED COMPLICATIONS		8	-	-	-	-	-	-	-	1	1	1	1	-	-	1	1	2	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	1	1	1	-	-	1	1	1	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
251	OTHER DISORDERS OF PANCREATIC INTERNAL SECRETION		14	-	-	-	-	-	-	-	1	1	1	1	-	-	4	1	1	2	-	2	-	1	-	-
		M	4	-	-	-	-	-	-	-	-	1	1	1	-	-	3	1	1	2	-	2	-	1	-	-
		F	10	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
251.0	HYPOGLYCAEMIC COMA		4	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-
251.2	HYPOGLYCAEMIA, UNSPECIFIED		9	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	2	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-
		F	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
251.3	ABNORMALITY OF SECRETION OF GASTRIN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
252	DISORDERS OF PARATHYROID GLAND		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
252.0	HYPERPARATHYROIDISM		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
253	DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL		9	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	1	-	-	2	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
253.2	PANHYPOPITUITARISM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
253.6	OTHER DISORDERS OF NEUROHYPOPHYSIS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
255	DISORDERS OF ADRENAL GLANDS		16	-	-	-	-	-	-	1	-	-	-	1	2	2	1	2	1	3	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	1	2	2	1	1	1	2	1	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
255.0	CUSHING'S SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
255.6	HYPERALDOSTERONISM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
255.4	CORTICOADRENAL INSUFFICIENCY		3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
258	POLYGLANDULAR DYSFUNCTION AND RELATED DISORDERS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
258.9	POLYGLANDULAR DYSFUNCTION, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
259	OTHER ENDOCRINE DISORDERS		11	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
		M	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
		F	5	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
259.2	CARCINOID SYNDROME		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
239.4	DWARFISM, NOT ELSEWHERE CLASSIFIED		5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239.8	OTHER		2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260-269	NUTRITIONAL DEFICIENCIES		180	-	-	-	-	-	2	-	-	-	2	2	-	6	9	7	17	14	26	43	36	11	5	-
		M	77	-	-	-	-	-	-	-	-	-	1	2	-	6	5	4	10	6	8	16	15	2	2	-
		F	103	-	-	-	-	-	2	-	-	-	1	-	-	-	4	3	7	8	18	27	21	9	3	-
260	KWASHIORKOR		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
261	NUTRITIONAL MARASMUS		17	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	2	3	3	3	1	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	2	2	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	2	1	-	-
263	OTHER AND UNSPECIFIED PROTEIN-CALORIE MALNUTRITION		152	-	-	-	-	-	-	-	-	-	-	2	-	4	5	5	16	11	22	38	33	11	5	-
		M	63	-	-	-	-	-	-	-	-	-	-	2	-	4	3	3	9	4	6	14	14	2	2	-
		F	89	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	7	16	24	19	9	3	-
263.9	UNSPECIFIED		152	-	-	-	-	-	-	-	-	-	-	2	-	4	5	5	16	11	22	38	33	11	5	-
		M	63	-	-	-	-	-	-	-	-	-	-	2	-	4	3	3	9	4	6	14	14	2	2	-
		F	89	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	7	16	24	19	9	3	-
265	THIAMINE AND NIACIN DEFICIENCY STATES		2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
265.1	OTHER AND UNSPECIFIED MANIFESTATIONS OF THIAMINE DEFICIENCY	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
265.2	PELLAGRA	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
268	VITAMIN D DEFICIENCY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
268.2	OSTEOMALACIA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
269	OTHER NUTRITIONAL DEFICIENCIES		6	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
269.2	UNSPECIFIED VITAMIN DEFICIENCY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
269.9	UNSPECIFIED		5	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
270-279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS		1,119	21	16	7	14	8	22	60	129	125	99	79	49	51	61	61	71	66	71	50	40	14	5	-
		M	794	14	7	3	8	4	15	52	121	119	93	68	45	40	40	29	32	32	28	20	17	5	2	-
		F	325	7	9	4	6	4	7	8	8	6	6	11	4	11	21	32	39	34	43	30	23	9	3	-
270	DISORDERS OF AMINO-ACID TRANSPORT AND METABOLISM		9	5	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	6	4	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
270.1	PHENYLKETONURIA	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270.2	OTHER DISTURBANCES OF AROMATIC AMINO-ACID METABOLISM	M	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270.6	DISORDERS OF UREA CYCLE METABOLISM		7	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
271	DISORDERS OF CARBOHYDRATE TRANSPORT AND METABOLISM		8	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	5	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
271.0	GLYCOGENOSIS		7	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	4	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
271.4	RENAL GLYCOSURIA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
272	DISORDERS OF LIPOID METABOLISM		53	-	-	-	-	-	1	-	-	-	1	1	1	4	6	3	6	10	6	3	-	-	-	-	-
		M	31	-	-	-	-	-	1	-	-	-	1	1	1	3	3	3	5	5	3	1	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	5	3	2	-	-	-	-	-
272.0	PURE HYPERCHOLESTEROLAEMIA		20	-	-	-	-	-	-	-	-	-	1	1	1	3	3	2	3	5	3	3	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	2	3	2	2	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-
272.1	PURE HYPERGLYCERIDAEMIA		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272.3	HYPERCHYLOMICRONAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
272.4	OTHER AND UNSPECIFIED HYPERLIPIDAEMIA		26	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	7	4	4	2	2	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	3	3	2	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	1	-	-	-
272.7	LIPIDOSES		3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273	DISORDERS OF PLASMA PROTEIN METABOLISM		42	-	-	-	-	-	1	-	-	-	-	-	2	3	3	2	7	5	5	6	6	2	1	-
		M	22	-	-	-	-	-	1	-	-	-	-	-	2	3	2	1	4	4	5	4	3	2	1	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	2	3	-	-	-
273.1	MONOCLONAL PARAPROTEINAEMIA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
273.2	OTHER PARAPROTEINAEMIAS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273.3	MACROGLOBULINAEMIA		23	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	1	2	2	3	1	1	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	1	2	2	3	1	1	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273.8	OTHER		13	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	4	2	2	1	1	1	1	-
		M	8	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	2	2	1	1	1	1	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
274	GOUT		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
274.1	GOUTY NEPHROPATHY	M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
274.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
275	DISORDERS OF MINERAL METABOLISM		29	-	1	-	1	-	2	1	1	1	1	2	-	2	3	2	6	2	2	2	1	-	-	-
		M	16	-	-	-	-	-	2	1	1	1	1	2	-	2	3	2	3	2	2	2	1	-	-	-
		F	13	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
275.0	DISORDERS OF IRON METABOLISM		18	-	1	-	1	-	2	1	1	1	1	2	-	2	4	2	2	2	2	2	1	-	-	-
		M	12	-	-	-	-	-	2	1	1	1	1	2	-	2	3	2	1	2	2	2	1	-	-	-
		F	6	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
275.4	DISORDERS OF CALCIUM METABOLISM		11	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	1	1	-	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-
276	DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE		227	6	2	1	-	-	-	1	6	3	1	2	2	8	10	10	21	26	39	39	30	12	4	-
		M	97	5	-	1	-	-	-	1	4	3	1	-	1	3	6	4	7	11	16	19	11	3	1	-
		F	130	3	2	-	-	-	-	-	2	2	-	2	1	5	4	6	14	15	23	20	19	9	3	-
276.0	HYPEROSMOLALITY AND/OR HYPERNATRAEMIA		11	1	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	-	1	2	-	1	-	-
		M	4	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	-	-	-	-
276.1	HYPOSMOLALITY AND/OR HYPONATRAEMIA		10	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	2	1	-	-	2	-	-
		M	6	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	2	-	-	-	2	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
276.2	ACIDOSIS		36	2	1	-	-	-	-	-	-	2	-	-	1	3	1	3	5	2	7	7	1	-	1	-
		M	12	1	-	-	-	-	-	-	-	2	-	-	1	2	-	3	5	-	3	4	-	-	-	-
		F	24	1	1	-	-	-	-	-	-	-	-	-	-	1	1	3	5	2	4	3	1	-	1	-
276.3	ALKALOSIS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
276.5	VOLUME DEPLETION		136	3	1	-	-	-	-	1	1	-	-	1	1	-	4	6	9	18	27	28	25	8	3	-
		M	64	2	-	-	-	-	-	1	1	-	-	-	1	-	3	3	4	8	12	15	11	2	1	-
		F	72	1	1	-	-	-	-	-	-	-	-	1	-	-	1	3	5	10	15	13	14	6	2	-
276.6	FLUID OVERLOAD		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
276.7	HYPERPOTASSAEMIA		8	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
276.8	HYPOPOTASSAEMIA		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
276.9	ELECTROLYTE AND FLUID DISORDERS, NOT ELSEWHERE CLASSIFIED		19	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	2	3	2	1	4	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	2	1	1	4	1	-	-
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM		132	6	4	4	12	6	9	4	5	-	8	2	6	6	14	11	7	15	9	1	3	-	-	-
		M	78	3	1	2	7	3	3	2	3	-	4	2	6	3	10	4	5	9	7	1	2	-	-	-
		F	54	1	3	2	5	3	6	2	2	-	4	-	-	3	4	7	2	6	2	1	1	-	-	-
277.0	CYSTIC FIBROSIS		42	1	2	2	10	5	7	4	5	-	4	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	25	1	1	2	5	3	3	2	3	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	17	-	1	-	5	2	4	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
277.1	DISORDERS OF PORPHYRIN METABOLISM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
277.3	AMYLOIDOSIS		30	-	-	-	-	-	-	-	-	-	-	1	3	-	7	8	6	13	7	1	2	-	-	-
		M	35	-	-	-	-	-	-	-	-	-	-	1	5	-	7	3	4	8	5	-	2	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	5	2	1	-	-	-	-
277.5	MUCOPOLYSACCHARIDOSIS		5	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.6	OTHER DEFICIENCIES OF CIRCULATING ENZYMES		12	1	-	-	-	-	-	-	-	-	1	-	1	3	4	1	-	1	-	-	-	-	-	-
		M	6	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	1	-	-	-	-	-	-
277.8	OTHER		6	1	2	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.9	UNSPECIFIED		16	3	-	-	-	-	-	-	-	-	2	-	-	2	3	1	1	1	1	-	1	-	-	-
		M	8	2	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	1	-	1	-	-	-
		F	8	1	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-
278	OBESITY AND OTHER HYPERALIMENTATION		87	-	-	-	-	-	-	-	3	2	8	3	14	3	4	15	14	7	6	2	-	-	-	-
		M	35	-	-	-	-	-	-	-	-	1	6	4	7	2	3	6	3	-	1	-	-	-	-	-
		F	52	-	-	-	-	-	-	-	3	1	2	1	7	1	1	9	11	7	5	2	-	-	-	-
278.0	OBESITY		79	-	-	-	-	-	-	-	3	2	7	5	12	3	2	13	13	7	5	2	1	-	-	-
		M	32	-	-	-	-	-	-	-	-	1	6	4	5	2	1	6	3	-	-	-	-	-	-	-
		F	47	-	-	-	-	-	-	-	3	1	1	1	7	1	1	7	10	7	5	2	1	-	-	-
278.8	OTHER		8	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
279	DISORDERS INVOLVING THE IMMUNE MECHANISM		529	-	7	-	-	2	9	30	113	110	82	59	30	20	20	12	7	4	3	-	1	-	-	-
		M	300	-	4	-	-	1	9	47	110	109	81	58	30	20	13	9	4	3	2	-	1	-	-	-
		F	29	-	3	-	-	1	-	3	3	1	1	1	-	-	7	3	3	1	2	-	1	-	-	-
279.0	DEFICIENCY OF HUMORAL IMMUNITY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.1	DEFICIENCY OF CELL-MEDIATED IMMUNITY		493	-	3	-	-	2	9	48	109	109	80	54	29	19	12	11	5	2	1	-	-	-	-	-
		M	479	-	2	-	-	1	9	46	106	108	79	54	29	19	12	9	4	2	1	-	-	-	-	-
		F	14	-	1	-	-	1	-	2	3	1	1	-	-	-	-	2	1	-	-	-	-	-	-	-
279.2	COMBINED IMMUNITY DEFICIENCY		7	-	2	-	-	-	-	2	-	-	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
279.3	UNSPECIFIED IMMUNITY DEFICIENCY		23	-	2	-	-	-	-	2	3	1	2	4	1	-	3	1	2	-	1	-	-	-	-	-
		M	15	-	1	-	-	-	-	1	3	1	2	3	1	-	2	-	2	-	1	-	-	-	-	-
		F	8	-	1	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
279.4	AUTOIMMUNE DISEASE, NOT ELSEWHERE CLASSIFIED		3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS		664	13	6	3	4	6	8	8	8	23	13	17	23	37	39	63	79	87	90	71	38	10	3	1
		M	322	7	4	1	2	2	5	2	7	15	10	11	6	17	26	34	38	46	45	30	16	1	1	1
		F	342	6	2	3	2	4	3	6	1	8	3	6	17	20	13	31	41	43	55	41	22	9	2	-
280	IRON DEFICIENCY ANAEMIAS		3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
281	OTHER DEFICIENCY ANAEMIAS		14	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	2	4	3	1	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	4	3	1	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
281.0	PERNICIOUS ANAEMIA		8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	2	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
281.2	FOLATE-DEFICIENCY ANAEMIA		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281.8	ANAEMIA ASSOCIATED WITH OTHER SPECIFIED NUTRITIONAL DEFICIENCY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
281.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS		47	3	2	1	3	2	5	1	1	7	5	4	2	-	1	3	2	1	1	1	2	-	-	-
		M	28	3	1	1	2	1	5	1	1	5	3	3	-	-	1	1	2	1	1	1	2	-	-	-
		F	19	-	1	-	1	1	-	-	-	2	2	1	2	-	-	2	-	-	-	-	-	-	-	-
282.3	OTHER HAEMOLYTIC ANAEMIAS DUE TO ENZYME DEFICIENCY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
282.4	THALASSAEMIAS		4	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.6	SICKLE-CELL ANAEMIA		31	1	2	1	3	2	4	1	1	5	5	3	2	-	1	-	-	-	-	-	-	-	-	-
		M	20	1	1	-	2	1	4	-	1	4	3	2	-	-	1	-	-	-	-	-	-	-	-	-
		F	11	-	1	1	1	1	-	1	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-
282.9	UNSPECIFIED		11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
283	ACQUIRED HAEMOLYTIC ANAEMIAS		16	-	-	-	-	1	-	-	-	-	1	1	2	1	1	2	3	2	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	1	-	-	-	-	-
		F	10	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-
283.0	AUTOIMMUNE HAEMOLYTIC ANAEMIAS		8	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
283.1	NON-AUTOIMMUNE HAEMOLYTIC ANAEMIAS		4	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
283.2	HAEMOGLOBINURIA DUE TO HAEMOLYSIS FROM EXTERNAL CAUSES		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
283.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284	APLASTIC ANAEMIA		98	1	-	1	-	2	1	3	3	2	-	3	2	6	2	2	6	11	8	13	6	1	1	-
		M	46	1	-	-	-	2	1	3	3	2	-	2	2	3	1	2	6	7	6	9	6	1	1	-
		F	52	-	-	1	-	2	1	3	-	1	-	1	2	5	1	6	3	6	11	6	6	1	-	-
284.0	CONSTITUTIONAL APLASTIC ANAEMIA		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284.8	OTHER		32	1	-	-	-	1	1	2	3	2	-	-	-	3	-	4	3	3	3	3	1	-	-	-
		M	15	1	-	-	-	-	-	2	3	1	-	-	-	-	-	2	3	2	2	2	1	-	-	-
		F	17	-	-	-	-	1	1	-	-	1	-	-	-	3	-	2	-	1	1	1	-	-	-	-
284.9	UNSPECIFIED		65	-	-	1	-	1	-	-	-	-	-	2	2	5	2	3	3	2	5	4	4	1	1	-
		M	31	-	-	-	-	-	-	-	-	-	-	2	2	3	2	3	3	2	4	3	3	1	1	-
		F	34	-	-	1	-	1	-	-	-	-	-	-	2	2	-	-	-	-	1	1	1	-	-	-
285	OTHER AND UNSPECIFIED ANAEMIAS		72	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	3	3	1	3	2	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	1	2	2	-	-	-
		F	53	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	3	2	1	-	-	-	-
285.0	SIDEROBLASTIC ANAEMIA		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
285.8	OTHER SPECIFIED ANAEMIAS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
285.9	ANAEMIA, UNSPECIFIED		61	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	3	3	1	3	2	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	3	1	2	2	-	-	-
		F	48	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	1	-	-	-	-
286	COAGULATION DEFECTS		117	9	2	-	-	-	-	1	2	4	1	4	4	16	4	10	10	12	8	8	3	-	-	-
		M	55	2	1	-	-	-	-	-	1	2	1	3	2	8	3	3	4	6	4	4	2	-	-	-
		F	62	7	1	-	-	-	-	1	1	2	-	1	2	8	1	7	6	6	4	4	1	-	-	-
286.0	CONGENITAL FACTOR VIII DISORDER		4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
286.3	CONGENITAL DEFICIENCY OF OTHER CLOTTING FACTORS		7	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	-	-
286.4	VON WILLEBRAND'S DISEASE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
286.6	DEFIBRINATION SYNDROME		68	7	2	-	-	-	-	1	1	3	-	2	-	6	2	6	12	12	4	8	2	-	-	-
		M	33	2	1	-	-	-	-	-	1	1	-	1	-	3	1	3	6	6	2	4	1	-	-	-
		F	35	5	1	-	-	-	-	1	-	2	-	1	-	3	1	3	6	6	2	4	1	-	-	-
286.9	OTHER AND UNSPECIFIED COAGULATION DEFECTS		37	1	-	-	-	-	-	-	-	1	-	1	2	4	1	4	6	6	4	4	2	-	-	-
		M	17	-	-	-	-	-	-	-	-	1	-	1	1	3	1	2	4	4	3	3	1	-	-	-
		F	20	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	1	1	1	-	-	-
287	PURPURA AND OTHER HAEMORRHAGIC CONDITIONS		63	-	1	-	1	1	2	-	2	1	2	1	3	2	2	3	5	3	2	1	-	-	-	-
		M	28	-	1	-	-	1	2	-	2	1	1	1	2	1	1	2	3	2	1	1	-	-	-	-
		F	35	-	-	-	1	-	-	-	-	-	1	-	1	1	1	1	2	1	1	-	-	-	-	-
287.0	ALLERGIC PURPURA		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
287.1	QUALITATIVE PLATELET DEFECTS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
287.3	PRIMARY THROMBOCYTOPENIA		20	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-
		F	11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
287.5	THROMBOCYTOPENIA, UNSPECIFIED		39	-	1	-	-	1	2	-	2	1	1	1	3	1	1	2	3	2	1	1	-	-	-	-
		M	17	-	1	-	-	1	2	-	2	1	1	1	2	1	1	2	3	2	1	1	-	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
287.9	UNSPECIFIED HAEMORRHAGIC CONDITIONS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288	DISEASES OF WHITE BLOOD CELLS		64	1	1	-	-	-	-	1	-	4	2	1	2	1	1	2	7	3	2	2	-	-	-	-
		M	33	-	1	-	-	-	-	-	-	4	2	1	2	1	1	2	7	3	2	2	-	-	-	-
		F	31	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.0	AGRANULOCYTOSIS		35	1	-	-	-	-	-	-	-	1	-	1	1	1	-	1	2	1	1	1	-	-	-	-
		M	15	1	-	-	-	-	-	-	-	1	-	1	1	1	-	1	2	1	1	1	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.2	GENETIC ANOMALIES OF LEUCOCYTES		2	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.3	EOSINOPHILIA		3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.8	OTHER		24	-	-	-	-	-	-	-	-	1	2	-	1	2	-	2	3	2	1	1	-	-	-	-
		M	15	-	-	-	-	-	-	-	-	1	2	-	1	2	-	2	3	2	1	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS		170	1	-	1	-	-	-	2	-	4	1	2	2	7	4	14	17	17	12	13	5	-	-	-
		M	100	1	-	-	-	-	-	2	-	3	1	2	2	5	4	10	12	10	8	9	4	-	-	-
		F	70	-	-	1	-	-	-	-	-	1	-	-	-	2	-	4	5	7	4	4	1	-	-	-
289.3	LYMPHADENITIS, UNSPECIFIED, EXCEPT MESENTERIC		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289.4	HYPERSPLENISM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289.5	OTHER DISEASES OF SPLEEN		10	-	-	-	-	-	-	2	-	1	1	1	1	1	-	1	1	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	2	-	1	1	1	1	1	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289.8	OTHER		153	1	-	-	-	-	-	-	-	3	-	1	4	6	4	11	16	18	13	17	5	-	-	-
		M	86	1	-	-	-	-	-	-	-	2	-	1	3	4	3	8	9	8	6	8	3	-	-	-
		F	67	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	7	10	7	9	2	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1965

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
289.9	UNSPECIFIED	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
290-319	MENTAL DISORDERS		1,740	3	3	5	3	10	19	55	101	92	80	82	70	87	80	78	97	137	197	263	186	73	19	-
		M	919	2	2	4	-	5	13	42	73	79	59	54	45	69	57	55	61	67	91	86	37	13	3	-
		F	821	1	1	1	3	5	6	13	28	13	21	28	25	18	23	23	36	70	106	177	149	58	16	-
290-299	PSYCHOSES		371	-	-	-	-	-	-	5	2	2	1	6	4	4	14	20	30	73	121	138	101	39	11	-
		M	233	-	-	-	-	-	-	3	2	2	1	3	2	4	10	16	17	32	54	47	25	11	2	-
		F	138	-	-	-	-	-	-	2	-	-	-	3	2	-	4	4	13	41	67	91	76	28	9	-
290-294	ORGANIC PSYCHOTIC CONDITIONS		429	-	-	-	-	-	-	2	2	2	-	4	4	4	12	13	24	56	84	101	79	32	8	-
		M	165	-	-	-	-	-	-	2	2	2	-	3	2	4	8	11	12	23	36	29	19	10	2	-
		F	264	-	-	-	-	-	-	-	-	-	-	1	2	-	4	4	12	33	48	72	60	22	6	-
290	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS		386	-	-	-	-	-	-	-	-	-	-	-	-	1	4	10	21	52	83	98	78	32	7	-
		M	134	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	9	22	35	28	19	10	1	-
		F	252	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	12	30	48	70	59	22	6	-
290.0	SENILE DEMENTIA, SIMPLE TYPE		255	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	9	27	54	77	60	19	5	-
		M	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	9	20	20	14	6	-	-
		F	180	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	6	18	34	57	46	13	5	-
290.1	PRESENILE DEMENTIA		113	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	10	22	27	16	16	12	1	-
		M	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	11	14	7	5	4	-	-
		F	82	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	11	13	9	11	8	1	-
290.2	SENILE DEMENTIA, DEPRESSED OR PARANOID TYPE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290.4	ARTERIOSCLEROTIC DEMENTIA		16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	5	2	-	1	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	2	-	1	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-
291	ALCOHOLIC PSYCHOSES		33	-	-	-	-	-	-	1	2	2	-	4	4	3	7	4	3	2	1	1	-	-	-	-
		M	28	-	-	-	-	-	-	1	2	2	-	3	2	3	6	4	3	2	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
291.0	DELIRIUM TREMENS		18	-	-	-	-	-	-	-	1	2	-	2	2	2	4	2	1	2	1	-	-	-	-	-
		M	15	-	-	-	-	-	-	-	1	2	-	2	2	2	3	1	1	2	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
291.1	KORSAKOV'S PSYCHOSIS, ALCOHOLIC	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
291.2	OTHER ALCOHOLIC DEMENTIA	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-
291.8	OTHER		9	-	-	-	-	-	-	1	1	-	-	2	1	-	1	3	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	1	1	-	-	1	1	-	1	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
292	DRUG PSYCHOSES	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
292.0	DRUG WITHDRAWAL SYNDROME	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
293	TRANSIENT ORGANIC PSYCHOTIC CONDITIONS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
293.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
294	OTHER ORGANIC PSYCHOTIC CONDITIONS (CHRONIC)		8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	1	-	1	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-
294.0	KORSAKOV'S PSYCHOSIS OR SYNDROME (NONALCOHOLIC)	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
294.9	UNSPECIFIED		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
295-299	OTHER PSYCHOSES		142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	-	-
		M	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	-	-
		F	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
295	SCHIZOPHRENIC PSYCHOSES		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295.0	SIMPLE TYPE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295.2	CATATONIC TYPE	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295.3	PARANOID TYPE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295.9	UNSPECIFIED		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
296	AFFECTIVE PSYCHOSES		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
296.0	MANIC-DEPRESSIVE PSYCHOSIS, MANIC TYPE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
296.1	MANIC DEPRESSIVE PSYCHOSIS, DEPRESSED TYPE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
297	PARANOID STATES	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
297.1	PARANOIA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
298	OTHER NONORGANIC PSYCHOSES		124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	33	34	20	7	3	3
		M	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	16	17	15	4	2	1
		F	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	17	17	5	3	1	2
298.2	REACTIVE CONFUSION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
298.9	UNSPECIFIED PSYCHOSIS		123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	33	34	19	7	3	3
		M	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	16	17	15	4	2	1
		F	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	17	17	4	3	1	2
299	PSYCHOSES WITH ORIGIN SPECIFIC TO CHILDHOOD	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
299.0	INFANTILE AUTISM	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
300-316	NEUROTIC DISORDERS, PERSONALITY DISORDERS AND OTHER NONPSYCHOTIC MENTAL DISORDERS		1,115	-	-	-	1	7	11	43	94	86	73	73	63	80	65	57	60	64	76	125	85	34	8	3
		M	659	-	-	-	-	3	10	34	70	74	56	46	42	64	46	39	44	33	37	59	52	30	7	3
		F	456	-	-	-	1	4	1	9	24	12	19	24	23	16	19	18	16	31	39	66	33	4	1	-
300	NEUROTIC DISORDERS	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
300.4	NEUROTIC DEPRESSION	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
303	ALCOHOL DEPENDENCE SYNDROME		454	-	-	-	-	-	-	3	31	42	33	48	50	70	54	38	30	21	8	2	1	-	-	-
		M	334	-	-	-	-	-	-	2	20	35	40	32	33	59	40	27	21	15	8	2	1	-	-	-
		F	120	-	-	-	-	-	-	1	11	7	13	16	17	11	14	11	9	6	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
304	DRUG DEPENDENCE		135	-	-	-	-	4	7	29	41	28	10	11	3	1	-	1	-	-	-	-	-	-	-	-
		M	107	-	-	-	-	1	6	23	33	23	8	9	2	1	-	1	-	-	-	-	-	-	-	-
		F	28	-	-	-	-	3	1	6	8	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-
304.0	MORPHINE TYPE		5	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
304.9	UNSPECIFIED		130	-	-	-	-	4	7	29	39	28	10	9	2	1	-	1	-	-	-	-	-	-	-	-
		M	104	-	-	-	-	1	6	23	32	23	8	7	2	1	-	1	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	3	1	6	7	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
305	NONDEPENDENT ABUSE OF DRUGS		122	-	-	-	-	2	3	11	22	15	11	14	12	7	5	8	7	4	1	-	-	-	-	-
		M	84	-	-	-	-	1	3	9	17	15	8	8	7	2	3	6	3	2	-	-	-	-	-	-
		F	38	-	-	-	-	1	-	2	5	-	3	6	5	5	2	2	4	2	1	-	-	-	-	-
305.0	ALCOHOL		76	-	-	-	-	2	3	4	16	8	6	10	8	5	3	4	3	2	1	-	-	-	-	-
		M	55	-	-	-	-	1	3	4	14	8	7	6	5	1	1	3	1	1	-	-	-	-	-	-
		F	21	-	-	-	-	1	-	-	2	-	1	4	3	4	2	1	2	1	-	-	-	-	-	-
305.1	TOBACCO		16	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	4	2	1	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-
305.5	MORPHINE TYPE		3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
305.7	AMPHETAMINE TYPE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.9	OTHER, MIXED OR UNSPECIFIED		26	-	-	-	-	-	-	6	6	5	3	3	3	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	-	4	3	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	2	3	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-
306	PHYSIOLOGICAL MALFUNCTION ARISING FROM MENTAL FACTORS		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
306.2	CARDIOVASCULAR		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
307	SPECIAL SYMPTOMS OR SYNDROMES NOT ELSEWHERE CLASSIFIED		10	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	2	2	1	1	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-
307.1	ANOREXIA NERVOSA		3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
307.5	OTHER AND UNSPECIFIED DISORDERS OF EATING		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	1	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-
308	ACUTE REACTION TO STRESS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
308.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
309	ADJUSTMENT REACTION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
309.0	BRIEF DEPRESSIVE REACTION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
310	SPECIFIC NONPSYCHOTIC MENTAL DISORDERS FOLLOWING ORGANIC BRAIN DAMAGE		372	-	-	-	-	-	-	-	-	-	-	-	1	1	5	9	26	33	63	113	80	33	7	-
		M	118	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	18	16	27	34	10	3	1	-
		F	254	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	19	36	79	70	30	6	-
310.2	POSTCONCUSSIONAL SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
310.9	UNSPECIFIED		371	-	-	-	-	-	-	-	-	-	-	-	1	1	5	9	26	34	63	113	80	33	7	-
		M	117	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	18	15	27	34	10	3	1	-
		F	254	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	19	36	79	70	30	6	-
311	DEPRESSIVE DISORDER, NOT ELSEWHERE CLASSIFIED		13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	4	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-
313	SPECIFIC DELAYS IN DEVELOPMENT		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
313.9	UNSPECIFIED		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
317-319	MENTAL RETARDATION		54	3	3	5	2	3	6	7	5	4	4	3	1	3	1	1	1	-	-	-	-	-	-	-
		M	27	2	2	4	1	2	3	5	3	3	2	2	1	2	1	1	1	-	-	-	-	-	-	-
		F	27	1	1	1	1	1	3	2	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
316	OTHER SPECIFIED MENTAL RETARDATION		15	1	2	2	2	-	3	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	1	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	1	-	2	-	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
318.0	MODERATE MENTAL RETARDATION	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318.1	SEVERE MENTAL RETARDATION		7	-	1	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318.2	PROFOUND MENTAL RETARDATION		7	1	1	-	1	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
319	UNSPECIFIED MENTAL RETARDATION		39	2	1	3	-	3	5	5	5	3	4	1	1	1	1	1	1	-	-	-	-	-	-	-
		M	20	1	1	2	-	2	2	4	1	2	2	2	1	1	1	1	-	-	-	-	-	-	-	-
		F	19	1	-	1	-	1	3	1	4	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS		3,086	75	74	34	33	44	40	48	43	50	51	53	86	121	198	271	372	511	451	352	135	41	3	-
		M	1,515	41	43	19	22	30	26	29	27	28	24	27	45	55	95	144	200	267	203	140	43	7	-	-
		F	1,571	34	31	15	11	14	14	19	16	22	27	26	41	66	103	127	172	244	248	212	92	34	3	-
320-326	INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM		202	27	20	4	4	1	3	7	7	5	3	3	9	10	17	12	20	20	21	6	2	-	1	-
		M	108	10	16	1	3	1	3	4	5	4	2	2	4	5	11	7	11	8	7	4	-	-	1	-
		F	94	17	4	3	1	-	3	3	2	1	1	1	5	5	6	5	9	12	14	2	2	-	-	-
320	BACTERIAL MENINGITIS		103	22	15	3	2	-	1	2	3	2	2	1	6	4	6	5	8	11	7	5	-	-	-	-
		M	51	8	12	1	2	-	1	1	2	1	1	1	4	2	3	2	3	3	4	3	-	-	-	-
		F	54	14	3	2	-	-	-	1	1	1	1	-	2	2	3	3	5	8	3	2	-	-	-	-
320.0	HAEMOPHILUS MENINGITIS		18	7	9	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	11	3	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320.1	PNEUMOCOCCAL MENINGITIS		24	2	2	1	1	-	-	1	-	-	-	-	2	3	4	1	2	2	2	2	-	-	-	-
		M	12	1	2	-	1	-	-	1	-	-	-	-	1	2	1	-	1	2	2	2	-	-	-	-
		F	12	1	-	1	-	-	-	-	-	-	-	-	1	1	3	1	1	2	2	-	-	-	-	-
320.2	STREPTOCOCCAL MENINGITIS		12	4	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-
320.3	STAPHYLOCOCCAL MENINGITIS		6	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320.8	MENINGITIS DUE TO OTHER SPECIFIED BACTERIA		5	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
320.9	MENINGITIS DUE TO UNSPECIFIED BACTERIUM		40	6	3	1	1	-	1	-	3	2	1	-	1	1	2	3	5	1	5	4	1	-	-	-
		M	20	4	3	1	1	-	1	-	2	1	1	-	-	1	2	1	1	-	1	1	-	-	-	-
		F	20	2	-	-	-	-	-	-	1	1	-	-	1	1	-	2	4	1	4	3	1	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
322	MENINGITIS OF UNSPECIFIED CAUSE		42	4	3	-	-	-	1	2	2	1	-	-	1	1	5	2	3	3	10	1	2	-	1	-
		M	22	2	3	-	-	-	1	1	1	1	-	-	1	1	3	1	2	2	3	1	-	-	1	-
		F	20	2	-	-	-	-	-	1	1	-	-	-	-	-	2	1	1	1	7	-	2	-	-	-
322.2	CHRONIC MENINGITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
322.9	MENINGITIS, UNSPECIFIED		40	4	3	-	-	-	1	2	1	1	-	-	1	1	4	2	3	3	10	1	2	-	1	-
		M	22	2	3	-	-	-	1	1	1	1	-	-	1	1	3	1	2	2	3	1	-	-	1	-
		F	18	2	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	7	-	2	-	-	-
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS		28	1	1	-	1	-	1	1	2	1	1	2	1	2	1	4	4	2	3	-	-	-	-	-
		M	17	-	-	-	-	-	1	1	2	1	1	1	-	1	-	3	2	2	2	-	-	-	-	-
		F	11	1	1	-	1	-	-	-	-	-	-	1	1	1	1	1	2	-	1	-	-	-	-	-
323.9	UNSPECIFIED CAUSE		28	1	1	-	1	-	1	1	2	1	1	2	1	2	1	4	4	2	3	-	-	-	-	-
		M	17	-	-	-	-	-	1	1	2	1	1	1	-	1	-	3	2	2	2	-	-	-	-	-
		F	11	1	1	-	1	-	-	-	-	-	-	-	1	1	1	1	2	-	1	-	-	-	-	-
324	INTRACRANIAL AND INTRASPINAL ABSCESS		17	-	-	-	-	1	-	1	-	-	-	-	1	1	4	1	4	3	1	-	-	-	-	-
		M	12	-	-	-	-	1	-	1	-	-	-	-	1	1	4	1	3	1	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
324.0	INTRACRANIAL ABSCESS		12	-	-	-	-	-	-	1	-	-	-	-	1	1	3	1	2	2	1	-	-	-	-	-
		M	9	-	-	-	-	-	-	1	-	-	-	-	1	1	3	1	2	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
324.1	INTRASPINAL ABSCESS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
324.9	OF UNSPECIFIED SITE		4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
325	PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES		3	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
326	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION		7	-	1	1	1	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		M	5	-	1	1	1	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM		2,004	17	29	6	4	6	4	5	7	8	11	16	28	51	110	177	280	419	374	307	120	34	1	-
		M	967	11	8	6	2	5	1	2	5	4	7	9	19	28	53	98	156	225	169	115	39	5	-	-
		F	1,037	6	21	-	2	1	3	3	2	4	4	7	9	23	57	79	124	194	205	192	81	29	1	-
330	CEREBRAL DEGENERATIONS USUALLY MANIFEST IN CHILDHOOD		18	2	8	1	4	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	6	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	1	6	-	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
330.0	LEUCODYSTROPHY		10	1	4	-	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	4	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	3	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330.1	CEREBRAL LIPIDOSES		4	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
330.8	OTHER CEREBRAL DEGENERATIONS IN CHILDHOOD		3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
331	OTHER CEREBRAL DEGENERATIONS		1,030	7	8	4	-	3	1	1	3	-	1	1	3	14	44	62	126	234	203	197	93	24	1	-
		M	414	5	5	4	-	2	-	-	3	-	1	-	2	5	17	33	61	110	71	68	26	1	-	-
		F	616	2	3	-	-	1	1	1	-	-	-	1	1	9	27	29	65	124	132	129	67	23	1	-
331.0	ALZHEIMER'S DISEASE		882	-	-	-	-	-	-	-	-	-	-	-	1	9	35	56	110	208	195	167	81	19	1	-
		M	345	-	-	-	-	-	-	-	-	-	-	-	1	3	14	31	55	97	66	57	21	1	-	-
		F	537	-	-	-	-	-	-	-	-	-	-	-	-	6	21	25	55	111	129	110	60	18	1	-
331.1	PICK'S DISEASE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
331.2	SENILE DEGENERATION OF BRAIN		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
331.3	COMMUNICATING HYDROCEPHALUS		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
331.4	OBSTRUCTIVE HYDROCEPHALUS		56	3	6	4	-	1	1	1	1	-	1	-	-	2	5	3	9	8	2	9	2	-	-	-
		M	26	2	2	4	-	1	-	1	1	-	1	-	-	2	2	-	2	3	1	3	2	-	-	-
		F	30	1	4	-	-	-	1	-	-	-	-	-	-	-	3	3	7	5	1	6	-	-	-	-
331.8	OTHER CEREBRAL DEGENERATION		8	3	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	3	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
331.9	UNSPECIFIED		72	1	-	-	-	2	-	-	2	-	-	1	-	3	1	3	7	18	4	19	9	2	-	-
		M	29	-	-	-	-	1	-	-	2	-	-	-	-	-	-	2	4	10	2	6	2	-	-	-
		F	43	1	-	-	-	1	-	-	-	-	-	1	-	3	1	1	3	8	2	13	7	2	-	-
332	PARKINSON'S DISEASE		526	-	-	-	-	-	-	-	-	-	2	-	1	4	13	35	73	125	136	99	27	9	-	-
		M	303	-	-	-	-	-	-	-	-	-	1	-	1	2	6	22	54	80	77	43	13	4	-	-
		F	223	-	-	-	-	-	-	-	-	-	1	-	-	2	7	13	21	45	59	56	14	5	-	-
332.0	PARALYSIS AGITANS		526	-	-	-	-	-	-	-	-	-	2	-	1	4	13	35	73	125	136	99	27	9	-	-
		M	303	-	-	-	-	-	-	-	-	-	1	-	1	2	6	22	54	80	77	43	13	4	-	-
		F	223	-	-	-	-	-	-	-	-	-	1	-	-	2	7	13	21	45	59	56	14	5	-	-
333	OTHER EXTRAPYRAMIDAL DISEASE AND ABNORMAL MOVEMENT DISORDERS		53	-	-	-	-	1	1	-	2	3	3	3	3	6	4	6	5	5	6	3	-	-	-	-
		M	24	-	-	-	-	1	-	-	2	1	3	1	2	4	1	1	3	2	3	-	-	-	-	-
		F	29	-	-	-	-	-	1	-	-	2	-	2	1	2	3	5	2	3	3	3	-	-	-	-
333.0	OTHER DEGENERATIVE DISEASES OF THE BASAL GANGLIA		17	-	-	-	-	-	-	-	-	-	1	-	-	3	2	3	2	2	2	1	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	2	2	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-
333.2	MYOCLONUS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
333.4	HUNTINGTON'S CHOREA		30	-	-	-	-	-	-	-	2	3	2	3	2	5	2	3	2	2	3	1	-	-	-	-
		M	12	-	-	-	-	-	-	-	2	1	2	1	-	2	-	-	1	1	1	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	2	-	2	2	3	2	3	1	1	2	1	-	-	-	-
333.5	OTHER CHOREAS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
333.6	IDIOPATHIC TORSION DYSTONIA		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
333.8	FRAGMENTS OF TORSION DYSTONIA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
334	SPINOCEREBELLAR DISEASE		22	-	-	1	-	-	1	-	2	3	1	1	2	1	3	1	1	-	3	2	-	-	-	-
		M	12	-	-	1	-	-	1	-	-	1	1	1	1	1	1	1	1	-	2	2	-	-	-	-
		F	10	-	-	-	-	-	-	-	2	2	-	-	1	-	2	-	-	-	1	-	-	-	-	-
334.0	FRIEDREICH'S ATAXIA		7	-	-	-	-	-	1	-	2	2	-	-	-	-	2	-	-	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
334.1	HEREDITARY SPASTIC PARAPLEGIA		2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
334.2	PRIMARY CEREBELLAR DEGENERATION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
334.3	OTHER CEREBELLAR ATAXIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
334.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
334.9	UNSPECIFIED		5	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	1	-	-	-	-
		M	4	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
335	ANTERIOR HORN CELL DISEASE		347	8	3	-	-	2	-	3	-	2	2	11	19	24	44	70	73	55	24	6	-	1	-	-
		M	205	5	1	-	-	2	-	2	-	2	1	7	13	17	28	39	37	33	16	2	-	-	-	-
		F	142	3	2	-	-	-	-	1	-	-	1	4	6	7	16	31	36	22	8	4	-	1	-	-
335.0	WERDNIG-HOFFMANN DISEASE		11	7	2	-	-	1	-	1	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
		M	6	4	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	3	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
335.1	SPINAL MUSCULAR ATROPHY		6	1	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
		M	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
335.2	MOTOR NEURONE DISEASE		330	-	-	-	-	1	-	1	-	2	2	11	19	24	44	68	73	55	23	6	-	1	-	-
		M	196	-	-	-	-	1	-	1	-	2	1	7	13	17	28	39	37	33	15	2	-	-	-	-
		F	134	-	-	-	-	-	-	-	-	-	1	4	6	7	16	29	36	22	8	4	-	1	-	-
336	OTHER DISEASES OF SPINAL CORD		5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
336.0	SYRINGOMYELIA AND SYRINGOBULBIA		2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
336.8	OTHER MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
336.9	UNSPECIFIED DISEASES OF SPINAL CORD		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
337	DISORDERS OF THE AUTONOMIC NERVOUS SYSTEM		3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
337.9	UNSPECIFIED		3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340-349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM		713	23	32	24	22	22	23	30	24	32	34	33	39	50	60	67	59	52	42	29	9	7	-	-
		M	327	13	17	12	14	10	12	17	12	18	13	15	15	17	25	33	23	22	18	15	2	2	-	-
		F	386	10	15	12	8	12	11	13	12	14	21	18	24	33	35	34	36	30	24	14	7	5	-	-
340	MULTIPLE SCLEROSIS		143	-	-	-	-	-	-	4	6	9	16	9	14	27	14	18	14	9	3	-	-	-	-	-
		M	41	-	-	-	-	-	-	1	3	3	4	3	3	5	6	5	2	5	2	-	-	-	-	-
		F	102	-	-	-	-	-	-	3	3	6	12	6	11	22	8	13	12	4	1	-	-	-	-	-
341	OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM		12	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	1	2	3	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	1	-	3	-	-	-	-
341.9	UNSPECIFIED		12	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	1	2	3	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	1	-	3	-	-	-	-
342	HEMIPLEGIA		17	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	4	5	3	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	3	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-
342.9	UNSPECIFIED		17	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	4	5	3	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	3	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-
343	INFANTILE CEREBRAL PALSY		82	10	11	16	14	7	2	4	3	4	2	3	-	2	1	-	-	2	1	-	-	-	-	-
		M	41	4	8	7	7	1	2	2	2	1	2	2	-	2	1	-	-	2	1	-	-	-	-	-
		F	41	6	3	9	7	6	-	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
343.2	QUADRIPLEGIC		9	2	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
343.9	UNSPECIFIED		73	8	11	13	13	6	1	4	2	4	2	3	-	2	1	-	-	2	1	-	-	-	-	-
		M	37	4	8	5	6	4	1	2	2	1	2	1	-	2	-	-	-	2	1	-	-	-	-	-
		F	36	4	3	8	7	2	-	2	-	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-
344	OTHER PARALYTIC SYNDROMES		42	-	1	2	-	2	1	3	1	1	-	1	2	2	1	4	3	9	5	2	-	-	-	-
		M	18	-	1	1	-	1	-	2	1	1	-	1	2	2	1	3	1	7	4	1	-	-	-	-
		F	24	-	-	1	-	1	1	1	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-	-
344.0	QUADRIPLEGIA		10	-	1	2	-	1	1	3	1	1	-	1	1	2	1	1	1	2	1	-	-	-	-	-
		M	11	-	1	1	-	1	-	2	1	1	-	1	1	2	1	1	1	2	1	-	-	-	-	-
		F	7	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
344.1	PARAPLEGIA		6	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
344.3	MONOPLEGIA OF LOWER LIMB		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
344.6	CAUDA EQUINA SYNDROME		6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
344.8	OTHER		10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	4	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-
344.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345	EPILEPSY		153	1	8	1	3	7	14	13	9	10	9	8	10	8	12	13	10	6	2	2	1	2	-	-
		M	77	1	2	1	2	4	7	11	4	5	6	5	4	5	5	7	4	4	2	2	1	2	-	-
		F	76	-	6	-	1	3	7	2	5	5	3	3	6	3	7	6	6	2	-	-	-	-	-	-
345.0	GENERALIZED NONCONVULSIVE EPILEPSY		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	42	-	-	1	-	3	2	3	2	1	2	3	4	3	3	4	3	2	2	1	1	2	-	-
345.1	GENERALIZED CONVULSIVE EPILEPSY		19	-	-	-	-	1	1	2	1	1	1	2	2	1	2	3	2	2	1	1	1	2	-	-
		M	23	-	-	1	-	2	1	1	1	-	1	1	2	2	1	1	1	-	1	-	-	-	-	-
		F	52	-	3	-	1	1	1	7	2	1	3	3	-	2	5	7	7	3	2	1	1	2	-	-
345.3	GRAND MAL STATUS		25	-	1	-	1	1	1	6	1	1	3	3	-	2	1	2	3	2	-	1	-	-	-	-
		M	27	-	2	-	-	-	-	1	1	-	-	-	-	2	1	7	4	3	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345.5	PARTIAL EPILEPSY, WITHOUT MENTION OF IMPAIRMENT OF CONSCIOUSNESS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345.6	INFANTILE SPASMS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345.9	UNSPECIFIED		56	-	5	-	1	3	11	5	6	6	6	5	4	-	2	4	-	-	-	-	-	-	-	-
		M	31	-	1	-	1	2	5	3	4	4	2	3	2	-	2	3	-	-	-	-	-	-	-	-
		F	25	-	4	-	-	1	6	2	2	2	4	2	2	-	-	1	-	-	-	-	-	-	-	-
348	OTHER CONDITIONS OF BRAIN		241	10	11	2	4	5	3	6	4	3	7	4	10	12	9	27	29	27	17	21	19	8	3	-
		M	119	7	5	2	2	4	3	3	1	7	-	2	4	7	2	11	17	14	7	9	8	1	2	-
		F	122	3	6	-	2	1	3	3	3	1	7	2	6	5	7	16	12	13	10	12	11	7	1	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
348.0	CEREBRAL CYSTS		7	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
348.1	ANOXIC BRAIN DAMAGE		121	7	6	-	2	1	2	3	1	2	3	6	3	4	16	19	16	8	14	4	1	1	-	-
		M	62	4	3	-	2	1	1	-	1	2	1	2	4	1	7	12	9	4	5	2	1	1	-	-
		F	59	3	3	-	-	-	1	3	-	-	2	4	1	3	9	7	7	4	9	2	1	-	-	-
348.2	BENIGN INTRACRANIAL HYPERTENSION		3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
348.3	ENCEPHALOPATHY, UNSPECIFIED		43	-	2	1	-	2	1	-	1	-	1	1	3	3	3	6	3	3	4	5	1	1	-	-
		M	20	-	1	1	-	2	-	-	1	-	1	1	2	2	1	3	2	1	2	2	-	-	-	-
		F	23	-	2	-	-	-	1	-	-	-	-	-	3	2	2	3	1	2	2	3	1	1	-	-
348.4	COMPRESSION OF BRAIN		4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
348.5	CEREBRAL OEDEMA		14	1	2	-	2	1	2	-	1	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-
		M	7	1	1	-	2	-	1	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	7	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
348.8	OTHER		9	-	1	1	-	-	-	-	-	1	-	-	1	1	2	-	1	2	-	-	-	-	-	-
		M	3	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-	-
348.9	UNSPECIFIED		40	1	-	-	-	1	-	-	-	1	-	-	1	1	4	6	3	1	2	10	6	3	-	-
		M	18	1	-	-	-	-	-	-	-	1	-	-	1	-	2	2	3	1	2	4	1	1	-	-
		F	22	-	-	-	-	1	-	-	-	-	-	-	-	1	2	4	2	-	-	6	5	2	-	-
349	OTHER AND UNSPECIFIED DISORDERS OF THE NERVOUS SYSTEM		23	2	1	3	1	1	-	-	1	1	-	1	1	1	2	-	2	-	3	3	-	-	-	-
		M	15	1	1	2	1	1	-	-	-	1	-	1	1	1	2	-	2	-	1	2	-	-	-	-
		F	8	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
349.8	OTHER		14	2	-	3	-	-	-	-	-	1	-	-	1	2	1	-	2	1	2	-	-	-	-	-
		M	9	1	-	2	-	-	-	-	-	1	-	-	1	1	1	-	1	-	2	-	-	-	-	-
		F	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
349.9	UNSPECIFIED		9	-	1	-	1	1	-	-	1	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-
		M	6	-	1	-	1	1	-	-	1	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
350-359	DISORDERS OF THE PERIPHERAL NERVOUS SYSTEM		156	6	3	-	3	14	10	6	5	4	3	1	10	9	10	13	12	19	14	9	4	1	-	-
		M	105	5	2	-	3	13	10	6	5	2	2	1	7	5	5	4	7	11	9	6	2	1	-	-
		F	51	1	1	-	-	1	-	-	-	2	1	-	3	4	5	9	5	8	5	3	2	-	-	-
350	TRIGEMINAL NERVE DISORDERS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
350.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
352	DISORDERS OF OTHER CRANIAL NERVES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
352.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
355	MONONEURITIS OF LOWER LIMB		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
355.9	MONONEURITIS OF UNSPECIFIED SITE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
356	HEREDITARY AND IDIOPATHIC PERIPHERAL NEUROPATHY		27	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	6	9	4	1	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	5	3	1	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	4	1	-	-	-	-	-
356.1	PERONEAL MUSCULAR ATROPHY		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
356.8	OTHER		14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	2	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-
356.9	UNSPECIFIED		12	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	3	2	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
357	INFLAMMATORY AND TOXIC NEUROPATHY		22	-	-	-	-	-	1	-	-	1	-	-	3	-	2	4	-	4	2	2	-	-	-	-
		M	13	-	-	-	-	-	1	-	-	1	-	-	2	-	2	4	-	3	2	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
357.0	ACUTE INFECTIVE POLYNEURITIS		22	-	-	-	-	-	1	-	-	1	-	-	3	-	2	4	-	4	2	2	-	-	-	-
		M	13	-	-	-	-	-	1	-	-	1	-	-	2	-	2	4	-	3	1	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
358	MYONEURAL DISORDERS		28	1	-	-	-	-	-	1	1	1	-	-	1	1	2	4	6	2	2	6	-	-	1	-
		M	13	-	-	-	-	-	-	1	1	1	-	-	1	1	2	1	4	1	1	3	-	-	-	-
		F	15	1	-	-	-	-	-	-	-	1	-	-	1	-	1	3	2	1	1	3	-	-	1	-
358.0	MYASTHENIA GRAVIS		19	-	-	-	-	-	-	1	1	1	-	-	-	1	1	3	4	-	2	5	-	-	-	-
		M	11	-	-	-	-	-	-	1	1	1	-	-	-	1	1	2	3	-	2	3	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
358.8	OTHER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
358.9	UNSPECIFIED		8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	1	-	-	1	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	1	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES		76	3	3	-	3	14	9	5	4	2	3	1	5	4	3	4	-	3	6	1	1	-	-	-
		M	61	3	2	-	3	13	9	5	4	2	2	1	4	2	2	4	-	1	4	1	1	-	-	-
		F	15	-	1	-	-	1	-	-	-	-	1	-	1	2	1	-	-	2	2	-	-	-	-	-
359.0	CONGENITAL HEREDITARY MUSCULAR DYSTROPHY		5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
359.1	HEREDITARY PROGRESSIVE MUSCULAR DYSTROPHY		51	1	-	-	2	14	9	5	4	1	1	1	3	-	1	4	-	1	4	-	-	-	-	-
		M	46	1	-	-	2	13	9	5	4	1	1	1	3	-	1	4	-	1	3	-	-	-	-	-
		F	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
359.2	MYOTONIC DISORDERS		12	2	-	-	-	-	-	-	-	1	2	-	2	3	-	-	-	-	-	-	-	-	-	-
		M	8	2	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
359.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
359.9	UNSPECIFIED		6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-
		M	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
360-379	DISORDERS OF THE EYE AND ADNEXA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
366	CATARACT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
366.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	DISORDERS OF THE ORBIT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376.0	ACUTE INFLAMMATION OF ORBIT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
380-389	DISEASES OF THE EAR AND MASTOID PROCESS		9	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-
		M	6	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
382	SUPPURATIVE AND UNSPECIFIED OTITIS MEDIA	M	6	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
382.9	UNSPECIFIED OTITIS MEDIA		6	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
383	MASTOIDITIS AND RELATED CONDITIONS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
383.1	CHRONIC MASTOIDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
385	OTHER DISORDERS OF MIDDLE EAR AND MASTOID		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
385.3	CHOLESTEATOMA OF MIDDLE EAR AND MASTOID		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
385.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
390-459	DISEASES OF THE CIRCULATORY SYSTEM		90,118	114	32	15	18	32	101	164	325	536	859	1,394	2,244	3,930	6,265	8,400	11,148	13,623	14,342	13,296	8,969	3,362	695	22
		M	44,344	68	14	9	8	32	69	112	225	377	610	1,043	1,652	2,804	4,223	5,277	6,336	7,200	6,301	4,533	2,446	775	132	18
		F	45,774	46	18	6	10	20	32	52	100	159	249	351	594	1,136	2,042	3,123	4,822	6,423	8,151	8,763	6,523	2,587	563	4
390-392	ACTIVE RHEUMATIC FEVER		7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390	RHEUMATIC FEVER WITHOUT MENTION OF HEART INVOLVEMENT		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
391	RHEUMATIC FEVER WITH HEART INVOLVEMENT		6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391.0	ACUTE RHEUMATIC PERICARDITIS		6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-
393-398	CHRONIC RHEUMATIC HEART DISEASE		796	-	1	-	1	3	6	9	8	17	19	16	39	48	73	111	113	139	97	69	30	4	-	-
		M	260	-	1	-	1	1	2	3	3	10	10	4	9	17	30	44	36	44	24	13	7	1	-	-
		F	536	-	-	-	-	2	4	6	5	7	9	12	30	31	43	67	79	95	73	47	23	3	-	-
393	CHRONIC RHEUMATIC PERICARDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
394	DISEASES OF MITRAL VALVE		361	-	1	-	-	2	5	7	4	10	13	9	14	26	34	54	54	56	38	18	14	2	-	-
		M	115	-	1	-	-	1	2	2	1	6	7	3	2	10	14	18	15	15	11	2	4	1	-	-
		F	246	-	-	-	-	1	3	5	3	4	6	6	12	16	20	36	39	41	27	16	10	1	-	-
394.0	MITRAL STENOSIS		110	-	1	-	-	-	1	2	-	-	3	2	2	10	10	10	17	22	16	7	5	1	-	-
		M	34	-	1	-	-	-	1	1	-	-	2	1	-	4	3	5	3	7	5	1	-	-	-	-
		F	76	-	-	-	-	-	-	1	-	-	1	1	2	6	7	5	14	15	11	6	5	1	-	-
394.1	RHEUMATIC MITRAL INSUFFICIENCY		19	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	4	3	1	3	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	1	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	3	-	2	-	-	-
394.2	MITRAL STENOSIS WITH INSUFFICIENCY		11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	1	1	-	-	-
394.9	OTHER AND UNSPECIFIED		221	-	-	-	-	2	4	5	4	10	10	6	11	15	23	38	35	29	15	8	5	1	-	-
		M	72	-	-	-	-	1	1	1	1	4	5	2	2	6	11	10	10	6	5	1	3	1	-	-
		F	149	-	-	-	-	1	3	4	3	6	5	4	9	9	12	28	25	23	10	7	2	-	-	-
395	DISEASES OF AORTIC VALVE		36	-	-	-	-	1	-	-	-	1	2	-	2	5	3	5	4	8	4	1	-	-	-	-
		M	18	-	-	-	-	-	-	-	-	1	1	-	1	3	3	2	2	5	-	-	-	-	-	-
		F	18	-	-	-	-	1	-	-	-	-	1	-	1	2	-	3	2	3	4	1	-	-	-	-
395.0	RHEUMATIC AORTIC STENOSIS		14	-	-	-	-	1	-	-	-	1	1	-	-	2	1	2	1	5	1	-	-	-	-	-
		M	7	-	-	-	-	1	-	-	-	1	-	-	-	2	1	2	-	3	-	-	-	-	-	-
395.1	RHEUMATIC AORTIC INSUFFICIENCY		8	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	1	2	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	1	2	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
395.2	RHEUMATIC AORTIC STENOSIS WITH INSUFFICIENCY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
395.9	OTHER AND UNSPECIFIED		13	-	-	-	-	-	-	-	-	-	1	-	2	3	2	-	2	1	2	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	1	2	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
396	DISEASES OF MITRAL AND AORTIC VALVES		154	-	-	-	-	-	-	-	1	1	2	1	3	9	6	16	23	19	31	21	12	6	1	-
		M	56	-	-	-	-	-	-	-	1	1	2	1	2	1	7	13	4	11	7	3	3	1	-	-
		F	98	-	-	-	-	-	-	-	1	-	-	-	1	8	-	3	19	20	24	18	9	5	1	-
397	DISEASES OF OTHER ENDOCARDIAL STRUCTURES		39	-	-	-	1	-	-	-	1	-	3	2	2	4	5	5	9	8	8	10	1	-	-	-
		M	14	-	-	-	1	-	-	-	-	-	1	1	-	2	2	3	5	8	2	1	-	-	-	-
		F	25	-	-	-	-	-	-	-	1	-	2	1	2	2	3	2	4	6	6	9	1	-	-	-
397.0	DISEASES OF TRICUSPID VALVE		8	-	-	-	1	-	-	-	1	1	1	1	1	2	1	1	1	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-
397.9	RHEUMATIC DISEASES OF ENDOCARDIUM, VALVE UNSPECIFIED		30	-	-	-	-	-	-	-	-	2	1	1	1	3	3	5	5	8	8	10	1	-	-	-
		M	11	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	5	8	2	1	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	6	9	1	-	-	-
398	OTHER RHEUMATIC HEART DISEASE		185	-	-	-	-	-	1	1	2	2	1	4	12	6	15	24	29	36	26	19	7	1	-	-
		M	57	-	-	-	-	-	1	1	1	1	-	-	4	1	4	11	10	13	4	7	-	-	-	-
		F	128	-	-	-	-	-	1	-	1	1	1	4	8	5	11	13	19	23	22	12	7	1	-	-
398.0	RHEUMATIC MYOCARDITIS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
398.9	OTHER AND UNSPECIFIED		184	-	-	-	-	2	1	1	2	2	1	4	11	6	15	24	29	36	26	19	7	1	-	-
		M	56	-	-	-	-	1	1	1	1	1	1	4	3	1	4	11	10	13	4	7	-	-	-	-
		F	128	-	-	-	-	1	-	-	1	1	-	-	8	5	11	13	19	23	22	12	7	1	-	-
401-405	HYPERTENSIVE DISEASE		3,732	-	-	-	1	1	3	10	20	31	56	87	148	240	341	483	494	505	388	463	275	90	19	-
		M	1,757	-	-	-	1	1	2	8	15	23	42	67	93	149	203	221	264	231	164	132	60	20	1	-
		F	1,975	-	-	-	-	-	1	2	5	8	14	20	47	91	138	182	227	274	224	331	215	70	18	-
401	ESSENTIAL HYPERTENSION		262	-	-	-	-	-	1	1	1	4	1	3	7	16	19	22	38	38	40	43	21	5	2	-
		M	105	-	-	-	-	-	1	1	-	2	-	1	3	9	10	11	19	18	15	11	2	2	-	-
		F	157	-	-	-	-	-	-	-	1	2	1	2	4	7	9	11	19	20	25	32	19	3	2	-
401.0	SPECIFIED AS MALIGNANT		4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
401.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		258	-	-	-	-	1	1	1	1	4	1	3	7	14	19	21	38	37	40	43	21	5	2	-
		M	102	-	-	-	-	1	1	1	-	2	-	2	3	7	10	11	19	17	15	11	2	2	-	-
		F	156	-	-	-	-	-	-	-	1	2	1	1	4	7	9	10	19	20	25	32	19	3	2	-
402	HYPERTENSIVE HEART DISEASE		2,837	-	-	-	-	1	1	8	15	21	48	73	121	202	290	334	377	370	389	324	189	64	10	-
		M	1,338	-	-	-	-	1	1	6	11	17	38	58	83	125	176	186	204	163	140	80	36	11	-	-
		F	1,499	-	-	-	-	-	-	2	4	4	10	15	38	77	114	148	173	207	249	244	153	53	10	-
402.0	SPECIFIED AS MALIGNANT		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
402.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		2,835	-	-	-	-	1	1	8	13	21	48	72	120	202	290	334	377	370	389	324	189	64	10	-
		M	1,337	-	-	-	-	1	1	6	11	17	38	57	83	125	176	186	204	163	140	80	38	11	-	-
		F	1,498	-	-	-	-	-	-	2	4	4	10	15	37	77	114	148	173	207	249	244	151	53	10	-	-
403	HYPERTENSIVE RENAL DISEASE		446	-	-	-	1	-	-	-	2	3	7	7	7	16	20	33	56	65	98	67	44	16	4	-
		M	212	-	-	-	1	-	-	-	2	1	4	4	4	10	10	15	26	39	49	29	11	6	1	-
		F	234	-	-	-	-	-	-	-	-	2	3	3	3	6	10	18	30	26	49	38	33	10	3	-
403.0	SPECIFIED AS MALIGNANT		4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
403.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		442	-	-	-	1	-	-	-	2	3	7	6	7	15	19	33	55	65	98	67	44	16	4	-
		M	210	-	-	-	1	-	-	-	2	1	4	4	4	9	9	15	26	39	49	29	11	6	1	-
		F	232	-	-	-	-	-	-	-	-	2	3	2	3	6	10	18	29	26	49	38	33	10	3	-
404	HYPERTENSIVE HEART AND RENAL DISEASE		187	-	-	-	-	-	1	1	2	3	-	4	5	6	12	14	20	32	31	27	21	5	3	-
		M	102	-	-	-	-	-	1	1	2	3	-	3	3	5	7	9	13	11	20	12	9	1	-	-
		F	85	-	-	-	-	-	-	-	-	-	-	1	2	1	5	5	7	21	11	15	12	4	3	-
404.0	SPECIFIED AS MALIGNANT		3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
404.1	SPECIFIED AS BENIGN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
404.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		183	-	-	-	-	-	1	-	2	3	-	4	4	6	12	14	20	32	31	26	21	4	3	-
		M	99	-	-	-	-	-	1	-	2	3	-	3	2	5	7	9	15	11	20	11	9	1	-	-
		F	84	-	-	-	-	-	-	-	-	-	-	1	2	1	5	5	5	21	11	15	12	3	3	-
410-414	ISCHAEMIC HEART DISEASE		48,674	2	1	-	-	-	7	27	95	231	438	747	1,261	2,287	3,510	4,819	6,308	7,632	7,731	6,929	4,521	1,730	361	9
		M	25,785	1	1	-	-	-	6	23	84	192	348	617	1,011	1,714	2,515	3,169	3,893	4,284	3,593	2,525	1,289	422	69	7
		F	22,889	1	-	-	-	-	1	4	9	39	90	130	250	573	995	1,650	2,415	3,348	4,138	4,404	3,232	1,336	292	2
410	ACUTE MYOCARDIAL INFARCTION		21,417	1	-	-	-	-	5	12	42	112	203	368	668	1,222	1,857	2,362	3,201	3,604	3,208	2,365	1,293	438	73	3
		M	12,038	1	-	-	-	-	4	11	36	91	151	295	523	903	1,329	1,659	1,942	2,064	1,530	974	408	121	13	3
		F	9,359	-	-	-	-	-	1	1	6	21	52	73	145	319	528	803	1,259	1,540	1,678	1,391	885	317	60	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHAEMIC HEART DISEASE		211	-	-	-	-	-	-	1	-	6	7	5	15	19	30	23	24	21	20	25	9	5	1	-
		M	138	-	-	-	-	-	-	1	-	3	7	3	11	13	24	16	19	12	11	12	2	2	-	-
		F	73	-	-	-	-	-	-	-	-	1	-	2	4	6	6	7	5	9	9	13	7	3	1	-
412	OLD MYOCARDIAL INFARCTION		91	-	-	-	-	-	-	-	1	2	-	1	4	6	12	8	9	18	12	11	3	4	-	-
		M	63	-	-	-	-	-	-	-	1	2	-	1	2	5	11	7	8	12	8	3	2	1	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	6	4	8	1	3	-	-
413	ANGINA PECTORIS		71	-	-	-	-	-	-	-	-	-	-	2	1	2	4	8	7	13	13	9	4	2	1	-
		M	32	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	6	5	5	3	3	1	-	-
		F	39	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	8	8	6	1	1	1	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE		26,884	1	1	-	-	-	2	14	52	111	226	371	573	1,038	1,607	2,238	3,067	3,976	4,478	4,319	3,207	1,369	286	6
		M	13,494	-	1	-	-	-	2	11	40	94	190	318	474	792	1,150	1,502	1,618	2,191	2,039	1,531	874	298	56	4
		F	13,390	1	-	-	-	-	-	3	12	17	36	53	99	246	457	736	1,149	1,785	2,439	2,788	2,333	1,071	230	2
414.0	CORONARY ATHEROSCLEROSIS		20,705	-	-	-	-	-	2	12	42	90	197	299	419	745	1,127	1,494	2,169	2,946	3,467	3,559	2,734	1,144	253	6
		M	9,947	-	-	-	-	-	2	9	40	77	170	253	346	582	799	1,001	1,334	1,569	1,524	1,206	727	250	52	4
		F	10,758	-	-	-	-	-	-	3	2	13	27	44	73	163	328	493	835	1,377	1,943	2,353	2,007	894	201	2
414.1	ANEURYSM OF HEART		23	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	6	4	2	-	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	2	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	1	-	-	-	-	-
414.8	OTHER		886	1	1	-	-	-	-	1	1	6	3	19	29	53	82	120	152	161	117	65	40	12	3	-
		M	575	-	1	-	-	-	-	1	1	4	2	17	25	36	64	86	109	109	61	43	12	3	1	-
		F	311	1	-	-	-	-	-	-	-	2	1	2	4	17	18	34	43	52	56	42	28	9	2	-
414.9	UNSPECIFIED		5,270	-	-	-	-	-	-	1	9	14	28	53	125	238	394	620	738	865	892	675	433	153	30	-
		M	2,956	-	-	-	-	-	-	1	8	13	18	46	103	172	286	412	470	511	453	282	135	45	3	-
		F	2,312	-	-	-	-	-	-	-	1	1	10	7	22	66	110	208	268	354	439	393	298	108	27	-
415-417	DISEASES OF PULMONARY CIRCULATION		827	28	1	1	-	5	7	6	14	15	17	18	36	39	89	107	113	122	89	75	41	2	-	2
		M	406	16	-	1	-	2	2	3	5	9	8	11	19	21	49	56	65	63	38	27	8	1	-	2
		F	421	12	1	-	-	3	5	3	9	6	9	7	17	18	40	51	48	59	51	48	33	1	-	-
415	ACUTE PULMONARY HEART DISEASE		593	-	-	-	-	-	4	2	10	8	8	8	21	29	71	80	87	98	68	61	34	2	-	2
		M	283	-	-	-	-	-	2	2	4	4	4	5	10	15	41	39	52	47	29	22	4	1	-	-
		F	310	-	-	-	-	-	2	-	6	4	4	3	11	14	30	41	35	51	39	39	30	1	-	2
415.0	ACUTE COR PULMONALE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
415.1	PULMONARY EMBOLISM		591	-	-	-	-	-	4	2	10	8	8	8	21	29	71	80	87	98	68	60	33	2	-	2
		M	282	-	-	-	-	-	2	2	4	4	4	5	10	15	41	39	52	47	29	21	4	1	-	-
		F	309	-	-	-	-	-	2	-	6	4	4	3	11	14	30	41	35	51	39	39	29	1	-	2
416	CHRONIC PULMONARY HEART DISEASE		229	27	1	1	-	5	3	4	7	9	9	15	10	17	27	26	23	20	14	7	1	-	-	-
		M	122	16	1	1	-	2	1	1	5	5	4	5	9	6	8	13	16	9	5	4	-	-	-	-
		F	107	11	-	-	-	3	2	3	2	4	5	10	6	11	19	13	7	11	9	3	1	-	-	-
416.0	PRIMARY PULMONARY HYPERTENSION		156	27	1	1	-	5	2	4	3	5	7	8	9	8	7	16	14	16	11	9	3	-	-	-
		M	83	16	-	1	-	2	1	1	3	3	5	5	5	5	2	9	7	10	6	5	2	-	-	-
		F	73	11	1	-	-	3	2	3	2	2	4	3	4	3	5	7	7	6	3	4	1	-	-	-
416.1	KYPHOSCOLIOTIC HEART DISEASE		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
416.9	PULMONARY HEART DISEASE, UNSPECIFIED		65	-	-	-	-	-	1	-	1	2	2	1	4	2	10	4	8	7	8	4	4	-	-	-
		M	37	-	-	-	-	-	1	-	1	2	1	-	4	1	6	2	5	6	3	-	2	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	1	1	2	1	4	2	3	1	5	4	2	-	-	-
417	OTHER DISEASES OF PULMONARY CIRCULATION		5	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
417.0	ARTERIOVENOUS FISTULA OF PULMONARY VESSELS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
417.1	ANEURYSM OF PULMONARY ARTERY	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
417.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
417.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-429	OTHER FORMS OF HEART DISEASE		15,718	39	23	9	10	29	45	65	95	102	159	298	449	757	1,194	1,494	1,867	2,171	2,390	2,193	1,546	624	137	2
		M	7,954	34	9	5	4	20	37	49	62	72	116	218	342	564	833	974	1,062	1,119	1,025	785	438	153	29	2
		F	7,764	25	14	4	6	9	8	16	33	30	43	80	107	193	361	520	805	1,052	1,365	1,408	1,108	469	108	-
420	ACUTE PERICARDITIS		7	-	-	-	-	-	-	2	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
420.9	OTHER AND UNSPECIFIED ACUTE PERICARDITIS		7	-	-	-	-	-	-	2	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421	ACUTE AND SUBACUTE ENDOCARDITIS		114	-	-	-	-	2	1	3	4	8	3	3	9	9	18	14	7	3	10	6	1	-	-	-
		M	66	-	-	-	-	1	1	1	3	6	2	3	6	7	12	9	3	2	6	3	-	-	-	-
		F	48	-	-	-	-	1	-	2	1	2	1	-	3	2	6	5	4	1	4	3	1	-	-	-
421.0	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS		112	-	-	-	-	2	1	3	3	8	3	3	9	9	18	13	7	3	10	6	1	-	-	-
		M	64	-	-	-	-	1	1	2	2	6	2	2	6	7	12	8	3	2	6	3	-	-	-	-
		F	48	-	-	-	-	1	-	1	1	2	1	1	3	2	6	5	4	1	4	3	1	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	0-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
421.9	ACUTE ENDOCARDITIS, UNSPECIFIED	M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
422	ACUTE MYOCARDITIS	M	33	4	1	-	1	2	3	3	2	3	-	1	1	1	1	3	5	-	1	1	-	-	-	-
		F	19	2	-	-	-	-	3	2	1	3	-	1	1	1	1	2	3	-	1	1	-	-	-	-
422.9	OTHER AND UNSPECIFIED ACUTE MYOCARDITIS	M	14	2	1	-	1	2	-	1	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
		F	33	4	1	-	1	2	3	3	2	3	-	1	1	1	1	2	5	-	1	1	-	-	-	-
423	OTHER DISEASES OF PERICARDIUM	M	19	2	-	-	-	-	3	2	1	3	-	1	1	-	1	2	3	-	1	1	-	-	-	-
		F	14	2	1	-	1	2	-	1	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
423.0	HAEMOPERICARDIUM	M	48	2	1	-	-	1	-	-	1	2	2	3	4	3	4	6	5	3	1	1	-	-	-	-
		F	30	2	1	-	-	1	-	-	1	1	1	3	3	2	3	4	4	2	2	1	-	-	-	-
423.1	ADHESIVE PERICARDITIS	M	18	-	-	-	-	-	-	-	-	1	1	1	1	1	1	3	1	1	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
423.2	CONSTRICTIVE PERICARDITIS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
423.9	UNSPECIFIED	M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
424	OTHER DISEASES OF ENDOCARDIUM	M	15	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	11	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
424.0	MITRAL VALVE DISORDERS	M	1,140	-	1	1	2	2	5	6	10	12	16	18	17	37	60	90	135	187	222	186	95	26	7	-
		F	556	-	-	-	2	1	4	5	6	7	12	8	14	24	41	58	71	99	94	70	32	8	1	-
424.1	AORTIC VALVE DISORDERS	M	584	-	1	1	2	1	1	4	5	4	4	10	3	13	19	32	64	88	128	116	65	18	6	-
		F	211	-	-	-	-	-	1	1	4	1	1	2	3	7	2	14	33	34	41	32	14	2	1	-
424.2	TRICUSPID VALVE DISORDERS, SPECIFIED AS NONRHEUMATIC	M	79	-	-	-	-	-	2	1	1	1	1	-	2	4	3	5	7	11	12	13	11	4	2	-
		F	132	-	-	-	2	1	1	1	3	2	2	1	2	5	2	9	22	22	26	21	10	2	1	-
424.3	PULMONARY VALVE DISORDERS	M	757	-	-	-	-	2	2	4	3	9	12	12	11	26	38	61	83	118	153	125	71	20	6	-
		F	402	-	-	-	-	1	2	4	3	5	9	8	10	18	27	43	48	70	70	49	25	7	1	-
424.9	ENDOCARDITIS, VALVE UNSPECIFIED	M	355	-	-	-	-	1	-	-	-	-	-	4	1	8	12	16	35	48	63	76	46	13	5	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	165	-	1	-	-	-	-	1	2	2	-	3	1	4	15	12	19	34	28	29	10	4	-	-
		F	74	-	-	-	-	-	-	-	1	2	-	2	-	1	-	-	6	12	16	11	10	3	1	-	-
425	CARDIOMYOPATHY	M	95	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	6	7	18	17	9	1	-	-	-
		F	2,001	14	12	3	3	13	25	26	50	42	61	101	113	161	236	250	307	228	144	129	36	13	3	-
425.1	HYPERTROPHIC OBSTRUCTIVE CARDIOMYOPATHY	M	1,268	5	5	2	1	10	24	19	39	30	45	76	77	116	173	174	186	129	73	51	25	5	-	-
		F	733	9	7	1	1	3	1	7	11	12	16	25	36	45	63	76	121	93	69	78	31	8	3	-
425.3	ENDOCARDIAL FIBROELASTOSIS	M	15	-	-	-	-	2	-	-	-	-	-	1	2	-	1	2	2	3	-	1	1	-	-	-
		F	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
425.4	OTHER PRIMARY CARDIOMYOPATHIES	M	15	7	6	1	-	1	-	-	1	-	-	1	-	-	1	1	1	3	1	1	-	-	-	-
		F	10	6	3	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
425.5	ALCOHOLIC CARDIOMYOPATHY	M	1,632	7	6	2	2	10	24	25	37	34	50	89	101	140	237	232	288	213	141	125	54	13	-	-
		F	1,148	4	4	1	1	8	23	18	28	26	34	69	65	98	158	159	173	125	74	50	24	5	-	-
425.8	OTHER	M	684	3	4	1	1	2	1	7	9	8	16	20	36	42	79	73	115	88	67	75	30	8	-	-
		F	108	-	-	-	-	-	1	1	1	5	11	11	10	18	23	13	12	3	-	-	-	-	-	-
425.9	SECONDARY CARDIOMYOPATHY, UNSPECIFIED	M	93	-	-	-	-	-	-	1	1	3	2	7	10	16	11	12	8	2	1	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	2	-	4	-	2	2	3	4	2	3	1	1	-	-	-
426	CONDUCTION DISORDERS	M	31	-	-	-	-	-	1	-	-	2	-	2	-	3	2	3	3	2	1	1	-	-	-	-
		F	16	-	-	-	-	-	-	-	1	-	-	2	1	-	2	2	4	1	2	1	1	-	-	-
426.0	ATRIOVENTRICULAR BLOCK, COMPLETE	M	43	1	-	-	-	-	-	-	1	-	-	2	1	-	2	4	3	1	5	3	1	-	-	-
		F	24	1	-	-	-	-	-	-	1	-	-	2	1	-	2	3	4	1	5	3	1	-	-	-
426.1	ATRIOVENTRICULAR BLOCK, OTHER AND UNSPECIFIED	M	19	1	-	-	-	-	-	-	1	-	-	1	1	-	2	3	3	1	4	3	2	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	3	1	3	3	2	1	-
426.3	OTHER LEFT BUNDLE BRANCH BLOCK	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	2	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	-	1	-
426.4	RIGHT BUNDLE BRANCH BLOCK	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
426.5	BUNDLE BRANCH BLOCK, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
426.7	ANOMALOUS ATRIOVENTRICULAR EXCITATION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
426.8	OTHER	M	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
426.9	UNSPECIFIED	M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	2	2	1	2	1	-	-	-
427	CARDIAC DYSRHYTHMIAS	M	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	1	1	-	-	-
		F	1,483	27	5	4	1	4	4	8	16	13	13	24	23	42	62	153	188	231	231	205	132	69	15	1
427.0	PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA	M	734	18	3	2	1	3	3	7	10	8	7	10	15	43	61	110	78	106	105	73	43	18	6	1
427.1	PAROXYSMAL VENTRICULAR TACHYCARDIA	M	749	9	3	2	1	1	3	2	10	5	6	10	8	19	31	43	80	115	126	130	87	31	7	1
427.3	ATRIAL FIBRILLATION AND FLUTTER	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	1	1	-	-	-	2	2	4	1	4	3	2	-	1	1	-
427.4	VENTRICULAR FIBRILLATION AND FLUTTER	M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	3	1	2	2	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	2	2	-	-	-	-
427.5	CARDIAC ARREST	M	172	-	-	-	-	-	-	1	-	-	-	-	-	2	2	4	1	21	30	34	24	16	2	-
		F	61	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	2	7	14	14	9	5	2	1
427.6	PREMATURE BEATS	M	111	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	2	14	16	22	25	19	14	1
		F	69	-	-	-	-	-	-	-	1	-	-	1	2	3	10	14	7	11	9	9	2	-	-	-
427.8	OTHER	M	44	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	7	6	3	1	-	-	-
		F	25	-	-	-	-	-	-	-	1	-	-	1	1	-	4	1	4	4	3	6	1	-	-	-
		M	979	25	4	3	1	2	2	6	14	10	7	18	15	40	63	103	104	137	135	126	86	45	10	1
		F	480	17	3	2	1	1	-	4	9	7	4	11	9	27	40	68	53	64	68	53	29	11	4	1
		M	499	8	1	1	-	1	2	2	9	3	3	7	6	13	23	37	51	73	67	73	57	34	6	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		M	29	1	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	5	3	4	5	3	1	-
		F	14	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	1	2	4	2	1	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	[illegible]	[illegible]
427.9	UNSPECIFIED		206	1	1	1	-	2	2	1	-	3	6	5	3	12	16	23	29	29	29	16	3	-	-	-	-
		M	117	1	1	-	-	4	1	2	-	1	3	2	4	6	13	13	17	14	9	4	1	-	-	-	-
		F	89	-	-	1	-	-	1	-	-	2	3	3	-	6	3	10	12	15	20	12	2	-	-	-	-
428	HEART FAILURE		2,323	5	1	-	1	2	3	1	-	2	3	11	21	46	64	78	1.0	1.0	1.0	1.0	1.0	-	-	-	-
		M	962	5	-	-	-	2	2	1	-	1	3	7	11	25	30	38	1.0	1.0	1.0	1.0	1.0	-	-	-	-
		F	1,361	-	1	-	1	-	1	-	-	1	4	4	10	21	34	40	1.0	1.0	1.0	1.0	1.0	-	-	-	-
428.0	CONGESTIVE HEART FAILURE		2,101	2	1	-	1	2	2	1	-	1	4	6	14	17	30	39	1.0	1.0	1.0	1.0	1.0	-	-	-	-
		M	858	2	-	-	-	2	2	1	-	1	3	3	10	8	20	25	1.0	1.0	1.0	1.0	1.0	-	-	-	-
		F	1,243	-	1	-	1	-	-	-	-	-	1	3	4	9	10	14	1.0	1.0	1.0	1.0	1.0	-	-	-	-
428.1	LEFT HEART FAILURE		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
428.9	UNSPECIFIED		212	3	-	-	-	-	-	1	-	-	1	1	4	10	16	29	1.0	1.0	1.0	1.0	1.0	-	-	-	-
		M	100	3	-	-	-	-	-	1	-	-	1	1	4	6	9	13	1.0	1.0	1.0	1.0	1.0	-	-	-	-
		F	112	-	-	-	-	-	-	-	-	-	-	-	-	4	7	16	1.0	1.0	1.0	1.0	1.0	-	-	-	-
429	ILL-DEFINED DESCRIPTIONS AND COMPLICATIONS OF HEART DISEASE		8,527	6	3	1	2	3	4	13	11	17	35	127	238	436	668	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-
		M	4,291	2	1	-	1	2	3	13	6	13	44	100	211	330	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	4,236	4	2	1	1	1	1	-	5	4	11	27	27	80	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
429.0	MYOCARDITIS, UNSPECIFIED		92	6	3	-	2	3	2	4	5	1	4	6	9	12	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	46	2	1	-	1	2	1	3	2	1	2	4	6	8	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	46	4	2	-	1	1	1	1	3	-	2	2	3	4	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
429.1	MYOCARDIAL DEGENERATION		28	-	-	-	-	-	-	-	-	-	-	-	1	1	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
429.2	CARDIOVASCULAR DISEASE, UNSPECIFIED		8,260	-	-	-	-	-	1	2	2	12	48	114	246	423	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	4,152	-	-	-	-	-	1	1	1	10	40	90	193	340	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	4,108	-	-	-	-	-	-	1	1	2	8	24	53	79	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
429.3	CARDIOMEGALY		80	-	-	-	-	-	1	3	2	1	2	2	3	1	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	50	-	-	-	-	-	1	3	2	1	2	2	3	1	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
429.5	RUPTURE OF CHORDAE TENDINAE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
429.6	RUPTURE OF PAPILLARY MUSCLE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
429.8	OTHER	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
			4	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
429.9	UNSPECIFIED		60	-	-	1	-	-	-	1	-	-	2	2	3	1	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	26	-	-	-	-	-	-	1	-	-	1	1	2	1	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	34	-	-	1	-	-	-	-	-	-	1	1	1	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASE		13,222	16	4	4	5	9	23	31	49	108	134	170	355	611	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	5,893	10	2	3	2	5	14	14	39	56	63	98	189	341	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	9,329	6	2	1	3	4	11	15	30	52	71	72	166	270	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
430	SUBARACHNOID HAEMORRHAGE		767	1	-	1	3	8	14	16	35	38	56	60	77	76	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	282	1	-	1	2	4	7	8	17	18	20	20	34	29	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	485	-	-	-	1	4	7	8	18	20	36	40	43	47	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
431	INTRACEREBRAL HAEMORRHAGE		1,868	4	2	2	1	1	6	9	18	31	39	39	63	104	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	830	4	2	2	1	1	4	5	13	18	20	27	37	63	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	1,038	-	-	-	-	-	2	4	5	13	19	12	26	41	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
432	OTHER AND UNSPECIFIED INTRACRANIAL HAEMORRHAGE		191	1	2	-	-	-	1	1	3	3	4	8	16	20	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	92	1	1	-	-	-	1	1	2	3	2	6	8	10	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	99	-	1	-	-	-	-	-	1	-	2	2	8	10	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
432.1	SUBDURAL HAEMORRHAGE		18	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
432.9	UNSPECIFIED INTRACRANIAL HAEMORRHAGE		173	1	2	-	-	-	1	1	3	3	4	8	16	20	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	81	1	1	-	-	-	1	1	2	3	2	6	8	10	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	92	-	1	-	-	-	-	-	1	-	2	2	8	10	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
433	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES		170	-	-	-	-	-	-	1	1	3	3	8	16	20	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	102	-	-	-	-	-	-	1	1	3	3	8	16	20	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	68	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
433.0	BASILAR ARTERY		54	-	-	-	-	-	-	-	1	1	2	4	8	12	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	35	-	-	-	-	-	-	-	1	1	2	4	8	12	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
433.1	CAROTID ARTERY		97	-	-	-	-	-	-	1	1	2	2	4	8	12	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	54	-	-	-	-	-	-	1	1	2	2	4	8	12	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	43	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
433.2	VERTEBRAL ARTERY		9	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
433.3	MULTIPLE AND BILATERAL		6	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
433.8	OTHER		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
434	OCCLUSION OF CEREBRAL ARTERIES		2,780	3	-	-	-	3	6	6	6	11	11	38	88	178	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	1,083	-	-	-	-	1	4	4	6	5	9	28	62	124	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	1,697	3	-	-	-	2	2	2	-	6	2	10	26	54	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
434.0	CEREBRAL THROMBOSIS		1,406	-	-	-	-	2	3	3	3	6	7	21	49	102	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	498	-	-	-	-	1	2	2	3	3	5	16	36	72	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	908	-	-	-	-	1	1	1	-	3	2	5	13	30	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
434.1	CEREBRAL EMBOLISM		80	-	-	-	-	-	-	-	-	-	-	1	1	2	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	28	-	-	-	-	-	-	-	-	-	-	1	1	2	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	52	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
434.9	UNSPECIFIED		1,294	3	-	-	-	1	2	2	3	4	10	16	37	74	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	557	-	-	-	-	-	2	2	3	2	4	12	26	52	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	737	3	-	-	-	1	-	-	-	2	6	4	11	22	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
435	TRANSIENT CEREBRAL ISCHAEMIA		21	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE		7,441	1	-	-	-	-	-	-	-	-	21	18	41	88	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	2,756	1	-	-	-	-	-	-	-	-	7	5	15	32	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	4,685	-	-	-	-	-	-	-	-	-	14	13	26	56	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
437	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE		1,229	6	2	-	1	-	-	-	-	-	2	3	8	16	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	434	3	1	-	-	-	-	-	-	-	1	1	3	6	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	795	3	1	-	1	-	-	-	-	-	1	2	5	10	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
437.0	CEREBRAL ATHEROSCLEROSIS		814	-	-	-	-	-	-	-	-	-	1	2	5	10	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	272	-	-	-	-	-	-	-	-	-	-	1	2	4	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	542	-	-	-	-	-	-	-	-	-	1	1	3	6	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
437.1	OTHER GENERALIZED ISCHAEMIC CEREBROVASCULAR DISEASE		41	0	2	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	19	3	1	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		F	22	3	1	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
437.2	HYPERTENSIVE ENCEPHALOPATHY		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	1.0	1.0	1.0	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
437.3	CEREBRAL ANEURYSM, NONRUPTURED	M	31	-	-	-	-	-	-	-	1	-	-	2	3	1	5	5	5	4	2	3	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	3	1	2	1	-	-	-	-
437.4	CEREBRAL ARTERITIS	M	16	-	-	-	-	-	-	-	1	-	-	2	-	1	2	4	2	3	1	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
437.5	MOYAMOYA DISEASE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
437.8	OTHER	M	7	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
437.9	UNSPECIFIED	M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-
		F	324	-	-	-	1	-	-	-	1	-	1	1	2	4	10	20	36	44	69	71	49	11	3	-
438	LATE EFFECTS OF CEREBROVASCULAR DISEASE	M	122	-	-	-	-	-	-	-	1	-	1	1	1	3	3	11	23	20	24	18	13	1	1	-
		F	202	-	-	-	1	-	-	-	-	-	-	1	1	1	7	9	13	24	45	53	36	10	2	-
		M	755	-	-	-	-	-	-	-	1	-	-	1	3	11	25	44	79	129	170	168	89	31	4	-
		F	305	-	-	-	-	-	-	-	-	-	-	2	1	6	14	21	39	65	81	40	30	3	-	-
440-448	DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	M	450	-	-	-	-	-	-	-	1	-	-	2	2	3	11	23	40	64	89	128	59	26	4	-
		F	4,669	2	2	1	1	3	7	9	14	19	23	40	42	119	274	388	534	699	780	767	604	233	66	2
		M	2,264	2	2	1	1	2	6	4	10	9	13	20	31	86	193	250	377	383	372	268	165	57	11	2
		F	2,405	-	-	-	-	1	1	5	4	10	10	20	11	33	81	138	177	316	408	499	439	196	55	-
440	ATHEROSCLEROSIS	M	2,386	-	-	-	-	-	-	-	1	-	7	4	7	22	55	99	172	273	441	525	478	220	63	1
		F	883	-	-	-	-	-	-	-	-	-	7	2	5	16	37	60	102	125	182	163	127	46	10	1
		M	1,503	-	-	-	-	-	-	-	1	-	-	2	2	6	18	39	70	148	279	362	351	174	33	-
440.0	OF AORTA	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
440.1	OF RENAL ARTERY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
440.8	OF ARTERIES OF THE EXTREMITIES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	126	-	-	-	-	-	-	-	-	-	-	-	-	4	5	7	11	19	17	28	26	10	1	-
440.9	OF OTHER SPECIFIED ARTERIES	M	49	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	5	11	10	10	5	1	-	-
		F	70	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	6	8	7	18	21	9	1	-
	GENERALIZED AND UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3,231	-	-	-	-	-	-	-	1	-	-	6	4	7	18	48	90	161	251	444	496	432	210	62	1
441	AORTIC ANEURYSM	M	826	-	-	-	-	-	-	-	1	-	-	4	2	5	14	33	56	97	112	172	153	122	45	10	1
		F	1,423	-	-	-	-	-	-	-	-	-	-	2	2	2	4	15	34	64	139	272	343	310	165	52	1
		M	1,049	-	-	-	-	2	3	3	9	11	7	22	23	71	162	216	301	321	252	156	73	11	1	-
		F	1,074	-	-	-	-	-	-	-	1	-	3	2	2	4	12	19	36	96	153	72	20	5	-	-
441.0	DISSECTING ANEURYSM (ANY PART)	M	575	-	-	-	-	1	2	3	7	7	3	22	19	59	122	136	217	204	153	71	20	5	-	-
		F	395	-	-	-	-	1	2	3	2	4	2	10	4	12	40	60	84	117	99	85	47	6	1	-
441.1	THORACIC ANEURYSM, RUPTURED	M	219	-	-	-	-	1	2	3	7	9	5	19	14	32	46	53	57	67	44	24	10	1	-	-
		F	176	-	-	-	-	-	1	3	5	6	3	10	12	24	29	31	34	27	23	6	3	-	-	-
441.2	THORACIC ANEURYSM, WITHOUT MENTION OF RUPTURE	M	143	-	-	-	-	-	2	2	1	1	-	1	2	8	17	22	23	40	21	16	5	1	-	-
		F	89	-	-	-	-	-	-	-	1	-	-	1	-	4	11	20	37	31	15	12	3	1	-	-
		M	54	-	-	-	-	-	-	-	1	-	-	1	-	3	7	15	20	20	10	4	4	1	-	-
441.3	ABDOMINAL ANEURYSM, RUPTURED	M	39	-	-	-	-	-	-	-	-	-	-	1	-	1	4	5	17	11	5	6	1	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	1	2	-	4	3	6	11	7	2	1	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	5	4	2	1	-	-	-
441.4	ABDOMINAL ANEURYSM, WITHOUT MENTION OF RUPTURE	M	659	-	-	-	-	-	-	1	-	-	1	2	6	26	71	90	134	119	102	70	34	6	-	-
		F	464	-	-	-	-	-	-	-	-	-	-	1	5	24	42	74	112	94	66	40	13	4	-	-
		M	164	-	-	-	-	-	-	-	-	-	-	1	1	2	9	14	22	25	36	30	12	2	-	-
		F	123	-	-	-	-	-	-	-	-	-	-	1	-	-	6	14	23	32	24	14	2	1	-	-
441.5	AORTIC ANEURYSM OF UNSPECIFIED SITE, RUPTURED	M	76	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	8	20	15	9	3	-	-	-
		F	49	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	12	9	10	4	1	-	-
441.6	AORTIC ANEURYSM OF UNSPECIFIED SITE, WITHOUT MENTION OF RUPTURE	M	230	-	-	-	-	1	-	-	1	-	-	1	2	7	20	23	34	48	40	24	16	3	-	-
		F	142	-	-	-	-	-	-	-	-	-	-	1	-	2	11	15	26	49	27	10	10	1	-	-
442	OTHER ANEURYSM	M	88	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	6	19	22	16	6	2	-	-
		F	56	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	3	13	11	8	5	1	-	-
		M	24	-	-	-	-	-	-	-	-	-	-	1	1	2	3	5	12	9	12	12	3	1	-	-
		F	75	-	-	-	-	-	-	-	-	-	-	1	2	2	10	10	12	11	10	12	2	2	-	-
442.1	OF RENAL ARTERY	M	51	-	-	-	-	-	-	-	-	-	-	1	3	2	4	6	10	9	7	10	2	1	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	2	2	2	1	1	-	-
442.2	OF ILIAC ARTERY	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
442.3	OF ARTERY OF LOWER EXTREMITY	M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	3	4	1	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	3	4	1	-	-	-	-
442.8	OF OTHER SPECIFIED ARTERY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
442.9	OF UNSPECIFIED SITE	M	10	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	3	1	2	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
443	OTHER PERIPHERAL VASCULAR DISEASE	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	2	1	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	2	1	-	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	1	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-
443.0	RAYNAUD'S SYNDROME	M	203	-	-	-	-	-	-	-	-	-	-	-	-	3	12	11	22	21	12	21	7	2	-	-
		F	104	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	6	15	12	12	19	7	-	-
443.1	THROMBOANGIITIS OBLITERANS (BUERGER'S DISEASE)	M	101	-	-	-	-	-	-	-	-	-	-	-	-	3	5	8	6	6	2	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
443.8	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
443.9	UNSPECIFIED	M	190	-	-	-	-	-	-	-	-	-	-	-	-	6	16	19	27	35	24	32	24	3	-	-
		F	101	-	-	-	-	-	-	-	-	-	-	-	-	3	12	11	21	21	12	21	5	1	-	-
444	ARTERIAL EMBOLISM AND THROMBOSIS	M	98	-	-	-	-	-	-	-	-	-	-	-	-	3	6	8	9	14	12	11	4	1	-	-
		F	141	1	-	-	-	-	-	-	1	-	-	2	1	5	10	13	9	26	20	24	10	2	-	-
		M	50	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	6	9	10	9	3	1	-	-
		F	91	1	-	-	-	-	-	-	1	-	-	2	1	3	7	7	3	17	10	15	7	1	-	-
444.0	OF ABDOMINAL AORTA	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
444.1	OF OTHER AORTA	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	2	1	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
444.2	OF ARTERIES OF THE EXTREMITIES	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	2	1	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	4	1	-	-	-
444.8	OF OTHER SPECIFIED ARTERY	M	63	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	3	3	1	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	-	-	-
444.9	OF OTHER SPECIFIED ARTERY	M	40	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	3	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
446.9	OF UNSPECIFIED ARTERY		23	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	6	1	6	-	2	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	2	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	4	-	2	-	-
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS		68	-	2	-	1	-	1	2	2	5	6	2	3	4	5	11	7	10	3	1	3	-	-	-
		M	22	-	1	-	-	-	1	1	1	1	2	2	2	2	2	2	3	3	2	1	1	-	-	-
		F	46	-	1	-	1	-	-	1	1	4	4	-	1	2	3	9	4	6	1	2	2	-	-	-
446.0	POLYARTERITIS NODOSA		13	-	1	-	-	-	-	-	-	-	2	1	2	2	1	3	3	1	1	-	-	-	-	-
		M	8	-	1	-	-	-	-	-	-	-	2	1	2	2	1	1	2	1	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
446.1	ACUTE FEBRILE MUCOCUTANEOUS LYMPHNODE SYNDROME (MCLS)		2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.2	HYPERSENSITIVITY ANGIITIS		10	-	-	-	1	-	-	-	-	1	-	1	1	1	1	2	2	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-
		F	7	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-
446.3	LETHAL MIDLINE GRANULOMA		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.4	WEGENER'S GRANULOMATOSIS		13	-	-	-	-	-	1	1	-	-	-	-	1	-	3	2	1	4	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	4	-	-	-	-	-	-
446.5	GIANT CELL ARTERITIS		11	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	5	-	-	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	2	-	-	-
446.6	THROMBOTIC MICROANGIOPATHY		16	-	-	-	-	-	-	1	1	4	3	-	-	-	3	1	-	-	-	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-
		F	12	-	-	-	-	-	-	1	-	3	3	-	-	-	2	1	-	-	-	1	-	-	-	-
446.7	TAKAYASU DISEASE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
447	OTHER DISORDERS OF ARTERIES AND ARTERIOLES		138	1	-	1	-	1	1	1	1	2	1	4	4	7	14	20	24	22	11	13	5	5	-	-
		M	78	1	-	1	-	1	1	-	1	-	1	2	3	4	9	12	14	13	7	5	1	3	-	-
		F	60	-	-	-	-	-	-	1	-	2	-	2	1	3	5	8	10	9	4	8	4	2	-	-
447.0	ARTERIOVENOUS FISTULA, ACQUIRED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
447.1	STRICTURE OF ARTERY		13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	4	2	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	1	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-
447.2	RUPTURE OF ARTERY		40	-	-	-	-	1	-	-	-	-	-	-	1	-	6	10	5	7	4	3	-	1	-	-
		M	20	-	-	-	-	1	-	-	-	-	-	-	1	-	6	5	5	4	3	2	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	1	1	-	1	-	-
447.6	ARTERITIS, UNSPECIFIED		54	-	-	1	-	-	1	1	1	2	1	1	2	3	3	8	12	7	4	4	-	1	-	-
		M	24	-	-	-	-	-	1	1	1	1	1	-	1	3	2	5	4	4	2	1	-	1	-	-
		F	30	-	-	1	-	-	-	1	-	2	-	1	1	3	2	3	8	3	2	3	-	-	-	-
447.8	OTHER		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
447.9	UNSPECIFIED		27	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	5	6	1	5	1	1	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	4	1	2	1	1	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	3	1	-	-	-
448	DISEASES OF CAPILLARIES		5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
448.0	HEREDITARY HAEMORRHAGIC TELANGIECTASIA		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
448.9	OTHER AND UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
451-459	DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM		473	7	-	-	2	1	7	10	13	13	18	22	34	51	43	69	61	45	47	20	8	1	1	-
		M	220	5	-	-	1	-	4	5	6	10	8	17	22	26	25	29	24	17	16	4	1	1	1	-
		F	253	2	-	-	1	1	3	5	7	3	10	5	12	25	18	40	37	28	31	16	7	-	-	-
451	PHLEBITIS AND THROMBOPHLEBITIS		240	-	-	-	-	-	4	5	7	5	6	13	14	24	19	36	36	27	27	11	3	1	-	-
		M	101	-	-	-	-	-	2	3	5	2	3	9	7	14	9	14	13	9	8	2	-	1	-	-
		F	139	-	-	-	-	-	2	2	2	3	3	4	7	10	10	22	23	18	19	9	3	-	-	-
451.1	OF DEEP VESSELS OF LOWER EXTREMITIES		77	-	-	-	-	-	1	2	3	2	3	3	3	5	12	11	10	9	7	4	1	-	-	-
		M	32	-	-	-	-	-	-	2	1	2	2	3	1	4	5	4	7	4	3	2	-	-	-	-
		F	45	-	-	-	-	-	1	-	2	-	1	-	2	1	7	7	3	5	4	2	1	-	-	-
451.2	OF LOWER EXTREMITIES, UNSPECIFIED		105	-	-	-	-	-	2	3	3	2	2	6	10	12	3	16	14	11	14	4	2	1	-	-
		M	47	-	-	-	-	-	2	2	3	2	1	4	6	8	2	9	6	3	3	-	2	1	-	-
		F	58	-	-	-	-	-	-	1	-	-	1	2	4	4	1	7	8	8	11	4	-	-	-	-
451.8	OF OTHER SITES		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-
451.9	OF UNSPECIFIED SITE		54	-	-	-	-	-	-	1	-	1	1	2	2	3	4	8	12	6	6	2	-	-	-	-
		M	22	-	-	-	-	-	-	-	-	1	-	1	1	1	3	5	4	3	2	-	-	-	-	-
		F	32	-	-	-	-	-	-	1	-	-	1	1	1	2	1	3	8	3	4	2	-	-	-	-
452	PORTAL VEIN THROMBOSIS		4	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
453	OTHER VENOUS EMBOLISM AND THROMBOSIS		51	1	-	-	-	-	2	2	3	1	4	1	2	6	4	10	6	3	1	4	-	-	-	1
		M	21	1	-	-	-	-	1	1	1	1	2	1	2	3	2	4	3	3	1	2	-	-	-	1
		F	30	-	-	-	-	-	1	1	2	-	2	-	-	3	2	6	3	3	1	2	-	-	-	-
453.0	BUDD-CHIARI SYNDROME		7	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
453.2	OF VENA CAVA		8	1	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-	-	1	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
453.3	OF RENAL VEIN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
453.8	OF OTHER SPECIFIED VEINS		29	-	-	-	-	-	2	1	2	-	2	-	1	2	2	6	4	1	1	2	-	-	-	1
		M	14	-	-	-	-	-	1	1	1	-	1	-	1	2	1	4	2	1	1	2	-	-	-	1
		F	15	-	-	-	-	-	1	-	1	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-
453.9	OF UNSPECIFIED SITE		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
454	VARICOSE VEINS OF LOWER EXTREMITIES		12	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-	-	2	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	2	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
454.0	WITH ULCER	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
454.9	WITHOUT MENTION OF ULCER OR INFLAMMATION		8	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	2	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	2	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
455	HAEMORRHOIDS		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
455.6	UNSPECIFIED HAEMORRHOIDS, WITHOUT MENTION OF COMPLICATION	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
456	VARICOSE VEINS OF OTHER SITES		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	48	-	-	-	-	-	1	-	2	2	3	3	4	8	15	6	2	1	4	3	-	2	-	-
		F	31	-	-	-	-	-	-	-	2	3	3	4	7	3	5	1	1	1	2	1	-	-	-	-
456.0	OESOPHAGEAL VARICES WITH BLEEDING		17	-	-	-	-	-	1	-	-	-	1	-	-	1	2	1	1	-	2	2	-	-	-	-
		M	38	-	-	-	-	-	-	-	2	2	3	3	4	4	4	4	2	1	4	2	-	2	-	-
		F	24	-	-	-	-	-	-	-	2	2	3	3	4	4	2	3	1	1	2	2	-	2	-	-
456.1	OESOPHAGEAL VARICES WITHOUT MENTION OF BLEEDING		14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
456.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
457	NONINFECTIVE DISORDERS OF LYMPHATIC CHANNELS		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
457.1	OTHER LYMPHOEDEMA		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
458	HYPOTENSION		68	5	-	-	-	1	-	-	-	-	-	-	2	3	7	3	14	11	5	7	5	2	-	-
		M	34	3	-	-	-	1	-	-	-	-	1	-	2	2	2	2	6	5	3	6	2	-	-	-
		F	34	2	-	-	-	-	-	-	-	-	-	-	-	1	5	1	8	6	2	1	3	2	-	-
458.0	ORTHOSTATIC HYPOTENSION		4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
458.9	UNSPECIFIED		64	5	-	-	-	1	-	-	-	-	-	-	2	3	7	3	12	11	5	5	5	2	-	-
		M	33	3	-	-	-	1	-	-	-	-	1	-	2	2	2	2	6	5	3	5	2	-	-	-
		F	31	2	-	-	-	-	-	-	-	-	-	-	-	1	5	1	6	6	2	-	3	2	-	-
459	OTHER DISORDERS OF CIRCULATORY SYSTEM		45	3	-	-	-	-	-	1	-	1	-	2	-	3	7	8	5	5	2	6	-	1	-	-
		M	23	1	-	-	-	-	-	1	-	1	-	1	-	2	4	6	3	1	3	5	-	1	-	-
		F	22	2	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	4	-	1	-	-	-	-
459.0	HAEMORRHAGE, UNSPECIFIED		29	1	-	-	-	-	-	1	-	1	-	2	-	1	6	3	1	4	4	4	-	1	-	-
		M	16	1	-	-	-	-	-	1	-	1	-	1	-	1	3	3	1	1	3	1	-	1	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	3	1	3	-	-	-	-
459.2	COMPRESSION OF VEIN		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
459.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
459.9	UNSPECIFIED		11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	2	-	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	2	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM		18,591	174	59	16	13	31	43	60	73	107	109	164	299	605	1,148	1,850	2,515	3,115	2,997	2,609	1,763	669	144	8
		M	9,638	104	29	10	9	22	29	39	44	67	64	107	171	365	646	1,090	1,451	1,720	1,594	1,176	669	186	44	2
		F	8,953	70	30	6	4	9	14	21	29	40	45	77	128	240	502	760	1,064	1,395	1,403	1,433	1,094	483	100	6
460-466	ACUTE RESPIRATORY INFECTIONS		121	19	7	1	-	-	2	2	1	2	2	-	3	7	4	6	9	8	16	13	16	3	-	-
		M	58	13	3	-	-	-	1	1	-	2	2	-	1	5	3	4	4	4	6	3	5	1	-	-
		F	63	6	4	1	-	-	1	1	1	-	-	-	2	2	1	2	5	4	10	10	11	2	-	-
461	ACUTE SINUSITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
461.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
462	ACUTE PHARYNGITIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
463	ACUTE TONSILLITIS	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464	ACUTE LARYNGITIS AND TRACHEITIS		15	4	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
		M	8	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
		F	7	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.0	ACUTE LARYNGITIS		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.1	ACUTE TRACHEITIS		4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.2	ACUTE LARYNGOTRACHEITIS		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.3	ACUTE EPIGLOTTITIS		6	2	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	4	2	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
465	ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITE		13	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	1	1	2	4	-	-	-
		M	4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	1	1	2	4	-	-	-
465.0	ACUTE LARYNGOPHARYNGITIS		2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
465.8	OTHER MULTIPLE SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
465.9	UNSPECIFIED SITE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
			10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	4	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	4	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS		90	13	1	-	-	-	1	2	1	2	2	-	2	5	5	6	6	5	14	11	12	3	-	-
		M	44	11	-	-	-	-	1	2	1	2	2	-	2	4	3	4	2	2	5	3	5	2	-	-
		F	46	2	1	-	-	-	-	-	-	-	-	-	-	1	2	2	4	3	9	8	7	1	-	-
466.0	ACUTE BRONCHITIS		37	4	-	-	-	-	1	2	1	2	2	-	2	3	3	6	6	3	12	11	11	3	-	-
		M	38	3	1	-	-	-	1	2	1	2	2	-	2	4	3	4	4	2	5	3	6	2	-	-
		F	15	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	7	8	1	1	-	-
466.1	ACUTE BRONCHIOLITIS		7	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-
		M	8	1	1	-	-	-	2	1	1	1	1	-	2	2	1	2	2	2	2	6	1	-	-	-
470-478	OTHER DISEASES OF UPPER RESPIRATORY TRACT		38	3	3	1	-	2	1	1	-	1	1	-	2	2	1	2	1	2	2	6	3	-	-	-
		M	24	2	1	1	-	2	1	1	-	1	1	-	2	2	1	1	1	2	2	4	2	-	-	-
		F	14	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-
473	CHRONIC SINUSITIS		11	-	-	-	-	-	2	1	-	1	1	-	2	2	1	1	1	1	1	1	1	-	-	-
		M	6	-	-	-	-	-	2	1	-	1	1	-	2	2	1	1	1	1	1	1	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
473.0	MAXILLARY		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
473.3	SPHENOIDAL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
473.8	OTHER	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
473.9	UNSPECIFIED	M	7	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	1	-	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
474	CHRONIC DISEASE OF TONSILS AND ADENOIDS	M	3	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
474.1	HYPERTROPHY OF TONSILS AND ADENOIDS	M	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
474.9	UNSPECIFIED	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
475	PERITONSILLAR ABSCESS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
476	CHRONIC LARYNGITIS AND LARYNGOTRACHEITIS	M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
476.1	CHRONIC LARYNGOTRACHEITIS	M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
478	OTHER DISEASES OF UPPER RESPIRATORY TRACT	M	21	4	2	-	-	1	1	-	-	1	-	-	-	2	-	2	-	1	2	3	2	-	-	-
		F	13	3	1	-	-	1	1	-	-	1	-	-	-	2	-	1	-	1	2	2	2	-	-	-
478.1	OTHER DISEASES OF NASAL CAVITY AND SINUSES	M	8	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	1	-	-	-	-
478.2	OTHER DISEASES OF PHARYNX, NOT ELSEWHERE CLASSIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	9	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-
478.4	POLYP OF VOCAL CORD OR LARYNX	M	7	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	2	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
478.6	OEDEMA OF LARYNX	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
478.7	OTHER DISEASES OF LARYNX, NOT ELSEWHERE CLASSIFIED	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
		M	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
480-487	PNEUMONIA AND INFLUENZA		8,046	77	24	5	4	9	15	25	40	47	43	73	101	183	291	437	659	1,099	1,395	1,609	1,252	536	116	6
		M	3,738	46	13	3	4	9	11	14	26	36	28	45	66	117	176	278	383	606	643	629	436	136	31	2
		F	4,308	31	11	2	-	-	4	11	14	11	15	28	35	66	115	159	276	493	752	980	816	400	85	4
480	VIRAL PNEUMONIA		116	10	5	-	1	1	-	2	-	3	1	2	3	4	5	7	10	11	21	17	8	4	1	-
		M	54	5	2	-	1	1	-	-	-	3	1	2	2	2	2	3	4	5	8	6	2	3	-	-
		F	62	5	3	-	-	-	-	2	-	-	-	-	1	2	3	4	6	6	13	11	6	1	1	-
480.9	VIRAL PNEUMONIA, UNSPECIFIED		116	10	5	-	1	1	-	2	-	3	1	2	3	4	5	7	10	11	21	17	8	4	1	-
		M	54	5	2	-	1	1	-	-	-	3	1	2	2	2	2	3	4	6	8	6	2	3	-	-
		F	62	5	3	-	-	-	-	2	-	-	-	-	1	2	3	4	6	5	13	11	6	1	1	-
481	PNEUMOCOCCAL PNEUMONIA		239	1	-	-	1	-	-	2	1	3	1	7	11	8	19	16	26	41	45	43	42	18	1	1
		M	143	1	-	-	1	-	-	1	1	2	1	3	7	8	12	9	17	19	23	19	16	5	1	-
		F	144	-	-	-	-	-	-	1	-	1	-	4	4	1	7	7	9	22	22	24	26	13	-	1
482	OTHER BACTERIAL PNEUMONIA		401	11	3	-	-	-	1	1	3	2	1	4	9	15	20	24	46	72	69	57	43	15	5	-
		M	204	6	2	-	-	-	1	1	3	1	1	3	6	9	10	16	22	36	36	28	17	4	1	-
		F	197	5	1	-	-	-	-	-	-	1	-	1	3	6	10	8	24	36	33	29	26	9	4	-
482.0	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE		44	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	4	6	5	7	5	5	3	-
		M	20	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	4	1	4	1	3	3	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	3	4	2	-	-
482.1	PNEUMONIA DUE TO PSEUDOMONAS		64	3	-	-	-	-	-	-	-	-	-	-	1	2	4	5	11	22	15	10	9	2	-	-
		M	43	1	-	-	-	-	-	-	-	-	-	-	1	2	2	3	7	8	10	6	3	-	-	-
		F	41	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	14	5	4	6	2	-	-
482.2	PNEUMONIA DUE TO HAEMOPHILUS INFLUENZAE (H. INFLUENZAE)		19	1	1	-	-	-	1	-	-	-	-	-	2	1	1	-	2	5	1	3	2	1	-	-
		M	12	1	-	-	-	-	1	-	-	-	-	-	2	1	1	-	1	4	1	3	2	1	-	-
		F	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
482.3	PNEUMONIA DUE TO STREPTOCOCCUS		28	2	-	-	-	-	-	1	-	1	1	2	1	3	1	1	2	3	3	3	3	3	-	-
		M	21	2	-	-	-	-	-	1	-	1	1	2	1	3	1	1	2	2	3	3	3	3	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
482.4	PNEUMONIA DUE TO STAPHYLOCOCCUS		82	3	-	-	-	-	-	1	-	1	1	1	1	1	2	4	11	9	10	10	11	3	1	-
		M	40	2	-	-	-	-	-	1	-	1	1	1	1	1	2	4	8	5	10	9	4	2	1	-
		F	42	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	-	1	7	1	-	-
482.8	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA		37	2	-	-	-	-	-	-	-	1	-	-	1	2	3	5	6	5	5	4	2	2	-	-
		M	18	-	-	-	-	-	-	-	-	1	-	-	1	2	3	5	3	3	2	2	2	2	-	-
		F	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	2	-	-	-	-
482.9	BACTERIAL PNEUMONIA, UNSPECIFIED		107	-	2	-	-	-	-	-	-	-	-	1	1	3	6	12	21	21	20	11	5	1	-	-
		M	50	-	2	-	-	-	-	-	-	-	-	1	1	3	4	6	11	10	7	5	1	1	-	-
		F	57	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	11	13	6	4	1	-	-
483	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISM	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
485	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED		1,321	26	9	-	1	3	9	9	18	17	13	19	23	43	43	72	94	148	224	245	205	77	20	1
		M	636	16	3	-	1	3	7	6	12	13	11	14	18	29	29	50	56	84	99	87	71	19	7	1
		F	685	10	6	-	-	-	2	3	6	4	2	5	5	14	14	22	38	64	125	158	134	58	13	-
486	PNEUMONIA, ORGANISM UNSPECIFIED		5,616	28	7	-	2	4	5	10	17	22	25	41	51	107	198	310	468	796	980	1,164	899	387	80	4
		M	2,585	17	6	-	1	1	3	5	10	18	13	24	31	67	119	195	278	440	455	458	316	134	29	1
		F	3,031	11	1	-	1	3	2	5	7	4	12	17	20	40	79	115	190	356	524	706	583	253	50	3
487	INFLUENZA		301	1	-	-	-	-	-	-	-	-	-	-	-	4	5	8	13	31	47	83	54	34	9	1
		M	114	1	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	21	22	31	14	4	1	-
		F	187	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	9	10	25	52	40	30	8	1
487.0	WITH PNEUMONIA		164	1	-	-	-	-	-	-	-	-	-	-	-	3	4	4	11	16	23	49	33	17	4	1
		M	70	1	-	-	-	-	-	-	-	-	-	-	-	2	2	3	8	13	13	20	8	2	1	-
		F	94	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	10	29	25	15	3	1
487.1	WITH OTHER RESPIRATORY MANIFESTATIONS		134	-	-	-	-	1	-	-	1	-	-	-	-	4	4	2	7	14	24	33	21	17	4	-
		M	42	-	-	-	-	1	-	-	1	-	-	-	-	2	2	2	2	7	9	10	6	2	1	-
		F	92	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	5	7	15	23	15	15	3	-
487.8	WITH OTHER MANIFESTATIONS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS		8,606	11	6	4	4	12	9	11	14	31	33	88	139	342	724	1,221	1,608	1,742	1,337	769	371	86	21	1
		M	4,870	7	2	4	3	6	8	7	7	15	14	30	86	204	402	691	936	962	808	434	176	37	11	-
		F	3,736	4	4	-	1	6	1	4	7	16	19	58	53	138	322	530	672	780	529	335	195	49	10	1
490	BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC		73	2	1	-	-	1	-	-	-	-	-	-	-	2	4	3	6	4	8	17	14	3	1	-
		M	33	1	-	-	-	1	-	-	-	-	-	-	-	2	2	3	4	1	3	5	4	-	-	-
		F	40	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	5	12	10	3	1	-
491	CHRONIC BRONCHITIS		426	3	2	-	-	1	-	-	1	-	2	3	3	14	31	67	70	73	66	49	33	6	3	-
		M	223	2	-	-	-	1	-	-	1	-	1	2	2	10	15	33	41	36	36	25	10	3	-	-
		F	203	1	2	-	-	-	-	-	-	-	1	1	1	4	16	34	29	37	30	24	23	3	3	-
491.0	SIMPLE CHRONIC BRONCHITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
491.1	MUCOPURULENT CHRONIC BRONCHITIS		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
491.2	OBSTRUCTIVE CHRONIC BRONCHITIS		304	-	1	-	-	-	-	-	1	1	-	-	2	10	22	51	54	59	48	33	18	2	2	-
		M	161	-	-	-	-	-	-	-	1	-	-	-	1	6	10	28	29	29	28	18	6	1	2	-
		F	143	-	1	-	-	-	-	-	-	1	-	-	1	2	12	23	25	30	20	15	12	1	-	-
491.8	OTHER CHRONIC BRONCHITIS		6	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
491.9	UNSPECIFIED		111	3	1	1	-	1	-	-	-	-	-	2	-	4	8	16	13	12	17	16	12	4	1	-
		M	54	2	-	1	-	1	-	-	-	-	-	2	-	2	5	7	10	5	8	7	3	2	1	-
		F	57	1	1	-	-	-	-	-	-	-	-	-	-	2	3	9	3	7	9	9	9	2	-	-
492	EMPHYSEMA		2,001	-	-	1	-	-	1	-	3	4	9	21	39	65	202	308	403	416	288	130	60	9	-	-
		M	1,217	-	-	1	-	-	1	-	1	3	6	10	29	60	115	162	246	239	200	88	41	6	-	-
		F	784	-	-	-	-	-	-	-	2	1	3	2	10	25	87	146	159	177	88	42	19	3	-	-
493	ASTHMA		460	-	3	1	6	10	8	9	8	19	11	21	29	34	44	75	52	54	37	24	13	2	-	-
		M	194	-	2	1	3	4	7	5	4	7	2	10	7	13	16	36	22	28	15	8	4	-	-	-
		F	266	-	1	-	3	6	1	4	4	12	9	11	22	21	28	39	30	26	22	16	9	2	-	-
493.9	ASTHMA, UNSPECIFIED		460	-	3	1	6	10	8	9	8	19	11	21	29	34	44	75	52	54	37	24	13	2	-	-
		M	194	-	2	1	3	4	7	5	4	7	2	10	7	13	16	36	22	28	15	8	4	-	-	-
		F	266	-	1	-	3	6	1	4	4	12	9	11	22	21	28	39	30	26	22	16	9	2	-	-
494	BRONCHIECTASIS		106	-	-	-	-	-	-	-	-	2	-	7	2	7	16	13	21	15	10	9	3	-	1	-
		M	36	-	-	-	-	-	-	-	-	1	-	3	1	2	2	6	6	6	2	6	-	-	1	-
		F	70	-	-	-	-	-	-	-	-	1	-	4	1	5	14	7	15	9	8	3	3	-	-	-
495	EXTRINSIC ALLERGIC ALVEOLITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
495.9	UNSPECIFIED ALLERGIC ALVEOLITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
496	CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED		5,537	1	-	-	-	-	-	2	2	4	12	36	86	200	427	734	1,054	1,180	928	520	248	66	16	1
		M	3,166	1	-	-	-	-	-	2	1	3	5	17	47	118	252	448	617	652	549	302	117	26	7	1
		F	2,371	-	-	-	-	-	-	-	1	1	7	19	39	82	175	306	437	528	379	218	131	38	9	-
500-508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS		382	2	3	-	-	1	1	3	4	5	4	5	4	12	13	27	41	50	64	68	50	21	4	-
		M	212	1	3	-	-	-	1	2	3	2	4	3	3	6	12	17	24	32	36	37	18	7	1	-
		F	170	1	-	-	-	1	-	1	1	3	-	2	1	6	1	10	17	18	28	31	32	14	3	-
500	COALWORKERS' PNEUMOCONIOSIS		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-
501	ASBESTOSIS		15	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	3	4	2	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	2	3	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
502	PNEUMOCONIOSIS DUE TO OTHER SILICA OR SILICATES	M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	-	-	-	-
505	PNEUMOCONIOSIS, UNSPECIFIED	M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	2	-	-	-
506	RESPIRATORY CONDITIONS DUE TO CHEMICAL FUMES AND VAPOURS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
506.4	CHRONIC RESPIRATORY CONDITIONS DUE TO FUMES AND VAPOURS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
507	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS		342	2	3	-	-	1	1	3	4	4	3	5	4	10	10	20	32	43	39	66	47	21	4	-
		M	177	1	3	-	-	-	1	2	3	1	3	3	3	4	10	11	17	26	31	35	15	7	1	-
		F	165	1	-	-	-	1	-	1	1	3	-	2	1	6	-	9	15	17	28	31	32	14	3	-
507.0	DUE TO INHALATION OF FOOD OR VOMIT		342	2	3	-	-	1	1	3	4	4	3	5	4	10	10	20	32	43	39	66	47	21	4	-
		M	177	1	3	-	-	-	1	2	3	1	3	3	3	4	10	11	17	26	31	35	15	7	1	-
		F	165	1	-	-	-	1	-	1	1	3	-	2	1	6	-	9	15	17	28	31	32	14	3	-
508	RESPIRATORY CONDITIONS DUE TO OTHER AND UNSPECIFIED EXTERNAL AGENTS		3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
508.0	ACUTE PULMONARY MANIFESTATIONS DUE TO RADIATION		3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
510-519	OTHER DISEASES OF RESPIRATORY SYSTEM		1,398	60	14	5	3	7	13	18	14	21	26	18	30	59	115	157	197	214	183	144	71	23	3	1
		M	736	33	6	3	2	5	7	14	8	11	15	9	13	33	53	99	104	114	101	69	33	5	1	-
		F	662	27	10	3	1	2	6	4	6	10	11	9	17	26	62	58	93	100	82	75	38	18	2	1
510	EMPYEMA		44	-	-	-	-	1	-	-	1	-	2	-	2	2	4	6	7	7	6	2	2	-	-	-
		M	30	-	-	-	-	1	-	-	1	-	2	-	2	2	4	4	6	7	6	2	2	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
510.0	WITH FISTULA		5	-	-	-	-	-	-	-	-	-	2	-	2	1	3	2	1	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	2	-	2	1	3	2	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
510.9	WITHOUT MENTION OF FISTULA		39	-	-	-	-	1	-	-	1	-	2	-	2	1	5	2	7	7	6	2	2	-	-	-
		M	27	-	-	-	-	1	-	-	1	-	2	-	2	1	5	2	6	7	6	2	2	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
511	PLEURISY		52	1	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	-	1	-	-	-	-
		M	23	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	-	1	-	-	-	-
		F	29	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
511.0	WITHOUT MENTION OF EFFUSION OR CURRENT TUBERCULOSIS		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
511.8	OTHER SPECIFIED FORMS OF EFFUSION, EXCEPT TUBERCULOUS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
511.9	UNSPECIFIED PLEURAL EFFUSION		43	1	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	4	3	1	2	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	4	3	1	2	-	-	-
		F	24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
512	PNEUMOTHORAX		25	2	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	4	3	3	1	-	-	-
		M	15	2	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	4	3	3	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
513	ABSCESS OF LUNG AND MEDIASTINUM		68	-	1	-	-	-	-	-	-	3	2	3	5	5	6	5	8	13	7	3	1	-	-	-
		M	44	-	1	-	-	-	-	-	-	3	2	3	5	4	5	5	7	6	3	3	1	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	0	1	7	4	-	-	-	-	-
513.0	ABSCESS OF LUNG		66	-	1	-	-	-	-	-	-	3	2	3	5	5	6	5	8	11	7	3	1	-	-	-
		M	43	-	1	-	-	-	-	-	-	3	2	3	5	4	5	5	7	5	3	3	1	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	0	1	6	4	-	-	-	-	-
513.1	ABSCESS OF MEDIASTINUM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
514	PULMONARY CONGESTION AND HYPOSTASIS		45	1	-	-	-	-	2	4	3	3	3	3	3	2	4	3	5	5	4	3	3	1	-	-
		M	23	1	-	-	-	-	2	2	3	2	2	2	2	1	4	3	5	5	3	2	3	1	-	-
		F	22	-	-	-	-	-	-	2	-	1	1	1	1	1	-	-	-	-	1	1	-	-	-	-
515	POSTINFLAMMATORY PULMONARY FIBROSIS		431	3	1	-	2	2	2	2	2	2	2	3	8	12	41	51	63	80	70	42	20	2	2	-
		M	230	3	1	-	1	2	2	2	2	2	1	1	5	7	23	34	33	44	46	19	9	1	1	-
		F	201	-	-	-	1	-	-	-	-	-	1	2	3	5	18	17	30	36	24	23	11	1	1	-
516	OTHER ALVEOLAR AND PARIETOALVEOLAR PNEUMOPATHY		168	26	8	2	1	2	2	7	3	11	8	4	3	6	13	16	16	16	14	5	4	2	-	-
		M	84	13	4	1	-	1	1	4	2	5	6	2	3	2	9	12	11	8	8	4	2	2	-	-
		F	84	13	4	1	1	1	1	3	1	6	2	2	3	4	4	4	5	10	6	1	2	-	-	-
516.0	PULMONARY ALVEOLAR PROTEINOSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
516.3	IDIOPATHIC FIBROSING ALVEOLITIS		16	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	3	4	2	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	2	1	-	-	-	-	-
516.8	OTHER		149	26	8	2	-	1	2	7	3	11	8	3	3	6	9	14	13	12	12	3	4	-	-	-
		M	73	13	4	1	-	-	1	4	2	6	6	-	-	3	3	10	8	4	5	1	2	-	-	-
		F	76	13	4	1	-	1	1	3	1	5	2	3	3	3	6	4	5	8	7	2	2	-	-	-
518	OTHER DISEASES OF LUNG		493	18	4	2	1	-	6	3	5	4	8	6	10	23	37	65	72	84	62	30	23	9	-	1
		M	256	10	1	1	1	-	3	3	3	2	4	4	4	13	14	37	35	44	32	13	13	1	-	-
		F	237	8	3	1	-	-	3	-	2	2	4	2	6	12	23	28	37	40	30	17	10	8	-	1
518.0	PULMONARY COLLAPSE		17	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	3	2	1	4	1	-	1
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	2	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	1	2	1	-	1
518.1	INTERSTITIAL EMPHYSEMA		3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
518.3	PULMONARY EOSINOPHILIA		20	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	6	3	3	2	-	-	-
		M	15	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	3	1	-	-	-
		F	5	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	-	-	1	-	-	-
518.4	ACUTE OEDEMA OF LUNG, UNSPECIFIED		7	-	-	-	-	-	2	-	1	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	2	-	1	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
518.5	PULMONARY INSUFFICIENCY FOLLOWING TRAUMA AND SURGERY		107	2	1	-	-	-	4	1	3	4	5	3	6	6	9	13	19	10	7	11	2	1	-	-
		M	51	1	-	-	-	-	1	1	1	2	3	2	4	2	3	7	8	3	4	9	-	-	-	-
		F	56	1	1	-	-	-	3	-	2	2	2	1	2	4	6	6	11	7	3	2	2	1	-	-
518.8	OTHER DISEASES OF LUNG, NOT ELSEWHERE CLASSIFIED		341	13	3	1	1	-	-	2	-	2	2	3	2	14	28	51	49	64	50	35	15	7	-	-
		M	180	7	1	1	1	-	-	2	1	-	1	2	1	10	11	30	25	31	25	21	10	1	-	-
		F	161	6	2	-	-	-	-	-	-	2	1	1	1	4	17	21	24	33	25	14	5	6	-	-
519	OTHER DISEASES OF RESPIRATORY SYSTEM		70	9	2	1	-	-	-	-	-	1	1	1	-	4	3	4	9	7	8	12	4	4	-	-
		M	29	4	-	-	-	-	-	-	-	1	1	1	-	3	1	3	4	5	4	3	-	4	-	-
		F	41	5	2	1	-	-	-	-	-	-	-	-	-	1	2	1	5	2	4	9	4	-	-	-
519.0	TRACHEOSTOMY MALFUNCTION		3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
519.1	OTHER DISEASES OF TRACHEA AND BRONCHUS, NOT ELSEWHERE CLASSIFIED		20	2	-	-	-	-	-	-	-	-	-	-	-	2	1	1	5	3	3	3	-	-	-	-
		M	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	-	-	-	-
		F	12	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	1	2	-	-	-	-
519.2	MEDIASTINITIS		6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
519.3	OTHER DISEASES OF MEDIASTINUM, NOT ELSEWHERE CLASSIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
519.8	OTHER DISEASES OF RESPIRATORY SYSTEM, NOT ELSEWHERE CLASSIFIED		34	6	1	1	-	-	-	-	-	1	-	1	-	-	-	1	3	2	5	7	3	3	-	-
		M	12	2	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	2	2	1	-	1	-	-
		F	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	3	2	-	-
519.9	UNSPECIFIED		4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
520-579	DISEASES OF THE DIGESTIVE SYSTEM		8,503	47	18	2	5	14	24	80	209	304	363	456	613	797	931	909	925	903	786	623	368	106	12	4
		M	4,688	28	8	-	2	8	15	51	149	204	254	323	421	511	564	529	516	446	336	191	105	20	3	4
		F	3,815	19	10	2	3	6	9	29	60	100	109	133	194	286	367	380	409	459	450	432	263	86	9	-
520-529	DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS		7	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	2	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
522	DISEASES OF PULP AND PERIAPICAL TISSUES		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
522.5	PERIAPICAL ABSCESS WITHOUT SINUS		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
527	DISEASES OF THE SALIVARY GLANDS		4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
527.2	SIALOADENITIS		4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
528	DISEASES OF THE ORAL SOFT TISSUES, EXCLUDING LESIONS SPECIFIC FOR GINGIVA AND TONGUE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
528.3	CELLULITIS AND ABSCESS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
530-537	DISEASES OF OESOPHAGUS, STOMACH, AND DUODENUM		1,139	2	2	-	-	1	-	5	14	14	22	37	51	98	101	140	178	174	166	103	26	3	-	2
		M	602	-	-	-	-	1	-	5	9	8	18	23	41	60	64	81	101	87	81	45	7	2	-	1
		F	537	2	2	-	-	-	1	-	5	6	4	14	10	38	37	59	77	87	117	58	19	1	-	1
530	DISEASES OF OESOPHAGUS		192	1	-	-	-	-	-	-	1	6	2	6	8	6	16	21	18	32	24	25	20	3	-	1
		M	119	-	-	-	-	-	-	-	1	4	1	6	4	7	13	17	12	17	16	10	9	2	-	1
		F	73	1	-	-	-	-	-	-	-	2	1	-	4	1	3	4	6	15	8	15	11	1	-	-
530.0	ACHALASIA AND CARDIOSPASM		5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
530.1	OESOPHAGITIS		49	-	-	-	-	-	-	-	1	1	2	3	4	1	4	7	4	7	3	6	4	1	-	1
		M	34	-	-	-	-	-	-	-	1	1	1	3	4	1	4	6	4	3	3	3	1	1	-	1
		F	15	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	4	-	3	3	-	-	-
530.2	ULCER OF OESOPHAGUS		14	-	-	-	-	-	-	-	1	1	-	1	-	1	5	2	2	1	1	1	1	-	-	-
		M	8	-	-	-	-	-	-	-	1	1	-	1	-	1	5	2	2	1	1	1	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
530.3	STRICTURE AND STENOSIS OF OESOPHAGUS		26	-	-	-	-	-	-	-	-	1	-	1	3	2	3	2	2	6	3	6	2	1	-	-
		M	14	-	-	-	-	-	-	-	-	1	-	1	2	2	3	2	2	3	3	3	1	1	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	3	1	-	-	-
530.4	PERFORATION OF OESOPHAGUS		29	-	-	-	-	-	-	-	1	-	-	1	3	1	5	4	6	5	2	1	2	1	-	-
		M	21	-	-	-	-	-	-	-	1	-	-	1	2	1	4	4	5	3	2	1	2	1	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-
530.5	DYSKINESIA OF OESOPHAGUS		10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	1	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
530.6	DIVERTICULUM OF OESOPHAGUS, ACQUIRED		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
530.7	GASTRO-OESOPHAGEAL LACERATION-HAEMORRHAGE SYNDROME		6	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
530.8	OTHER DISORDERS OF OESOPHAGUS		24	1	-	-	-	-	-	-	2	-	-	1	-	2	4	2	2	3	3	1	1	-	-	-
		M	13	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	1	1	3	1	1	-	-	-
		F	11	1	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	2	-	-	-	-	-	-
530.9	UNSPECIFIED		9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
531	GASTRIC ULCER		268	1	1	-	-	-	-	-	2	-	5	4	8	14	22	23	37	45	46	34	18	6	2	-
		M	131	-	-	-	-	-	-	-	2	-	3	3	5	13	9	12	16	28	18	10	9	1	2	-
		F	137	1	1	-	-	-	-	-	-	-	2	1	3	1	13	11	21	17	28	24	9	5	-	-
531.0	ACUTE WITH HAEMORRHAGE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531.3	ACUTE WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		134	-	-	-	-	-	-	-	1	-	3	1	2	5	9	8	19	25	28	15	13	3	2	-
		M	70	-	-	-	-	-	-	-	1	-	2	1	1	4	3	3	10	17	12	4	8	-	2	-
		F	64	-	-	-	-	-	-	-	-	-	1	-	1	1	6	5	9	8	16	11	5	3	-	-
531.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		81	1	1	-	-	-	-	-	-	-	2	2	5	6	7	11	10	13	10	8	2	3	-	-
		M	34	-	-	-	-	-	-	-	-	-	1	1	3	6	3	4	3	5	5	1	1	1	-	-
		F	47	1	1	-	-	-	-	-	-	-	1	1	2	-	4	7	7	8	5	7	1	2	-	-
531.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	2	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	-	-	-	-
531.7	CHRONIC WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
531.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		36	-	-	-	-	-	-	-	1	-	1	1	3	5	2	4	4	4	6	3	-	-	-	-
		M	19	-	-	-	-	-	-	-	1	-	1	1	3	2	1	1	3	1	5	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	1	3	1	3	-	-	-	-
532	DUODENAL ULCER		311	-	1	-	-	-	1	-	-	4	4	8	10	14	30	26	41	38	52	46	32	4	-	-
		M	169	-	-	-	-	-	-	-	-	4	2	6	8	10	20	18	25	21	27	9	16	1	-	-
		F	142	-	1	-	-	-	1	-	-	-	2	2	2	4	10	8	16	15	25	37	16	3	-	-
532.0	ACUTE WITH HAEMORRHAGE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
532.1	ACUTE WITH PERFORATION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
532.3	ACUTE WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
532.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		149	-	-	-	-	-	1	-	-	2	-	4	6	8	14	15	12	22	26	23	14	2	-	-
		M	81	-	-	-	-	-	-	-	-	2	-	3	5	6	10	12	6	12	14	4	5	-	-	-
		F	68	-	-	-	-	-	1	-	-	-	-	1	1	2	4	3	6	10	12	19	9	2	-	-
532.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		108	-	1	-	-	-	-	-	-	2	4	4	2	4	11	6	17	12	19	16	9	1	-	-
		M	54	-	-	-	-	-	-	-	-	2	2	3	1	2	4	3	10	8	9	3	4	-	-	-
		F	54	-	1	-	-	-	-	-	-	-	2	1	1	2	7	3	7	4	10	13	5	1	-	-
532.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	-	2	2	3	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	2	3	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-
532.7	CHRONIC WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
532.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		32	-	-	-	-	-	-	-	-	-	-	1	2	4	4	6	2	3	5	4	1	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	2	2	3	3	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	2	1	-	-	-	-
533	PEPTIC ULCER, SITE UNSPECIFIED		258	-	-	-	-	-	-	-	1	2	1	2	3	10	20	21	34	43	41	48	23	9	-	-
		M	128	-	-	-	-	-	-	-	1	-	1	1	1	8	12	12	22	22	21	17	8	2	-	-
		F	130	-	-	-	-	-	-	-	-	2	-	1	2	2	8	9	12	21	20	31	15	7	-	-
533.0	ACUTE WITH HAEMORRHAGE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
533.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		162	-	-	-	-	-	-	-	-	-	1	-	1	9	13	13	22	28	26	27	17	6	-	-
		M	84	-	-	-	-	-	-	-	-	-	1	-	1	7	9	10	13	16	15	6	5	2	-	-
		F	78	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	9	12	11	21	12	4	-	-
533.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		60	-	-	-	-	-	-	-	1	2	-	1	2	1	6	5	7	13	6	13	2	1	-	-
		M	23	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	2	5	1	5	1	-	-	-
		F	37	-	-	-	-	-	-	-	-	2	-	1	1	-	4	4	5	8	5	8	1	1	-	-
533.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
533.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	5	5	7	1	2	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	5	5	1	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	-	2	-	-
534	GASTROJEJUNAL ULCER		6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
534.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
534.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535	GASTRITIS AND DUODENITIS		58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
535.0	ACUTE GASTRITIS	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
535.1	ATROPHIC GASTRITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535.2	GASTRIC MUCOSAL HYPERTROPHY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535.3	ALCOHOLIC GASTRITIS		9	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-	1	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535.4	OTHER GASTRITIS		13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	2	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
535.5	UNSPECIFIED GASTRITIS AND GASTRODUODENITIS		26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	2	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
535.6	DUODENITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
536	DISORDERS OF FUNCTION OF STOMACH		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
536.8	DYSPEPSIA AND OTHER DISORDERS OF FUNCTION OF STOMACH		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
536.9	UNSPECIFIED		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
537	OTHER DISORDERS OF STOMACH AND DUODENUM		39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	-	-
		M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
537.0	ADULT HYPERTROPHIC PYLORIC STENOSIS		12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	2	1	2	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	2	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
537.4	FISTULA OF STOMACH OR DUODENUM		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
537.8	OTHER		7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
537.9	UNSPECIFIED		16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	4	1	1	1	3	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-	1	1	2	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-
540-543	APPENDICITIS		46	2	2	-	1	-	1	1	-	1	1	3	2	2	1	9	6	4	4	2	1	1	-	-
		M	25	2	-	-	1	-	1	1	-	1	1	3	1	2	1	5	5	1	2	1	1	1	-	-
		F	21	-	2	-	1	-	-	-	-	-	-	-	1	-	-	4	1	3	2	1	-	-	-	-
540	ACUTE APPENDICITIS		39	2	2	-	1	-	-	-	-	1	2	2	1	1	1	8	6	3	4	2	1	1	-	-
		M	19	2	-	-	1	-	-	-	-	1	2	2	1	1	-	4	5	1	2	1	1	1	-	-
		F	20	-	2	-	1	-	-	-	-	-	-	-	-	-	1	4	1	2	2	1	-	-	-	-
540.0	WITH GENERALIZED PERITONITIS		33	2	2	-	1	-	-	-	-	1	1	1	2	1	1	7	7	3	3	2	1	1	-	-
		M	16	2	-	-	-	-	-	-	-	-	1	1	1	1	-	4	3	1	1	1	1	1	-	-
		F	19	-	2	-	1	-	-	-	-	1	1	-	1	-	1	3	4	2	2	1	-	-	-	-
540.1	WITH PERITONEAL ABSCESS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
540.9	WITHOUT MENTION OF PERITONITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-
541	APPENDICITIS, UNQUALIFIED		7	-	-	-	-	-	1	1	-	-	-	1	-	1	-	1	-	2	-	-	1	-	-	-
		M	6	-	-	-	-	-	1	1	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
550-553	HERNIA OF ABDOMINAL CAVITY		151	8	-	-	-	1	1	1	-	-	1	2	3	6	7	10	17	20	30	21	19	4	-	-
		M	60	5	-	-	-	1	1	1	-	-	1	1	3	2	4	4	9	9	8	6	4	1	-	-
		F	91	3	-	-	-	-	-	-	-	-	-	1	-	4	3	6	8	11	22	15	15	3	-	-
550	INGUINAL HERNIA		23	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	5	4	1	-	-
		M	15	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	3	2	1	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-
550.0	INGUINAL HERNIA, WITH GANGRENE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
550.1	INGUINAL HERNIA, WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE		19	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	4	3	1	-	-
		M	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	2	1	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	-	-	-
550.9	INGUINAL HERNIA, WITHOUT MENTION OF OBSTRUCTION OR GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
551	OTHER HERNIA OF ABDOMINAL CAVITY, WITH GANGRENE		10	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	2	3	-	-	1	-	-
		M	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-
551.0	FEMORAL, WITH GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
551.1	UMBILICAL, WITH GANGRENE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
551.2	VENTRAL (INCISIONAL), WITH GANGRENE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
551.8	OF OTHER SPECIFIED SITES, WITH GANGRENE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
551.9	OF UNSPECIFIED SITE, WITH GANGRENE		2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE		57	-	-	-	-	-	-	-	-	-	-	1	-	4	3	5	9	10	12	6	6	1	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	4	3	2	1	1	-	-	-
		F	42	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	5	7	10	5	5	1	-	-
552.0	FEMORAL, WITH OBSTRUCTION		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-
552.1	UMBILICAL, WITH OBSTRUCTION		10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-
552.2	VENTRAL (INCISIONAL), WITH OBSTRUCTION		17	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	1	2	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	1	2	2	-	-	-	-
552.3	DIAPHRAGMATIC, WITH OBSTRUCTION		11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	4	2	1	-	1	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3	2	1	-	1	-
552.8	OF OTHER SPECIFIED SITES, WITH OBSTRUCTION		4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
552.9	OF UNSPECIFIED SITE, WITH OBSTRUCTION		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE		61	7	-	-	-	-	1	1	-	-	1	1	2	2	2	5	4	5	10	10	9	1	-	-
		M	25	4	-	-	-	-	1	1	-	-	1	1	2	1	1	3	2	3	3	2	1	-	-	-
		F	36	3	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	7	8	8	1	-	-
553.1	UMBILICAL		5	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
553.2	VENTRAL (INCISIONAL)		12	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	-	-	1	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	1	1	-	-	-
		F	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
553.3	DIAPHRAGMATIC		39	2	-	-	-	-	1	1	-	-	1	1	-	1	-	2	2	4	9	8	7	1	-	-
		M	13	1	-	-	-	-	1	1	-	-	1	1	-	1	-	2	2	3	2	2	1	-	-	-
		F	26	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	6	6	1	-	-
553.8	OF OTHER SPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
553.9	OF UNSPECIFIED SITE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
555-556	NONINFECTIVE ENTERITIS AND COLITIS		791	13	4	1	-	5	2	3	6	9	15	11	26	62	70	122	130	138	100	54	16	2	-	-
		M	293	8	2	-	-	3	2	2	6	6	8	8	9	23	28	52	50	50	27	11	4	-	-	-
		F	498	5	2	1	-	2	-	1	2	3	7	3	17	39	42	70	80	88	73	43	12	2	-	-
555	REGIONAL ENTERITIS		41	-	-	-	-	1	-	-	4	2	1	3	3	5	5	2	5	6	1	2	1	-	-	-
		M	16	-	-	-	-	-	-	-	2	1	1	2	-	2	1	1	1	3	1	-	-	-	-	-
		F	25	-	-	-	-	1	-	-	2	1	-	1	3	3	4	1	4	3	-	2	1	-	-	-
555.0	SMALL INTESTINE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
555.1	LARGE INTESTINE		7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	2	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	1	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1965
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	UNK
553.9	UNSPECIFIED SITE	M	32	-	-	-	-	-	1	-	-	3	8	11	2	8	6	8	8	6	4	1	-	-	-	-
		F	23	-	-	-	-	-	1	-	-	1	1	3	3	3	2	2	1	1	1	-	-	-	-	-
556	IDIOPATHIC PROCTOCOLITIS	M	27	-	-	-	-	-	-	-	1	-	2	2	2	2	2	1	1	1	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-
557	VASCULAR INSUFFICIENCY OF INTESTINE	M	637	2	1	-	-	-	2	1	1	2	6	12	16	30	60	90	102	91	77	36	8	-	-	-
		F	237	2	1	-	-	-	2	1	1	2	6	8	14	24	46	68	84	82	74	36	8	-	-	-
557.0	ACUTE	M	400	-	-	-	-	-	-	-	-	-	-	4	2	6	14	22	18	9	3	-	-	-	-	-
		F	464	2	1	-	-	-	2	1	1	2	6	8	12	18	32	46	66	73	71	36	8	-	-	-
557.1	CHRONIC	M	176	2	1	-	-	-	2	1	1	2	6	8	10	12	28	44	52	36	20	5	-	-	-	-
		F	308	-	-	-	-	-	-	-	1	-	1	1	2	6	14	24	34	46	54	31	8	-	-	-
557.9	UNSPECIFIED	M	30	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	1	1	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
558	OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS	M	123	-	-	-	-	-	-	-	-	-	-	2	2	4	6	8	8	6	2	-	-	-	-	-
		F	48	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	1	-	-	-	-	-
560-569	OTHER DISEASES OF INTESTINES AND PERITONEUM	M	73	-	-	-	-	-	-	-	-	-	-	2	2	2	4	6	6	5	1	-	-	-	-	-
		F	86	11	3	1	-	-	2	1	1	-	-	-	-	2	2	2	2	1	1	-	-	-	-	-
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	M	30	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	56	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560.0	INTUSSUSCEPTION	M	1,042	9	4	1	1	2	2	4	4	14	11	14	22	44	80	120	144	120	104	56	16	1	-	-
		F	399	3	3	-	1	2	2	3	3	8	8	9	14	28	52	76	92	80	72	40	12	1	-	-
560.1	PARALYTIC ILEUS	M	643	6	1	1	1	-	-	1	1	6	3	5	8	16	28	44	52	40	32	16	4	-	-	-
		F	352	4	3	1	1	2	2	2	2	2	5	4	6	12	24	32	40	40	40	24	8	1	-	-
560.2	VOLVULUS	M	139	4	2	-	-	-	-	1	1	2	2	3	4	6	8	12	12	8	4	1	-	-	-	-
		F	213	2	1	1	1	2	2	1	1	4	3	2	4	6	16	20	28	32	36	23	8	1	-	-
560.3	IMPACTION OF INTESTINE	M	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560.8	OTHER INTESTINAL OBSTRUCTION	M	20	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560.9	UNSPECIFIED INTESTINAL OBSTRUCTION	M	70	2	2	-	-	-	1	1	1	2	2	2	2	4	6	8	8	6	4	1	-	-	-	-
		F	34	2	1	-	-	-	1	1	1	2	2	2	2	4	6	8	8	6	4	1	-	-	-	-
562	DIVERTICULA OF INTESTINE	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
562.0	SMALL INTESTINE	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
562.1	COLON	M	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
564	FUNCTIONAL DIGESTIVE DISORDERS, NOT ELSEWHERE CLASSIFIED	M	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	101	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
564.0	CONSTIPATION	M	43	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	116	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
564.1	IRRITABLE COLON	M	343	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
564.7	MEGACOLON, OTHER THAN HIRSCHSPRUNG'S	M	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
564.8	OTHER FUNCTIONAL DISORDERS OF INTESTINE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
566	ABSCESS OF ANAL AND RECTAL REGIONS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
567	PERITONITIS	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
567.1	PNEUMOCOCCAL PERITONITIS	M	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
567.2	OTHER SUPPURATIVE PERITONITIS	M	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
567.9	UNSPECIFIED	M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
568	OTHER DISORDERS OF PERITONEUM	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
568.0	PERITONEAL ADHESIONS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
568.8	OTHER	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
569	OTHER DISORDERS OF INTESTINE	M	175	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
569.1	RECTAL PROLAPSE	M	108	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
569.2	STENOSIS OF RECTUM AND ANUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
569.3	HAEMORRHAGE OF RECTUM AND ANUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
569.4	OTHER DISORDERS OF RECTUM AND ANUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
569.8	OTHER	M	126	1	1	-	-	1	-	1	1	1	4	3	2	9	7	16	23	20	15	10	10	2	-	1
		F	44	-	-	-	-	1	-	1	1	1	1	1	1	2	1	6	6	7	5	3	2	1	-	-
569.9	UNSPECIFIED	M	82	1	-	-	-	-	-	-	-	-	3	2	1	7	6	8	17	13	12	7	8	1	-	1
		F	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	6	5	3	2	-	-	-
		M	20	1	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	5	1	4	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	1	4	-	2	1	-	-
570-579	OTHER DISEASES OF DIGESTIVE SYSTEM	M	3,327	13	6	3	11	14	72	197	268	327	398	542	663	694	628	493	408	288	170	97	27	5	-	33
		F	3,303	8	5	2	6	8	45	139	182	230	286	375	432	448	389	307	215	141	61	20	4	3	-	5
		M	2,074	5	1	1	-	6	27	58	86	97	112	167	231	246	239	186	193	147	109	77	23	2	-	3
570	ACUTE AND SUBACUTE NECROSIS OF LIVER	M	26	-	-	-	-	-	-	4	3	2	2	2	2	1	-	3	2	1	1	1	1	-	-	-
		F	17	-	-	-	-	-	-	-	2	1	2	1	1	-	1	-	2	1	-	-	-	-	-	-
		M	23	-	-	-	-	-	-	4	1	1	1	2	1	1	-	2	1	1	1	1	1	-	-	-
		F	13	-	-	-	-	-	-	-	1	1	1	1	1	-	1	1	1	-	-	-	-	-	-	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	M	3,965	2	1	-	-	2	11	34	163	224	278	352	448	357	380	485	355	241	127	47	14	1	-	3
		F	2,338	1	1	-	-	2	4	19	111	150	197	253	323	344	303	249	222	126	57	19	11	1	-	1
		M	1,407	1	1	-	-	-	4	15	52	74	81	99	143	103	107	104	133	115	70	28	13	1	-	2
571.0	ALCOHOLIC FATTY LIVER	M	118	-	-	-	-	2	2	2	15	14	12	10	10	13	14	11	2	4	-	-	-	-	-	-
		F	85	-	-	-	-	1	1	1	12	8	14	9	10	6	6	6	-	4	-	-	-	-	-	-
571.1	ACUTE ALCOHOLIC HEPATITIS	M	33	-	-	-	-	-	1	3	5	6	4	1	3	3	6	5	2	3	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	1	3	3	4	4	4	3	2	4	2	3	-	-	-	-	-	-
571.2	ALCOHOLIC CIRRHOSIS OF LIVER	M	1,247	-	-	-	-	-	12	58	80	73	119	170	188	191	166	106	53	24	8	1	1	-	-	1
		F	873	-	-	-	-	-	10	61	91	92	122	122	137	130	111	76	35	16	2	1	-	-	-	-
571.3	ALCOHOLIC LIVER DAMAGE, UNSPECIFIED	M	374	-	-	-	-	2	10	17	29	24	27	40	51	61	55	30	16	10	2	1	-	-	-	-
		F	363	-	-	-	-	2	2	8	20	29	60	62	82	69	77	52	37	13	4	1	-	-	-	-
571.4	CHRONIC HEPATITIS	M	437	-	-	-	-	1	8	15	29	33	46	60	72	60	41	28	11	2	1	-	-	-	-	-
		F	326	-	-	-	-	1	2	13	10	7	13	32	17	17	11	11	9	2	1	-	-	-	-	-
		M	120	1	-	-	-	-	2	3	9	4	9	3	6	13	22	15	6	1	13	5	-	-	-	-
		F	83	-	-	1	-	-	-	1	4	2	4	3	5	5	11	7	6	1	6	6	-	-	-	-
571.5	CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL	M	1,492	-	-	-	-	1	6	26	44	73	108	158	199	225	199	176	142	82	31	13	1	-	1
		F	860	-	-	-	-	2	6	19	27	46	71	108	104	149	111	102	65	33	14	12	1	-	-	1
		M	632	-	-	-	-	1	2	9	17	23	37	50	93	79	88	74	77	49	17	-	-	-	-	-
571.6	BILIARY CIRRHOSIS	F	41	-	-	-	-	-	-	1	1	1	2	3	5	7	6	5	5	2	2	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	2	1	-	-	-	-	-
		F	33	-	-	-	-	-	-	1	1	-	1	-	3	5	6	4	3	4	2	1	-	-	-	-
571.8	OTHER CHRONIC NONALCOHOLIC LIVER DISEASE	M	337	1	-	-	-	1	3	19	21	38	27	24	40	36	18	6	4	2	1	-	-	-	-	-
		F	167	-	-	-	-	-	3	9	12	13	28	20	13	26	21	13	3	2	1	-	-	-	-	-
571.9	UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL	M	90	-	-	-	-	-	2	4	7	2	1	2	2	14	17	5	3	4	2	2	1	-	-	-
		F	32	-	-	-	-	-	-	1	2	1	1	2	3	2	6	4	3	4	2	2	1	-	-	-
572	LIVER ABSCESS AND SEQUELAE OF CHRONIC LIVER DISEASE	M	177	-	-	-	-	-	-	5	7	6	4	2	2	4	2	1	2	2	1	1	-	-	-	-
		F	241	1	-	-	-	1	1	5	6	7	6	4	2	3	2	2	1	1	1	1	-	-	-	-
		M	180	4	2	-	-	1	1	5	7	15	13	14	19	22	19	19	13	15	9	3	1	-	-	-
		F	111	2	-	-	-	-	1	4	1	2	1	1	8	13	12	20	5	5	2	2	1	-	-	-
572.0	ABSCESS OF LIVER	M	111	2	-	-	-	1	1	4	6	5	3	1	1	1	2	2	2	2	2	1	1	-	-	-
		F	71	2	-	-	-	1	1	3	3	3	2	1	1	1	2	3	2	2	2	1	1	-	-	-
572.1	HEPATIC COMA	M	40	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	1	-	-	-	-
		F	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	1	-	-	-	-
572.2	PORTAL HYPERTENSION	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-
572.3	HEPATORENAL SYNDROME	M	32	-	-	-	-	-	-	1	2	1	4	4	6	4	2	1	1	1	2	2	-	-	-	-
		F	17	-	-	-	-	-	-	-	1	1	1	2	3	2	1	1	1	1	1	1	-	-	-	-
572.8	OTHER SEQUELAE OF CHRONIC LIVER DISEASE	M	130	3	2	2	-	1	3	4	10	11	7	5	10	10	10	7	10	11	5	2	1	-	-	-
		F	62	2	-	-	-	-	1	3	1	4	4	1	7	7	12	3	4	3	3	1	1	-	-	-
573	OTHER DISORDERS OF LIVER	M	133	2	2	1	3	2	8	10	3	3	7	10	12	15	20	12	14	17	10	7	2	1	-	1
		F	93	2	1	-	-	1	2	2	2	2	1	6	5	8	10	8	7	6	2	5	1	1	-	1
573.0	CHRONIC PASSIVE CONGESTION OF LIVER	M	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
573.3	HEPATITIS UNSPECIFIED	M	73	-	-	-	-	1	3	6	6	8	4	3	3	6	10	6	5	4	4	1	1	-	-	-
		F	43	-	-	-	-	-	2	2	3	2	1	2	2	3	5	2	2	2	1	3	-	-	-	-
573.4	HEPATIC INFARCTION	M	30	-	-	-	-	-	-	1	1	1	1	2	2	3	2	2	1	1	1	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	1	-	-	-	-	-
573.8	OTHER	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
573.9	UNSPECIFIED	M	63	-	-	-	-	-	1	1	2	1	2	2	4	3	3	2	2	2	1	1	1	-	-	-
		F	43	-	-	-	-	-	-	1	1	1	1	2	2	3	3	2	2	2	1	1	1	-	-	-
574	CHOLELITHIASIS	M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574.0	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS	M	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574.1	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS	M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574.2	CALCULUS OF GALLBLADDER WITHOUT MENTION OF CHOLECYSTITIS	M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574.3	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574.4	CALCULUS OF BILE DUCT WITH OTHER CHOLECYSTITIS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574.5	CALCULUS OF BILE DUCT WITHOUT MENTION OF CHOLECYSTITIS	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
575	OTHER DISORDERS OF GALLBLADDER	M	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
575.0	ACUTE CHOLECYSTITIS	M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
575.1	OTHER CHOLECYSTITIS		37	-	-	-	-	-	-	-	-	-	2	-	-	1	3	3	4	5	6	7	6	-	-	-
		M	17	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	4	3	1	2	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	3	6	4	-	-	-
575.3	HYDROPS OF GALLBLADDER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
575.4	PERFORATION OF GALLBLADDER		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
575.5	FISTULA OF GALLBLADDER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
575.6	OTHER		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
575.9	UNSPECIFIED		26	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	6	2	2	3	1	1	-	-
		M	13	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	4	2	2	2	1	1	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
576	OTHER DISORDERS OF BILIARY TRACT		81	-	-	-	-	-	-	1	-	-	-	-	5	3	7	5	6	12	13	11	7	5	1	-
		M	37	-	-	-	-	-	-	1	-	-	-	-	4	3	4	3	5	3	8	3	3	5	1	-
		F	44	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	9	5	8	4	-	-	-
576.1	CHOLANGITIS		34	-	-	-	-	-	-	1	1	-	-	-	5	2	5	2	3	5	2	3	2	1	1	-
		M	19	-	-	-	-	-	-	1	1	-	-	-	4	2	3	2	3	5	1	3	2	1	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	1	-
576.2	OBSTRUCTION OF BILE DUCT		24	-	-	-	-	-	-	1	-	-	-	-	1	-	3	2	3	2	7	2	2	3	-	-
		M	12	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	3	2	5	2	1	3	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	-
576.4	FISTULA OF BILE DUCT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
576.8	OTHER		15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	1	2	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
576.9	UNSPECIFIED		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
577	DISEASES OF PANCREAS		243	-	-	2	4	1	6	9	13	13	6	10	27	22	34	26	29	18	14	9	1	1	-	-
		M	142	-	-	2	3	1	5	9	8	9	3	9	16	13	23	16	13	10	7	2	1	1	-	-
		F	103	-	-	1	3	1	1	-	5	4	3	1	9	9	11	10	16	8	11	7	-	-	-	-
577.0	ACUTE PANCREATITIS		198	-	-	2	4	1	5	9	11	9	6	6	22	17	27	23	21	17	12	8	2	-	-	-
		M	117	-	-	1	3	1	4	9	8	7	2	5	14	9	19	13	10	10	3	2	-	-	-	-
		F	81	-	-	1	3	1	1	-	3	2	1	1	8	8	8	10	11	7	9	6	2	-	-	-
577.1	CHRONIC PANCREATITIS		29	-	-	-	-	-	1	-	2	2	1	2	3	3	5	1	3	1	2	-	-	-	-	-
		M	15	-	-	-	-	-	1	-	2	1	1	2	3	3	3	1	2	1	1	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-
577.2	CYST AND PSEUDOCYST OF PANCREAS		8	-	-	-	-	-	-	-	-	2	1	1	-	1	2	1	1	1	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
577.8	OTHER DISEASES OF PANCREAS		8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	-	-	-	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
577.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
578	GASTROINTESTINAL HAEMORRHAGE		290	-	-	-	-	1	2	1	3	2	4	4	6	6	12	10	24	33	41	51	41	38	9	2
		M	145	-	-	-	-	1	2	1	2	1	2	3	3	6	12	10	15	18	25	23	20	6	2	2
		F	145	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	9	15	16	28	21	32	7	-
578.1	MELAENA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
578.9	HAEMORRHAGE OF GASTROINTESTINAL TRACT, UNSPECIFIED		289	-	-	-	-	1	2	1	3	2	4	4	6	6	12	10	24	33	41	50	41	38	9	2
		M	145	-	-	-	-	1	2	1	2	1	2	3	3	6	12	10	15	18	25	23	20	6	2	2
		F	144	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	9	15	16	27	21	32	7	-
579	INTESTINAL MALABSORPTION		12	-	-	-	-	-	-	-	2	2	-	-	-	1	1	1	1	1	1	3	2	-	-	-
		M	3	-	-	-	-	-	-	-	2	1	-	-	-	1	1	1	1	1	1	3	2	-	-	-
		F	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
579.0	COELIAC DISEASE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
579.1	TROPICAL SPRUE		3	-	-	-	-	-	-	-	2	2	-	-	-	1	-	1	1	1	1	2	2	-	-	-
		M	2	-	-	-	-	-	-	-	2	1	-	-	-	1	-	1	1	1	1	2	2	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
579.9	UNSPECIFIED		8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
580-629	DISEASES OF THE GENITOURINARY SYSTEM		3,101	29	3	3	1	7	4	19	19	31	43	34	52	83	161	221	365	470	341	334	351	103	23	2
		M	1,391	13	1	1	-	3	4	8	7	13	27	17	32	40	79	114	146	204	236	207	137	37	13	2
		F	1,710	16	2	2	1	4	4	11	12	18	16	17	20	43	82	107	169	266	305	327	214	66	10	-
580-589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS		1,466	25	2	2	3	4	5	16	17	27	29	25	24	55	93	128	202	225	229	200	136	33	8	-
		M	724	9	1	1	2	2	4	8	6	12	16	11	15	27	46	70	114	103	113	83	62	18	3	-
		F	742	16	1	1	1	2	1	8	5	15	13	14	9	28	48	58	88	122	116	115	74	15	5	-
580	ACUTE GLOMERULONEPHRITIS		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
580.9	UNSPECIFIED		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
581	NEPHROTIC SYNDROME		16	1	-	-	-	-	1	1	-	-	-	1	-	-	3	2	1	2	1	1	1	-	-	-
		M	6	1	-	-	-	-	1	1	-	-	-	1	-	-	3	2	1	2	1	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581.9	UNSPECIFIED		16	1	-	-	-	-	1	1	-	-	-	1	-	-	3	2	1	2	1	1	1	-	-	-
		M	6	1	-	-	-	-	1	1	-	-	-	1	-	-	3	2	1	2	1	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582	CHRONIC GLOMERULONEPHRITIS		87	-	-	-	-	-	-	2	1	2	3	1	3	3	9	4	6	17	14	14	9	4	-	-
		M	38	-	-	-	-	-	-	1	1	2	2	1	2	2	4	2	4	6	4	6	2	2	-	-
		F	49	-	-	-	-	-	-	1	-	-	1	-	1	1	5	2	2	11	10	8	7	2	-	-
582.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582.9	UNSPECIFIED		83	-	-	-	-	-	-	2	1	2	3	1	3	3	8	3	6	16	14	14	9	4	-	-
		M	36	-	-	-	-	-	-	1	1	2	2	1	2	2	4	2	4	6	4	6	2	2	-	-
		F	47	-	-	-	-	-	-	1	-	-	1	-	1	1	4	1	2	10	10	8	7	2	-	-
583	NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC		68	-	-	1	-	-	1	1	1	2	1	1	2	1	4	4	3	12	5	3	3	1	-	-
		M	17	-	-	-	-	-	1	1	1	1	1	1	1	1	4	2	2	5	2	2	1	1	-	-
		F	31	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	1	7	3	1	2	-	-	-
583.0	WITH LESION OF PROLIFERATIVE GLOMERULONEPHRITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
583.1	WITH LESION OF MEMBRANOUS GLOMERULONEPHRITIS	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
583.2	WITH LESION OF MEMBRANOPROLIFERATIVE GLOMERULONEPHRITIS	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
583.6	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-
583.9	WITH UNSPECIFIED PATHOLOGICAL LESION IN KIDNEY	M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	-	-	-	1	-	-	-
		F	31	-	-	1	-	-	1	-	-	1	2	-	-	1	2	1	4	3	2	4	2	1	-	-
584	ACUTE RENAL FAILURE	M	11	-	-	-	-	-	1	-	-	1	1	-	-	-	2	1	2	3	2	2	-	-	-	-
		F	20	-	-	1	-	-	-	-	-	-	1	-	-	1	2	-	2	-	2	2	2	1	-	-
		M	197	5	1	-	-	1	-	2	1	2	3	2	-	7	14	23	35	26	28	20	21	5	1	-
		F	98	3	-	-	-	-	-	1	1	1	3	2	-	4	7	13	19	8	15	10	10	1	-	-
584.3	WITH LESION OF TUBULAR NECROSIS	M	99	2	1	-	-	1	-	1	-	1	-	-	-	3	7	10	16	18	13	10	11	4	1	-
		F	33	1	1	-	-	-	-	1	-	-	-	1	-	1	1	2	6	4	4	6	5	-	-	-
		M	15	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	3	-	2	4	3	-	-	-
584.9	UNSPECIFIED	F	18	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	2	2	2	-	-	-
		M	164	4	-	-	-	1	-	1	1	2	3	1	-	6	13	21	29	22	24	14	16	5	1	-
		F	83	3	-	-	-	-	-	1	1	1	3	1	-	4	6	12	16	8	13	6	7	1	-	-
585	CHRONIC RENAL FAILURE	M	81	1	-	-	-	1	-	-	-	1	-	-	-	2	7	9	13	14	11	8	9	4	1	-
		F	450	-	-	-	-	1	1	6	3	6	11	10	15	22	42	42	57	66	61	60	37	6	2	-
		M	238	-	-	-	-	1	1	4	2	4	7	3	9	14	20	24	33	32	34	23	21	6	-	-
586	RENAL FAILURE, UNSPECIFIED	F	212	-	-	-	-	-	-	2	1	2	4	7	6	8	22	18	24	34	27	37	16	2	2	-
		M	647	20	-	1	-	2	2	4	3	8	11	6	6	20	30	43	42	100	116	99	63	18	4	-
		F	315	6	-	-	-	2	1	2	1	4	4	5	4	6	17	21	35	50	55	43	28	10	2	-
587	RENAL SCLEROSIS, UNSPECIFIED	F	332	14	-	1	-	1	1	1	2	3	1	4	6	2	14	13	22	37	50	61	56	35	6	2
		M	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2	-	1	-	1	-
588	DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION	M	4	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	1	-	-
		F	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
588.0	RENAL OSTEODYSTROPHY	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
588.8	OTHER	M	3	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
589	SMALL KIDNEY OF UNKNOWN CAUSE	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
589.0	UNILATERAL	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
589.1	BILATERAL	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
590-599	OTHER DISEASES OF URINARY SYSTEM	M	1,323	4	1	-	1	2	1	4	10	9	12	7	26	26	58	90	149	229	293	311	205	67	14	2
		F	586	4	-	-	1	1	1	1	3	2	6	6	17	11	28	42	71	91	107	100	66	17	9	2
590	INFECTIONS OF KIDNEY	M	937	-	1	-	1	1	1	3	7	4	1	1	9	15	30	48	78	138	108	211	139	50	5	-
		F	234	2	-	-	-	1	-	2	1	3	2	2	6	2	13	16	16	31	55	44	26	7	3	-
590.0	CHRONIC PYELONEPHRITIS AND CHRONIC PYONEPHROSIS	M	68	2	-	-	-	-	-	-	1	1	1	1	4	1	4	6	2	14	13	11	8	1	-	-
		F	166	-	-	-	-	1	-	2	1	2	2	1	2	1	9	10	14	17	42	33	18	6	2	-
590.1	ACUTE PYELONEPHRITIS AND ACUTE PYONEPHROSIS	M	54	1	-	-	-	-	-	-	1	1	-	-	2	-	3	3	2	5	13	15	7	-	-	-
		F	16	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	1	3	4	-	-	-
590.2	RENAL AND PERINEPHRIC ABSCESS	M	38	-	-	-	-	-	-	-	1	1	1	1	3	1	2	3	1	4	12	10	4	1	-	-
		F	57	1	-	-	-	-	-	-	-	-	1	1	3	1	5	4	3	5	13	11	7	3	1	-
590.8	PYELONEPHRITIS OR PYONEPHROSIS, NOT SPECIFIED AS ACUTE OR CHRONIC	M	16	1	-	-	-	-	-	-	-	-	-	1	2	-	3	2	2	-	4	2	1	-	-	-
		F	41	-	-	-	-	1	-	-	-	1	1	-	2	1	2	2	1	5	9	10	4	3	1	-
590.9	INFECTION OF KIDNEY, UNSPECIFIED	M	8	-	-	-	-	1	-	-	-	-	-	-	-	-	3	2	1	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	1	-	4	-	-	-	-	-
591	HYDRONEPHROSIS	M	13	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
592	CALCULUS OF KIDNEY AND URETER	M	38	-	-	-	-	1	-	1	-	1	1	-	2	1	2	7	4	5	7	4	2	-	-	-
		F	26	-	-	-	-	-	-	1	-	-	1	-	2	1	2	3	2	5	5	2	2	-	-	-
592.0	CALCULUS OF KIDNEY	M	25	-	-	-	-	-	-	1	-	-	1	-	2	1	2	6	4	5	7	4	3	-	-	-
		F	14	-	-	-	-	-	-	1	-	-	1	-	2	1	2	3	2	5	5	2	1	-	-	-
592.9	URINARY CALCULUS, UNSPECIFIED	M	13	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
593	OTHER DISORDERS OF KIDNEY AND URETER	M	174	2	1	-	-	1	-	1	3	2	8	4	11	6	13	26	19	23	22	22	6	2	1	1
		F	89	2	-	-	-	1	-	1	2	2	7	4	5	2	6	13	11	9	9	7	5	2	1	1
593.4	OTHER URETERIC OBSTRUCTION	M	85	-	1	-	-	-	-	-	1	1	1	-	6	4	5	13	8	14	13	15	5	2	1	-
		F	33	1	-	-	-	-	-	-	1	1	1	-	1	2	1	2	2	2	3	-	1	-	-	-
593.5	HYDROURETER	M	10	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
593.7	VESICOURETERIC REFLUX	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
593.8	OTHER	M	17	1	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	2	3	1	1	-	1	-
		F	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-
593.9	UNSPECIFIED	M	140	-	1	-	-	1	-	1	3	2	7	3	10	5	12	22	13	10	17	10	6	2	1	1
		F	71	-	-	-	-	1	-	1	2	2	6	3	5	4	5	11	6	10	11	12	5	2	1	1
594	CALCULUS OF LOWER URINARY TRACT	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
594.1	OTHER CALCULUS IN BLADDER	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
594.2	CALCULUS IN URETHRA	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
595	CYSTITIS	M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	4	9	5	6	-
		F	119	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	3	3	1	2	-
595.0	ACUTE CYSTITIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-
595.2	OTHER CHRONIC CYSTITIS	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-
		F	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	1	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
595.8	OTHER	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
595.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	3	2	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-
596	OTHER DISORDERS OF BLADDER		15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	6	3	2	1	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	2	1	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	3	-	-	-	-
596.0	BLADDER-NECK OBSTRUCTION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
596.1	INTESTINOVESICAL FISTULA		5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
596.3	DIVERTICULUM OF BLADDER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
596.4	ATONY OF BLADDER	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
596.6	RUPTURE OF BLADDER, NONTRAUMATIC		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
596.8	OTHER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
596.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
598	URETHRAL STRICTURE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
598.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
599	OTHER DISORDERS OF URETHRA AND URINARY TRACT		1,010	-	-	-	-	-	-	-	6	1	2	-	7	15	30	37	105	159	195	230	159	54	9	11
		M	390	-	-	-	-	-	-	-	1	-	1	-	1	5	16	17	54	64	79	75	50	14	2	1
		F	620	-	-	-	-	-	-	-	5	1	1	-	6	10	14	20	51	95	116	155	109	40	7	1
599.0	URINARY TRACT INFECTION, SITE NOT SPECIFIED		981	-	-	-	-	-	-	-	6	1	2	-	6	15	30	36	102	156	189	218	136	54	9	1
		M	365	-	-	-	-	-	-	-	1	-	1	-	1	5	16	16	51	62	73	64	48	14	2	1
		F	616	-	-	-	-	-	-	-	5	1	1	-	5	10	14	20	51	94	116	154	108	40	7	-
599.6	URINARY OBSTRUCTION, UNSPECIFIED		27	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	5	11	3	1	-	-
		M	24	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	5	11	2	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
599.7	HAEMATURIA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
599.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
600-608	DISEASES OF MALE GENITAL ORGANS		81	-	-	-	-	-	-	-	-	-	1	-	-	2	5	2	11	10	16	22	9	2	1	1
		M	81	-	-	-	-	-	-	-	-	-	1	-	-	2	5	2	11	10	16	22	9	2	1	1
600	HYPERPLASIA OF PROSTATE		57	-	-	-	-	-	-	-	-	-	-	-	-	2	5	2	6	8	9	16	9	2	1	1
601	INFLAMMATORY DISEASES OF PROSTATE	M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	-	-	-	-
601.0	ACUTE PROSTATITIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
601.1	CHRONIC PROSTATITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
601.9	UNSPECIFIED	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
602	OTHER DISORDERS OF PROSTATE	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	-	-	-
602.0	CALCULUS OF PROSTATE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
602.9	UNSPECIFIED	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
604	ORCHITIS AND EPIDIDYMITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
604.9	ORCHITIS, EPIDIDYMITIS AND EPIDIDYMO-ORCHITIS, WITHOUT MENTION OF ABSCESS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
608	OTHER DISORDERS OF MALE GENITAL ORGANS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
608.0	SEMINAL VESICULITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
608.4	OTHER INFLAMMATORY DISORDERS OF MALE GENITAL ORGANS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
608.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
608.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
611	OTHER DISORDERS OF BREAST	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
611.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
614-616	INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS	F	11	-	-	-	-	-	-	1	3	-	-	-	4	4	-	-	-	-	-	1	1	-	-	-
614	INFLAMMATORY DISEASE OF OVARY, FALLOPIAN TUBE, PELVIC CELLULAR TISSUE AND PERITONEUM	F	9	-	-	-	-	-	-	1	2	-	-	-	4	4	-	-	-	-	-	1	1	-	-	-
614.2	SALPINGITIS AND OOPHORITIS, NOT SPECIFIED AS ACUTE, SUBACUTE OR CHRONIC	F	2	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
614.4	CHRONIC OR UNSPECIFIED PARAMETRITIS AND PELVIC CELLULITIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
614.6	PELVIC PERITONEAL ADHESIONS, FEMALE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
614.9	UNSPECIFIED INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS AND TISSUES	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
615	INFLAMMATORY DISEASES OF UTERUS, EXCEPT CERVIX	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
615.0	ACUTE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
615.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
616	INFLAMMATORY DISEASE OF CERVIX, VAGINA AND VULVA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
616.2	CYST OF BARTHOLIN'S GLAND	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
617-629	OTHER DISORDERS OF FEMALE GENITAL TRACT		11	-	-	-	-	1	-	-	-	1	-	-	1	-	2	1	1	2	1	-	-	1	-	-
		F	11	-	-	-	-	1	-	-	-	1	-	-	1	-	2	1	1	2	1	-	-	1	-	-
618	GENITAL PROLAPSE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
618.1	UTERINE PROLAPSE WITHOUT MENTION OF VAGINAL WALL PROLAPSE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
618.4	UTEROVAGINAL PROLAPSE, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
619	FISTULAE INVOLVING FEMALE GENITAL TRACT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
619.1	DIGESTIVE - GENITAL TRACT FISTULAE, FEMALE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
619.2	GENITAL TRACT - SKIN FISTULAE, FEMALE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
620	NONINFLAMMATORY DISORDERS OF OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
620.2	OTHER AND UNSPECIFIED OVARIAN CYST		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
621	DISORDERS OF UTERUS, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
621.9	UNSPECIFIED DISORDERS OF UTERUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
623	NONINFLAMMATORY DISORDERS OF VAGINA		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
623.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
626	DISORDERS OF MENSTRUATION AND OTHER ABNORMAL BLEEDING FROM FEMALE GENITAL TRACT	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
626.4	UNSPECIFIED		2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	F	36	-	-	-	-	1	5	13	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639	PREGNANCY WITH ABORTIVE OUTCOME	F	6	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633	ECTOPIC PREGNANCY	F	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633.1	TUBAL PREGNANCY	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633.9	UNSPECIFIED	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634	SPONTANEOUS ABORTION	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634.8	WITH UNSPECIFIED COMPLICATIONS	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
637	UNSPECIFIED ABORTION	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
637.6	COMPLICATED BY EMBOLISM (ANY CONDITION LISTED IN 639.6)	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-648	COMPLICATIONS MAINLY RELATED TO PREGNANCY	F	7	-	-	-	-	1	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
642	HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	5	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.4	MILD OR UNSPECIFIED PRE-ECLAMPSIA	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.5	SEVERE PRE-ECLAMPSIA	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.6	ECLAMPSIA	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.9	UNSPECIFIED HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
646	OTHER COMPLICATIONS OF PREGNANCY, NOT ELSEWHERE CLASSIFIED	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
646.1	OEDEMA OR EXCESSIVE WEIGHT GAIN IN PREGNANCY, WITHOUT MENTION OF HYPERTENSION	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
646.6	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-669	COMPLICATIONS OCCURING MAINLY IN THE COURSE OF LABOUR AND DELIVERY	F	10	-	-	-	-	-	1	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
661	ABNORMALITY OF FORCES OF LABOUR	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
665	OTHER OBSTETRICAL TRAUMA	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
669	OTHER COMPLICATIONS OF LABOUR AND DELIVERY, NOT ELSEWHERE CLASSIFIED	F	7	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
670-676	COMPLICATIONS OF THE PUERPERIUM	F	13	-	-	-	-	1	3	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
670	MAJOR PUERPERAL INFECTION	F	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
671	VENOUS COMPLICATIONS IN PREGNANCY AND THE PUERPERIUM	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
673	OBSTETRICAL PULMONARY EMBOLISM	F	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
674	OTHER AND UNSPECIFIED COMPLICATIONS OF THE PUERPERIUM, NOT ELSEWHERE CLASSIFIED	F	4	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE		213	-	1	-	-	3	5	5	4	2	4	3	3	6	13	7	17	34	39	39	23	9	1	1
		M	86	-	1	-	-	-	2	2	2	1	2	1	3	6	6	5	9	18	25	29	17	7	1	1
		F	127	-	-	-	-	3	3	3	2	1	2	2	-	-	7	2	8	16	14	10	6	2	-	-
680-686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE		56	-	1	-	-	-	1	2	1	1	1	1	1	4	5	4	3	6	8	5	4	1	-	-
		M	30	-	1	-	-	-	1	1	1	1	1	1	1	4	4	3	1	4	5	3	3	1	-	-
		F	26	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	2	3	2	1	-	-	-
680	CARBUNCLE AND FURUNCLE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
680.9	UNSPECIFIED SITE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
682	OTHER CELLULITIS AND ABSCESS		42	-	1	-	-	-	1	1	1	-	1	1	1	2	3	2	2	4	6	5	4	1	-	-
		M	21	-	1	-	-	-	-	-	1	-	1	1	1	2	2	1	1	3	4	2	2	1	-	-
		F	21	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	1	1	2	3	2	-	-	-
682.0	FACE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
682.1	NECK	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
682.2	TRUNK	M	10	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	2	1	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
682.3	UPPER ARM AND FOREARM	M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
682.4	HAND, EXCEPT FINGERS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
682.5	BUTTOCK	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
682.6	LEG, EXCEPT FOOT	M	11	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	1	3	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	-	2	-	-	-
682.7	FOOT, EXCEPT TOES	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
682.9	UNSPECIFIED SITE	M	13	-	-	-	-	-	-	-	-	1	1	2	-	2	-	1	-	1	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	2	1	-	-	-	-	-
686	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	M	13	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	1	1	3	1	1	-	-	-
		F	8	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	1	1	2	1	1	-	-	-
686.0	PYODERMA	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
686.1	PYOGENIC GRANULOMA	M	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
686.9	UNSPECIFIED LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	3	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	1	-	-	-
690-698	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE	M	31	-	-	-	-	-	3	2	-	1	1	-	-	5	-	2	2	3	4	-	2	-	-	-
		F	17	-	-	-	-	-	3	2	-	1	1	-	-	5	-	2	2	3	3	1	2	-	-	-
692	CONTACT DERMATITIS AND OTHER ECZEMA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
692.9	UNSPECIFIED CAUSE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
693	DERMATITIS DUE TO SUBSTANCE TAKEN INTERNALLY	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
693.1	DUE TO FOOD	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
694	BULLOUS DERMATOSES	M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	-	-	-
694.4	PEMPHIGUS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-
694.8	PEMPHIGOID	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
695	ERYTHEMATOUS CONDITIONS	M	16	-	-	-	-	-	3	2	-	1	-	-	-	4	-	2	-	2	2	1	1	-	-	-
		F	18	-	-	-	-	-	3	2	-	1	1	-	-	3	-	2	-	2	1	1	1	-	-	-
695.1	ERYTHEMA MULTIFORME	M	10	-	-	-	-	-	3	2	-	1	-	-	-	1	-	1	-	1	1	1	1	-	-	-
		F	5	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	1	1	-	-	-	-	-
695.4	LUPUS ERYTHEMATOSUS	M	6	-	-	-	-	-	2	1	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-
		F	5	-	-	-	-	-	2	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
695.8	OTHER ERYTHEMATOSUS	M	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
696	PSORIASIS AND SIMILAR DISORDERS	M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
696.1	OTHER PSORIASIS	M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
700-709	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	M	126	-	-	-	-	-	-	1	-	-	1	-	-	-	-	6	5	11	19	26	30	17	7	1
		F	42	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	5	2	5	9	9	7	5	1	1
707	CHRONIC ULCER OF SKIN	M	125	-	-	-	-	-	-	1	-	-	1	-	-	-	-	6	5	11	18	28	30	17	7	1
		F	41	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	5	3	8	9	7	5	1	1
707.0	DECUBITUS ULCER	M	84	-	-	-	-	-	-	1	-	-	-	-	-	-	-	5	3	6	10	19	23	12	6	-
		F	113	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6	4	11	16	25	27	16	7	-
707.1	ULCER OF LOWER LIMBS, EXCEPT DECUBITUS	M	36	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	5	8	8	6	5	1	-
		F	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	6	8	17	21	11	6	-
707.8	CHRONIC ULCER OF OTHER SPECIFIED SITES	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	-	1
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1
707.9	CHRONIC ULCER OF UNSPECIFIED SITE	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-
709	OTHER DISORDERS OF SKIN AND SUBCUTANEOUS TISSUE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
709.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	M	647	2	-	1	6	5	7	17	12	18	17	22	22	41	63	63	64	89	76	32	40	6	2	-
		F	167	-	-	-	1	2	1	4	4	7	4	7	3	10	18	21	16	35	17	7	7	2	-	-
710-719	ARTHROPATHIES AND RELATED DISORDERS	M	480	2	-	1	5	4	6	13	8	11	13	15	19	31	47	42	66	54	59	45	33	4	2	-
		F	440	-	-	1	5	4	6	15	8	14	15	18	19	32	49	49	65	61	42	19	15	2	1	-
		M	106	-	-	-	1	1	-	3	1	4	3	5	3	6	12	13	12	24	10	2	4	-	-	-
		F	334	-	-	1	4	3	6	12	7	10	12	13	16	26	37	34	53	37	32	17	11	2	1	-
710	DIFFUSE DISEASES OF CONNECTIVE TISSUE	M	254	-	-	1	3	3	6	13	6	14	11	14	19	22	34	25	26	31	15	4	1	-	-	-
		F	49	-	-	-	1	1	-	3	1	4	1	3	3	2	8	4	3	11	3	1	-	-	-	-	-
		M	203	-	-	1	2	2	6	12	7	10	10	11	16	20	26	21	25	20	12	3	1	-	-	-
710.0	SYSTEMIC LUPUS ERYTHEMATOSUS	F	125	-	-	1	1	2	5	13	3	11	7	6	8	12	10	10	16	14	5	1	-	-	-	-
		M	19	-	-	-	-	1	-	3	-	4	1	-	1	2	2	1	2	3	1	-	-	-	-	-
		F	106	-	-	1	2	1	5	10	3	7	6	6	7	12	8	9	14	11	4	1	-	-	-	-
710.1	SYSTEMIC SCLEROSIS	M	81	-	-	-	2	-	-	-	3	2	4	6	8	7	15	10	6	9	6	3	-	-	-	-
		F	17	-	-	1	-	-	-	-	-	-	-	3	7	-	4	2	-	4	1	1	-	-	-	-
710.2	SICCA SYNDROME	M	64	-	-	-	1	-	-	-	3	2	4	3	7	7	11	8	6	5	5	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
710.3	DERMATOMYOSITIS		12	-	-	1	-	-	-	1	-	-	-	-	1	1	2	1	2	3	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	11	-	-	1	-	-	-	1	-	-	-	-	1	1	2	1	2	2	-	-	-	-	-	-
710.4	POLYMYOSITIS		19	-	-	-	-	-	1	-	1	1	-	1	2	2	3	2	3	2	2	-	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
		F	12	-	-	-	-	-	1	-	1	1	-	1	1	1	2	1	2	1	2	-	1	-	-	-
710.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
710.9	UNSPECIFIED		13	-	-	-	-	-	-	1	1	-	-	1	1	1	3	1	1	2	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	2	2	-	-	-	-	-
		F	10	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
711	ARTHROPATHY ASSOCIATED WITH INFECTIONS		12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	-	2	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-
711.0	PYOGENIC ARTHRITIS		10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	2	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
711.9	UNSPECIFIED INFECTIVE ARTHRITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
714	RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES		127	-	-	-	2	1	-	-	-	-	-	4	4	-	8	1	17	20	21	17	9	3	-	-
		M	42	-	-	-	-	1	-	-	-	-	-	2	2	-	3	-	9	6	9	5	-	-	-	-
		F	85	-	-	-	2	1	-	-	-	-	-	2	2	-	5	1	8	14	12	12	9	3	-	-
714.0	RHEUMATOID ARTHRITIS		106	-	-	-	1	1	-	-	-	-	-	4	2	-	5	1	11	14	21	20	15	9	3	-
		M	34	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	4	6	5	9	6	-	-	-
		F	72	-	-	-	1	1	-	-	-	-	-	2	1	-	2	1	7	8	16	11	9	3	-	-
714.1	FELTY'S SYNDROME		8	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	2	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	1	-	-	-	-
714.3	JUVENILE CHRONIC POLYARTHRITIS		3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
714.8	OTHER		10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	1	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
715	OSTEOARTHROSIS AND ALLIED DISORDERS		32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	7	3	5	7	2	1	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	-	-
		F	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	2	4	5	2	1	-
715.3	LOCALIZED, NOT SPECIFIED WHETHER PRIMARY OR SECONDARY		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
715.9	UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED		28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	3	5	7	2	1	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	2	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	4	5	2	1	-
716	OTHER AND UNSPECIFIED ARTHROPATHIES		13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	3	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	2	2	1	-	-	-
716.9	UNSPECIFIED		13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	3	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	2	2	1	-	-	-
718	OTHER DERANGEMENT OF JOINT	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
718.5	ANKYLOSIS OF JOINT	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
719	OTHER AND UNSPECIFIED DISORDER OF JOINT	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
719.1	HAEMARTHROSIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
719.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
720-724	DORSOPATHIES		23	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	2	8	3	1	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	2	6	2	1	-	-	-
720	ANKYLOSING SPONDYLITIS AND OTHER INFLAMMATORY SPONDYLOPATHIES		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
720.0	ANKYLOSING SPONDYLITIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
720.9	UNSPECIFIED INFLAMMATORY SPONDYLOPATHY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
721	SPONDYLOSIS AND ALLIED DISORDERS		9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
721.0	CERVICAL SPONDYLOSIS WITHOUT MYELOPATHY	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
721.1	CERVICAL SPONDYLOSIS WITH MYELOPATHY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
721.9	SPONDYLOSIS OF UNSPECIFIED SITE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
722	INTERVERTEBRAL DISC DISORDERS		8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	-	-	-
722.1	DISPLACEMENT OF THORACIC OR LUMBAR INTERVERTEBRAL DISC WITHOUT MYELOPATHY	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
722.2	DISPLACEMENT OF INTERVERTEBRAL DISC, SITE UNSPECIFIED, WITHOUT MYELOPATHY	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
722.3	DEGENERATION OF THORACIC OR LUMBAR INTERVERTEBRAL DISC	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
722.6	DEGENERATION OF INTERVERTEBRAL DISC, SITE UNSPECIFIED	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
722.9	OTHER AND UNSPECIFIED DISC DISORDER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
724	OTHER AND UNSPECIFIED DISORDERS OF BACK		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
724.0	SPINAL STENOSIS, OTHER THAN CERVICAL	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
724.5	BACKACHE, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
724.7	DISORDERS OF COCCYX	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
724.9	UNSPECIFIED BACK DISORDERS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
725-729	RHEUMATISM, EXCLUDING THE BACK		34	1	-	-	-	-	1	1	2	2	-	1	2	5	5	-	3	5	2	4	-	-	-	-
		M	18	-	-	-	-	-	1	1	2	2	-	1	2	5	3	-	2	4	2	2	-	-	-	-
		F	16	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	2	-	-	-	-
725	POLYMYALGIA RHEUMATICA		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
728	DISORDERS OF MUSCLE, LIGAMENT AND FASCIA		17	1	-	-	-	-	1	1	1	2	-	-	-	1	3	-	1	4	1	1	-	-	-	-
		M	12	-	-	-	-	-	1	1	1	2	-	-	-	1	2	-	1	3	1	1	-	-	-	-
		F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
728.2	MUSCULAR WASTING AND DISUSE ATROPHY, NOT ELSEWHERE CLASSIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
728.8	OTHER DISORDERS OF MUSCLE, LIGAMENT AND FASCIA		13	1	-	-	-	-	1	1	1	2	-	-	-	-	2	-	1	4	1	-	-	-	-	-
		M	8	-	-	-	-	-	1	1	1	2	-	-	-	-	2	-	1	3	1	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
728.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
729	OTHER DISEASES OF SOFT TISSUES		14	-	-	-	-	-	-	-	1	-	-	1	2	-	2	-	2	1	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	1	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
729.1	MYALGIA AND MYOSITIS, UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
729.2	NEURALGIA, NEURITIS AND RADICULITIS, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
729.3	PANNICULITIS, UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
729.4	FASCIITIS, UNSPECIFIED		9	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
730-739	OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES		150	1	-	1	1	-	1	2	2	1	1	3	-	4	6	13	12	21	24	26	24	4	1	-
		M	35	-	-	-	1	-	-	1	1	1	1	1	-	4	6	5	1	7	5	3	3	2	1	-
		F	115	1	-	1	1	-	1	1	1	1	-	2	-	3	5	8	11	14	19	23	21	2	-	-
730	OSTEOMYELITIS, PERIOSTITIS AND OTHER INFECTIONS INVOLVING BONE		35	-	-	-	-	-	-	2	1	2	-	1	-	1	2	2	4	4	3	4	2	-	-	-
		M	12	-	-	-	-	-	-	1	1	2	-	1	-	1	2	2	1	3	3	2	1	-	-	-
		F	23	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	1	-	2	1	-	-	-
730.1	CHRONIC OSTEOMYELITIS		4	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
730.2	UNSPECIFIED OSTEOMYELITIS		31	-	-	-	-	-	-	1	2	2	-	1	-	1	3	5	4	4	3	6	4	1	-	-
		M	11	-	-	-	-	-	-	-	2	2	-	1	-	1	2	2	1	3	3	2	1	-	-	-
		F	20	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	3	1	-	4	3	1	-	-
731	OSTEITIS DEFORMANS AND OSTEOPATHIES ASSOCIATED WITH OTHER DISORDERS CLASSIFIED ELSEWHERE		6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
731.0	OSTEITIS DEFORMANS WITHOUT MENTION OF BONE TUMOUR		6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
733	OTHER DISORDERS OF BONE AND CARTILAGE		80	-	-	-	-	-	-	-	1	-	-	-	-	1	3	5	8	10	17	15	11	3	-	-
		M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	5	5	1	1	-	-
		F	63	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	6	8	12	10	10	2	-	-
733.0	OSTEOPOROSIS		61	-	-	-	-	-	-	-	1	-	-	-	-	1	3	5	8	8	12	14	10	3	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	5	5	1	1	-	-
		F	50	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	6	6	7	9	9	2	-	-
733.1	PATHOLOGICAL FRACTURE		12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	3	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	-	-	-
733.8	MALUNION AND NONUNION OF FRACTURE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
733.9	OTHER AND UNSPECIFIED		6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
736	OTHER ACQUIRED DEFORMITIES OF LIMBS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
736.8	ACQUIRED DEFORMITIES OF OTHER PARTS OF LIMBS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
737	CURVATURE OF SPINE		26	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	6	3	7	2	-	-	-
		M	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
		F	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	3	6	1	-	-	-
737.1	KYPHOSIS (ACQUIRED)		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
737.3	KYPHOSCOLIOSIS AND SCOLIOSIS		22	-	-	-	1	-	-	1	1	-	-	-	-	1	1	-	2	5	3	5	2	-	-	-
		M	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-
		F	17	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	2	5	3	3	1	-	-	-
738	OTHER ACQUIRED DEFORMITY		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
738.3	ACQUIRED DEFORMITY OF CHEST AND RIB		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
738.4	ACQUIRED SPONDYLOLISTHESIS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES		1,598	1,059	118	30	26	24	25	27	30	23	19	26	15	25	38	28	20	24	20	13	8	2	1	6
		M	850	579	64	18	13	14	14	12	16	15	8	16	8	15	14	16	8	7	7	8	4	1	1	5
		F	748	480	54	12	13	10	11	15	14	8	11	10	7	10	24	12	12	17	13	5	4	1	-	1
740	ANENCEPHALUS AND SIMILAR ANOMALIES		106	102	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3
		M	56	55	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
		F	50	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
740.0	ANENCEPHALUS		103	101	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	56	55	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	49	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740.2	INIENCEPHALY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
741	SPINA BIFIDA		22	13	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	11	9	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
741.0	WITH HYDROCEPHALUS		18	12	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	8	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
741.9	WITHOUT MENTION OF HYDROCEPHALUS		4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM		138	81	19	6	2	3	4	2	3	2	-	3	-	1	2	1	-	-	3	8	1	-	-	3
		M	68	35	10	4	-	2	2	2	2	2	-	3	-	1	2	1	-	-	2	5	1	-	-	2
		F	70	46	9	2	2	1	2	-	1	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1988
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	UNK	UNK
742.0	ENCEPHALOCELE		13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.1	MICROCEPHALUS		19	9	8	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	8	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.2	REDUCTION DEFORMITIES OF BRAIN		11	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.3	CONGENITAL HYDROCEPHALUS		46	31	8	3	1	0	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-
		M	21	14	4	0	1	0	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
		F	17	12	1	1	0	0	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.4	OTHER SPECIFIED ANOMALIES OF BRAIN		11	3	2	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	3	1	-	1	0	-	-	0	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	0	1	-	0	1	-	-	1	0	-	-	-	-	-	-	-	-	-	-	-	-
742.5	OTHER SPECIFIED ANOMALIES OF SPINAL CORD		11	8	2	-	1	0	-	-	-	-	-	-	-	-	-	-	1	0	-	-	-	-
		M	7	5	1	-	1	0	-	-	-	-	-	-	-	-	-	-	1	0	-	-	-	-
		F	4	3	1	-	0	0	-	-	-	-	-	-	-	-	-	-	0	0	-	-	-	-
742.8	OTHER SPECIFIED ANOMALIES OF NERVOUS SYSTEM		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.9	UNSPECIFIED ANOMALIES OF BRAIN, SPINAL CORD AND NERVOUS SYSTEM		27	14	7	0	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	4	4	0	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	10	3	0	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-
743	CONGENITAL ANOMALIES OF EYE		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
743.8	OTHER SPECIFIED ANOMALIES OF EYE		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE		166	79	31	0	1	1	2	1	0	2	2	1	0	4	1	2	3	1	2	3	5	1
		M	90	44	20	0	1	1	2	1	0	2	2	1	0	3	1	2	3	1	2	3	4	1
		F	76	35	11	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
745.0	COMMON TRUNCUS		10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		M	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	4	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-
745.1	TRANSPOSITION OF GREAT VESSELS		32	14	6	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	11	2	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	3	4	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.2	TETRALOGY OF FALLOT		17	14	0	0	-	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	6	0	0	-	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	8	0	0	-	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-
745.3	COMMON VENTRICLE		6	4	1	-	0	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	3	1	-	0	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	0	-	0	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-
745.4	VENTRICULAR SEPTAL DEFECT		30	20	6	-	-	-	1	0	1	0	1	-	-	-	-	-	-	-	-	-	-	-
		M	21	13	6	-	-	-	1	0	1	0	0	-	-	-	-	-	-	-	-	-	-	-
		F	9	7	0	-	-	-	0	0	0	0	1	-	-	-	-	-	-	-	-	-	-	-
745.5	OSTIUM SECUNDUM TYPE ASTRIAL SEPTAL DEFECT		74	38	9	0	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	37	19	5	0	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	37	19	4	0	0	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-
745.6	ENDOCARDIAL CUSHION DEFECTS		30	11	10	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	3	6	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	19	8	4	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.8	OTHER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.9	UNSPECIFIED DEFECT OF SEPTAL CLOSURE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART		344	238	35	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	211	144	16	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	133	94	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
746.0	ANOMALIES OF PULMONARY VALVE		8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.1	TRICUSPID ATRESIA AND STENOSIS, CONGENITAL		10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.2	EBSTEIN'S ANOMALY		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.3	CONGENITAL STENOSIS OF AORTIC VALVE		5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.4	CONGENITAL INSUFFICIENCY OF AORTIC VALVE		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.5	CONGENITAL MITRAL STENOSIS		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.6	CONGENITAL MITRAL INSUFFICIENCY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.7	HYPOPLASTIC LEFT HEART SYNDROME		30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.8	OTHER SPECIFIED ANOMALIES OF HEART		58	32	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	28	16	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	30	16	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
746.9	UNSPECIFIED ANOMALIES OF HEART		203	135	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	111	72	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	92	63	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM		108	79	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	61	39	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	47	40	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
747.0	PATENT DUCTUS ARTERIOSUS		57	52	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	21	18	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	36	34	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
747.1	COARCTATION OF AORTA		20	17	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	12	11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	8	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
747.2	OTHER ANOMALIES OF AORTA		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747.3	ANOMALIES OF PULMONARY ARTERY		10	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

DEATH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
747.4	ANOMALIES OF GREAT VEINS	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
747.6	OTHER ANOMALIES OF PERIPHERAL VASCULAR SYSTEM	B	18	1	1	-	-	1	-	-	1	1	1	3	3	3	8	2	2	1	1	-	1	-	-	-
		M	9	0	0	-	-	1	-	-	1	1	1	1	1	1	4	1	1	1	1	-	-	-	-	-
		F	9	1	1	-	-	-	-	-	-	-	-	2	2	2	4	1	1	-	-	-	1	-	-	-
747.8	OTHER SPECIFIED ANOMALIES OF CIRCULATORY SYSTEM	B	70	2	2	-	-	1	2	2	4	4	5	8	8	8	7	6	3	2	2	1	1	-	-	-
		M	32	1	1	-	-	1	1	1	2	2	3	4	4	4	3	3	1	1	1	1	-	-	-	-
		F	38	1	1	-	-	-	1	1	2	2	2	4	4	4	4	3	2	1	1	-	1	-	-	-
747.9	UNSPECIFIED ANOMALIES OF CIRCULATORY SYSTEM	B	300	24	8	3	3	5	2	4	2	5	3	3	1	2	3	5	3	1	1	2	-	-	-	-
		M	150	13	4	2	2	3	1	3	1	3	2	2	1	1	2	3	1	1	1	1	-	-	-	-
		F	150	11	4	1	1	2	1	1	1	2	1	1	-	1	1	2	2	-	-	1	-	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	B	100	10	8	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	51	6	4	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	49	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.3	OTHER ANOMALIES OF LARYNX, TRACHEA AND BRONCHUS	B	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	4	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.4	CONGENITAL CYSTIC LUNG	B	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.5	AGENESIS, HYPOPLASIA AND DYSPLASIA OF LUNG	B	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.6	OTHER ANOMALIES OF LUNG	B	1	0	0	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.8	UNSPECIFIED ANOMALIES OF RESPIRATORY SYSTEM	B	3	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749	CLEFT PALATE AND CLEFT LIP	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749.0	CLEFT PALATE WITH CLEFT LIP	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	B	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		M	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750.3	TRACHEO-OESOPHAGEAL FISTULA, OESOPHAGEAL ATRESIA AND STENOSIS	B	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		M	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.4	OTHER SPECIFIED ANOMALIES OF OESOPHAGUS	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.6	CONGENITAL HIATUS HERNIA	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.9	UNSPECIFIED ANOMALIES OF UPPER ALIMENTARY TRACT	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	B	18	0	0	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	1	-	-
		M	9	0	0	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	1	-	-
		F	9	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.0	MECKEL'S DIVERTICULUM	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.1	ATRESIA AND STENOSIS OF SMALL INTESTINE	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.2	HIRSCHSPRUNG'S DISEASE AND OTHER CONGENITAL FUNCTIONAL DISORDERS OF COLON	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.4	ANOMALIES OF INTESTINAL FIXATION	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.5	OTHER ANOMALIES OF INTESTINE	B	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
751.6	ANOMALIES OF GALLBLADDER, BILE DUCTS AND LIVER	B	11	0	0	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	-
		M	5	0	0	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-
		F	6	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	B	3	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
752.0	ANOMALIES OF OVARIES	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
752.5	UNDESCENDED TESTICLE	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	B	7	0	0	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-
		M	3	0	0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
		F	4	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
753.0	RENAL AGENESIS AND DYSGENESIS	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753.1	CYSTIC KIDNEY DISEASE	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
753.3	OTHER SPECIFIED ANOMALIES OF KIDNEY	B	3	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
753.9	UNSPECIFIED ANOMALIES OF URINARY SYSTEM	B	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
754	CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
754.8	OTHER SPECIFIED	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
755	OTHER CONGENITAL ANOMALIES OF LIMBS	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
755.5	OTHER ANOMALIES OF UPPER LIMB, INCLUDING SHOULDER GIRDLE	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
755.6	OTHER ANOMALIES OF LOWER LIMB, INCLUDING PELVIC GIRDLE	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
755.8	OTHER SPECIFIED ANOMALIES OF UPPER LIMB	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	B	2	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
756.0	ANOMALIES OF SKULL AND FACE BONES	B	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1965

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
756.1	ANOMALIES OF SPINE	M	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	1	-	-	-	-
		F	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
756.4	CHONDRODYSTROPHY	M	4	3	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	2	1	-	-	-	-
		F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.5	OSTEODYSTROPHIES	M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.6	ANOMALIES OF DIAPHRAGM	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.7	ANOMALIES OF ABDOMINAL WALL	M	42	41	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21	20	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.8	OTHER SPECIFIED ANOMALIES OF MUSCLE, TENDON, FASCIA AND CONNECTIVE TISSUE	M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.9	UNSPECIFIED ANOMALIES OF MUSCULOSKELETAL SYSTEM	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
757	CONGENITAL ANOMALIES OF THE INTEGUMENT	M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
757.1	ICHTHYOSIS CONGENITA	M	6	3	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
757.3	OTHER SPECIFIED ANOMALIES OF SKIN	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
758	CHROMOSOMAL ANOMALIES	M	3	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.0	DOWN'S SYNDROME	M	156	130	7	1	1	4	2	-	2	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-
		F	72	60	4	-	1	2	1	-	-	2	1	1	-	-	4	-	-	-	-	-	-	-	-	-
758.1	PATAU'S SYNDROME	M	84	70	3	1	-	2	1	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	27	8	4	-	1	4	-	-	1	2	1	-	-	-	4	-	-	-	-	-	-	-	-	-
758.2	EDWARDS'S SYNDROME	M	17	5	3	-	1	2	-	-	1	2	1	2	-	-	4	-	-	-	-	-	-	-	-	-
		F	12	3	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
758.3	AUTOSOMAL DELETION SYNDROMES	M	35	33	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	10	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.5	OTHER CONDITIONS DUE TO AUTOSOMAL ANOMALIES	M	16	15	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.6	GONADAL DYSGENESIS	M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	45	44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.7	KLINEFELTER'S SYNDROME	M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.9	CONDITIONS DUE TO ANOMALY OF UNSPECIFIED CHROMOSOME	M	6	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.0	ANOMALIES OF SPLEEN	M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.3	SITUS INVERSUS	M	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.4	CONJOINED TWINS	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.5	TUBEROUS SCLEROSIS	M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.6	OTHER HAMARTOSES, NOT ELSEWHERE CLASSIFIED	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.7	MULTIPLE CONGENITAL ANOMALIES, SO DESCRIBED	M	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
759.8	OTHER SPECIFIED ANOMALIES	M	69	58	1	2	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	43	37	-	1	2	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1
759.9	CONGENITAL ANOMALY, UNSPECIFIED	M	25	21	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	9	-	1	-	1	-	-	2	1	2	2	-	-	-	-	-	-	1	-	-	-	-	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	M	10	6	-	1	-	-	-	-	1	1	1	2	-	-	-	-	-	-	1	-	-	-	-	-
		F	7	3	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	M	4	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.0	MATERNAL HYPERTENSIVE DISORDERS	M	1,092	1,074	15	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	852	843	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.1	MATERNAL RENAL AND URINARY TRACT DISEASES	M	1,140	1,131	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	15	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.2	MATERNAL INFECTIONS	M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.5	MATERNAL INJURY	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.7	NOXIOUS INFLUENCES TRANSMITTED VIA PLACENTA OR BREAST MILK	M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.8	OTHER	M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	M	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
761.0	INCOMPETENT CERVIX		14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.1	PREMATURE RUPTURE OF MEMBRANES		28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.2	OLIGOHYDRAMNIOS		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.3	POLYHYDRAMNIOS		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.5	MULTIPLE PREGNANCY		51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.7	MALPRESENTATION BEFORE LABOUR		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.8	OTHER		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES		94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.0	PLACENTA PRAEVIA		7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.1	OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE		36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.2	OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA	M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.3	PLACENTAL TRANSFUSION SYNDROMES		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.4	PROLAPSED CORD		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.5	OTHER COMPRESSION OF UMBILICAL CORD		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.6	OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.7	CHORIOAMNIONITIS		35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY		16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.0	BREECH DELIVERY AND EXTRACTION		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.1	OTHER MALPRESENTATION, MALPOSITION AND DISPROPORTION DURING LABOUR AND DELIVERY		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.2	FORCEPS DELIVERY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.6	PRECIPITATE DELIVERY		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.8	OTHER COMPLICATIONS OF LABOUR AND DELIVERY		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764.9	FETAL GROWTH RETARDATION, UNSPECIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT		332	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	163	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
765.0	EXTREME IMMATURITY		248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765.1	OTHER PRETERM INFANTS		84	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	41	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
767	BIRTH TRAUMA		28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.0	SUBDURAL AND CEREBRAL HAEMORRHAGE		24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.3	OTHER INJURIES TO SKELETON		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.8	OTHER		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA		108	107	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	63	62	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.4	FETAL DISTRESS, UNSPECIFIED, IN LIVEBORN INFANT		20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.5	SEVERE BIRTH ASPHYXIA		7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.9	UNSPECIFIED BIRTH ASPHYXIA AND IN LIVEBORN INFANT		81	80	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	42	41	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769	RESPIRATORY DISTRESS SYNDROME		404	403	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	260	259	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN		435	423	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	255	248	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	180	175	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
770.0	CONGENITAL PNEUMONIA		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.1	MASSIVE ASPIRATION SYNDROME		42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.2	INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS		57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.3	PULMONARY HAEMORRHAGE		12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.4	PRIMARY ATELECTASIS		54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.5	OTHER AND UNSPECIFIED ATELECTASIS		6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.7	CHRONIC RESPIRATORY DISEASE ARISING IN THE PERINATAL PERIOD		89	77	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	56	49	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	33	28	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.8	OTHER RESPIRATORY PROBLEMS AFTER BIRTH		172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD		105	103	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	52	50	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.1	CONGENITAL CYTOMEGALOVIRUS INFECTION		3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.2	OTHER CONGENITAL INFECTIONS		9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.4	OMPHALITIS OF NEWBORN		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.7	NEONATAL CANDIDA INFECTION		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.8	OTHER INFECTION SPECIFIC TO THE PERINATAL PERIOD		89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772	FETAL AND NEONATAL HAEMORRHAGE		32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.0	FETAL BLOOD LOSS		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.1	INTRAVENTRICULAR HAEMORRHAGE		25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.2	SUBARACHNOID HAEMORRHAGE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.5	ADRENAL HAEMORRHAGE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.9	UNSPECIFIED		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773.0	HAEMOLYTIC DISEASE DUE TO RH ISOIMMUNIZATION		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
774	OTHER PERINATAL JAUNDICE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
774.4	PERINATAL JAUNDICE DUE TO HEPATOCELLULAR DAMAGE	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN		9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.0	HAEMORRHAGIC DISEASE OF NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.2	DISSEMINATED INTRAVASCULAR COAGULATION IN NEWBORN		6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.5	CONGENITAL ANAEMIA		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM		45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777.3	NECROTIZING ENTEROCOLITIS IN FETUS OR NEWBORN		42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777.6	PERINATAL INTESTINAL PERFORATION		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN		21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.0	HYDROPS FETALIS NOT DUE TO ISOIMMUNIZATION		20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.5	OTHER AND UNSPECIFIED OEDEMA OF NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD		238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.0	CONVULSIONS IN NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.1	OTHER AND UNSPECIFIED CEREBRAL IRRITABILITY IN NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.5	DRUG WITHDRAWL SYNDROME IN NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.6	TERMINATION OF PREGNANCY (FETUS)		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1985

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
779.8	OTHER		225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.9	UNSPECIFIED	F	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	87	4	5	2	1	2	5	9	7	10	4	4	1	2	1	8	4	4	3	6	3	2	-	-
780-789	SYMPTOMS	F	40	2	1	2	1	-	2	7	5	6	2	2	1	2	1	2	1	2	2	1	1	-	-	-
		M	47	2	4	-	-	2	3	2	2	4	2	2	1	2	-	6	3	2	1	5	2	2	-	-
780	GENERAL SYMPTOMS AND SPECIAL SENSES	F	85	3	5	2	1	2	5	9	7	10	4	4	1	2	1	8	4	4	3	5	3	2	-	-
		M	39	1	1	2	1	-	2	7	5	6	2	2	1	2	1	2	1	2	2	1	1	-	-	-
780.3	CONVULSIONS	F	46	2	4	-	-	2	3	2	2	4	2	2	-	-	-	6	3	2	1	4	2	2	-	-
		M	55	1	5	2	-	2	5	8	7	10	4	3	1	2	1	3	1	-	1	1	-	-	-	-
780.6	PYREXIA OF UNKNOWN ORIGIN	F	27	-	1	2	-	-	2	6	5	6	2	1	-	-	1	1	-	-	-	-	-	-	-	-
		M	28	1	4	-	-	2	3	2	2	4	2	2	1	2	-	2	1	-	1	1	-	-	-	-
780.9	OTHER	F	22	-	1	2	-	-	2	6	4	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-
781	SYMPTOMS INVOLVING NERVOUS AND MUSCULOSKELETAL SYSTEMS	F	2	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
781.9	OTHER	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
782	SYMPTOMS INVOLVING SKIN AND OTHER INTEGUMENTARY TISSUE	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
782.3	OEDEMA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
785	SYMPTOMS INVOLVING CARDIOVASCULAR SYSTEM	F	10	1	-	-	-	-	-	1	-	-	-	-	-	-	-	4	2	2	2	3	2	2	-	-
		M	7	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	2	2	1	2	-	-
785.5	SHOCK WITHOUT MENTION OF TRAUMA	F	12	1	-	-	-	-	-	1	-	-	-	-	1	-	-	3	1	1	2	3	1	2	-	-
		M	10	1	-	-	-	-	-	1	-	-	-	-	1	-	-	4	1	2	2	3	2	2	-	-
786	SYMPTOMS INVOLVING RESPIRATORY SYSTEM AND OTHER CHEST SYMPTOMS	F	7	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	1	1	2	3	1	2	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	1	-	-	-	-
786.0	DYSPNOEA AND RESPIRATORY ABNORMALITIES	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-
786.3	HAEMOPTYSIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-
789	OTHER SYMPTOMS INVOLVING ABDOMEN AND PELVIS	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
789.0	ABDOMINAL PAIN	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
789.9	OTHER	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
790-796	NONSPECIFIC ABNORMAL FINDINGS	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
790	NONSPECIFIC FINDINGS ON EXAMINATION OF BLOOD	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790.8	VIRAEMIA, UNSPECIFIED	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
791	NONSPECIFIC FINDINGS ON EXAMINATION OF URINE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
791.9	OTHER	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
797-799	ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY		1,145	705	14	2	1	12	30	28	44	35	24	19	17	22	30	18	30	20	18	10	13	13	4	27
		M	701	439	10	1	1	6	21	19	37	25	14	10	12	15	19	10	18	10	5	6	3	1	1	18
797	SENILITY WITHOUT MENTION OF PSYCHOSIS	F	444	266	4	1	-	6	9	9	7	10	10	9	5	7	11	8	12	10	13	13	10	12	3	9
		M	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	6	9	2	4
798	SUDDEN DEATH, CAUSE UNKNOWN	F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	5
		M	688	682	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
798.0	SUDDEN INFANT DEATH SYNDROME	F	429	424	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	259	259	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.1	INSTANTANEOUS DEATH	F	682	682	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	424	424	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
799	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY		429	23	8	2	1	12	30	28	44	35	24	19	17	22	30	18	30	19	18	11	5	4	2	27
		M	267	15	5	1	1	6	21	19	37	25	14	10	12	15	19	10	18	10	5	5	1	1	1	18
799.0	ASPHYXIA	F	162	8	3	1	-	6	9	9	7	10	10	9	5	7	11	8	12	9	13	6	4	3	1	9
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
799.1	RESPIRATORY FAILURE	F	46	-	1	1	-	2	2	1	2	1	-	1	-	-	2	-	-	6	7	10	6	2	1	1	-
		M	24	-	1	1	-	2	2	1	1	-	-	1	-	-	2	-	-	3	3	3	3	1	1	1	-
799.3	DEBILITY, UNSPECIFIED	F	22	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	3	2	7	3	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1
799.4	CACHEXIA	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
799.9	OTHER UNKNOWN AND UNSPECIFIED CAUSE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	376	23	6	1	1	10	28	27	42	34	24	18	17	22	28	18	24	12	7	6	1	3	1	27
		F	240	15	3	-	1	4	10	18	36	25	14	10	12	15	17	10	15	5	1	2	-	-	-	18
800-999	INJURY AND POISONING (EXTERNAL CAUSE)		136	8	3	1	-	6	8	9	6	9	10	8	5	7	11	8	9	7	6	4	2	2	-	9
		M	17,249	144	414	222	234	1,333	2,257	2,222	1,853	1,484	1,026	800	648	735	691	667	657	586	352	340	175	66	15	79
800-807	RAILWAY ACCIDENTS	F	12,536	79	248	148	153	1,014	1,652	1,795	1,466	1,148	766	575	461	522	466	442	404	366	297	157	84	25	4	69
		M	4,701	67	166	74	81	319	605	427	387	336	260	225	187	213	225	225	253	220	255	203	91	41	1	10
		F	57	-	1	1	2	7	5	13	3	4	6	1	3	1	5	-	-	-	1	-	-	1	-	3
		M	48	-	-	1	2	5	4	12	2	4	6	1	1	1	5	-	-	-	1	-	-	1	-	3
		F	9	-	1	-	-	2	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
801	RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER OBJECT		3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
801.3	PEDAL CYCLIST	M	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802	RAILWAY ACCIDENT INVOLVING DERAILMENT WITHOUT ANTECEDENT COLLISION		2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.8	OTHER SPECIFIED PERSON	M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.9	UNSPECIFIED PERSON	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
804	FALL IN, ON, OR FROM RAILWAY TRAIN	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
804.9	UNSPECIFIED PERSON	M	4	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
805	HIT BY ROLLING STOCK		47	-	1	1	1	5	4	11	2	3	5	1	3	1	4	-	-	-	1	-	-	1	-	3
		M	38	-	1	1	1	3	3	10	1	3	5	1	1	1	4	-	-	-	1	-	-	1	-	3
805.2	PEDESTRIAN	F	9	-	1	-	-	2	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	45	-	1	1	1	4	4	11	2	3	5	1	3	1	4	-	-	-	1	-	-	-	-	3
805.9	UNSPECIFIED PERSON	M	36	-	-	1	1	2	3	10	1	3	5	1	1	1	4	-	-	-	1	-	-	-	-	3
		F	9	-	1	-	-	2	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
806	OTHER SPECIFIED RAILWAY ACCIDENT	M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
806.0	RAILWAY EMPLOYEE	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS		5,158	24	132	118	108	692	954	678	463	375	274	195	156	171	170	149	170	97	111	46	20	2	-	13
		M	3,670	16	78	78	65	497	763	535	357	266	187	140	101	116	106	83	97	57	85	25	11	1	-	10
810	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN	F	1,488	8	54	40	43	195	191	143	106	109	87	55	55	53	64	66	73	5	34	21	9	1	-	3
		M	34	-	1	2	3	5	1	4	7	2	3	4	-	-	1	-	-	-	-	-	-	-	-	-
810.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	F	9	-	-	-	3	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	3	-	3	5	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-
810.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	14	-	1	2	3	2	1	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	6	-	1	2	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
810.2	MOTORCYCLIST	F	6	-	-	-	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
810.9	UNSPECIFIED PERSON	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
812	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE		1,994	14	31	24	32	242	383	273	173	147	121	78	65	65	81	58	81	57	41	12	12	1	-	3
		M	1,339	9	19	14	15	160	298	200	129	105	79	50	38	37	43	28	48	36	18	6	5	-	-	2
812.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	F	655	5	12	10	17	82	85	73	44	42	42	28	27	28	38	30	33	21	23	6	7	1	-	1
		M	844	-	-	-	3	79	141	107	78	82	59	40	37	40	41	27	42	33	25	5	5	-	-	2
812.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	567	-	-	-	1	49	98	70	56	54	40	30	23	25	22	17	30	23	26	2	3	-	-	-
		F	277	-	-	-	2	30	43	37	22	28	19	10	14	12	19	10	12	5	9	3	2	-	-	-
812.2	MOTORCYCLIST	M	462	13	25	18	21	58	69	42	21	21	23	16	15	15	20	16	22	18	10	5	5	1	-	1
		F	244	5	9	8	10	29	23	17	14	8	15	9	10	12	14	13	17	13	10	3	4	1	-	1
812.3	PASSENGER ON MOTORCYCLE	M	346	-	-	1	2	51	101	76	49	30	18	6	4	3	4	1	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	2	3	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
812.7	PEDESTRIAN	M	337	-	-	1	2	49	98	75	48	30	16	6	4	3	4	1	-	-	-	-	-	-	-	-
		F	50	-	-	-	1	23	12	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
812.9	UNSPECIFIED PERSON	M	23	-	-	-	-	13	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	27	-	-	-	1	10	6	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
813	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE		291	1	6	5	5	31	60	40	22	13	13	16	9	7	10	14	17	6	6	-	2	-	-	2
		M	193	1	3	3	1	20	50	27	17	8	9	7	6	3	11	7	13	3	2	-	1	-	-	1
813.6	PEDAL CYCLIST	F	98	-	3	2	4	11	10	13	5	5	4	9	3	4	5	7	4	3	4	-	1	-	-	1
		M	121	1	2	2	3	20	11	12	5	4	4	3	2	4	5	5	-	3	3	-	-	-	-	-
		F	18	-	1	1	-	1	3	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
814	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	M	121	1	3	23	22	21	14	12	6	5	5	3	3	4	5	5	-	3	3	-	-	-	-	-
		F	18	-	2	4	3	1	3	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
814.2	MOTORCYCLIST	M	882	3	75	51	28	63	72	61	58	51	45	31	36	39	42	42	54	48	47	24	6	1	-	6
		F	587	2	49	33	20	42	58	48	42	29	32	24	26	31	26	23	31	23	25	12	5	1	-	5
814.7	PEDESTRIAN	F	295	1	26	18	8	20	14	13	16	22	13	7	10	8	16	19	23	25	22	12	1	-	-	1
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
814.9	UNSPECIFIED PERSON	M	878	3	75	51	27	62	70	61	58	50	45	31	36	39	42	42	54	48	47	24	6	1	-	6
		M	584	2	49	33	20	42	56	48	42	28	32	24	26	31	26	23	31	23	25	12	5	1	-	5
		F	294	1	26	18	7	20	14	13	16	22	13	7	10	8	16	19	23	25	22	12	1	-	-	1
		M	3	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION ON THE HIGHWAY		745	-	2	2	4	161	177	120	77	68	22	19	14	22	9	14	13	6	9	6	-	-	-	-
		M	602	-	1	1	4	127	147	98	68	56	20	15	11	15	8	8	8	3	6	6	-	-	-	-
815.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	F	143	-	1	1	-	34	30	22	9	12	2	4	3	7	1	6	5	3	3	-	-	-	-	-
		M	337	-	-	-	-	57	80	54	33	38	13	9	7	12	7	8	7	3	5	4	-	-	-	-
815.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	266	-	-	-	-	44	63	42	27	32	12	6	6	9	7	4	5	1	4	4	-	-	-	-
		F	71	-	-	-	-	13	17	12	6	6	1	3	1	3	-	4	2	2	1	-	-	-	-	-
815.2	MOTORCYCLIST	M	157	-	2	2	4	50	34	25	7	8	4	1	2	6	1	4	4	2	3	-	-	-	-	-
		F	113	-	1	1	4	38	29	19	4	4	3	-	1	3	1	2	2	1	1	-	-	-	-	-
815.3	PASSENGER ON MOTORCYCLE	M	44	-	1	1	-	12	5	6	3	4	1	1	1	3	-	2	2	-	2	-	-	-	-	-
		F	115	-	-	-	-	24	35	25	18	7	1	2	2	-	-	1	2	-	2	-	-	-	-	-
815.9	UNSPECIFIED PERSON	M	113	-	-	-	-	23	35	24	18	7	1	2	2	-	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815.9	UNSPECIFIED PERSON	M	126	-	-	-	-	26	24	14	19	15	4	7	3	4	1	1	2	3	1	2	-	-	-	-
		F	107	-	-	-	-	20	20	12	14	13	4	7	2	3	-	1	1	2	1	2	-	-	-	-
816	MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO LOSS OF CONTROL, WITHOUT COLLISION ON THE HIGHWAY		19	-	-	-	-	6	4	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
		M	958	4	11	7	10	148	234	154	101	71	46	39	27	27	21	20	15	13	3	3	2	-	-	2
816.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	F	706	3	3	3	5	99	168	121	77	53	29	31	17	19	16	14	7	6	-	-	-	-	-	-
		M	252	1	8	4	5	49	66	33	24	18	17	8	10	8	5	6	8	5	3	3	2	-	-	2
		M	341	-	-	-	1	66	99	78	56	38	24	24	14	9	11	10	6	9	1	1	1	-	-	1
		F	111	1	-	-	1	50	60	68	43	26	13	19	9	5	5	4	2	4	2	3	1	1	-	1

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
816.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		214	3	9	6	7	30	60	17	13	7	7	5	5	7	3	4	3	3	1	2	1	-	-	1
		M	130	3	1	3	2	27	44	13	10	3	5	4	2	5	2	3	1	1	-	-	-	-	-	1
		F	84	-	8	3	5	23	16	4	3	4	2	1	3	2	1	1	2	2	1	2	1	-	-	-
816.2	MOTORCYCLIST		87	-	-	-	1	7	26	26	9	8	4	1	1	2	1	1	-	-	-	-	-	-	-	-
		M	85	-	-	-	1	6	26	26	8	8	4	1	1	2	1	1	-	-	-	-	-	-	-	-
816.3	PASSENGER ON MOTORCYCLE		2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	1	4	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
816.7	PEDESTRIAN		7	-	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
816.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
			192	-	2	1	1	24	45	30	19	17	10	9	6	9	6	5	6	1	1	-	-	-	-	-
		M	145	-	2	-	1	16	35	23	16	15	7	7	5	7	4	4	2	1	-	-	-	-	-	-
		F	47	-	-	1	-	8	10	7	3	2	3	2	1	2	2	1	4	-	1	-	-	-	-	-
817	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
817.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
817.9	UNSPECIFIED PERSON	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818	OTHER NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT		106	-	3	6	3	17	20	16	8	9	6	5	2	2	1	4	3	1	-	-	-	-	-	-
		M	74	-	1	5	1	13	15	13	3	5	5	5	2	1	1	2	1	1	-	-	-	-	-	-
		F	32	-	2	1	2	4	5	3	5	4	1	-	-	1	-	2	2	-	-	-	-	-	-	-
818.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		16	-	-	-	-	1	3	2	3	2	1	3	-	-	-	-	1	-	-	-	-	-	-	-
		M	11	-	-	-	-	1	2	1	1	1	1	3	-	-	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		38	-	3	6	2	9	5	6	2	2	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		M	24	-	1	5	1	8	2	5	1	2	-	-	-	1	-	-	1	1	-	-	-	-	-	-
		F	14	-	2	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.2	MOTORCYCLIST		7	-	-	-	-	-	2	2	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	2	2	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
818.3	PASSENGER ON MOTORCYCLE		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.7	PEDESTRIAN		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.8	OTHER SPECIFIED PERSON		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.9	UNSPECIFIED PERSON		62	-	-	-	-	7	9	5	1	5	6	2	2	1	1	4	1	-	-	-	-	-	-	-
		M	31	-	-	-	-	4	8	4	1	3	3	2	2	1	1	2	1	-	-	-	-	-	-	-
		F	31	-	-	-	-	3	1	1	-	2	3	-	-	-	-	2	-	-	-	-	-	-	-	-
819	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE		298	2	6	3	6	39	53	38	32	22	26	15	8	12	10	6	4	8	8	1	-	-	2
		M	215	1	3	1	-	31	46	29	26	13	16	9	5	11	6	3	2	5	5	1	-	-	1
		F	83	1	3	2	5	5	7	9	6	9	10	6	3	1	4	3	2	3	3	-	-	-	1
819.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		52	-	-	-	-	8	12	7	6	3	4	5	2	1	2	2	2	-	-	-	-	-	-	-
		M	44	-	-	-	-	7	10	6	6	2	3	5	2	1	2	2	2	-	-	-	-	-	-	-
		F	8	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
819.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		37	-	3	2	3	6	6	5	1	2	-	-	2	-	-	3	1	1	2	1	-	-	-	1
		M	18	-	1	1	-	5	5	4	1	1	-	-	2	-	-	3	1	1	2	1	-	-	-	1
		F	19	-	2	1	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
819.2	MOTORCYCLIST		16	-	-	-	-	1	2	3	4	1	4	-	-	2	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	2	3	1	4	-	-	2	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
819.9	UNSPECIFIED PERSON		191	2	3	1	3	20	33	22	21	16	16	10	6	10	5	3	3	6	7	1	-	-	-	1
		M	136	2	2	1	1	17	24	16	15	9	9	4	5	7	5	3	3	5	5	1	-	-	-	1
		F	55	-	1	-	2	3	9	6	6	7	7	6	1	3	-	1	2	1	2	-	-	-	-	-
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS		139	-	22	6	3	6	10	10	9	7	9	6	2	1	1	1	2	1	1	2	1	-	-	-
		M	111	-	15	5	2	6	10	10	7	5	9	4	2	1	1	1	2	1	1	2	1	-	-	-
		F	27	-	7	1	1	3	1	1	2	2	1	2	1	1	1	1	1	1	1	1	1	-	-	1
821	NONTRAFFIC ACCIDENT INVOLVING OTHER OFF-ROAD MOTOR VEHICLE		33	-	1	2	3	2	2	1	2	2	2	1	3	1	1	1	2	2	1	-	-	-	-	-
		M	28	-	1	2	2	2	2	1	2	2	2	1	3	1	1	1	2	2	1	-	-	-	-	-
		F	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		12	-	-	-	1	1	1	-	3	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	1	1	1	-	3	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		5	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.2	MOTOR CYCLIST		7	-	-	-	1	1	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	1	1	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
821.3	PASSENGER ON MOTORCYCLE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.8	OTHER SPECIFIED PERSON		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.9	UNSPECIFIED PERSON		5	-	-	1	-	1	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
822	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT		68	-	18	3	-	2	4	7	6	3	5	2	2	3	2	3	3	2	-	1	-	-	1	-
		M	50	-	12	2	-	2	4	6	5	2	4	2	2	2	1	2	1	2	-	1	-	-	1	-
		F	18	-	6	1	-	-	-	1	1	1	1	-	-	1	1	1	2	-	-	-	-	-	-	-
822.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		3	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
822.2	MOTOR CYCLIST		5	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
822.7	PEDESTRIAN		60	-	18	3	-	2	2	6	4	2	4	2	2	3	2	3	3	2	-	1	-	-	1	-
		M	42	-	12	2	-	2	2	5	3	1	3	2	2	2	1	2	2	2	-	1	-	-	1	-
		F	18	-	6	1	-	-	-	1	1	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-
823	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
823.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
823.2	MOTOR CYCLIST		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
823.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
824	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT WHILE BOARDING AND ALIGHTING		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
824.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
825	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT OF OTHER AND UNSPECIFIED NATURE		32	-	3	1	-	5	6	3	1	2	1	2	2	1	1	1	1	-	-	-	-	-	-	-
		M	29	-	2	1	-	3	6	3	1	2	1	2	2	1	1	1	1	-	-	-	-	-	-	-
		F	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1985
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
825.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	11	-	-	-	-	2	1	3	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	1	3	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
825.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
825.2	MOTOR CYCLIST	M	7	-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
825.6	PEDAL CYCLIST	M	4	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
825.7	PEDESTRIAN	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
825.9	UNSPECIFIED PERSON	M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	8	-	1	1	-	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
826-829	OTHER ROAD VEHICLE ACCIDENTS	F	1	-	1	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	23	-	-	2	4	-	1	3	-	3	2	2	2	1	1	-	-	-	2	-	-	-	-	-
826	PEDAL CYCLE ACCIDENT	F	10	-	-	2	2	-	1	1	-	3	1	1	-	1	1	-	-	-	2	-	-	-	-	-
		M	14	-	-	2	2	-	1	2	-	3	1	1	2	1	1	-	-	-	2	-	-	-	-	-
826.0	PEDESTRIAN	F	13	-	-	2	2	-	1	1	-	3	1	-	2	1	1	-	-	-	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
826.1	PEDAL CYCLIST	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
826.8	ACCIDENT INVOLVING ANIMAL BEING RIDDEN	M	13	-	-	2	2	-	1	1	-	3	1	-	-	1	1	-	-	-	2	-	-	-	-	-
		F	9	-	-	-	2	-	-	2	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-
826.2	RIDER OF ANIMAL	M	3	-	-	-	2	-	-	2	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
830-838	WATER TRANSPORT ACCIDENTS	M	3	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	84	-	-	3	2	3	10	10	11	5	6	6	4	5	5	6	3	-	1	-	-	-	-	-
830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION	M	76	-	-	2	2	3	9	10	9	5	6	6	2	5	5	6	3	-	1	-	-	-	-	-
		F	8	-	-	1	-	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
830.0	OCCUPANT OF SMALL BOAT, UNPOWERED	M	30	-	-	2	-	-	4	3	2	2	3	4	1	1	2	4	1	-	1	-	-	-	-	-
830.2	OCCUPANT OF OTHER WATERCRAFT -- CREW	M	6	-	-	-	-	-	3	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
830.3	OCCUPANT OF OTHER WATERCRAFT -- OTHER THAN CREW	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
830.9	UNSPECIFIED PERSON	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
831	ACCIDENT TO WATERCRAFT CAUSING OTHER INJURY	M	20	-	-	2	-	-	1	2	1	2	2	2	1	1	2	-	1	-	-	-	-	-	-	-
		F	6	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
831.1	OCCUPANT OF SMALL BOAT, POWERED	M	7	-	-	-	1	-	1	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
831.2	OCCUPANT OF OTHER WATERCRAFT -- CREW	M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
831.3	OCCUPANT OF OTHER WATERCRAFT -- OTHER THAN CREW	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
831.4	WATER SKIER	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
831.8	OTHER SPECIFIED PERSON	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
831.9	UNSPECIFIED PERSON	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
832	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT ACCIDENT	M	29	-	-	-	1	2	2	4	5	1	2	3	2	2	3	-	2	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
832.1	OCCUPANT OF SMALL BOAT, POWERED	M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
832.9	UNSPECIFIED PERSON	M	27	-	-	-	1	2	2	3	4	1	2	3	2	2	3	-	2	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
834	OTHER FALL FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
834.9	UNSPECIFIED PERSON	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
835	OTHER AND UNSPECIFIED FALL IN WATER TRANSPORT	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
835.0	OCCUPANT OF SMALL BOAT, UNPOWERED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
837	EXPLOSION, FIRE OR BURNING IN WATERCRAFT	M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
837.9	UNSPECIFIED PERSON	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENT	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	1	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
838.1	OCCUPANT OF SMALL BOAT, POWERED	F	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
838.2	OCCUPANT OF OTHER WATERCRAFT -- CREW	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.5	SWIMMER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.9	UNSPECIFIED PERSON	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
840-845	AIR AND SPACE TRANSPORT ACCIDENTS	M	10	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
840	ACCIDENT TO POWERED AIRCRAFT AT TAKEOFF OR LANDING	M	186	-	5	1	7	3	17	26	23	27	27	15	15	6	6	3	2	-	-	-	-	-	-	-
		F	144	-	3	5	3	3	9	21	20	20	22	14	13	5	6	3	2	-	-	-	-	-	-	-
840.1	OCCUPANT OF MILITARY AIRCRAFT, ANY	M	42	-	2	1	2	-	8	5	3	7	5	1	2	1	-	-	-	-	-	-	-	-	-	-
840.5	OCCUPANT OF OTHER POWERED AIRCRAFT	M	5	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
841.1	OCCUPANT OF MILITARY AIRCRAFT, ANY	M	174	-	5	1	7	3	15	21	23	26	24	15	15	6	6	3	2	-	-	-	-	-	-	-
		F	132	-	3	5	3	3	8	16	20	19	19	12	13	5	6	3	2	-	-	-	-	-	-	-
		M	42	-	2	1	2	-	8	5	3	7	5	3	2	1	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	1	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968

(BY PLACE OF OCCURRENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	NOT STATED
E41.2	CREW OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT	M	0																				
E41.3	OTHER OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT	M	11																				
E41.4	OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO AIR TRANSPORT	M	0																				
E41.5	OCCUPANT OF OTHER POWERED AIRCRAFT	M	0																				
E41.9	OTHER PERSON	M	0																				
E42	ACCIDENT TO UNPOWERED AIRCRAFT	M	1																				
E42.5	OCCUPANT OF OTHER POWERED AIRCRAFT	M	0																				
E42.6	OCCUPANT OF UNPOWERED AIRCRAFT, EXCEPT PARACHUTIST	M	0																				
E43	FALL IN, ON OR FROM AIRCRAFT	M	1																				
E43.3	OTHER OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT	M	0																				
E44	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS	M	0																				
E44.7	PARACHUTIST (MILITARY) (OTHER)	M	0																				
E45	ACCIDENT INVOLVING OTHER VEHICLES NOT ELSEWHERE CLASSIFIED	M	0																				
E50-E55	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	M	1,33																				
E50	ACCIDENTAL POISONING BY ANALGESICS, ANTIPYRETICS, ANTIRHEUMATICS	M	334																				
E50.0	OPIATES AND RELATED NARCOTICS	M	0																				
E50.1	SALICYLATES	M	0																				
E50.2	AROMATIC ANALGESICS, NOT ELSEWHERE CLASSIFIED	M	0																				
E50.4	ANTIRHEUMATICS (ANTIPHLOGISTICS)	M	0																				
E50.5	OTHER NON-NARCOTIC ANALGESICS	M	0																				
E50.6	OTHER	M	0																				
E50.9	UNSPECIFIED	M	0																				
E51	ACCIDENTAL POISONING BY BARBITURATES	M	0																				
E52	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS	M	0																				
E52.0	CHLORAL HYDRATE GROUP	M	0																				
E52.2	BROMINE COMPOUNDS	M	0																				
E52.4	GLUTETHIMIDE GROUP	M	0																				
E52.5	MISCELLANEOUS SEDATIVES, NOT ELSEWHERE CLASSIFIED	M	0																				
E52.6	OTHER	M	0																				
E52.9	UNSPECIFIED	M	0																				
E53	ACCIDENTAL POISONING BY TRANQUILIZERS	M	0																				
E53.0	PHENOTHIAZINE BASED TRANQUILIZERS	M	0																				
E53.2	BENZODIAZEPINE BASED	M	0																				
E53.8	OTHER	M	0																				
E54	ACCIDENTAL POISONING BY OTHER PSYCHOTROPIC AGENTS	M	0																				
E54.0	ANTIDEPRESSANTS	M	0																				
E54.1	PSYCHODYSLEPTICS (HALLUCINOGENS)	M	0																				
E54.2	PSYCHOSTIMULANTS	M	0																				
E55	ACCIDENTAL POISONING BY OTHER DRUGS ACTING ON CENTRAL AND AUTONOMIC NERVOUS SYSTEMS	M	110																				
E55.0	ANTICONVULSANT AND ANTI-PARKINSONISM DRUGS	M	0																				
E55.1	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS	M	0																				

8TH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
866.3	CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF OTHER DOMESTIC FUELS	M	10					1		2			1				1		1							
		F	2																1							
866.4	CARBON MONOXIDE FROM OTHER SOURCES	M	2							1									1							
		F																								
866.9	UNSPECIFIED CARBON MONOXIDE	M	1																1							
		F																								

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
869	ACCIDENTAL POISONING BY OTHER GASES AND VAPOURS	M	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
869.8	OTHER SPECIFIED GASES AND VAPOURS	M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
869.9	UNSPECIFIED GASES AND VAPOURS	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	M	63	3	3	2	1	-	2	2	2	3	3	3	3	9	9	6	7	6	5	6	-	2	-	-
		M	34	3	2	1	1	-	1	1	1	3	2	1	2	4	6	2	-	3	1	1	-	-	-	-
		F	29	2	1	1	-	-	1	1	1	2	1	2	1	5	3	4	7	3	4	5	-	2	-	-
870	ACCIDENTAL CUT, PUNCTURE, PERFORATION OR HAEMORRHAGE DURING MEDICAL CARE	M	66	4	2	1	-	-	2	2	1	4	2	3	2	6	7	5	7	6	4	3	-	1	-	-
		M	27	2	2	-	-	-	1	1	1	3	1	1	2	3	3	1	-	3	1	1	-	-	-	-
		F	39	2	-	1	-	-	1	1	-	1	1	2	-	3	4	4	7	3	3	2	-	1	-	-
870.0	SURGICAL OPERATION	M	18	-	-	-	-	-	-	2	1	1	-	3	1	3	2	-	2	-	4	2	-	-	-	-
		M	7	-	-	-	-	-	-	1	1	1	-	1	-	2	-	-	2	-	1	1	-	-	-	-
		F	11	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	2	-	3	1	-	-	-	-
870.1	INFUSION OR TRANSFUSION	M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870.2	KIDNEY DIALYSIS OR OTHER PERFUSION	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870.4	ENDOSCOPIC EXAMINATION	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-
870.5	ASPIRATION OF FLUID OR TISSUE, PUNCTURE AND CATHETERIZATION (ANY, EXCEPT HEART CATHETERIZATION)	M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
870.6	HEART CATHETERIZATION	M	22	1	-	-	-	-	1	-	1	1	-	-	-	3	4	4	3	4	-	1	-	-	-	-
		F	7	1	-	-	-	-	1	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-
870.7	ADMINISTRATION OF ENEMA	F	15	-	-	-	-	-	-	-	1	1	-	-	-	2	1	3	3	3	-	1	-	-	-	-
870.8	OTHER	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	3	1	-	-	-	1	-	-	-	1	-	1	1	-	1	-	2	-	-	-	1	-	-
		F	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
870.9	UNSPECIFIED	F	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
871	FOREIGN OBJECT LEFT IN BODY DURING PROCEDURE	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
871.0	SURGICAL OPERATION	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
874	MECHANICAL FAILURE OF INSTRUMENT OR APPARATUS DURING PROCEDURE	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
874.1	INFUSION AND TRANSFUSION	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
876	OTHER AND UNSPECIFIED MISADVENTURES DURING MEDICAL CARE	M	14	1	1	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	1	3	-	1	-	-
		M	9	1	-	1	1	-	-	-	1	1	-	-	-	1	1	1	-	-	1	2	-	1	-	-
		F	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
876.0	MISMATCHED BLOOD IN TRANSFUSION	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
876.3	ENDOTRACHEAL TUBE WRONGLY PLACED DURING ANAESTHETIC PROCEDURE	M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
876.4	FAILURE TO INTRODUCE OR TO REMOVE OTHER TUBE OR INSTRUMENT	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
876.8	OTHER SPECIFIED MISADVENTURES	M	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
		F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
876.9	UNSPECIFIED MISADVENTURE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
878-879	SURG. & MEDICAL PROCEDURES CAUSING ABNORMAL PATIENT REACTION OR LATER COMPLICATION W/O MENTION OF MISADV. AT TIME PROC	M	133	8	1	-	-	-	1	1	1	3	3	8	7	4	10	12	12	22	11	14	14	3	3	-
		M	58	8	1	-	-	-	1	1	1	3	3	5	5	2	6	4	4	6	4	6	6	3	1	-
		F	75	-	-	-	-	-	-	-	-	-	-	3	2	2	4	8	8	16	7	8	8	0	2	-
878	SURGICAL PROCEDURE AS CAUSE OF ABNORMAL REACTION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF OPERATION	M	110	-	1	-	-	-	2	3	3	6	7	8	5	6	10	10	10	13	9	14	13	2	2	-
		M	48	-	1	-	-	-	2	3	3	6	6	8	5	6	6	4	5	7	5	6	6	2	2	-
		F	62	-	-	-	-	-	-	-	-	-	1	-	-	-	4	6	5	6	4	8	7	0	-	-
878.1	SURGICAL OPERATION WITH IMPLANT OF ARTIFICIAL INTERNAL DEVICE	M	16	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	3	3	4	1	3	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	2	3	1	3	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
878.2	SURGICAL OPERATION WITH ANASTOMOSIS, BYPASS OR GRAFT, WITH NATURAL OR ARTIFICIAL TISSUES USED AS IMPLANT	M	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
878.3	SURGICAL OPERATION WITH FORMATION OF EXTERNAL STOMA	M	11	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	2	1	1	3	1	-	-	-
		M	5	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	2	1	1	2	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
878.4	OTHER RESTORATIVE SURGERY	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
878.5	AMPUTATION OF LIMB(S)	M	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	-	1	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
878.6	REMOVAL OF OTHER ORGAN (PARTIAL) (TOTAL)	M	12	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	3	2	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
878.8	OTHER	M	30	-	-	-	-	-	-	1	1	4	3	3	2	3	4	6	3	4	3	2	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	3	2	2	1	2	3	3	2	2	2	1	-	-	-	-
		F	16	-	-	-	-	-	-	1	1	1	1	1	1	1	1	3	1	2	1	1	-	-	-	-
878.9	UNSPECIFIED	M	13	-	-	-	-	-	-	1	1	1	1	2	1	1	1	1	1	1	1	1	1	-	-	-
		M	8	-	-	-	-	-	-	1	1	1	1	2	1	1	1	1	1	1	1	1	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
879	OTHER PROCEDURES, W/O MENTION OF MISADV AT TIME OF PROCEDURE, CAUSING ABNORMAL PATIENT REACTION, OR LATER COMPLICATION	M	23	2	-	-	-	-	1	-	-	-	1	-	1	1	2	2	2	2	2	3	1	1	-	-
		M	10	2	-	-	-	-	1	-	-	-	1	-	1	1	2	1	2	2	2	3	1	1	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
879.0	CARDIAC CATHETERIZATION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	1	-	-	1	-	1	-	2	1	3	-	2	1	1	-	-	-
879.8	OTHER	M	8	2	-	-	-	-	1	1	-	-	1	-	-	-	2	1	2	-	2	1	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
880-888	ACCIDENTAL FALLS	M	1,126	10	7	5	2	16	28	26	28	31	33	28	35	62	67	81	85	104	166	161	103	43	3	2
		M	655	3	7	3	2	16	24	23	23	27	25	23	28	47	48	53	32	56	71	61	41	16	2	2
		F	471	7	-	2	-	-	4	3	5	4	8	5	7	15	19	28	53	48	95	100	62	27	1	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
880	FALL ON OR FROM STAIRS OR STEPS		58	-	-	-	-	-	-	-	-	3	3	1	2	3	7	4	9	4	9	9	3	1	-	-
		M	29	-	-	-	-	-	-	-	-	2	2	1	2	2	4	1	5	1	3	3	2	1	-	-
		F	29	-	-	-	-	-	-	-	-	1	1	-	-	1	3	3	4	3	6	6	1	-	-	-
880.9	OTHER STAIRS OR STEPS		58	-	-	-	-	-	-	-	-	3	3	1	2	3	7	4	9	4	9	9	3	1	-	-
		M	29	-	-	-	-	-	-	-	-	2	2	1	2	2	4	1	5	1	3	3	2	1	-	-
		F	29	-	-	-	-	-	-	-	-	1	1	-	-	1	3	3	4	3	6	6	1	-	-	-
881	FALL ON OR FROM LADDERS OR SCAFFOLDING		30	-	-	-	-	-	2	-	2	2	2	1	-	3	4	3	-	4	3	4	-	-	-	-
		M	27	-	-	-	-	-	1	-	2	2	2	1	-	3	3	3	-	4	3	3	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
881.0	FALL FROM LADDER		26	-	-	-	-	-	2	-	1	1	1	1	-	3	3	3	-	4	3	4	-	-	-	-
		M	23	-	-	-	-	-	1	-	1	1	1	1	-	3	2	3	-	4	3	3	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
881.1	FALL FROM SCAFFOLDING		4	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
882	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE		69	-	4	-	1	8	5	8	6	6	3	4	1	5	1	5	5	3	3	1	-	1	-	-
		M	59	-	4	-	1	8	4	8	5	5	2	4	1	3	1	4	3	3	2	1	-	1	-	-
		F	10	-	-	-	-	-	1	-	1	1	1	-	-	2	-	1	2	-	1	-	-	-	-	-
883	FALL INTO HOLE OR OTHER OPENING IN SURFACE		8	-	-	-	-	2	1	1	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	8	-	-	-	-	2	1	1	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
883.0	ACCIDENT FROM DIVING OR JUMPING INTO WATER (SWIMMING POOL)		4	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
883.9	FALL INTO OTHER HOLE OR OTHER OPENING IN SURFACE		4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
884	OTHER FALL FROM ONE LEVEL TO ANOTHER		122	6	1	2	-	4	14	9	6	3	3	7	4	3	7	7	3	6	12	10	5	5	1	-
		M	85	2	1	2	-	4	13	6	6	3	2	7	3	5	6	7	3	1	7	4	1	1	1	-
		F	37	4	-	-	-	-	1	3	-	-	1	-	1	-	1	-	-	5	5	6	4	4	-	-
884.0	FALL FROM PLAYGROUND EQUIPMENT		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
884.1	FALL FROM CLIFF		36	-	-	-	-	4	11	6	2	1	1	5	-	2	2	-	-	-	2	-	-	-	-	-
		M	30	-	-	-	-	4	10	3	2	1	1	5	-	2	1	-	-	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	1	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
884.2	FALL FROM CHAIR OR BED		48	4	1	-	-	-	-	-	1	-	1	-	1	-	1	4	3	4	8	7	5	5	1	-
		M	19	1	1	-	-	-	-	-	1	-	1	-	1	-	1	4	1	1	4	2	1	1	1	-
		F	29	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	5	4	4	-	-
884.9	OTHER FALL FROM ONE LEVEL TO ANOTHER		37	2	-	2	-	-	3	3	3	2	1	2	3	3	4	3	2	-	2	3	-	-	-	-
		M	35	1	-	2	-	-	3	3	3	2	1	2	3	3	4	3	2	-	2	3	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
885	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING OR STUMBLING		36	-	-	-	-	1	-	1	-	-	-	-	3	1	1	1	6	3	10	5	2	2	-	-
		M	17	-	-	-	-	1	-	1	-	-	-	-	2	1	1	1	4	1	3	1	2	1	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	7	4	-	1	-	-
887	FRACTURE, CAUSE UNSPECIFIED		106	-	-	1	-	-	-	-	-	1	-	-	-	2	2	2	9	7	17	34	20	10	1	-
		M	37	-	-	1	-	-	-	-	-	1	-	-	-	2	1	1	6	3	13	8	1	1	-	-
		F	69	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	3	4	4	26	19	9	1	-
888	OTHER AND UNSPECIFIED FALL		697	4	2	2	1	1	6	7	14	14	22	14	23	43	45	39	51	77	111	99	72	25	1	2
		M	393	1	2	2	1	1	5	7	10	12	17	9	20	33	32	37	34	42	49	35	29	12	1	2
		F	304	3	-	-	-	-	1	-	4	2	5	5	3	10	13	2	17	35	62	64	43	13	-	-
890-899	ACCIDENTS CAUSED BY FIRE AND FLAMES		328	10	37	14	5	6	19	26	20	17	8	10	14	17	20	26	22	10	13	13	2	1	1	2
		M	197	4	20	9	3	6	10	18	15	12	6	5	11	6	11	13	11	11	8	5	2	1	1	2
		F	131	6	17	6	2	-	9	8	5	5	2	5	3	9	9	13	11	8	5	8	-	-	-	-
890	CONFLAGRATION IN PRIVATE DWELLING		242	9	33	14	3	5	14	10	10	10	5	12	8	6	11	14	9	12	17	12	6	2	1	2
		M	141	4	18	8	2	5	8	7	6	11	3	8	5	3	3	7	7	9	9	3	4	1	1	2
		F	101	5	15	6	1	-	6	3	4	-	2	4	3	3	8	7	2	3	8	9	2	1	-	-
890.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION		144	6	23	9	1	5	11	13	8	7	5	5	5	4	6	7	8	8	9	7	4	1	-	-
		M	81	3	11	5	-	5	4	8	6	3	2	3	4	2	3	4	5	5	7	2	2	1	-	-
		F	63	3	12	4	1	-	7	5	2	4	3	2	1	2	3	3	3	3	2	5	2	-	-	-
890.3	BURNING CAUSED BY CONFLAGRATION		97	3	10	5	2	-	3	6	6	6	3	1	3	4	5	7	10	4	3	2	2	1	1	2
		M	60	1	7	3	2	-	2	4	5	5	2	1	3	3	1	4	6	4	2	1	1	1	1	2
		F	37	2	3	2	-	-	1	2	1	1	1	-	1	1	4	3	4	3	1	1	1	-	-	-
890.8	OTHER ACCIDENT RESULTING FROM CONFLAGRATION		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
891	CONFLAGRATION IN OTHER AND UNSPECIFIED BUILDING OR STRUCTURE		21	1	2	-	-	-	2	3	2	1	1	2	2	2	3	1	1	-	-	-	-	-	-	-
		M	18	1	2	-	-	-	2	3	2	1	1	2	2	2	2	1	1	-	-	-	-	-	-	-
891.0	EXPLOSION CAUSED BY CONFLAGRATION		3	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
891.1	FUMES FROM COMBUSTION OF POLYVINYL-CHLORIDE (PVC) AND SIMILAR MATERIAL IN CONFLAGRATION		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
891.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION		7	1	1	-	-	-	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		M	6	1	1	-	-	-	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
891.3	BURNING CAUSED BY CONFLAGRATION		11	1	1	-	-	-	-	3	1	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	1	1	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-
		F	8	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
892	CONFLAGRATION NOT IN BUILDING OR STRUCTURE		7	-	-	-	-	1	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	1	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
893	ACCIDENT CAUSED BY IGNITION OF CLOTHING		23	-	2	-	1	-	2	-	-	-	-	-	-	1	2	2	2	4	3	2	-	-	-	-
		M	9	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	2	1	-	-	-	-
		F	14	-	2	-	1	-	1	-	-	-	-	-	-	-	1	1	2	3	1	1	-	-	-	-
893.0	FROM CONTROLLED FIRE IN PRIVATE DWELLING		7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
893.8	FROM OTHER SOURCES		14	-	1	-	1	-	1	-	-	-	-	-	-	1	1	1	1	3	1	2	-	-	-	-
		M	5	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-	-	-	-
		F	9	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
893.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
894	IGNITION OF HIGHLY INFLAMMABLE MATERIAL		6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
895	ACCIDENT CAUSED BY CONTROLLED FIRE IN PRIVATE DWELLING		8	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	1	-	-	-
		M	5	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
897	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
898	ACCIDENT CAUSED BY OTHER SPECIFIED FIRE AND FLAMES		12	-	-	-	-	-	-	1	1	-	-	-	-	-	3	3	1	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
898.0	BURNING BEDCLOTHES		5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-
898.1	OTHER		7	-	-	-	-	-	-	1	1	-	-	1	-	-	2	1	1	-	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	1	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
899	ACCIDENT CAUSED BY UNSPECIFIED FIRE		5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
900-909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS		88	1	2	-	1	3	6	5	4	5	7	5	4	-	4	6	6	3	8	2	5	-	-	3
		M	65	1	1	-	1	2	4	3	2	3	6	3	2	-	4	6	4	3	6	2	3	-	-	3
		F	23	1	1	-	-	1	2	2	2	2	1	2	2	-	-	-	2	-	2	-	2	-	-	-
900	EXCESSIVE HEAT		28	-	1	-	-	1	3	1	2	2	4	3	1	-	-	2	2	2	2	1	1	-	-	2
		M	19	-	1	-	-	1	2	1	2	2	4	2	1	-	-	2	1	2	2	1	1	-	-	2
		F	9	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
900.0	DUE TO WEATHER CONDITIONS		18	-	1	-	-	-	2	2	2	1	2	2	1	-	-	1	2	2	1	1	1	-	-	1
		M	13	-	-	-	-	-	2	2	2	1	2	2	1	-	-	1	2	2	1	1	1	-	-	1
		F	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
900.1	OF MANMADE ORIGIN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
900.9	OF UNSPECIFIED ORIGIN		9	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	1
		M	6	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	1
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
901	EXCESSIVE COLD		25	-	1	-	-	-	-	1	1	1	1	2	-	-	3	3	3	-	2	1	1	-	-	1
		M	20	-	1	-	-	-	-	1	1	1	1	2	-	-	3	2	3	-	2	1	1	-	-	1
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
901.0	DUE TO WEATHER CONDITIONS		12	-	1	-	-	-	-	1	-	-	-	1	-	-	2	2	1	-	1	1	-	-	-	-
		M	9	-	1	-	-	-	-	1	-	-	-	1	-	-	2	2	1	-	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
901.9	OF UNSPECIFIED ORIGIN		13	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	2	-	1	1	1	-	-	1
		M	11	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	2	-	1	1	1	-	-	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
902	HIGH AND LOW AIR PRESSURE AND CHANGES IN AIR PRESSURE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
902.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
904	HUNGER, THIRST, EXPOSURE, NEGLECT		17	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	1	1	4	-	3	-	-	-
		M	12	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	1	1	4	-	3	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
904.1	LACK OF FOOD		9	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	1	4	-	3	-	-	-
		M	6	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	1	4	-	3	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
904.3	EXPOSURE (TO WEATHER CONDITIONS) NOT ELSEWHERE CLASSIFIABLE		8	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	1	1	-	-	2	-	-	-
		M	6	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	1	1	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
905	VENOMOUS ANIMALS AND PLANTS AS THE CAUSE OF POISONING AND TOXIC REACTIONS	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
905.3	HORNETS, WASPS AND BEES	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
906	OTHER INJURY CAUSED BY ANIMALS		12	1	1	-	-	1	1	1	-	-	1	1	3	1	-	-	1	-	-	-	-	-	-	-
		M	7	1	1	-	-	1	1	1	-	-	1	1	2	1	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
906.0	DOG BITE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
906.4	BITE OF NONVENOMOUS ARTHROPOD		3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
906.8	OTHER SPECIFIED INJURY CAUSED BY ANIMAL		8	-	1	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
907	LIGHTNING	M	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
909	CATACLYSMIC EARTH SURFACE MOVEMENTS AND ERUPTIONS	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
910-915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION AND FOREIGN BODIES		903	52	133	29	14	45	66	71	52	42	29	26	16	15	41	42	49	46	42	31	15	6	-	19
		M	615	25	67	21	9	39	60	59	45	29	25	15	13	13	26	27	30	27	21	10	9	2	-	16
		F	288	27	66	8	5	6	6	12	7	13	4	11	3	2	15	14	19	19	21	21	6	4	-	3
910	ACCIDENTAL DROWNING AND SUBMERSION		321	15	113	25	10	40	36	40	39	27	18	12	6	4	13	15	17	11	9	7	3	-	-	19
		M	187	5	70	19	4	34	30	31	34	18	16	8	4	2	10	12	12	7	6	5	3	-	-	10
		F	134	7	43	6	6	6	6	9	5	9	2	4	2	2	3	3	5	4	3	2	-	-	-	1
910.0	WHILE WATER SKIING		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
910.1	WHILE ENGAGED IN OTHER SPORT OR RECREATIONAL ACTIVITY WITH DIVING EQUIPMENT	M	8	-	-	-	-	2	2	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
910.2	WHILE ENGAGED IN OTHER SPORT OR RECREATIONAL ACTIVITY WITHOUT DIVING EQUIPMENT		105	-	2	6	6	19	20	20	9	8	2	4	-	-	-	2	-	1	2	-	-	-	-	4
		M	67	-	1	5	4	17	17	18	8	7	2	2	-	-	-	2	-	1	2	-	-	-	-	4
		F	18	-	1	1	2	2	3	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
910.3	WHILE SWIMMING OR DIVING FOR PURPOSES OTHER THAN RECREATION OR SPORT		7	-	-	1	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	1	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
910.4	IN BATHTUB		74	9	16	1	-	2	2	6	3	4	2	2	3	3	2	3	8	12	3	2	1	-	-	-
		M	41	5	14	1	-	2	2	6	3	4	2	2	3	3	2	3	8	12	3	2	1	-	-	-
		F	33	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
910.8	OTHER		234	12	53	14	4	12	27	27	16	11	8	4	2	7	10	7	8	5	6	6	2	-	-	15
		M	175	8	38	11	3	10	24	24	15	8	7	2	2	7	8	5	8	5	6	6	2	-	-	14
		F	59	4	15	3	1	2	3	3	1	3	1	2	-	-	2	2	-	-	-	-	-	-	-	1
910.9	UNSPECIFIED		92	2	40	5	2	5	3	6	4	2	2	1	1	1	3	3	6	3	2	2	1	-	-	-
		M	69	2	27	4	2	4	3	6	4	2	2	1	1	1	3	3	6	3	2	2	1	-	-	-
		F	23	-	13	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
911	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION		239	18	11	2	1	1	-	3	7	4	10	5	10	6	16	22	16	25	20	25	15	10	4	-
		M	141	9	9	1	1	1	-	3	4	3	6	4	6	4	14	14	14	12	16	15	5	1	-	-
		F	98	9	2	1	-	-	-	-	3	1	4	1	4	2	2	8	2	13	4	10	10	9	4	-	-
912	INHALATION AND INGESTION OF OTHER		33	6	-	1	-	-	-	-	-	-	1	1	2	-	1	-	4	-	1	1	-	-	-	-
		M	22	6	-	1	-	-	-	-	-	-	1	1	2	-	1	-	4	-	1	1	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913.0	IN BED OR CRADLE		27	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	-	-	-	-	-
		M	16	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-
		F	11	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
913.1	BY PLASTIC BAG	M	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
913.2	DUE TO LACK OF AIR (IN CLOSED PLACE)	M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913.3	BY FALLING EARTH OR OTHER SUBSTANCE	M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913.8	OTHER SPECIFIED MEANS	M	7	-	-	-	-	2	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	37	4	3	2	1	2	3	3	3	2	3	2	1	1	2	-	4	1	-	-	-	-	-	-
		M	24	1	3	1	1	2	3	3	3	2	3	1	1	1	2	-	1	-	-	-	-	-	-	-
913.9	UNSPECIFIED	F	11	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	-	-	-
		M	16	2	2	-	1	-	1	1	2	2	1	1	1	-	1	-	-	1	-	-	-	-	-	-
		F	10	2	2	-	1	-	1	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
915	FOREIGN BODY ACCIDENTALLY ENTERING OTHER ORIFICE	M	6	2	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-
916-928	OTHER ACCIDENTS	M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			548	1	16	13	18	45	82	61	36	49	34	21	19	24	27	21	25	19	13	13	2	1	1	3
		M	430	1	7	7	16	40	73	57	34	38	32	20	17	24	21	17	18	13	6	6	-	-	1	2
		F	98	-	11	6	2	5	9	4	2	11	2	1	2	-	6	4	7	6	7	7	2	1	-	1
916	STRUCK ACCIDENTALLY BY FALLING OBJECT	M	65	-	7	3	-	2	9	15	1	2	5	6	5	2	2	3	1	1	-	1	-	-	-	1
		F	56	-	3	1	-	2	7	15	1	2	5	6	5	2	2	2	1	1	-	-	-	-	-	1
917	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS OR PERSONS	M	13	-	1	-	-	2	2	1	-	3	1	1	-	-	-	1	-	-	-	1	1	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
917.0	IN SPORTS	M	3	-	-	-	-	1	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
917.9	OTHER	M	10	-	1	-	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
918	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS	M	14	-	3	3	-	1	2	1	-	2	2	-	-	-	1	-	1	-	1	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919	ACCIDENTS CAUSED BY MACHINERY	M	60	-	2	-	-	3	13	9	1	6	6	2	2	2	6	2	5	2	-	-	1	-	-	-
		F	64	-	1	-	-	3	13	9	1	5	5	2	2	2	5	2	5	2	-	-	-	-	-	-
919.0	AGRICULTURAL MACHINES	M	30	-	1	-	-	1	7	4	-	1	2	2	2	2	3	2	3	1	-	-	-	-	-	-
		F	27	-	1	-	-	1	7	4	-	1	2	2	2	2	3	2	3	1	-	-	-	-	-	-
919.1	MINING AND EARTH-DRILLING MACHINERY	M	3	-	1	-	-	-	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
919.2	LIFTING MACHINES AND APPLIANCES	M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	20	-	-	-	-	2	3	3	-	2	3	1	-	3	2	-	1	-	-	-	-	-	-	-
919.3	METALWORKING MACHINES	M	19	-	-	-	-	2	3	3	-	1	3	1	-	3	2	-	1	-	-	-	-	-	-	-
919.4	WOODWORKING AND FORMING MACHINES	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
919.7	EARTH MOVING, SCRAPING AND OTHER EXCAVATING MACHINES	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
919.8	OTHER	M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919.9	UNSPECIFIED	M	8	-	1	-	-	-	1	-	1	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
920	ACCIDENTS CAUSED BY CUTTING AND PIERCING INSTRUMENTS OR OBJECTS	M	11	-	1	-	-	-	2	1	1	1	1	1	-	-	1	1	1	-	-	-	-	-	-	-
		F	6	-	1	-	-	-	2	-	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-
920.0	POWERED LAWN MOWER	M	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
920.3	KNIVES, SWORDS AND DAGGERS	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
920.8	OTHER	M	7	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
920.9	UNSPECIFIED	M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
921	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL	M	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
921.8	OTHER	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
921.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922	ACCIDENT CAUSED BY FIREARM MISSILE	M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			131	-	4	6	13	25	31	15	16	16	6	3	2	1	3	-	2	1	-	-	-	-	-	2
		M	120	-	2	5	13	21	28	15	16	16	6	3	2	1	3	-	2	1	-	-	-	-	-	2
922.0	HAND GUN	F	11	-	2	1	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	36	-	1	2	-	5	11	2	2	2	2	2	1	1	1	-	1	1	-	-	-	-	-	-
922.1	SHOTGUN (AUTOMATIC)	F	32	-	1	2	-	5	10	2	2	2	2	2	1	1	1	-	1	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.2	HUNTING RIFLE	M	13	-	-	1	1	2	3	1	1	3	1	1	-	-	-	-	2	-	-	1	-	-	-	-
		F	12	-	-	1	1	2	3	1	1	2	1	1	-	-	-	-	2	-	-	1	-	-	-	-
922.3	MILITARY FIREARMS	M	10	-	-	1	2	2	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	1	1	2	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
922.8	OTHER	M	3	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.9	UNSPECIFIED	M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	86	-	4	1	5	15	17	13	9	10	6	1	2	-	2	-	1	-	-	-	-	-	-	2
		M	72	-	2	1	4	12	14	11	9	7	5	1	2	-	2	-	1	-	-	-	-	-	-	1
[illegible]	ACCIDENT CAUSED BY [illegible]STIVE MATERIAL	F	14	-	2	1	1	3	3	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
[illegible]	[illegible]	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
923.8	OTHER	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
923.9	UNSPECIFIED	M	6	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
924	ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL AND STEAM	M	22	-	1	-	-	-	-	1	3	1	-	2	1	1	-	2	2	3	3	2	-	-	-	-
		F	13	-	-	-	-	-	-	1	2	1	-	2	1	1	-	1	2	1	1	2	-	-	-	-
924.0	HOT LIQUIDS AND VAPOURS, INCLUDING STEAM	M	9	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	-	2	2	2	-	-	-	-
		F	8	-	1	-	-	-	-	-	2	-	-	1	1	1	-	1	1	2	2	2	-	-	-	-
924.1	CAUSTIC AND CORROSIVE SUBSTANCES	M	7	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
924.8	OTHER	M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	-	-	-	-
925	ACCIDENT CAUSED BY ELECTRIC CURRENT	M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	59	-	2	1	8	13	10	6	7	3	-	2	2	1	2	-	1	1	1	-	-	-	-	-
925.0	DOMESTIC WIRING AND APPLIANCES	M	55	-	2	1	7	13	10	6	7	3	-	2	2	1	2	-	1	1	1	-	-	-	-	-
		F	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
925.1	ELECTRIC POWER GENERATING PLANTS, DISTRIBUTION STATIONS, TRANSMISSION LINES	M	15	-	2	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	2	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
925.2	INDUSTRIAL WIRING, APPLIANCES AND ELECTRICAL MACHINERY	M	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	17	-	-	-	2	4	3	3	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
925.8	OTHER	M	17	-	-	-	2	4	3	3	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
925.9	UNSPECIFIED	M	4	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	-	1	-	1	4	5	4	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
927	OVEREXERTION AND STRENUOUS MOVEMENTS	M	10	-	1	-	1	3	5	4	2	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
928	OTHER AND UNSPECIFIED ENVIRONMENTAL AND ACCIDENTAL CAUSES	M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
928.8	OTHER	M	111	1	2	-	1	3	8	5	5	5	8	2	4	7	6	9	10	11	8	10	1	1	1	-
		F	74	1	2	-	1	3	3	5	4	5	8	2	3	5	6	5	8	6	7	4	5	1	1	-
928.9	UNSPECIFIED ACCIDENTS	M	37	-	2	-	-	-	2	-	1	3	-	-	1	2	-	4	2	5	4	6	4	1	1	-
		F	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
929	LATE EFFECTS OF ACCIDENTAL INJURY	M	109	1	2	-	1	2	5	5	5	8	2	4	7	6	9	7	11	11	8	10	1	1	1	-
		F	72	1	-	-	1	2	5	5	4	3	2	3	6	6	5	6	7	6	4	5	1	1	1	-
929.0	LATE EFFECTS OF MOTOR VEHICLE ACCIDENT	M	37	2	-	-	-	1	2	1	1	3	1	1	2	1	1	2	2	3	1	1	-	-	-	-
		F	81	-	3	4	-	4	2	4	11	21	4	6	5	4	4	2	4	4	4	2	2	1	-	-
929.1	LATE EFFECTS OF OTHER TRANSPORT ACCIDENT	M	61	1	4	-	3	2	4	8	10	3	5	3	4	4	2	4	3	3	2	1	1	-	-	-
		F	20	1	2	-	1	-	-	3	1	1	1	2	1	1	1	1	1	1	2	1	1	1	-	-
929.2	LATE EFFECTS OF ACCIDENTAL POISONING	M	33	1	2	-	2	2	3	0	3	1	2	3	1	3	1	1	1	-	3	1	-	-	-	-
		F	28	-	2	-	1	2	3	6	3	2	1	2	1	3	-	-	1	-	2	-	-	-	-	-
929.3	LATE EFFECTS OF ACCIDENTAL FALL	M	7	1	-	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	21	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
929.4	LATE EFFECTS OF ACCIDENT CAUSED BY FIRE	M	17	-	-	-	1	1	-	-	1	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	3	-	1	-	-	-	-
929.8	LATE EFFECTS OF OTHER ACCIDENTS	M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.9	LATE EFFECTS OF UNSPECIFIED ACCIDENT	M	5	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	M	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
930	ANTIBIOTICS	M	17	-	1	3	1	-	-	-	3	1	-	-	1	-	-	-	1	1	1	-	-	-	-	-
		F	11	-	1	2	1	-	-	-	2	1	-	-	1	-	-	-	1	1	1	-	-	-	-	-
930.0	PENICILLINS	M	6	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
934	AGENTS PRIMARILY AFFECTING BLOOD CONSTITUENTS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
934.2	ANTICOAGULANTS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
935	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
935.0	OPIATES AND RELATED NARCOTICS	M	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
936	ANTICONVULSANTS AND ANTI-PARKINSONISM DRUGS	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
936.3	OTHER AND UNSPECIFIED ANTICONVULSANTS	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
938	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS	M	6	-	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
938.5	SURFACE AND INFILTRATION ANAESTHETICS	F	4	-	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
938.9	OTHER AND UNSPECIFIED LOCAL ANAESTHETICS	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
939	PSYCHOTROPIC AGENTS	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
939.3	OTHER ANTIPSYCHOTICS, NEUROLEPTICS AND MAJOR TRANQUILIZERS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
947	OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS	M	5	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
947.9	UNSPECIFIED DRUG OR MEDICAMENT	M	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
950-959	SUICIDE AND SELFINFLICTED INJURY	M	3,792	-	-	-	29	198	399	448	420	348	273	241	213	229	219	214	198	104	123	49	16	2	-	2
		F	1,678	-	-	-	19	141	329	358	330	261	191	183	158	168	135	164	149	145	98	35	13	2	-	2
			904	-	-	-	10	47	70	84	90	84	82	83	55	61	84	50	43	39	25	14	3	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
950	SUICIDE AND SELFINFLICTED POISONING BY SOLID OR LIQUID SUBSTANCES	M	596	-	-	-	6	15	31	35	66	70	64	54	46	41	38	26	29	30	15	7	2	-	-	-
		F	267	-	-	-	-	7	17	29	37	33	30	21	22	20	11	8	12	14	3	2	1	-	-	-
950.0	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS	M	329	-	-	-	6	8	14	26	31	35	34	33	24	21	26	16	17	16	12	5	1	-	-	-
		F	65	-	-	-	1	3	7	4	6	4	4	2	5	4	1	3	5	11	1	-	-	-	-	-
950.1	BARBITURATES	M	29	-	-	-	1	2	2	5	4	3	2	-	2	1	1	1	3	4	-	-	-	-	-	-
		F	36	-	-	-	1	1	5	1	2	3	2	2	3	3	1	2	2	7	1	-	-	-	-	-
950.2	OTHER SEDATIVES AND HYPNOTICS	M	61	-	-	-	-	1	1	2	4	3	2	1	3	3	3	2	6	6	4	4	1	-	-	-
		F	30	-	-	-	-	-	2	2	6	2	2	-	4	1	-	4	4	2	2	1	-	-	-	-
950.3	TRANQUILIZERS AND OTHER PSYCHOTROPIC AGENTS	M	31	-	-	-	-	1	2	2	3	2	2	1	1	1	1	1	4	2	2	3	1	-	-	-
		F	9	-	-	-	-	-	2	1	-	1	2	-	1	1	-	-	-	1	-	-	-	-	-	-
950.4	OTHER SPECIFIED DRUGS AND MEDICAMENTS	M	8	-	-	-	-	-	2	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
950.5	UNSPECIFIED DRUG OR MEDICAMENT	M	184	-	-	-	2	5	10	12	23	22	19	20	18	14	9	7	3	3	2	2	-	-	-	-
		F	83	-	-	-	-	4	4	8	14	11	14	7	9	10	5	2	3	1	2	-	-	-	-	-
950.6	AGRICULTURAL AND HORTICULTURAL CHEM. AND PHARMACEUTICAL PREPARATIONS OTHER THAN PLANT FOODS AND FERTILIZERS	M	101	-	-	-	2	4	6	14	14	11	5	13	9	6	6	2	2	2	2	-	-	-	-	-
		F	158	-	-	-	3	3	6	11	15	22	20	18	7	13	11	6	8	4	5	3	-	-	-	-
950.7	CORROSIVE AND CAUSTIC SUBSTANCES	M	64	-	-	-	-	2	3	7	11	10	6	7	8	4	3	4	2	2	1	1	-	-	-	-
		F	94	-	-	-	3	1	3	4	4	12	14	8	5	9	11	5	5	2	2	2	-	-	-	-
950.9	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES	M	77	-	-	-	-	1	4	7	8	4	10	12	7	3	5	4	1	2	2	1	-	-	-	-
		F	27	-	-	-	-	-	2	3	2	4	2	3	1	3	2	1	1	2	2	-	1	-	-	-
951	SUICIDE AND SELFINFLICTED POISONING BY GASES IN DOMESTIC USE	M	50	-	-	-	-	1	2	4	6	2	2	1	4	1	2	1	1	2	2	-	-	-	-	-
		F	10	-	-	-	-	-	-	1	2	2	1	-	1	1	-	-	-	2	-	-	-	-	-	-
951.0	GAS DISTRIBUTED BY PIPELINE	M	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
952	SUICIDE AND SELFINFLICTED POISONING BY OTHER GASES AND VAPOURS	M	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	234	-	-	-	-	8	19	32	37	32	24	21	18	12	13	8	4	11	6	5	-	-	-	-
952.0	MOTOR VEHICLE EXHAUST GAS	M	185	-	-	-	-	8	17	26	23	25	18	14	16	10	9	5	4	5	5	1	-	-	-	-
		F	49	-	-	-	-	-	1	6	4	7	6	7	2	2	4	3	4	6	1	4	-	-	-	-
952.1	OTHER CARBON MONOXIDE	M	209	-	-	-	-	8	18	29	25	28	19	16	17	11	11	8	4	10	5	1	-	-	-	-
		F	165	-	-	-	-	8	17	23	21	21	13	11	13	10	5	5	4	8	4	4	-	-	-	-
952.9	UNSPECIFIED GASES AND VAPOURS	M	44	-	-	-	-	-	1	6	2	4	5	2	1	1	4	3	1	2	1	1	-	-	-	-
		F	32	-	-	-	-	-	-	2	2	4	2	4	2	1	1	-	-	1	1	1	-	-	-	-
953	SUICIDE AND SELFINFLICTED INJURY BY HANGING, STRANGULATION AND SUFFOCATION	M	14	-	-	-	-	-	-	2	2	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-
		F	379	-	-	-	10	40	96	94	71	43	23	26	23	27	21	21	17	21	15	8	7	1	-	1
953.0	HANGING	M	271	-	-	-	9	32	85	85	59	37	18	14	21	21	12	15	13	16	13	4	5	1	-	1
		F	108	-	-	-	1	8	11	9	12	6	5	12	2	6	9	6	4	5	2	4	2	-	-	-
953.1	SUFFOCATION BY PLASTIC BAG	M	341	-	-	-	10	40	96	92	69	42	23	22	24	25	20	10	13	16	13	5	3	-	-	1
		F	449	-	-	-	9	32	83	83	57	36	16	13	20	20	21	15	12	13	12	3	3	-	-	1
953.8	OTHER SPECIFIED MEANS	M	92	-	-	-	1	8	13	9	12	6	7	9	4	5	7	4	1	3	2	2	-	-	-	-
		F	33	-	-	-	-	-	1	2	2	1	1	1	1	2	4	2	1	3	2	1	1	-	-	-
953.9	UNSPECIFIED MEANS	M	17	-	-	-	-	-	1	2	2	1	1	1	1	2	3	2	1	2	1	1	2	1	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	2	1	-	-
954	SUICIDE AND SELFINFLICTED INJURY BY SUBMERSION (DROWNING)	M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
955	SUICIDE AND SELFINFLICTED INJURY BY FIREARMS AND EXPLOSIVES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	49	-	-	-	-	1	3	2	6	4	2	3	2	6	3	4	1	4	3	2	2	-	-	1
		M	30	-	-	-	-	-	2	2	5	2	1	2	2	4	2	3	1	3	1	2	2	-	-	1
		F	19	-	-	-	-	1	1	-	1	2	1	1	-	2	1	1	-	1	2	-	-	-	-	-
955	SUICIDE AND SELFINFLICTED INJURY BY FIREARMS AND EXPLOSIVES	M	2,013	-	-	-	13	110	208	225	211	161	140	120	111	116	101	132	128	110	72	25	5	1	-	-
		F	1,692	-	-	-	10	82	174	184	179	133	113	98	89	97	105	116	112	102	68	22	5	1	-	-
955.0	HAND GUN	M	321	-	-	-	3	28	32	41	32	26	27	22	22	21	21	16	16	8	4	3	-	-	-	-
		F	701	-	-	-	2	32	76	70	75	59	63	47	45	52	47	37	39	45	36	11	2	-	-	-
955.1	SHOT GUN	M	622	-	-	-	1	18	59	54	57	47	52	37	34	41	30	49	50	40	32	10	2	-	-	-
		F	159	-	-	-	2	14	17	14	18	12	13	10	11	11	3	6	9	5	4	1	-	-	-	-
955.2	HUNTING RIFLE	M	248	-	-	-	1	15	28	31	31	22	14	13	9	13	12	19	13	18	7	-	-	-	-	-
		F	235	-	-	-	1	14	27	29	24	22	12	12	9	13	11	19	13	16	7	-	-	-	-	-
955.3	MILITARY FIREARMS	M	13	-	-	-	-	1	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	199	-	-	-	2	10	40	20	27	14	11	11	8	14	9	7	6	6	6	1	1	-	-	-
955.4	OTHER AND UNSPECIFIED FIREARM	M	183	-	-	-	2	10	36	20	23	15	10	8	8	13	7	7	6	8	6	1	1	-	-	-
		F	14	-	-	-	-	-	4	-	4	1	1	2	-	1	2	-	-	-	-	-	-	-	-	-
956	SUICIDE AND SELFINFLICTED INJURY BY CUTTING AND PIERCING INSTRUMENTS	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	784	-	-	-	7	43	64	104	78	64	50	49	55	37	36	49	50	39	23	14	3	-	-	-
957	SUICIDE AND SELFINFLICTED INJURY BY JUMPING FROM HIGH PLACE	M	649	-	-	-	6	31	54	81	70	51	39	40	45	30	26	41	43	36	23	12	3	-	-	-
		F	135	-	-	-	1	12	10	23	8	13	11	9	10	7	10	8	7	3	-	2	-	-	-	-
957.0	RESIDENTIAL PREMISES	M	83	-	-	-	-	-	3	12	3	2	1	6	2	2	1	2	1	1	1	-	-	-	-	-
		F	40	-	-	-	-	-	3	12	3	2	2	4	2	1	2	1	1	1	-	1	-	-	-	-
957.1	OTHER MANMADE STRUCTURES	M	23	-	-	-	-	-	1	2	1	2	1	2	1	1	1	1	1	1	1	-	-	-	-	-
		F	150	-	-	-	-	6	27	14	18	16	7	6	7	6	3	3	1	2	1	1	-	-	-	-
957.2	NATURAL SITES	M	113	-	-	-	-	7	20	13	12	11	6	6	7	5	2	3	1	1	1	1	-	-	-	-
		F	37	-	-	-	-	1	7	1	6	5	1	3	3	1	1	3	-	1	-	-	-	-	-	-
		M	36	-	-	-	-	1	4	2	4	3	2	2	3	2	1	2	-	1	-	-	-	-	-	-
		F	28	-	-	-	-	-	3	1	2	2	1	1	3	1	-	1	1	-	1	-	-	-	-	-
957.3	PLACES OF RECREATION AND SPORT	M	85	-	-	-	-	2	7	10	13	7	4	4	3	3	3	3	1	2	1	1	-	-	-	-
		F	10	-	-	-	-	-	1	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-
957.4	STREETS AND HIGHWAYS	M	74	-	-	-	-	3	9	15	8	8	4	3	2	2	2	3	3	2	2	1	-	-	-	-
		F	58	-	-	-	-	1	6	15	4	3	2	2	1	1	1	1	1	1	2	1	-	-	-	-
957.5	OTHER SPECIFIED PLACES	M	25	-	-	-	-	2	2	3	3	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	19	-	-	-	-	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
957.6	JUMPING OR LYING BEFORE MOVING OBJECT	M	6	-	-	-	-	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
938.1	BURNS, FIRE		27	-	-	-	-	-	2	3	5	3	2	2	3	4	1	1	-	-	1	-	-	-	-	-
		M	21	-	-	-	-	-	2	3	4	3	2	2	3	4	1	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
938.4	ELECTROCUTION		3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
938.5	CRASHING OF MOTOR VEHICLE		10	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
938.8	OTHER SPECIFIED MEANS		6	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
938.9	UNSPECIFIED MEANS		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
939	LATE EFFECTS OF SELFINFLICTED INJURY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
960-969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHER PERSONS		2,814	26	38	18	30	270	526	521	391	371	179	109	84	96	57	43	30	20	24	13	3	1	-	14
		M	2,170	14	19	10	19	228	426	419	305	271	144	107	67	68	38	34	20	14	16	10	3	1	-	11
		F	644	12	19	8	11	42	98	102	86	100	35	22	17	28	19	9	10	6	8	3	-	-	-	3
960	FIGHT, BRAWL, RAPE		17	-	-	-	-	1	3	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	1	3	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
960.0	UNARMED FIGHT OR BRAWL		17	-	-	-	-	1	3	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	1	3	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962	ASSAULT BY POISONING		9	-	-	-	-	-	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962.0	DRUGS AND MEDICAMENTS		7	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962.9	UNSPECIFIED POISONING		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
963	ASSAULT BY HANGING AND STRANGULATION		174	4	6	2	8	9	27	18	19	18	13	9	5	9	5	9	11	6	6	5	1	-	-	1
		M	60	2	3	1	2	2	7	4	6	5	4	2	2	3	2	3	3	2	2	1	-	-	-	1
		F	114	2	3	1	6	7	20	14	13	13	9	7	3	6	3	6	8	4	4	4	1	-	-	-
964	ASSAULT BY SUBMERSION (DROWNING)		13	1	2	1	-	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	2	1	-	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
965	ASSAULT BY FIREARMS AND EXPLOSIVES		1,490	-	3	7	19	106	331	330	218	192	100	68	63	43	24	20	11	-	-	-	-	-	-	6
		M	1,316	-	3	6	15	100	283	276	180	156	86	56	52	39	18	16	9	-	-	-	-	-	-	6
		F	174	-	-	1	4	6	48	54	38	36	14	12	11	4	6	4	2	-	-	-	-	-	-	-
965.0	HANDGUN		221	-	-	1	2	17	60	63	36	34	14	10	6	6	3	3	1	-	-	-	-	-	-	1
		M	169	-	-	1	2	15	48	53	32	29	13	9	6	5	3	3	1	-	-	-	-	-	-	1
		F	52	-	-	-	-	2	12	10	4	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-
965.1	SHOTGUN		192	-	-	-	1	10	29	30	17	16	6	4	3	2	1	1	1	-	-	-	-	-	-	1
		M	138	-	-	-	1	7	21	21	11	12	5	3	3	2	1	1	1	-	-	-	-	-	-	1
		F	54	-	-	-	-	3	8	9	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
965.2	HUNTING RIFLE		26	-	-	-	-	1	4	7	2	3	1	1	1	1	-	1	-	-	-	-	-	-	-	-
		M	20	-	-	-	-	1	3	6	2	3	1	1	1	1	-	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
965.4	OTHER AND UNSPECIFIED FIREARM		1,176	-	3	6	16	149	295	244	163	188	70	55	52	32	14	10	6	-	-	-	-	-	-	3
		M	986	-	3	5	12	134	219	211	133	146	62	36	35	24	11	8	5	-	-	-	-	-	-	3
		F	192	-	-	1	4	15	36	33	30	42	8	19	17	8	3	2	1	-	-	-	-	-	-	-
965.8	OTHER SPECIFIED EXPLOSIVE		3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
965.9	UNSPECIFIED EXPLOSIVE		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
966	ASSAULT BY CUTTING AND PIERCING INSTRUMENT		637	2	3	2	3	38	120	110	90	67	43	29	23	23	15	10	6	-	-	-	-	-	-	3
		M	522	1	2	2	2	28	100	88	69	57	36	23	18	19	12	8	5	-	-	-	-	-	-	3
		F	115	1	1	-	1	10	20	22	21	10	7	6	5	4	3	2	1	-	-	-	-	-	-	-
967	CHILD BATTERING AND OTHER MALTREATMENT		22	12	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
967.9	BY UNSPECIFIED PERSON		22	12	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968	ASSAULT BY OTHER AND UNSPECIFIED MEANS		344	6	15	8	6	14	29	37	40	32	21	20	19	24	13	9	10	10	1	-	-	-	-	6
		M	222	3	7	5	3	11	21	30	33	24	13	14	14	17	9	6	7	7	1	-	-	-	-	6
		F	122	3	8	3	3	3	8	7	7	8	8	6	5	7	4	3	3	3	-	-	-	-	-	-
968.0	FIRE		24	-	2	1	1	1	3	3	2	2	1	1	1	1	1	1	-	-	-	-	-	-	-	-
		M	8	-	2	1	1	1	3	3	2	2	1	1	1	1	1	1	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.1	PUSHING FROM HIGH PLACE		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.2	STRIKING BY BLUNT OR THROWN OBJECT		36	1	2	1	1	3	6	4	3	3	2	2	1	2	1	1	1	-	-	-	-	-	-	-
		M	21	1	2	1	1	3	6	4	3	3	2	2	1	2	1	1	1	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.4	CRIMINAL NEGLECT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.8	OTHER SPECIFIED MEANS		82	1	4	1	1	3	6	9	10	10	3	3	2	3	2	2	1	-	1	-	-	-	-	-
		M	40	1	2	1	1	3	5	5	6	6	2	2	1	2	1	1	1	-	1	-	-	-	-	-
		F	33	-	2	-	-	-	1	4	4	4	1	1	1	1	1	1	-	-	-	-	-	-	-	-
968.9	UNSPECIFIED MEANS		176	4	7	5	3	8	17	19	18	17	9	10	9	11	6	5	7	3	-	-	-	-	-	2
		M	120	2	5	4	2	6	13	16	14	13	7	8	7	9	5	4	6	3	-	-	-	-	-	2
		F	56	2	2	1	1	2	4	3	4	4	2	2	2	2	1	1	1	-	-	-	-	-	-	-
969	LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON		12	-	1	-	-	-	2	2	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	11	-	1	-	-	-	2	2	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
970-978	LEGAL INTERVENTION		51	-	-	-	-	6	10	17	5	4	4	1	-	-	-	-	-	-	2	-	-	-	-	-
973	INJURY DUE TO LEGAL INTERVENTION BY BLUNT OBJECT	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
975	INJURY DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
976	INJURY DUE TO LEGAL INTERVENTION BY UNSPECIFIED MEANS	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		203	9	6	1	4	8	23	24	24	35	12	10	5	11	5	8	6	4	2	2	-	-	-	6
		M	135	7	3	-	3	4	15	19	18	20	10	8	2	6	2	2	3	4	2	1	-	-	-	6
		F	68	2	3	1	1	4	8	5	6	15	2	2	3	5	3	6	3	-	-	1	-	-	-	2

CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
POISONING BY SOLID OR LIQUID SUBSTANCES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	T																				
	M																				
	F																				
ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS	T																				
	M																				
	F																				
BARBITURATES	T																				
	M																				
	F																				
TRANQUILIZERS AND OTHER PSYCHOTROPIC AGENTS	T																				
	M																				
	F																				
OTHER SPECIFIED DRUGS AND MEDICAMENTS	T																				
	M																				
	F																				
UNSPECIFIED DRUG OR MEDICAMENT	T																				
	M																				
	F																				
OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES	T																				
	M																				
	F																				
POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	T																				
	M																				
	F																				
OTHER CARBON MONOXIDE	T																				
	M																				
	F																				
OTHER SPECIFIED GASES AND VAPOURS	T																				
	M																				
	F																				
UNSPECIFIED GASES AND VAPOURS	T																				
	M																				
	F																				
HANGING, STRANGULATION OR SUFFOCATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	T																				
	M																				
	F																				
HANGING	T																				
	M																				
	F																				
OTHER SPECIFIED MEANS	T																				
	M																				
	F																				
SUBMERSION (DROWNING), UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	T																				
	M																				
	F																				
INJURY BY FIREARMS AND EXPLOSIVES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	T																				
	M																				
	F																				
HAND GUN	T																				
	M																				
	F																				
SHOT GUN	T																				
	M																				
	F																				
HUNTING RIFLE	T																				
	M																				
	F																				
OTHER AND UNSPECIFIED FIREARM	T																				
	M																				
	F																				
FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	T																				
	M																				
	F																				
RESIDENTIAL PREMISES	T																				
	M																				
	F																				
OTHER MAN-MADE STRUCTURES	T																				
	M																				
	F																				
INJURY BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	T																				
	M																				
	F																				
JUMPING OR LYING BEFORE MOVING OBJECT	T																				
	M																				
	F																				
BURNS, FIRE	T																				
	M																				
	F																				
CRASHING OF MOTOR VEHICLE	T																				
	M																				
	F																				
OTHER SPECIFIED MEANS	T																				
	M																				
	F																				
UNSPECIFIED MEANS	T																				
	M																				
	F																				
LATE EFFECTS OF INJURY, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	T																				
	M																				
	F																				
LATE EFFECTS OF INJURY DUE TO WAR OPERATIONS	T																				
	M																				
	F																				

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, [illegible]

S0865-1-U

VITAL STATISTICS OF CALIFORNIA

1986

George Deukmejian
Governor
State of California

THE VITAL STATISTICS SYSTEM IN CALIFORNIA

STATE REGISTRAR:	DIRECTOR OF CALIFORNIA STATE DEPARTMENT OF HEALTH SERVICES
OFFICE OF STATE REGISTRAR:	The State Registrar's functions are performed by the Office of State Registrar, which

- Maintains a permanent public record of each birth, death, marriage, and marriage dissolution which has occurred in California since 1905.
- Provides certified copies of California vital records or searches the permanent central registry to verify the occurrence of vital events in California.
- Prepares and maintains computer files of state birth, death, marriage, and divorce data and monitors these files for data quality.
- Offers tables and computer tapes from the state vital statistics files to public and private organizations and to individuals requesting the data for research and planning and provides consultation to the users of these data.
- Prepares and periodically publishes statistical analyses and summaries of vital statistics for use by the Department of Health Services, other agencies, and the public. The data are used in medical and social sciences, public health and health demographics, human services planning, population estimation and projection, and economic forecasting.
- Builds and continues cooperative relationships with federal, state, and local agencies including the National Center for Health Statistics, which collect, maintain, and use vital records/statistics.
- Develops forms, standards, and guidelines for registration of all vital events occurring in the State of California.
- Directs and monitors the state-delegated functions of approximately 180 local offices which register California's vital events in order to assure statewide compliance with the statutory mandate for uniform application of registration laws, policies, and procedures.

VITAL STATISTICS OF CALIFORNIA 1986

David W. Mitchell, Chief
Health Data and Statistics Branch

William A. Avritt, Chief
Rural and Community Health Division

Kenneth W. Kizer, M.D., MPH
Director
Department of Health Services

Cliff Allenby
Secretary
Health and Welfare Agency

Department of Health Services
Health and Welfare Agency
State of California

April 1988

Gwendolyn Doebbert, Chief

Health Demographics Section
Health Data and Statistics Branch

This report was prepared by Cynthia Schmidt, Sherry Fujii, and Roger Smith. Inquiries regarding this report should be directed to Cynthia Schmidt, Health Demographics Section, Department of Health Services, 714 P Street, Room 1494, P.O. Box 942732, Sacramento, CA 94234-7320, or by calling (916) 445-1010.

The production of this report was made possible with the assistance of the following departmental staff:

DATA PROCESSING

Data Systems Branch Programming
Connie Bancroft

TABLES	PROOFING/EDITING	COMPOSING
Martin Green	Jeanne Kochanski Marietta Walsh	Delores Canary Hazel Clubb Sandra Henderson Ann Rubesky

Additionally, the Health Demographics Section gratefully acknowledges the cooperation and assistance of: Beth Berkov, Karen Christopherson, Les Fujitani, Rosalind Garner, Wanda Kramer, Brian McNamara, Anthony Oreglia, Michiko Tashiro, and the Population Research Unit, Department of Finance, and the Staff of the Vital Statistics Program and Operations Sections.

PREFACE

One of the most fundamental and important functions of the California Department of Health Services is the compilation and enumeration of data on the State's births, deaths and other vital events. Vital statistics information is essential for public health surveillance, health care services planning, and health policy decision making. Such information is also important for other governmental agencies, the business community, and numerous other entities. Thus, we are pleased to present Vital Statistics of California, 1986, the latest report on California's vital events.

The primary sources of data used in preparing this report were certificates of live birth, death and fetal death which occurred in California during 1986 and which were registered with the Department. For all practical purposes, this includes all such events. Not included in this report, but available from the Office of the State Registrar, are data on marriages, legal separations, judgments of nullity, and dissolutions of marriage.

The vital statistic rates that are presented in this report, and which use population as a denominator, were calculated using the latest California population data. These data were prepared by the Population Research Unit of the Department of Finance. Since this report uses the most recent data available, some rates may differ slightly from previously published rates. For the reader's convenience, state and county population data are presented so that, if desired, more specific rates or independent calculation of rates may be performed.

Also, to assist users of this document, a description of California's vital statistics registration system, along with information on how to interpret and analyze the data, is presented in Chapter 6. Likewise, Chapter 7 provides definitions of the rates and ratios used throughout the report.

New to this year's report is an enumeration of death rates from malignant neoplasms by anatomic site and geographic location (Table 5-13). This reflects the heightened attention given to cancer control by the Department in recent years.

We are gratified by the continued progress that is being made in reducing infant mortality and low birthweight rates, as well as in extending overall life expectancy, in California. The reduction in death rates for heart disease and chronic obstructive lung disease, in particular, are also encouraging. However, we are concerned about the continued toll and, indeed, increased mortality resulting from unintentional injuries and violence. It is especially disturbing that of the top ten causes of death in California, the only three which showed an increase in their rate from 1985 were unintentional injuries, suicide and homicide.

Regrettably, tobacco abuse continues to be a major cause of death in California and remains the single most preventable cause of illness and death in the State.

Overall, though, as the data provided here show, California's population continues to grow and California continues to be one of the healthiest places in the U.S. to live.

Kenneth W. Kizer, M.D., M.P.H.
Director
California Department of Health Services
and
State Registrar

CONTENTS

		Page
	ACKNOWLEDGMENTS	ii
	PREFACE	iii
	HIGHLIGHTS	v
1.	**REVIEW OF VITAL STATISTICS OF CALIFORNIA**	1
2.	**LIVE BIRTH TABLES AND FIGURES**	11
3.	**FETAL DEATH TABLES**	107
4.	**INFANT DEATH TABLES AND FIGURES**	123
5.	**DEATH TABLES AND FIGURES**	139
6.	**SOURCES, QUALITY, AND LIMITATIONS OF DATA**	211
	VITAL STATISTICS REGISTRATION	212
	History of Vital Statistics Registration	212
	Registration System at Present	213
	SOURCES AND QUALITY OF VITAL STATISTICS DATA	214
	Records	214
	Births, Deaths, and Fetal Deaths	214
	California Birth Cohort File	215
	Quality Control Procedures	216
	Population	216
	LIMITATIONS OF DATA	217
	Cause of Death	217
	Tabulations of Cause of Death	218
	Variability of Rates	219
	Sampling Error and Vital Statistics	219
	Time Periods and Geographic Bases	221
	Race and Ethnicity	221
	Age	223
	Length of Gestation	223
7.	**APPENDIX**	225
	CERTIFICATES AND LISTS OF VARIABLES	226
	DEFINITIONS	227
	RATES AND RATIOS	230

HIGHLIGHTS

POPULATION ..... California had an estimated population in 1986 of 26,980,811 persons. The population density was 172.6 persons per square mile of land area, an increase of 34.9 percent over the 1970 population density of 128.0 persons.

LIVE BIRTHS ..... The number of live births to California residents reached 481,905 in 1986, an increase of 11,089 or 2.4 percent over 1985. Although this was the thirteenth consecutive annual rise in births, the 2.4 percent increase was less than half the 5.2 percent increase recorded in 1985.

California's 1986 crude birth rate of 17.9 live births per 1,000 population was the same as the 1985 rate. This is the second highest rate in two decades. The 1970 rate of 18.1 was the highest.

- General Fertility Rate .... The 1986 General Fertility Rate of 74.8 live births per 1,000 women ages 15-44 was the highest general fertility rate in California since 1971, when it was 75.4. The 1985 rate was 74.6, 0.3 percent less than in 1986.

  California's 1986 general fertility rate of 74.8 was 15.3 percent higher than the national rate of 64.9. This was the eleventh straight year that the general fertility rate for California surpassed the United State's general fertility rate.

  Kings County posted the highest general fertility rate in 1986, 101.0, and Sierra County the lowest at 30.7.

- Women of Childbearing Age ..... The median age of California women of childbearing age (15-44) in 1986 was 29.8 years compared to 29.3 years for the United States.

- **Women of Childbearing Age (continued)** ..... In 1980, the median age of California women of childbearing age was 28.0 and the median age for the United States was 27.8.

- **Age-Specific Birth Rates** ..... In 1986, California's age-specific live birth rates increased for women in each age group from under 15 to 44 years, and remained the same for women over 45 years. There was, however, a noticeable slowing of the rate of increase in 1986 as compared to 1985.

  Since 1982 the live birth rate for females under 15 has remained essentially the same, varying between 1.0 and 1.1 live births per 1,000 females ages 10 to 14 years. The difference from 1985 to 1986 was of the same magnitude, 0.1 per 1,000.

  The 15-19 year-old live birth rate, which showed a downward trend from 1982-84, has increased for the second consecutive year. The 1986 rate was 53.2 live births to teens ages 15 to 19 years, a gain of 1.3 percent over 1985. In 1985 the rate increased 2.7 percent, from 51.1 to 52.5.

  The same trend was apparent for 20-24 year-olds. After a two year decrease from 1982-84, the live birth rate has risen for the second year in a row; from 121.2 in 1985 to 121.8 in 1986, a 0.5 percent increase, compared to a 1.9 percent increase from 1984 to 1985.

  For women, ages 25-29, the live birth rate also continued to increase. In 1986 the live birth rate was 128.5 compared to 126.0 in 1985, a 2.0 percent difference; from 1984 to 1985 the percent increase was 5.7.

  The live birth rate for 30-34 year-olds went from 79.7 in 1985, to 81.2 in 1986, up 1.9 percent; the rate for 35-39 year-olds rose

- **Age-Specific Birth Rates (continued)** ..... from 32.1 to 33.0, up 2.8 percent. From 1984 to 1985 the live birth rate for 30-34 and 35-39 year-olds percent increases were 5.8 and 6.3, respectively.

  Since 1975 the live birth rates for mothers in their thirties has risen dramatically. In 1975, the live birth rate was 56.0 for women ages 30-34, and 20.4 for 35-39 year-olds. By 1986, the rate for ages 30-34 was 81.2, and 33.0 for 35-39 year-olds; these rates showed 45 and 61.8 percent increases, respectively.

  For mothers ages 40 to 44, the live birth rate was 6.4 in 1986, a 15 year high and a 4.9 percent increase over the 1985 rate of 6.1. This was the only age group to show a larger percent increase in 1986 than in the prior year. The percent increase in 1985 was 3.4.

  With the exception of 1978, when the live birth rate for mothers ages 45 and over dropped to 0.2, their rate has fluctuated since 1970 between 0.3 and 0.4. In 1986 for the third consecutive year the rate was 0.4.

- **Low Birthweight** ..... Six percent of births to California residents were low birthweight (under 2500 grams). Slightly over half of those low birthweight births were premature (37 weeks or less gestation). Less than two percent (1.8 percent) of all mothers received no prenatal care; of those mothers, 14.5 percent had low birthweight babies. Most mothers (74.0 percent) had prenatal care starting in the first trimester; 5.5 percent of those mothers had low birthweight babies.

- **Birth Order** ..... California's general fertility rates increased slightly for all birth orders, except second births, in 1986. The rates for the first, third, fourth and fifth or higher live birth orders increased by 0.3,

- Birth Order (continued) ..... 1.7, 2.1, and 2.8 percent, respectively. The rate for second live births decreased by 1.7 percent.

  First live birth order rates increased over those in 1985 for women in each age group from under 15 to 44 years.

  Second live birth order rates increased for mothers ages 25 to 45 and over; the under 15 rate remained the same, and the 15 to 24 year-old rates decreased slightly.

  Third live birth order rates increased for mothers ages 20 to 39 and remained the same for age groups under 15, 15-19, 40-44 and 45 and over.

  Fourth live birth order rates increased for mothers in their 20's and remained the same among the other age groups.

  Women in their 20's, those ages 35-39, and 45 and over, showed an increase in the fifth or more live birth order rate: 40-44 year-olds experienced a slight decrease in the fifth or more live birth order rate, and rates for teens and women ages 30-34 remained the same.

FETAL DEATHS ..... The number of reported fetal deaths in California increased 2.8 percent from 3,171 in 1985 to 3,259 in 1986.

The fetal death ratio in California increased slightly from 6.7 in 1985 to 6.8 in 1986.

In 1986, of the 3,259 reported fetal deaths in California, 2,402 (73.7 percent) were white, and 540 (16.6 percent) were black.

Of the 3,259 reported fetal deaths in 1986, 1,042 (32.0 percent) were to mothers of Spanish/Hispanic origin.

FETAL DEATHS (continued) .... In 1986, 12.6 percent of all reported fetal deaths in California were to women under 20 years of age; approximately one-half (50.9) were to women in their twenties; 19.7 percent were to women ages 30-34; 10.8 percent were to women ages 35-39; 2.3 percent were to women in their forties; 0.1 percent were to women 50 and over; and 3.7 percent were to women with age not stated.

INFANT DEATHS ..... The California infant death rate, after increasing from 9.4 to 9.5 per 1,000 births in 1985, dropped to 8.9 in 1986, its lowest level ever. The number of infant deaths decreased by 177, from 4,475 in 1985 to 4,298 in 1986, even though the number of resident births increased by 11,089.

Both the neonatal and the postneonatal death rates also decreased.

- Age ..... The majority (62.9 percent) of California infants who died in 1986 were less than one month of age. Of the infants who died at less than one month of age, 46 percent died within 24 hours of birth.

- Sex ..... In 1986, more than one-half (56.7 percent) of all infant deaths in California were males and 43.3 percent were females.

- Cause of Death ..... Twenty-three percent of all resident infant deaths in 1986 were due to congenital anomalies, as compared to 23.7 percent in 1985.

  Sudden Infant Death Syndrome (SIDS) was responsible for 651 resident infant deaths in 1986, down from 682 deaths in 1985. The SIDS death rate of 135.1 per 100,000 live births was down 6.8 percent from the 1985 rate of 144.9.

  "Certain conditions originating in the Perinatal period" accounted for 43.6 percent of all resident infant deaths in 1986.

DEATHS ..... The crude death rate decreased from 7.7 per 1,000 population in 1985 to 7.5 in 1986, which is the second lowest rate ever recorded (the 1983 crude death rate was 7.4). However the number of deaths to California residents increased by 1,011 from 201,815 in 1985 to 202,826 in 1986, a 0.5 percent difference. The 1986 death rate was 751.7 per 100,000 population.

- Sex ..... California's male residents accounted for 52.8 percent of the 202,826 deaths; 47.2 percent of the total deaths were female.

  The number of male deaths in California was greater than the number of female deaths in all age groups except 75 years and over. The male death rate was higher than the female death rate in all age groups. The greatest gender differences were found among residents ages 15-24 and 25-44. Males ages 15-24 and 25-44 were 3.3 and 2.6 times more likely to die in 1986 than were females of the same age. The only females to show an increase in the death rate from 1985 to 1986 were those ages 25-44; their rate rose 1.4 percent from 99.5 to 100.9.

- Age-Specific Death Rates ..... Death rates per 100,000 population dropped from 765.5 in 1985 to 751.7 in 1986, a 1.8 percent difference. Death rates decreased in all age groups except 15-24 and 25-44. The 15-24 year-old death rate rose from 104.4 to 109.9, a 5.3 percent difference. Residents ages 25-44 posted an 8.1 percent increase, from 169.7 to 183.5.

  Children ages 1-4 had the largest decrease in death rate, from 49.8 in 1985 to 46.4 in 1986, a 6.8 percent difference. This was followed by the elderly, ages 75 and over; their death rate decreased by 4.8 percent from 8341.7 to 7,941.1.

- **Leading Causes of Death** ..... There were increases in six of the ten leading causes of death from 1985 to 1986. Among them, homicides rose in California by 9.6 percent, suicides by 4.7 percent and unintentional injury deaths by 4.2 percent.

  After the large increase in pneumonia and influenza deaths in 1985, that cause of death in 1986 posted the largest decrease in both the number of deaths and the death rate. There were 8,046 pneumonia and influenza deaths in 1985 and 7,602 in 1986, a 5.5 percent decrease. The death rate decreased by 7.7 percent from 1985 to 1986.

  Three of the ten leading causes of death showed an increase in their rate from 1985 to 1986. The homicide death rate increased by 7.1 percent, suicides by 2.3 percent and unintentional injuries by 1.8 percent. The death rates for diseases of the heart, and chronic obstructive pulmonary disease and allied conditions decreased by 3.7 percent.

- **Leading Causes of Death By Sex and Age** ..... The leading cause of death for each sex and age group remained the same in 1986 as in 1985. "Unintentional Injuries" continued to be the leading cause of death in California for males ages 1-44 years and for females ages 1-34. "Malignant Neoplasms" was again the leading cause of death for females ages 35-74. "Diseases of the Heart" was the number one killer of males ages 45 and over, and females ages 75 and over. "Certain Conditions Originating in the Perinatal Period" continued as the leading cause of death for males and females under the age one year.

- **Deaths from AIDS Associated Diseases** .... The number of deaths to California residents from six AIDS-associated diseases (see Table 5-11) increased to 2,130 in 1986 from 1,190 in

- Deaths From AIDS Associated Diseases (continued) ..... 1985, a jump of 79.0 percent.

  As in previous years, almost all of the increase in deaths occurred to males, from 1,119 in 1985 to 2,034 in 1986, a gain of 81.8 percent.

  Female deaths went up 35.2 percent, from 71 to 96. In 1985, 94.0 percent of the deaths were male; this figure rose to 95.5 percent in 1986. Males ages 30-39 accounted for 858 or 40.3 percent of the six AIDS-associated disease deaths.

- Malignant Neoplasms Death Rates ..... Table 5-13, Death Rates From Malignant Neoplasms By Site, California Counties, 1986 is a new addition to the annual Vital Statistics of California report. In 1986 the death rate for cancer by all sites in California was 172.0 per 100,000 population. Of the 58 counties, Lake posted the highest cancer death rate at 312.3, and Mono the lowest at 65.2.

  Among California residents the cancer death rate was highest for cancer of the "trachea, bronchus and lung", 44.8 per 100,000 population, followed by "other digestive organs and peritoneum", 36.8. The lowest cancer death rate was for Hodgkin's Disease, 0.6.

- Spanish/Hispanic Origin ..... The number of deaths to Californians reported to be of Spanish/Hispanic origin in 1986 was 16,831 or 8.3 percent of the total deaths in California. The majority (72.6 percent) of the California Spanish/Hispanic decedents were of "Mexican" origin.

  In California, residents under the age of 35 accounted for 9.0 percent of the total deaths; among the Spanish/Hispanic population, residents under age 35 accounted for

- Spanish/Hispanic Origin (continued) .... 26.3 percent of the total reported Spanish/Hispanic origin deaths.

  Persons ages 60 and over accounted for 75.7 percent of the total deaths in California; among the Spanish/Hispanic population, persons ages 60 and over accounted for 51.7 percent of the total deaths.

1. REVIEW OF VITAL STATISTICS OF CALIFORNIA

			Page
Table	1-1	Population, deaths, live births, infant deaths, fetal deaths, and maternal deaths: California 1950-1986	3
	1-2	Deaths, live births, fetal deaths, maternal deaths, and infant deaths by age: California counties, 1986	5
	1-3	Total population and population density: California counties, July 1, 1970 and 1986	6
	1-4	Intercensal estimates of total population: California counties, 1970, 1975, 1977-1985	8
Figure	1-A	1986 vital events in California	2
	1-B	Vital statistics rates/ratio: California, 1970-1986	4
	1-C	Population density: California counties, 1986	7

Figure 1–A

1986 VITAL EVENTS IN CALIFORNIA

On an average day in California there were:



Note: Based on a 365 day year.

Source: State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

State of California, Department of Finance, 1986 Population Projections for California Counties, Baseline 86, November 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 86 E-2).

Table 1--1

POPULATION, DEATHS, LIVE BIRTHS, INFANT DEATHS, FETAL DEATHS, AND MATERNAL DEATHS CALIFORNIA, 1950–1986

(By place of residence)

YEAR	POPULATION	DEATHS		LIVE BIRTHS		INFANT DEATHS		FETAL DEATHS		MATERNAL DEATHS	
		Number	Rate[1]	Number	Rate[1]	Number	Rate[2]	Number	Ratio[2]	Number	Rate[3]
1986	26,980,811	202,826	7.5	481,905	17.9	4,298	8.9	3,259	6.8	32	0.7
1985	26,365,100	201,815	7.7	470,816	17.9	4,475	9.5	3,171	6.7	36	0.8
1984	25,795,000	195,470	7.6	447,394	17.3	4,212	9.4	3,110	7.0	27	0.6
1983	25,311,100	188,018	7.4	435,722	17.2	4,226	9.7	3,049	7.0	37	0.8
1982	24,786,200	188,255	7.6	429,631	17.3	4,218	9.8	3,333	7.8	43	1.0
1981	24,265,400	184,732	7.6	420,418	17.3	4,276	10.2	3,481	8.3	38	0.9
1980	23,780,100	186,428	7.8	402,720	16.9	4,451	11.1	3,594	8.9	45	1.1
1979	23,255,000	177,214	7.6	379,187	16.3	4,278	11.3	3,372	8.9	43	1.1
1978	22,839,000	175,878	7.7	356,156	15.6	4,235	11.9	3,089	8.7	39	1.1
1977	22,350,000	170,441	7.6	347,576	15.6	4,192	12.1	3,051	8.8	38	1.1
1976	21,935,000	171,095	7.8	332,105	15.1	4,134	12.4	3,193	9.6	42	1.3
1975	21,537,000	170,797	7.9	317,318	14.7	4,256	13.4	3,031	9.6	47	1.5
1974	21,173,000	170,475	8.1	311,668	14.7	4,274	13.7	3,163	10.1	47	1.5
1973	20,868,000	172,798	8.3	297,834	14.3	4,351	14.6	3,039	10.2	47	1.6
1972	20,585,000	170,026	8.3	306,375	14.9	4,877	15.9	3,147	10.3	54	1.8
1971	20,346,000	169,349	8.3	329,826	16.2	5,440	16.5	3,542	10.7	52	1.6
1970	20,039,000	166,382	8.3	362,652	18.1	6,243	17.2	4,082	11.3	77	2.1
1969	19,744,700	165,917	8.4	352,937	17.9	6,466	18.3	4,110	11.6	72	2.0
1968	19,432,000	160,636	8.3	339,221	17.5	6,437	19.0	4,080	12.0	67	2.0
1967	19,174,700	156,592	8.2	336,584	17.6	6,582	19.6	4,030	12.0	95	2.8
1966	18,831,000	157,219	8.3	337,623	17.9	7,043	20.9	4,079	12.1	71	2.1
1965	18,464,000	152,677	8.3	355,074	19.2	7,845	22.1	4,514	12.7	104	2.9
1964	18,026,000	150,760	8.4	374,587	20.8	8,143	21.7	4,711	12.6	104	2.8
1963	17,530,000	147,592	8.4	380,505	21.7	8,488	22.3	4,770	12.5	108	2.8
1962	16,951,000	141,185	8.3	378,347	22.3	8,664	22.9	4,790	12.7	110	2.9
1961	16,412,000	137,169	8.4	381,198	23.2	8,871	23.3	4,897	12.8	100	2.6
1960	15,863,000	135,334	8.5	371,799	23.4	8,663	23.3	4,778	12.9	107	2.9
1959	15,288,000	128,208	8.4	358,682	23.5	8,470	23.6	4,714	13.1	106	3.0
1958	14,741,000	125,594	8.5	349,220	23.7	8,571	24.5	4,615	13.2	103	2.9
1957	14,177,000	123,940	8.7	350,525	24.7	8,704	24.8	4,617	13.2	127	3.6
1956	13,581,000	119,786	8.8	333,834	24.6	7,998	24.0	4,423	13.2	103	3.1
1955	13,004,000	114,419	8.8	313,164	24.1	7,400	23.6	4,409	14.1	117	3.7
1954	12,517,000	109,402	8.7	306,037	24.4	7,248	23.7	4,274	14.0	106	3.5
1953	12,101,000	109,513	9.0	296,944	24.5	7,278	24.5	4,289	14.4	130	4.4
1952	11,638,000	108,175	9.3	281,073	24.2	6,885	24.5	4,140	14.7	150	5.3
1951	11,130,000	103,770	9.3	260,259	23.4	6,377	24.5	3,812	14.6	132	5.1
1950	10,643,000	98,583	9.3	244,457	23.0	6,095	24.9	3,703	15.1	135	5.5

1 Per 1,000 population.
2 Per 1,000 live births.
3 Per 10,000 live births.

Note: Maternal deaths are those due to complications of pregnancy, childbirths, and the puerperium, *Ninth Revision International Classification of Diseases* codes 630--675.
Infant deaths are those under one year of age.
Fetal deaths are those of 20 weeks or more gestation (*Ninth Revision International Classification of Diseases* code 779.6).

Source: State of California, Department of Finance, 1986 Population Projections for California Counties, Baseline 86, Nov. 1987. Baseline 86, projections have been controlled to reflect the latest Department of Finance population estimates; *Population Estimates of California Counties, July 1, 1980 to July 1, 1985,* Report 85 E-2, February 1986; *Intercensal Estimates of Total Population, California Counties* Report I and 70-80, March 1982; *Intercensal Estimates of Total Population, California Counties,* 1950–1969.

State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

Figure 1–B

VITAL STATISTICS RATES/RATIO
CALIFORNIA, 1970–1986



1 Per 1,000 population.
2 Per 1,000 live births.
Source: Table 1–1.

Table 1–2

DEATHS, LIVE BIRTHS, FETAL DEATHS, MATERNAL DEATHS, AND INFANT DEATHS BY AGE CALIFORNIA COUNTIES, 1986

(By place of occurrence and by place of residence; infant deaths by place of residence)

COUNTY	DEATHS			LIVE BIRTHS			FETAL DEATHS			MATERNAL DEATHS		INFANT DEATHS BY AGE					
		Residence			Residence			Residence				Total		Neonatal		1–11 Months	
	Occurrence	Number	Rate	Occurrence	Number	Rate	Occurrence	Number	Ratio	Occurrence	Residence	Number	Rate	Number	Rate	Number	Rate
California	204,020	202,826	7.5	482,530	481,905	17.9	3,273	3,259	6.8	32	32	4,298	8.9	2,703	5.6	1,595	3.3
Alameda	9,840	9,580	7.9	22,039	20,127	16.6	134	123	6.1	3	3	181	9.0	107	5.3	74	3.7
Alpine	6	2	1.7	1	18	15.0	0	0	–	–	–	0	–	0	–	0	–
Amador	181	215	9.0	156	255	10.7	1	1	a,b	–	–	4	a,b	2	a,b	2	a,b
Butte	1,791	1,703	10.3	2,628	2,337	14.1	15	12	5.1	–	–	20	8.6	10	4.3	10	4.3
Calaveras	199	248	8.9	79	304	10.9	1	2	a,b	–	–	3	a,b	2	a,b	1	a,b
Colusa	127	150	10.0	100	248	16.5	0	0	–	–	–	3	a,b	1	a,b	2	a,b
Contra Costa	5,079	5,218	7.1	8,393	11,048	15.1	52	77	7.0	–	1	90	8.1	48	4.3	42	3.8
Del Norte	214	201	10.5	268	287	15.0	1	2	a,b	–	–	4	a,b	3	a,b	1	a,b
El Dorado	668	729	6.7	1,312	1,590	14.7	6	7	4.4	–	–	22	13.8	9	5.7	13	8.2
Fresno	4,831	4,411	7.6	12,195	11,746	20.1	103	92	7.8	–	–	114	9.7	93	7.9	21	1.8
Glenn	135	238	10.4	4	367	16.0	0	2	a,b	–	–	4	a,b	0	–	4	a,b
Humboldt	1,043	1,053	9.3	1,824	1,751	15.5	14	16	9.1	–	–	12	6.9	5	2.9	7	4.0
Imperial	720	749	6.9	2,068	2,092	19.3	14	14	6.7	–	–	14	6.7	4	a	10	4.8
Inyo	224	204	11.3	379	224	12.4	1	0	–	–	–	4	a,b	0	–	4	a,b
Kern	3,515	3,668	7.5	10,016	10,213	20.8	79	75	7.3	1	1	121	11.8	88	8.6	33	3.2
Kings	490	556	6.5	2,163	1,924	22.4	11	14	7.3	–	–	20	10.4	10	5.2	10	5.2
Lake	443	596	12.2	122	668	13.6	0	8	b	–	–	7	b	2	a,b	5	b
Lassen	128	145	5.8	258	305	12.3	3	3	a,b	–	–	2	a,b	1	a,b	1	a,b
Los Angeles	64,305	62,829	7.6	163,891	160,557	19.4	1,204	1,184	7.4	14	14	1,527	9.5	1,006	6.3	521	3.2
Madera	497	647	8.2	793	1,357	17.2	9	11	8.1	–	–	12	8.8	9	6.6	3	a
Marin	1,768	1,732	7.6	1,764	2,637	11.6	14	17	6.4	1	1	14	5.3	11	4.2	3	a
Mariposa	105	151	11.0	56	139	10.1	0	0	–	–	–	2	a,b	1	a,b	1	a,b
Mendocino	729	732	9.8	1,293	1,142	15.3	16	13	11.4	–	–	10	8.8	7	6.1	3	a
Merced	908	1,039	6.4	3,182	3,392	20.8	18	24	7.1	–	–	25	7.4	14	4.1	11	3.2
Modoc	78	106	11.3	79	128	13.6	2	3	a,b	–	–	1	a,b	0	–	1	a,b
Mono	70	37	4.0	5	108	11.7	0	0	–	–	–	1	a,b	1	a,b	0	–
Monterey	2,119	2,235	6.6	6,340	6,602	19.6	42	50	7.6	–	–	67	10.1	36	5.5	31	4.7
Napa	1,184	1,030	9.9	1,194	1,408	13.5	5	10	7.1	–	–	13	9.2	7	5.0	6	4.3
Nevada	511	561	7.9	993	851	12.0	7	7	b	–	–	12	b	7	b	5	b
Orange	13,229	13,609	6.3	39,421	37,666	17.3	217	219	5.8	5	4	246	6.5	166	4.4	80	2.1
Placer	1,166	1,113	7.8	2,020	1,991	13.9	13	10	5.0	–	–	25	12.6	17	8.5	8	4.0
Plumas	144	155	8.0	212	207	10.7	0	0	–	–	–	3	a,b	2	a,b	1	a,b
Riverside	7,118	7,895	9.1	13,621	16,208	18.7	71	104	6.4	–	–	175	10.8	115	7.1	60	3.7
Sacramento	7,375	7,071	7.7	17,049	15,975	17.4	86	72	4.5	1	–	148	9.3	77	4.8	71	4.4
San Benito	173	197	6.1	420	603	18.8	2	2	a,b	–	–	7	b	4	a,b	3	a,b
San Bernardino	9,089	8,367	7.4	21,642	22,595	19.9	166	142	6.3	1	2	207	9.2	135	6.0	72	3.2
San Diego	15,991	15,591	7.1	40,022	39,075	17.7	276	267	6.8	1	1	356	9.1	232	5.9	124	3.2
San Francisco	8,203	8,037	10.8	14,230	9,698	13.0	158	91	9.4	1	–	84	8.7	43	4.4	41	4.2
San Joaquin	3,405	3,488	8.1	8,060	8,377	19.4	58	60	7.2	–	–	71	8.5	43	5.1	28	3.3
San Luis Obispo	1,467	1,533	7.9	2,296	2,603	13.3	12	18	6.9	–	–	20	7.7	14	5.4	6	2.3
San Mateo	4,689	4,778	7.8	5,741	9,360	15.2	23	46	4.9	1	1	70	7.5	47	5.0	23	2.5
Santa Barbara	2,586	2,551	7.5	5,506	5,256	15.6	55	51	9.7	–	–	23	4.4	11	2.1	12	2.3
Santa Clara	8,601	7,994	5.7	26,810	24,400	17.4	157	149	6.1	1	–	197	8.1	117	4.8	80	3.3
Santa Cruz	1,725	1,740	8.0	3,609	3,710	17.0	25	23	6.2	–	–	30	8.1	17	4.6	13	3.5
Shasta	1,272	1,242	9.4	2,072	1,961	14.8	8	6	3.1	–	–	20	10.2	10	5.1	10	5.1
Sierra	52	37	10.9	3	22	6.5	0	0	–	–	–	0	–	0	–	0	–
Siskiyou	383	459	10.8	407	595	14.0	0	1	a,b	–	–	10	b	5	b	5	b
Solano	1,896	1,874	6.6	4,817	5,110	17.9	25	27	5.3	–	–	42	8.2	20	3.9	22	4.3
Sonoma	3,040	3,092	9.0	5,144	5,228	15.2	36	38	7.3	–	–	33	6.3	17	3.3	16	3.1
Stanislaus	2,613	2,506	8.0	6,220	5,760	18.3	28	30	5.2	1	1	56	9.7	32	5.6	24	4.2
Sutter	365	491	8.4	1,875	1,007	17.1	9	3	a	–	–	8	7.9	4	a	4	a
Tehama	360	441	9.9	557	664	14.9	1	1	a,b	–	–	7	b	3	a,b	4	a,b
Trinity	85	124	9.2	82	145	10.7	0	2	a,b	–	–	2	a,b	1	a,b	1	a,b
Tulare	2,007	2,199	7.7	5,434	5,847	20.5	36	47	8.0	–	–	49	8.4	26	4.4	23	3.9
Tuolumne	348	379	9.0	596	479	11.3	4	3	a,b	–	–	1	a,b	0	–	1	a,b
Ventura	3,359	3,715	6.0	9,034	10,368	16.8	46	56	5.4	1	1	63	6.1	43	4.1	20	1.9
Yolo	854	930	7.4	1,633	1,937	15.4	9	17	8.8	–	1	17	8.8	11	5.7	6	3.1
Yuba	517	453	8.4	402	1,233	22.8	0	7	5.7	–	1	19	15.4	7	5.7	12	9.7

a Rates and ratios are not calculated for fewer than five events.
b Fetal death ratios and infant death rates are not calculated for counties reporting fewer than 1,000 births.

Note: Infant death rates and fetal death ratios are per 1,000 live births.
Death and live birth rates are per 1,000 estimated population.
Maternal deaths are those due to complications of pregnancy, childbirth, and the puerperium, Ninth Revision International Classification of Diseases 630–676. Infant deaths are those under one year. Neonatal deaths are those under 28 days. Fetal deaths of 20 weeks or more gestation are required by law to be registered.

Source: 1986 Population Projections for California Counties, Baseline 86, Nov. 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 86 E-2).
State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

Table 1–3

TOTAL POPULATION AND POPULATION DENSITY, CALIFORNIA COUNTIES, JULY 1, 1970 and 1986

COUNTY	1970 ESTIMATED POPULATION		1986 ESTIMATED POPULATION		PERCENT CHANGE IN DENSITY 1970 TO 1986
	Number	Density	Number	Density	
California	20,039,000	128.0	26,980,811	172.6	34.9
Alameda	1,073,000	1,463.8	1,211,994	1,646.7	12.5
Alpine	500	0.7	1,204	1.6	132.7
Amador	11,900	20.1	23,898	40.6	101.9
Butte	102,500	61.6	165,596	100.6	63.3
Calaveras	13,700	13.3	27,901	27.3	105.5
Colusa	12,400	10.8	15,041	13.0	20.8
Contra Costa	557,500	759.5	729,842	999.8	31.6
Del Norte	14,600	14.6	19,110	19.0	30.0
El Dorado	44,100	25.7	108,005	63.0	145.0
Fresno	413,800	69.4	583,999	97.7	40.8
Glenn	17,500	13.3	22,995	17.4	31.1
Humboldt	100,200	28.0	113,200	31.6	13.0
Imperial	74,400	17.4	108,304	26.0	49.2
Inyo	15,600	1.5	18,004	1.8	17.4
Kern	331,100	40.6	490,898	60.4	48.7
Kings	66,700	47.8	85,705	61.6	28.8
Lake	19,800	15.8	48,995	38.8	145.7
Lassen	16,900	3.7	24,897	5.5	47.8
Los Angeles	7,055,800	1,737.9	8,292,804	2,037.5	17.2
Madera	41,700	19.4	78,701	36.7	89.1
Marin	207,000	398.1	227,284	434.6	9.2
Mariposa	6,100	4.2	13,704	9.4	124.1
Mendocino	51,300	14.6	74,404	21.2	45.1
Merced	105,000	53.0	163,294	84.0	58.5
Modoc	7,500	1.8	9,404	2.3	28.6
Mono	4,100	1.4	9,202	3.0	117.7
Monterey	247,800	74.5	336,296	101.8	36.7
Napa	79,400	104.7	104,498	140.5	34.1
Nevada	26,500	27.1	70,894	73.8	172.5
Orange	1,431,900	1,831.1	2,171,199	2,720.8	48.6
Placer	78,000	54.8	142,793	100.8	84.0
Plumas	11,700	4.6	19,375	7.5	63.7
Riverside	461,600	64.3	864,604	119.9	86.4
Sacramento	636,700	647.7	916,700	944.1	45.8
San Benito	18,400	13.2	32,100	23.1	75.2
San Bernardino	685,300	34.0	1,138,004	56.7	66.8
San Diego	1,367,200	321.3	2,205,896	523.7	63.0
San Francisco	713,200	15,848.9	744,594	16,186.8	2.1
San Joaquin	292,100	207.3	430,995	304.6	46.9
San Luis Obispo	106,600	32.1	195,102	59.0	83.7
San Mateo	557,100	1,227.1	615,398	1,376.7	12.2
Santa Barbara	265,800	97.1	337,999	123.0	26.7
Santa Clara	1,072,600	823.8	1,403,298	1,085.3	31.7
Santa Cruz	124,500	283.6	218,102	489.0	72.4
Shasta	78,000	20.5	132,802	35.0	70.9
Sierra	2,400	2.5	3,393	3.5	41.5
Siskiyou	33,200	5.3	42,500	6.8	27.7
Solano	172,500	208.6	285,994	342.9	64.4
Sonoma	206,500	130.8	344,796	215.0	64.3
Stanislaus	195,800	130.5	315,099	209.2	60.3
Sutter	42,100	69.4	58,797	97.7	40.7
Tehama	29,600	9.9	44,691	15.1	52.9
Trinity	7,600	2.4	13,496	4.2	76.3
Tulare	189,400	39.1	285,696	59.4	52.0
Tuolumne	22,300	9.8	42,304	18.9	93.2
Ventura	381,400	206.1	615,405	330.5	60.4
Yolo	92,700	89.7	126,805	124.1	38.3
Yuba	44,400	69.7	53,998	84.4	21.1

Note: Estimates are rounded independently and may not add to totals.
Number of persons per square mile of land area.

Source: State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70-80,* March 1982 and *1986 Population Projections for California Counties, Baseline 86, Nov. 1987. Baseline 86,* projections have been controlled to reflect the latest Department of Finance population estimates, Report 86 E-2.

For land area see State of California, Department of Finance, California Statistical Abstract, 1986.

FIGURE 1–C

POPULATION DENSITY BY COUNTY
CALIFORNIA, 1986



Source: Table 1–3.

Table 1–4

INTERCENSAL ESTIMATES OF TOTAL POPULATION
CALIFORNIA COUNTIES, 1970, 1975, 1978–1985

COUNTY	JULY 1, 1970	JULY 1, 1975	JULY 1, 1978	JULY 1, 1979	JULY 1, 1980
California	20,039,000	21,537,000	22,839,000	23,255,000	23,780,100
Alameda	1,073,000	1,107,900	1,109,700	1,103,900	1,109,400
Alpine	500	800	1,000	1,100	1,100
Amador	11,900	15,200	17,500	18,700	19,500
Butte	102,500	120,700	134,500	138,500	144,800
Calaveras	13,700	15,500	18,600	19,900	21,000
Colusa	12,400	12,800	12,900	13,100	12,900
Contra Costa	557,500	586,600	632,100	644,700	658,700
Del Norte	14,600	16,200	17,600	17,700	18,300
El Dorado	44,100	59,400	74,200	80,900	86,700
Fresno	413,800	452,400	495,500	504,600	516,900
Glenn	17,500	19,300	20,300	21,000	21,500
Humboldt	100,200	106,600	107,400	108,000	108,900
Imperial	74,400	83,400	88,400	89,800	92,700
Inyo	15,600	17,600	17,900	18,100	17,900
Kern	331,100	361,800	383,600	393,400	406,400
Kings	66,700	69,400	73,100	73,300	74,200
Lake	19,800	26,100	32,400	34,700	36,900
Lassen	16,900	18,800	19,900	21,200	21,900
Los Angeles	7,055,800	7,190,300	7,341,600	7,387,600	7,498,200
Madera	41,700	48,700	56,300	60,300	63,900
Marin	207,000	219,500	223,900	222,900	223,000
Mariposa	6,100	8,400	9,800	10,600	11,200
Mendocino	51,300	58,000	63,200	65,200	67,000
Merced	105,000	118,900	128,700	131,600	135,600
Modoc	7,500	7,900	8,200	8,400	8,700
Mono	4,100	7,200	7,600	8,200	8,700
Monterey	247,800	270,900	281,100	286,500	292,300
Napa	79,400	90,600	97,400	98,400	99,300
Nevada	26,500	34,100	44,500	48,200	52,600
Orange	1,431,900	1,713,400	1,854,300	1,896,400	1,942,900
Placer	78,000	91,300	107,300	113,500	118,300
Plumas	11,700	14,100	15,700	16,700	17,400
Riverside	461,600	534,500	611,600	639,000	668,700
Sacramento	636,700	691,600	744,800	766,500	787,900
San Benito	18,400	21,400	23,800	24,400	25,200
San Bernardino	685,300	696,800	811,800	853,300	902,900
San Diego	1,367,200	1,594,100	1,773,200	1,831,300	1,874,500
San Francisco	713,200	695,400	681,900	678,100	680,900
San Joaquin	292,100	299,400	326,900	336,800	350,100
San Luis Obispo	106,600	130,700	145,900	151,200	156,900
San Mateo	557,100	582,000	582,900	585,900	587,900
Santa Barbara	265,800	281,100	293,300	295,700	299,200
Santa Clara	1,072,600	1,180,300	1,253,600	1,275,100	1,299,700
Santa Cruz	124,500	156,100	179,300	183,800	189,200
Shasta	78,000	92,400	107,200	112,900	116,700
Sierra	2,400	2,800	3,100	3,100	3,100
Siskiyou	33,200	35,400	37,700	38,800	40,000
Solano	172,500	188,000	212,600	224,400	237,400
Sonoma	206,500	247,100	283,900	291,900	301,400
Stanislaus	195,800	224,600	253,700	260,800	267,900
Sutter	42,100	46,400	50,300	51,700	52,600
Tehama	29,600	32,700	35,800	37,200	39,100
Trinity	7,600	9,800	11,300	11,700	12,000
Tulare	189,400	216,400	234,000	240,300	247,400
Tuolumne	22,300	26,600	30,800	33,000	34,200
Ventura	381,400	440,700	494,900	510,100	532,300
Yolo	92,700	101,700	109,800	111,600	113,900
Yuba	44,400	45,200	48,700	49,300	49,800

Table 1–4 (Continued)

INTERCENSAL ESTIMATES OF TOTAL POPULATION CALIFORNIA COUNTIES, 1970, 1975, 1978–1985

COUNTY	JULY 1, 1981	JULY 1, 1982	JULY 1, 1983	JULY 1, 1984	JULY 1, 1985
California	24,265,400	24,786,200	25,311,100	25,795,000	26,365,100
Alameda	1,126,300	1,142,600	1,162,000	1,181,600	1,197,000
Alpine	1,200	1,200	1,200	1,200	1,200
Amador	20,300	20,900	21,500	22,400	23,400
Butte	148,900	153,100	156,000	159,200	164,000
Calaveras	22,100	23,600	24,700	25,800	26,800
Colusa	13,200	13,800	14,100	14,100	14,700
Contra Costa	688,700	682,100	695,100	705,400	717,600
Del Norte	18,700	18,500	18,600	18,400	18,800
El Dorado	90,400	94,500	96,600	99,700	104,700
Fresno	526,800	537,100	550,700	565,500	576,200
Glenn	22,100	22,300	22,800	22,700	23,200
Humboldt	110,700	110,400	110,600	111,800	113,000
Imperial	95,600	97,800	100,300	102,400	106,000
Inyo	18,000	18,500	18,500	18,300	18,400
Kern	420,000	434,800	449,600	463,600	480,600
Kings	76,100	77,900	80,500	82,100	84,900
Lake	39,100	41,000	43,300	45,900	48,300
Lassen	22,700	23,600	23,900	24,300	24,600
Los Angeles	7,590,800	7,729,800	7,862,100	7,964,600	8,085,300
Madera	67,200	69,300	71,700	73,900	76,300
Marin	224,600	225,900	227,000	226,500	226,100
Mariposa	11,700	12,100	12,400	12,900	13,400
Mendocino	68,300	69,600	70,700	72,000	73,800
Merced	139,800	142,900	148,000	154,700	160,500
Modoc	9,000	9,300	9,500	9,700	9,500
Mono	9,000	9,400	9,500	9,200	9,300
Monterey	300,100	306,200	313,800	321,400	329,700
Napa	99,800	101,600	102,200	102,700	104,000
Nevada	56,700	60,200	62,500	65,200	68,300
Orange	1,994,100	2,028,300	2,064,100	2,091,200	2,127,900
Placer	122,700	127,000	129,800	134,300	138,400
Plumas	17,900	18,400	18,400	18,600	19,200
Riverside	692,100	717,700	745,200	780,800	820,600
Sacramento	806,800	833,200	855,300	873,600	893,800
San Benito	25,900	26,900	27,800	29,100	30,500
San Bernardino	935,400	970,100	1,004,200	1,039,500	1,086,400
San Diego	1,928,900	1,977,700	2,022,300	2,078,200	2,131,600
San Francisco	688,800	700,200	708,300	716,100	735,000
San Joaquin	361,400	373,300	386,000	399,200	416,700
San Luis Obispo	162,600	168,000	173,600	180,500	190,100
San Mateo	590,700	595,200	604,900	611,500	616,600
Santa Barbara	304,300	310,800	319,000	324,700	334,600
Santa Clara	1,320,000	1,337,400	1,363,000	1,381,700	1,400,100
Santa Cruz	193,800	197,500	202,400	206,700	214,300
Shasta	120,800	122,600	124,500	127,600	131,700
Sierra	3,100	3,400	3,400	3,400	3,500
Siskiyou	41,000	41,700	41,900	42,200	42,800
Solano	246,300	255,200	262,300	266,900	275,200
Sonoma	308,800	315,100	322,400	328,000	335,400
Stanislaus	275,800	281,800	290,500	296,800	304,900
Sutter	54,000	55,500	57,100	57,100	58,500
Tehama	40,100	41,200	42,200	43,200	44,300
Trinity	12,500	12,600	12,900	13,400	13,600
Tulare	253,500	258,800	266,200	272,700	280,500
Tuolumne	35,400	36,600	37,800	38,800	40,800
Ventura	545,700	560,800	574,700	588,100	600,200
Yolo	115,000	117,900	119,400	121,000	124,000
Yuba	50,100	51,300	52,100	52,900	54,300

Note: Estimates are rounded independently and may not add to totals.

Source: State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties*, Report I and 70-80, March 1982, *Population Estimates for California Counties July 1, 1980 to July 1, 1985*, Report 85 E-2, February 1986, and *1986 Population Projections for California Counties, Baseline 86, November 1987*, Baseline 86, projections have been controlled to reflect the latest Department of Finance population estimates, Report 86 E-2.

2. LIVE BIRTHS

Page

RATES

Table 2-1 Number and percent of women of childbearing age by age group: California and United States, 1984-1986 15

2-2 General fertility rate, total fertility rate, and age-specific live birth rates: California and United States, 1970-1986 16

2-3 General fertility rate and live birth rates by live birth order: California and United States, 1970-1986 18

2-4 General fertility rate and age-specific live birth rates by live birth order: California, 1970, 1980 and 1982-1986 ... 20

2-5 General fertility rates and age-specific live birth rates by age of mother: California counties, 1986 21

SELECTED COUNTY DATA

2-6 Live births by age of mother: California counties, 1986 22

2-7 Live births by month of birth: California counties, 1986 23

2-8 Live births by type of hospital: California counties, 1986 24

2-9 Live births by race/ethnicity of child and sex: California counties, 1986 25

2-10 Live births by Spanish/Hispanic origin of mother and sex: California counties, 1986 35

Page

AGE OF MOTHER

2-11 Live births by race/ethnicity of child and age of mother: California counties, 1986 45
2-12 Live births by Spanish/Hispanic origin of mother and age of mother: California counties, 1986 65
2-13 Live births by race/ethnicity of child, previous live births, and age of mother: California, 1986 70
2-14 Live births by Spanish/Hispanic origin of mother, previous live births, and age of mother: California, 1986 72
2-15 Age-Specific live birth rates by age of mother (by individual years for teens): California counties, 1986 73

BIRTHWEIGHT

2-16 Live births by birthweight, weeks of gestation, and race/ethnicity of child: California, 1986 75
2-17 Live births by birthweight, weeks of gestation, and Spanish/Hispanic origin of mother: California, 1986 77
2-18 Live births by race/ethnicity of child, birthweight, and age of mother: California, 1986 78
2-19 Live births by Spanish/Hispanic origin of mother, birthweight and age of mother: California, 1986 80

Page

PRENATAL CARE

2-20 Live births by month prenatal care began and age of mother: California, 1986 81
2-21 Live births by race/ethnicity of child, trimester prenatal care began and age of mother: California, 1986 82
2-22 Live births by Spanish/Hispanic origin of mother, trimester prenatal care began and age of mother: California, 1986 ... 84
2-23 Live births by birthweight, trimester prenatal care began and race/ethnicity of child: California, 1986 85
2-24 Live births by birthweight, trimester prenatal care began and Spanish/Hispanic origin of mother: California, 1986 87

PLURALITY/ANOMALIES

2-25 Live births by plurality of delivery, sex, and race/ethnicity of child: California, 1986 88
2-26 Live births by plurality of delivery, sex, and Spanish/Hispanic origin of mother: California, 1986 89
2-27 Live births with one or more congenital anomalies and congenital anomalies reported by type, by sex and race/ethnicity of child: California, 1986 90
2-28 Live births with one or more congenital anomalies and congenital anomalies reported by type, by sex and Spanish/Hispanic origin of mother: California, 1986 95

Page

ESTIMATED MARITAL STATUS

2-29 Number of live births by estimated marital status and age of mother (detailed under age 20): California, selected years, 1966-1986 100

2-30 Number of live births by estimated marital status, by race of mother and age of mother: California, selected years, 1966-1986 101

2-31 Estimated live births to unmarried women, as a percent of total live births, by race of mother and age of mother: California, selected years, 1966-1986 .. 102

2-32 Total live births and estimated live births to unmarried women by race, Spanish/Hispanic origin and age of mother and live birth order: California, 1986 103

2-33 Total live births and estimated number and percent of live births to unmarried women by race and Spanish/Hispanic origin of mother: California counties, 1986 105

Figure 2-A Age-specific live birth rates: California and United States, 1970-1986 17

2-B Live birth rates by live birth order: California and United States, 1970-1986 19

2-C Age-specific live birth rates: California counties. (Mothers ages 15-19), 1986 74

TABLE 2–1

NUMBER AND PERCENT OF WOMEN OF CHILDBEARING AGE BY AGE GROUP CALIFORNIA AND UNITED STATES, 1984–1986

AGE GROUP	CALIFORNIA		UNITED STATES	
	Number	Percent	Number	Percent
	1986			
Total, 15–44	6,443,165	100.0	57,487,000	100.0
15–19	973,143	15.1	9,128,000	15.9
20–24	1,111,305	17.2	10,185,000	17.7
25–29	1,185,821	18.4	10,984,000	19.1
30–34	1,216,555	18.9	10,407,000	18.1
35–39	1,114,406	17.3	9,467,000	16.5
40–44	841,935	13.1	7,316,000	12.7
Median Age	29.8		29.3	
	1985			
Total, 15–44	6,307,722	100.0	56,755,000	100.0
15–19	959,932	15.2	9,107,000	16.0
20–24	1,129,784	17.9	10,479,000	18.5
25–29	1,187,133	18.8	10,865,000	19.1
30–34	1,179,798	18.7	10,171,000	17.9
35–39	1,045,576	16.6	8,967,000	15.8
40–44	805,499	12.8	7,166,000	12.6
Median Age	29.5		29.0	
	1984			
Total, 15–44	6,180,417	100.0	56,061,000	100.0
15–19	961,073	15.6	9,231,000	16.5
20–24	1,131,751	18.3	10,641,000	19.0
25–29	1,189,676	19.2	10,763,000	19.2
30–34	1,144,984	18.5	9,900,000	17.7
35–39	984,821	15.9	8,584,000	15.3
40–44	768,112	12.4	6,942,000	12.4
Median Age	29.2		28.8	

Note: Population figures are as of July 1.
Percents are rounded independently and may not add to totals.

Source: U. S. Department of Commerce, Bureau of the Census, *Current Population Reports, Population Estimates and Projections,* Series P-25, No. 1000.

1986 Population Projections for California Counties, Baseline 86, November 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 86 E-2).

Table 2–2

GENERAL FERTILITY RATE, TOTAL FERTILITY RATE, AND AGE-SPECIFIC LIVE BIRTH RATES CALIFORNIA AND UNITED STATES, 1970–1986

(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	TOTAL FERTILITY RATE[2]	AGE-SPECIFIC BIRTH RATE[3] BY AGE OF MOTHER							
			Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
CALIFORNIA										
1986	74.8	2,128	1.1	53.2	121.8	128.5	81.2	33.0	6.4	0.4
1985	74.6	2,095	1.0	52.5	121.2	126.0	79.7	32.1	6.1	0.4
1984	72.4	2,010	1.1	51.1	118.9	119.2	75.3	30.2	5.9	0.4
1983	71.7	1,973	1.0	51.4	119.2	115.0	73.1	29.0	5.6	0.3
1982	72.0	1,963	1.0	52.8	120.6	114.9	70.2	27.4	5.4	0.4
1981	71.9	1,942	1.0	53.7	119.7	113.9	68.5	25.9	5.4	0.3
1980	70.4	1,892	0.9	52.5	116.3	111.3	67.4	24.7	5.1	0.3
1979	68.9	1,848	0.9	52.2	113.1	109.0	65.7	23.4	4.9	0.3
1978	66.6	1,780	0.9	51.2	108.8	106.0	62.3	21.9	4.6	0.2
1977	67.2	1,792	0.9	51.3	110.9	107.6	61.0	21.6	4.7	0.3
1976	66.1	1,765	0.9	51.0	110.5	105.5	58.8	21.5	4.5	0.3
1975	65.1	1,750	0.9	51.0	110.7	105.8	56.0	20.4	4.8	0.3
1974	65.9	1,784	0.8	51.4	114.7	107.7	56.2	21.1	4.6	0.3
1973	64.8	1,765	0.8	51.4	114.8	105.1	54.8	20.8	4.9	0.3
1972	68.4	1,874	0.8	54.5	122.9	110.2	58.2	22.3	5.5	0.3
1971	75.4	2,078	0.8	58.0	139.2	121.8	63.3	25.7	6.4	0.3
1970	84.7	2,353	0.8	68.9	157.5	135.5	70.8	29.5	7.2	0.4
UNITED STATES										
1986	64.9	---	---	---	---	---	---	---	---	---
1985[a]	66.1	1,842.5	1.2	51.3	108.9	110.5	68.5	23.9	4.0	0.2
1984[a]	65.4	1,805.5	1.2	50.9	107.3	108.3	66.5	22.8	3.9	0.2
1983[a]	65.8	1,802.5	1.1	51.7	108.3	108.7	64.6	22.1	3.8	0.2
1982[a]	67.3	1,828.5	1.1	52.9	111.3	111.0	64.2	21.1	3.9	0.2
1981[a]	67.4	1,815.0	1.1	52.7	111.8	112.0	61.4	20.0	3.8	0.2
1980[a]	68.4	1,839.5	1.1	53.0	115.1	112.9	61.9	19.8	3.9	0.2
1979[a]	67.2	1,808.0	1.2	52.3	112.8	111.4	60.3	19.5	3.9	0.2
1978[a]	65.5	1,760.0	1.2	51.5	109.9	108.5	57.8	19.0	3.9	0.2
1977[a]	66.8	1,789.5	1.2	52.8	112.9	111.0	56.4	19.2	4.2	0.2
1976[a]	65.0	1,738.0	1.2	52.8	110.3	106.2	53.6	19.0	4.3	0.2
1975[a]	66.0	1,774.0	1.3	55.6	113.0	108.2	52.3	19.5	4.6	0.3
1974[a]	67.8	1,835.0	1.2	57.5	117.7	111.5	53.8	20.2	4.8	0.3
1973[a]	68.8	1,879.0	1.2	59.3	119.7	112.2	55.6	22.1	5.4	0.3
1972[a]	73.1	2,010.0	1.2	61.7	130.2	117.7	59.8	24.8	6.2	0.4
1971[b]	81.6	2,266.5	1.1	64.5	150.1	134.1	67.2	28.7	7.1	0.4
1970[b]	87.9	2,480.0	1.2	68.3	167.8	145.1	73.3	31.7	8.1	0.5

1 The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

2 The total fertility rate is the sum of each age-specific live birth rate multiplied by the number of years in the age group (five years in this case).

3 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

a Based on 100 percent of births in selected states and on a 50 percent sample of births in all other states.

b Based on a 50 percent sample of births.

Source: U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Advance Report of Final Natality Statistics, 1985, Vol. 36, No. 4 Supplement, July 17, 1987.

U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Annual Summary of Births, Deaths, Marriages, and Divorces: United States, 1985, Vol. 35, No. 13, August 24, 1987.

State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70–80*, March 1982; *Population Projections for California Counties, Baseline 83*, October 1983; *California Projected 1985 Population by Age and Sex*, run date 12/11/86; *1986 Population Projections for California Counties, Baseline 86*, November 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 86 E-2).

State of California, Department of Health Services, Birth Records.

Figure 2–A
AGE SPECIFIC LIVE BIRTH RATES
CALIFORNIA AND UNITED STATES
1970–1986
(By place of residence)



Source: Table 2–2.

Table 2–3

GENERAL FERTILITY RATE AND LIVE BIRTH RATES BY LIVE BIRTH ORDER CALIFORNIA AND UNITED STATES, 1970–1986

(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	LIVE BIRTH ORDER				
		First	Second	Third	Fourth	Fifth or Higher
CALIFORNIA						
1986	74.8	30.5	23.6	12.0	4.9	3.7
1985	74.6	30.4	24.0	11.8	4.8	3.6
1984	72.4	29.8	23.4	11.3	4.5	3.5
1983	71.7	30.1	22.8	11.0	4.4	3.5
1982	72.0	30.9	22.7	10.8	4.3	3.4
1981	71.9	31.3	22.4	10.5	4.2	3.5
1980	70.4	31.1	21.6	10.2	4.1	3.4
1979	68.9	30.3	21.3	9.9	4.0	3.4
1978	66.6	29.4	20.6	9.4	3.8	3.3
1977	67.2	29.4	21.0	9.5	3.8	3.5
1976	66.1	28.7	20.8	9.2	3.7	3.7
1975	65.1	28.3	20.6	8.8	3.7	3.7
1974	65.9	28.6	20.8	8.8	3.8	4.0
1973	64.8	28.1	20.1	8.6	3.9	4.1
1972	68.4	29.2	20.8	9.4	4.4	4.7
1971	75.4	30.8	21.9	11.0	5.4	6.2
1970	84.7	34.2	23.8	12.7	6.5	7.5
UNITED STATES						
1986[a]	64.9	---	---	---	---	---
1985[a]	66.1	27.6	22.0	10.4	3.8	2.5
1984[a]	65.4	27.4	21.7	10.1	3.7	2.6
1983[a]	65.8	27.8	21.5	10.1	3.7	2.6
1982[a]	67.3	28.6	22.0	10.2	3.8	2.6
1981[a]	67.4	29.0	21.6	10.2	3.8	2.8
1980[a]	68.4	29.5	21.8	10.3	3.9	2.9
1979[a]	67.2	28.6	21.6	10.1	3.8	2.9
1978[a]	65.5	27.8	21.1	9.8	3.8	2.9
1977[a]	66.8	28.2	21.6	10.0	3.8	3.2
1976[a]	65.0	27.5	20.8	9.5	3.8	3.4
1975[a]	66.0	28.1	20.9	9.4	3.9	3.7
1974[a]	67.8	28.7	21.4	9.5	4.1	4.2
1973[a]	68.8	28.6	21.0	9.8	4.5	4.9
1972[a]	73.1	29.8	21.4	10.6	5.3	6.0
1971[b]	81.6	32.0	23.1	12.5	6.4	7.6
1970[b]	87.9	34.2	24.2	13.6	7.2	8.8

1 The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

a Based on 100 percent of births in selected states and on a 50 percent sample of births in all other states.

b Based on a 50 percent sample of births.

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order, before rates were calculated.

Rates are per 1,000 women aged 15–44 years.

Source: U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report,* Advance Report of Final Natality Statistics, 1985, Vol. 36, No. 4, Supplement, July 17, 1987.

U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report,* Annual Summary of Births, Deaths, Marriages, and Divorces: United States, 1985, Vol. 35, No. 13, August 24, 1987.

State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population,* California Counties, Report I 70-80, March 1982; *Population Projections for California Counties, Baseline 83,* October 1983; *California Projected 1985 Population by Age and Sex,* run date December 11, 1986; *1986 Population Projections for California Counties, Baseline 86,* November 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 86 E-2).

State of California, Department of Health Services, Birth Records.

Figure 2–B
LIVE BIRTH RATES BY LIVE BIRTH ORDER
CALIFORNIA AND UNITED STATES
1970–1986
(By place of residence)





Source: Table 2–3.

Table 2–4

GENERAL FERTILITY RATE AND AGE-SPECIFIC LIVE BIRTH RATES BY LIVE BIRTH ORDER CALIFORNIA, 1970, 1980, AND 1982–1986

(By place of residence)

YEAR AND BIRTH ORDER	GENERAL FERTILITY RATE[1]	AGE OF MOTHER							
		Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
1986	74.8	1.1	53.2	121.8	128.5	81.2	33.0	6.4	0.4
First Live Birth	30.5	1.1	41.7	60.1	45.0	21.8	6.9	1.0	0.0
Second	23.6	0.0	9.7	40.7	44.6	27.1	9.4	1.3	0.1
Third	12.0	0.0	1.6	15.3	24.4	17.3	7.1	1.1	0.0
Fourth	4.9	0.0	0.2	4.3	9.4	8.3	4.2	0.8	0.0
Fifth or More	3.7	0.0	0.0	1.4	5.0	6.8	5.5	2.1	0.3
1985	74.6	1.0	52.5	121.2	126.0	79.7	32.1	6.1	0.4
First Live Birth	30.4	1.0	40.9	59.6	43.9	20.9	6.6	0.9	0.0
Second	24.0	0.0	9.8	41.3	44.5	26.9	9.1	1.2	0.0
Third	11.8	0.0	1.6	14.9	23.6	16.8	6.9	1.1	0.0
Fourth	4.8	0.0	0.2	4.1	9.1	8.3	4.2	0.8	0.0
Fifth or More	3.6	0.0	0.0	1.3	4.8	6.8	5.4	2.2	0.2
1984	72.4	1.1	51.1	118.9	119.2	75.3	30.2	5.9	0.4
First Live Birth	29.8	1.0	39.7	58.2	42.0	19.6	6.1	0.8	0.0
Second	23.4	0.0	9.6	41.1	42.2	25.5	8.4	1.0	0.0
Third	11.3	0.0	1.6	14.6	22.1	16.0	6.4	1.0	0.0
Fourth	4.5	0.0	0.2	3.8	8.4	7.8	3.8	0.8	0.0
Fifth or More	3.5	0.0	0.0	1.2	4.5	6.5	5.5	2.2	0.3
1983	71.7	1.0	51.4	119.2	115.0	73.1	29.0	5.6	0.3
First Live Birth	30.1	0.9	40.0	59.2	40.5	19.4	5.6	0.7	0.0
Second	22.8	0.0	9.7	41.0	40.5	24.0	7.5	1.0	0.0
Third	11.0	0.0	1.5	14.3	21.4	15.6	6.2	0.9	0.0
Fourth	4.4	0.0	0.2	3.7	8.2	7.5	3.9	0.8	0.0
Fifth or More	3.5	0.0	0.0	1.1	4.3	6.6	5.7	2.3	0.3
1982	72.0	1.0	52.8	120.6	114.9	70.2	27.4	5.4	0.4
First Live Birth	30.9	0.9	41.3	60.9	41.2	17.9	5.0	0.7	0.0
Second	22.7	0.0	9.8	41.0	40.3	23.0	6.9	0.8	0.0
Third	10.8	0.0	1.5	14.0	21.0	15.1	6.0	0.9	0.0
Fourth	4.3	0.0	0.2	3.6	8.0	7.4	3.8	0.8	0.0
Fifth or More	3.4	0.0	0.0	1.0	4.4	6.7	5.8	2.2	0.2
1980	70.4	0.9	52.5	116.3	111.3	67.4	24.7	5.1	0.3
First Live Birth	31.1	0.8	41.6	60.3	39.9	16.7	4.0	0.6	0.0
Second	21.6	0.0	9.4	38.6	38.9	21.8	5.6	0.6	0.0
Third	10.2	0.0	1.3	13.1	20.4	14.6	5.2	0.7	0.0
Fourth	4.1	0.0	0.2	3.3	7.7	7.4	3.7	0.8	0.0
Fifth or More	3.4	0.0	0.0	1.1	4.5	7.0	6.2	2.4	0.2
1970	84.7	0.8	68.9	157.5	135.6	70.8	29.5	7.2	0.4
First Live Birth	34.2	0.8	55.1	74.2	33.9	9.3	2.6	0.5	0.0
Second	23.8	0.0	11.8	55.1	43.2	15.0	3.9	0.7	0.0
Third	12.7	0.0	1.7	19.8	30.8	16.1	5.1	0.9	0.0
Fourth	6.5	0.0	0.3	6.0	15.2	12.3	5.0	1.1	0.1
Fifth or More	7.5	0.0	0.0	2.4	12.4	18.1	12.9	4.0	0.3

1 The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order, before rates were calculated.

Rates are per 1,000 women in a specified age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

Source: *1986 Population Projections for California Counties, Baseline 86,* November 1987, Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 86 E-2).

State of California, Department of Health Services, Birth Records.

TABLE 2–5

GENERAL FERTILITY RATES AND AGE-SPECIFIC LIVE BIRTH RATES BY AGE OF MOTHER, CALIFORNIA COUNTIES, 1986
(By place of residence)

COUNTY	GENERAL FERTILITY RATE[1]	AGE-SPECIFIC BIRTH RATE[2] BY AGE OF MOTHER							
		Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
California	74.8	1.1	53.2	121.8	128.5	81.2	33.0	6.4	0.4
Alameda	66.0	1.3	37.6	89.9	128.2	81.8	35.5	6.4	0.5
Alpine	59.0	0.0	a	96.2	80.6	a	a	0.0	0.0
Amador	53.5	0.0	30.5	87.3	108.3	66.8	30.0	a	0.0
Butte	59.6	0.0	37.9	77.6	125.4	68.7	25.2	4.8	a
Calaveras	50.2	0.0	35.4	71.7	112.3	58.6	27.0	a	0.0
Colusa	83.6	0.0	61.9	115.5	157.4	96.3	29.1	a	0.0
Contra Costa	61.6	0.9	36.9	90.7	104.6	85.8	34.6	4.4	0.2
Del Norte	71.9	a	65.9	160.8	110.2	43.8	27.9	0.0	4.7
El Dorado	60.4	0.0	42.4	110.4	115.6	62.0	28.5	1.8	0.0
Fresno	86.9	2.3	79.3	139.9	139.8	82.4	31.7	7.4	1.8
Glenn	77.4	a	72.9	140.2	128.2	76.5	18.0	a	0.0
Humboldt	63.6	a	43.6	98.4	121.9	63.2	28.9	4.1	1.9
Imperial	85.1	a	66.4	127.0	143.2	84.2	37.8	6.1	a
Inyo	63.1	0.0	42.9	88.9	117.8	79.3	41.9	1.9	0.0
Kern	93.4	1.9	85.2	178.5	136.5	78.4	28.9	5.1	0.5
Kings	101.0	a	92.1	197.3	135.6	79.0	31.3	6.1	0.0
Lake	66.2	a	73.4	138.9	117.8	60.9	19.1	a	0.0
Lassen	59.7	a	56.4	129.3	87.9	54.7	14.9	a	0.0
Los Angeles	83.2	1.2	65.0	140.4	135.0	88.3	38.6	7.9	0.5
Madera	76.9	a	70.3	141.9	133.0	64.5	26.9	5.8	0.0
Marin	44.3	0.0	8.8	42.4	74.1	77.8	39.4	7.3	a
Mariposa	46.3	0.0	51.5	63.5	80.7	57.0	14.1	0.0	0.0
Mendocino	66.3	a	60.4	123.0	104.4	75.7	32.1	8.2	0.0
Merced	95.3	1.2	88.2	170.3	126.6	80.4	36.5	10.4	a
Modoc	64.4	0.0	60.9	105.5	145.9	46.4	22.2	a	0.0
Mono	48.1	0.0	20.5	100.0	80.5	43.5	21.9	0.0	0.0
Monterey	81.9	1.1	61.2	140.9	130.3	74.9	34.2	7.0	1.2
Napa	57.2	0.0	31.6	91.5	110.7	72.3	21.5	5.9	0.0
Nevada	50.4	0.0	26.8	74.1	116.4	65.7	22.4	4.9	a
Orange	69.9	0.6	37.4	109.2	125.7	84.8	30.8	5.7	0.4
Placer	58.6	a	30.5	80.9	120.5	80.2	27.6	4.1	a
Plumas	48.6	0.0	35.0	74.9	103.7	51.1	14.6	a	0.0
Riverside	82.5	1.5	66.5	143.2	147.2	76.7	24.7	4.9	0.2
Sacramento	71.2	1.1	55.1	118.2	120.3	72.3	25.6	4.8	0.4
San Benito	77.6	0.0	61.6	107.4	152.4	77.5	40.6	a	0.0
San Bernardino	81.5	1.0	64.3	149.4	142.8	71.5	23.9	3.9	a
San Diego	74.2	0.8	43.3	126.0	128.4	77.9	30.5	6.0	0.3
San Francisco	57.2	1.5	43.8	82.1	110.5	64.8	33.2	8.7	0.4
San Joaquin	81.9	1.6	73.5	149.9	140.5	69.2	28.9	9.3	2.3
San Luis Obispo	56.8	a	29.2	76.0	118.5	69.2	25.6	3.8	0.0
San Mateo	63.9	0.7	27.0	85.5	110.8	95.0	37.4	6.3	a
Santa Barbara	63.0	a	33.1	84.2	118.1	75.8	36.9	4.4	a
Santa Clara	67.1	0.8	35.5	88.8	124.0	87.8	34.7	6.4	0.2
Santa Cruz	65.6	1.0	39.5	107.8	114.0	73.0	34.8	8.1	1.0
Shasta	62.8	1.4	51.8	112.7	113.1	60.5	20.4	3.5	a
Sierra	30.7	0.0	0.0	a	63.1	62.5	a	0.0	0.0
Siskiyou	65.5	0.0	47.1	119.8	121.6	65.2	24.8	8.0	0.0
Solano	72.7	0.8	53.2	121.4	127.1	73.4	25.5	4.8	a
Sonoma	60.6	0.9	29.4	85.0	127.4	77.8	31.1	5.8	a
Stanislaus	77.2	1.1	63.2	141.8	125.1	70.7	28.7	5.7	a
Sutter	75.8	a	47.3	139.2	121.7	78.2	27.7	3.3	a
Tehama	69.7	0.0	51.5	134.9	114.1	61.5	21.4	3.8	a
Trinity	48.7	0.0	40.0	103.5	90.9	47.5	16.5	0.0	0.0
Tulare	87.5	1.6	92.3	152.1	122.8	75.5	32.7	5.8	0.8
Tuolumne	53.3	a	31.9	91.9	97.0	66.9	17.5	a	0.0
Ventura	69.1	0.7	40.8	105.8	129.1	85.9	28.8	5.4	0.3
Yolo	58.0	a	37.6	76.2	110.2	65.6	28.6	5.3	0.0
Yuba	96.7	a	83.8	200.5	135.0	58.6	26.9	7.0	a

1 The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

2 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

a Rates not calculated for fewer than five live births.

Source: *1986 Population Projections for California Counties, Baseline 86,* November 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 86 E-2).

State of California, Department of Health Services, Birth Records.

TABLE 2-6

LIVE BIRTHS BY AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	481,905	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
ALAMEDA	20,127	44	105	214	314	477	639	4,929	6,552	4,601	1,961	262	12	3	14
ALPINE	18	-	-	1	-	-	1	5	5	4	2	-	-	-	-
AMADOR	255	-	1	2	4	7	9	68	80	54	28	2	-	-	-
BUTTE	2,337	-	10	33	50	76	93	707	701	491	153	20	3	-	-
CALAVERAS	304	-	1	4	3	14	13	79	102	56	31	1	-	-	-
COLUSA	248	-	2	4	6	11	9	65	85	49	13	4	-	-	-
CONTRA COSTA	11,048	20	41	114	180	257	353	2,632	3,526	2,660	1,143	117	3	1	1
DEL NORTE	287	1	4	6	8	6	17	109	80	34	19	-	2	-	1
EL DORADO	1,590	-	10	14	22	36	67	433	504	348	149	6	-	-	1
FRESNO	11,746	47	115	227	334	489	611	3,670	3,379	2,031	695	117	20	4	7
GLENN	367	1	2	5	9	20	22	122	105	66	14	1	-	-	-
HUMBOLDT	1,751	1	5	14	37	49	78	507	538	354	145	13	5	-	5
IMPERIAL	2,092	2	18	34	72	84	98	638	645	350	131	17	2	-	1
INYO	224	-	-	3	4	11	6	56	67	48	28	1	-	-	-
KERN	10,213	34	80	181	280	400	543	3,470	3,106	1,555	489	66	6	-	3
KINGS	1,924	3	20	26	49	82	111	747	539	247	85	14	-	-	1
LAKE	668	2	5	9	20	29	47	211	185	118	38	4	-	-	-
LASSEN	305	1	3	3	9	10	21	110	82	50	14	2	-	-	-
LOS ANGELES	160,557	331	977	2,220	3,498	5,092	6,589	44,248	49,381	33,081	12,929	2,025	90	5	91
MADERA	1,357	2	16	31	39	56	73	447	394	208	78	13	-	-	-
MARIN	2,637	-	3	-	8	19	26	350	824	831	497	77	1	-	1
MARIPOSA	139	-	-	3	5	5	10	33	44	32	7	-	-	-	-
MENDOCINO	1,142	2	9	15	30	44	58	321	290	238	114	21	-	-	-
MERCED	3,392	7	21	64	95	142	198	1,162	955	517	187	39	2	-	3
MODOC	128	-	2	3	2	9	5	40	41	16	8	1	-	-	1
MONO	108	-	-	1	1	1	3	33	36	25	8	-	-	-	-
MONTEREY	6,602	12	42	81	141	230	329	2,046	2,069	1,136	444	60	8	-	4
NAPA	1,408	-	10	15	15	40	42	383	471	316	95	21	-	-	-
NEVADA	851	-	2	5	16	13	26	212	270	210	84	12	1	-	-
ORANGE	37,666	40	134	305	535	823	1,248	10,125	12,841	8,309	2,830	415	24	-	37
PLACER	1,991	1	2	18	35	41	60	497	693	448	174	21	1	-	-
PLUMAS	207	-	2	4	3	1	13	53	76	40	12	3	-	-	-
RIVERSIDE	16,208	43	118	229	404	594	821	5,085	5,267	2,714	800	122	4	1	6
SACRAMENTO	15,975	31	98	222	363	500	658	4,788	5,119	3,075	980	129	7	3	2
SAN BENITO	603	-	4	11	22	13	31	165	201	103	49	4	-	-	-
SAN BERNARDINO	22,595	40	149	335	547	793	1,077	7,383	7,327	3,726	1,082	132	2	-	2
SAN DIEGO	39,075	52	177	387	613	939	1,449	11,787	12,595	8,007	2,671	375	14	1	8
SAN FRANCISCO	9,698	21	45	106	129	187	269	1,919	2,905	2,650	1,244	214	6	1	2
SAN JOAQUIN	8,377	25	62	146	253	312	388	2,619	2,519	1,379	530	119	22	2	1
SAN LUIS OBISPO	2,603	3	11	26	30	53	105	712	850	595	199	19	-	-	-
SAN MATEO	9,360	11	22	56	97	129	206	1,988	3,067	2,621	1,020	138	4	-	1
SANTA BARBARA	5,256	4	30	55	100	138	173	1,376	1,714	1,165	455	43	2	-	1
SANTA CLARA	24,400	33	77	229	343	527	760	5,900	8,331	5,760	2,107	312	8	-	13
SANTA CRUZ	3,710	6	12	42	55	85	116	914	1,170	868	379	58	5	-	-
SHASTA	1,961	6	9	27	43	70	112	624	613	331	110	15	1	-	-
SIERRA	22	-	-	-	-	-	-	3	7	9	3	-	-	-	-
SISKIYOU	595	-	4	7	11	20	25	184	181	112	41	10	-	-	-
SOLANO	5,110	8	23	60	113	163	234	1,581	1,644	941	300	41	1	-	1
SONOMA	5,228	9	19	42	76	97	144	1,234	1,778	1,229	528	71	1	-	-
STANISLAUS	5,760	12	38	85	168	207	277	1,928	1,724	940	323	54	2	-	-
SUTTER	1,007	4	4	10	22	31	35	354	311	172	56	6	2	-	-
TEHAMA	664	-	2	8	21	22	24	254	196	97	33	5	1	-	1
TRINITY	145	-	-	-	5	3	10	53	37	27	10	-	-	-	-
TULARE	5,847	18	50	112	205	310	358	1,950	1,589	861	343	46	5	-	-
TUOLUMNE	479	2	2	6	9	11	14	129	157	117	29	3	-	-	-
VENTURA	10,368	16	34	93	168	314	394	2,825	3,468	2,200	737	111	5	-	3
YOLO	1,937	2	13	20	54	73	84	555	581	396	140	18	-	-	1
YUBA	1,233	4	12	16	33	39	77	486	369	138	46	10	3	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-7

LIVE BIRTHS BY MONTH OF BIRTH

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL LIVE BIRTHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	481,905	38,844	35,833	39,380	38,735	40,802	39,814	42,545	43,385	42,566	41,534	38,295	40,172
ALAMEDA	20,127	1,635	1,512	1,642	1,652	1,747	1,617	1,796	1,742	1,769	1,731	1,613	1,671
ALPINE	18	3	2	-	-	3	2	2	3	1	1	-	1
AMADOR	255	23	26	19	12	26	22	17	16	28	22	22	22
BUTTE	2,337	192	168	186	193	223	194	226	206	182	192	188	187
CALAVERAS	304	16	21	24	19	38	27	28	23	25	33	27	23
COLUSA	248	23	21	20	25	17	18	14	26	18	25	18	23
CONTRA COSTA	11,048	909	826	957	833	994	885	1,018	938	969	928	870	921
DEL NORTE	287	25	26	17	32	20	27	26	28	18	26	21	21
EL DORADO	1,590	131	112	123	135	166	158	140	139	139	105	112	130
FRESNO	11,746	903	870	943	930	995	987	1,076	1,080	1,058	993	894	1,017
GLENN	367	30	27	33	29	31	35	37	24	30	32	24	35
HUMBOLDT	1,751	132	139	163	144	155	142	128	167	165	137	130	149
IMPERIAL	2,092	165	154	170	163	154	153	181	181	218	209	177	167
INYO	224	16	24	23	13	21	11	21	20	21	17	19	18
KERN	10,213	907	745	838	825	833	872	894	884	902	861	809	843
KINGS	1,924	153	148	166	149	173	154	174	183	148	157	157	162
LAKE	668	51	43	59	61	66	54	62	51	56	53	61	51
LASSEN	305	26	35	21	18	25	23	26	25	27	25	29	25
LOS ANGELES	160,557	13,332	11,876	12,961	12,671	13,449	13,136	14,047	14,453	14,089	14,036	13,059	13,448
MADERA	1,357	92	91	98	119	119	96	134	137	124	113	110	124
MARIN	2,637	194	216	230	224	215	250	205	256	245	200	216	186
MARIPOSA	139	10	13	21	17	11	11	5	13	12	9	8	9
MENDOCINO	1,142	90	91	96	97	89	101	115	103	112	93	70	85
MERCED	3,392	254	229	281	271	325	294	337	304	296	277	265	259
MODOC	128	10	9	8	11	6	14	15	12	11	11	10	11
MONO	108	10	8	9	10	10	6	5	6	6	12	16	10
MONTEREY	6,602	528	474	524	547	525	521	601	629	577	594	538	544
NAPA	1,408	115	101	114	131	117	130	127	131	130	97	111	104
NEVADA	851	85	62	56	77	65	71	66	68	85	81	63	72
ORANGE	37,666	2,966	2,889	3,145	3,051	3,119	3,081	3,289	3,344	3,324	3,354	2,946	3,158
PLACER	1,991	164	162	167	163	194	170	171	188	153	167	134	156
PLUMAS	207	24	13	20	16	19	23	21	15	14	12	14	16
RIVERSIDE	16,208	1,205	1,230	1,287	1,242	1,325	1,368	1,503	1,519	1,409	1,414	1,332	1,374
SACRAMENTO	15,975	1,238	1,157	1,342	1,287	1,411	1,368	1,455	1,463	1,408	1,359	1,197	1,290
SAN BENITO	603	55	25	45	49	59	68	48	72	40	57	45	40
SAN BERNARDINO	22,595	1,786	1,623	1,783	1,833	1,950	1,839	2,057	2,063	2,016	1,931	1,800	1,914
SAN DIEGO	39,075	3,040	2,851	3,234	3,106	3,223	3,186	3,493	3,657	3,481	3,405	3,137	3,262
SAN FRANCISCO	9,698	790	709	827	808	781	774	610	841	909	839	776	834
SAN JOAQUIN	8,377	670	633	710	671	747	671	728	746	736	701	653	711
SAN LUIS OBISPO	2,603	197	203	210	228	247	227	217	218	204	233	203	216
SAN MATEO	9,360	778	674	794	744	814	768	821	850	830	780	743	764
SANTA BARBARA	5,256	426	423	432	425	435	425	472	452	478	401	432	455
SANTA CLARA	24,400	1,925	1,830	2,032	2,051	2,095	2,108	2,073	2,158	2,155	2,097	1,865	2,011
SANTA CRUZ	3,710	301	296	287	367	332	312	315	319	324	308	262	287
SHASTA	1,961	158	136	142	187	188	183	150	175	176	160	126	180
SIERRA	22	3	1	1	2	6	2	2	1	2	-	1	1
SISKIYOU	395	32	59	59	64	46	41	43	53	50	48	46	34
SOLANO	5,110	386	390	437	422	460	427	464	430	421	434	402	437
SONOMA	5,228	426	415	407	414	459	432	474	483	448	444	402	424
STANISLAUS	5,760	445	441	422	474	517	506	514	541	516	477	427	480
SUTTER	1,007	81	73	81	92	96	71	80	94	97	77	84	81
TEHAMA	664	54	43	48	48	47	52	61	75	53	63	60	60
TRINITY	145	11	10	12	13	16	14	11	15	13	14	13	3
TULARE	5,847	505	400	491	459	461	513	512	546	544	474	466	476
TUOLUMNE	479	40	45	36	27	29	46	48	38	54	41	32	43
VENTURA	10,368	797	780	865	847	841	886	891	906	946	905	819	885
YOLO	1,937	173	146	162	159	166	149	181	160	179	156	148	158
YUBA	1,233	88	107	100	76	101	93	118	115	125	113	93	104

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-8

LIVE BIRTHS BY TYPE OF HOSPITAL
CALIFORNIA COUNTIES, 1986
(BY PLACE OF OCCURRENCE)

COUNTY	TOTAL	IN HOSPITAL					NOT IN HOSPITAL
		TOTAL	COUNTY	PRIVATE	OTHER M	UNKNOWN	
CALIFORNIA	482,530	478,286	64,517	341,213	69,766	2,790	4,244
ALAMEDA	22,039	21,855	2,030	15,632	4,188	5	184
ALPINE	1	-	-	-	-	-	1
AMADOR	136	135	135	-	-	-	1
BUTTE	2,628	2,598	-	2,598	-	-	30
CALAVERAS	79	72	-	-	72	-	7
COLUSA	100	98	98	-	-	-	2
CONTRA COSTA	8,393	8,322	908	5,075	2,337	2	71
DEL NORTE	268	217	-	-	213	4	51
EL DORADO	1,312	1,299	-	1,299	-	-	13
FRESNO	12,195	12,045	3,306	7,786	950	3	150
GLENN	4	2	2	-	-	-	2
HUMBOLDT	1,824	1,752	40	1,712	-	-	72
IMPERIAL	2,068	2,057	-	-	2,057	-	11
INYO	379	376	-	-	376	-	3
KERN	10,016	9,955	4,014	4,199	507	1,235	61
KINGS	2,163	2,160	-	1,573	586	1	3
LAKE	122	114	-	3	111	-	8
LASSEN	256	251	251	-	-	-	7
LOS ANGELES	163,691	162,640	31,335	124,207	6,685	413	1,051
MADERA	793	770	-	702	68	-	23
MARIN	1,764	1,693	-	66	1,627	-	71
MARIPOSA	56	55	-	-	55	-	1
MENDOCINO	1,293	1,229	-	1,013	215	1	64
MERCED	3,182	3,145	1,531	1,148	466	-	37
MODOC	79	73	72	-	-	1	6
MONO	5	5	1	-	4	-	-
MONTEREY	6,340	6,308	1,447	1,923	2,938	-	32
NAPA	1,194	1,176	-	1,176	-	-	18
NEVADA	993	965	-	639	326	-	28
ORANGE	39,421	39,157	-	34,991	4,073	93	264
PLACER	2,020	2,002	-	2,002	-	-	18
PLUMAS	212	210	-	50	160	-	2
RIVERSIDE	13,621	13,464	2,339	6,840	3,912	133	157
SACRAMENTO	17,049	16,922	-	14,765	2,151	6	127
SAN BENITO	420	418	-	-	418	-	2
SAN BERNARDINO	21,642	21,440	1,749	17,677	1,769	245	202
SAN DIEGO	40,022	39,712	-	21,716	17,965	31	310
SAN FRANCISCO	14,230	14,140	2,036	10,025	2,079	-	90
SAN JOAQUIN	8,060	7,927	2,164	5,760	-	3	133
SAN LUIS OBISPO	2,296	2,269	1,093	752	423	-	27
SAN MATEO	5,741	5,674	5	3,773	1,800	94	67
SANTA BARBARA	5,506	5,447	-	4,414	652	381	59
SANTA CLARA	26,610	26,612	2,828	20,605	3,118	61	198
SANTA CRUZ	3,609	3,471	-	3,471	-	-	138
SHASTA	2,072	2,042	961	1,061	-	20	30
SIERRA	3	1	-	-	1	-	2
SISKIYOU	407	390	-	390	-	-	17
SOLANO	4,817	4,791	-	3,821	970	-	26
SONOMA	5,144	4,980	3,339	1,103	438	-	164
STANISLAUS	6,220	6,176	-	5,965	211	-	44
SUTTER	1,875	1,872	-	1,853	-	19	3
TEHAMA	357	351	-	351	-	-	6
TRINITY	82	71	61	-	-	10	11
TULARE	5,434	5,408	-	736	4,632	-	26
TUOLUMNE	396	380	-	380	-	-	16
VENTURA	9,034	8,982	2,532	5,856	586	8	52
YOLO	1,633	1,604	1	1,603	-	-	29
YUBA	402	386	-	-	385	1	16

M OTHER INCLUDES FEDERAL, STATE, CITY, AND DISTRICT OWNERSHIP.

NOTE: BIRTHS OCCURRING IN ALPINE COUNTY EQUAL 1, BIRTHS TO ALPINE COUNTY RESIDENTS EQUAL 10.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-9

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	ALAMEDA	ALPINE	AMADOR	BUTTE	CALAVERAS	COLUSA
ALL RACES	481,905	20,127	18	255	2,337	304	248
FEMALE	235,456	9,894	11	114	1,161	132	117
MALE	246,449	10,233	7	141	1,176	172	131
AMERICAN INDIAN	5,325	154	7	10	70	13	8
FEMALE	2,565	69	4	3	35	6	5
MALE	2,760	85	3	7	35	7	3
BLACK	48,104	4,739	-	-	64	1	-
FEMALE	23,578	2,342	-	-	30	-	-
MALE	24,526	2,397	-	-	34	1	-
CAMBODIAN	2,273	161	-	-	1	-	-
FEMALE	1,115	97	-	-	1	-	-
MALE	1,158	64	-	-	-	-	-
CHINESE	8,575	789	-	-	7	1	-
FEMALE	4,174	417	-	-	5	1	-
MALE	4,401	372	-	-	2	-	-
ESKIMO/ALEUT	42	2	-	-	-	-	-
FEMALE	24	-	-	-	-	-	-
MALE	18	2	-	-	-	-	-
FILIPINO	13,398	962	-	1	7	-	-
FEMALE	6,474	476	-	-	6	-	-
MALE	6,924	486	-	1	1	-	-
INDIAN (INDIA)	2,038	192	-	-	5	1	-
FEMALE	973	101	-	-	2	1	-
MALE	1,065	91	-	-	3	-	-
JAPANESE	4,144	209	-	4	3	-	-
FEMALE	2,006	108	-	1	-	-	-
MALE	2,138	101	-	3	3	-	-
KOREAN	3,670	159	-	-	5	-	-
FEMALE	1,788	74	-	-	1	-	-
MALE	1,882	85	-	-	4	-	-
PACIFIC ISLANDER	3,460	237	-	1	10	-	-
FEMALE	1,676	118	-	1	6	-	-
MALE	1,784	119	-	-	4	-	-
THAI	635	8	-	-	-	-	-
FEMALE	300	4	-	-	-	-	-
MALE	335	4	-	-	-	-	-
VIETNAMESE	4,631	241	-	-	1	-	-
FEMALE	2,175	127	-	-	-	-	-
MALE	2,456	114	-	-	1	-	-
WHITE	377,602	11,764	11	239	2,135	288	239
FEMALE	184,770	5,725	7	109	1,063	124	111
MALE	192,832	6,039	4	130	1,072	164	128
OTHER ASIAN	5,358	321	-	-	28	-	1
FEMALE	2,580	155	-	-	12	-	1
MALE	2,778	166	-	-	16	-	-
OTHER	590	26	-	-	-	-	-
FEMALE	271	11	-	-	-	-	-
MALE	319	15	-	-	-	-	-
NOT STATED	2,060	163	-	-	1	-	-
FEMALE	987	70	-	-	-	-	-
MALE	1,073	93	-	-	1	-	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT
ALL RACES	481,905	11,048	287	1,590	11,746	367	1,751
FEMALE	235,456	5,342	136	782	5,702	189	873
MALE	246,449	5,706	151	808	6,044	178	878
AMERICAN INDIAN	5,325	82	46	20	123	8	192
FEMALE	2,565	31	17	8	73	4	97
MALE	2,760	51	29	12	50	4	95
BLACK	48,104	1,551	-	15	782	2	30
FEMALE	23,578	771	-	6	379	2	14
MALE	24,526	780	-	9	403	-	16
CAMBODIAN	2,273	2	-	-	63	-	-
FEMALE	1,115	-	-	-	37	-	-
MALE	1,158	2	-	-	26	-	-
CHINESE	8,573	248	-	7	58	-	6
FEMALE	4,174	125	-	6	30	-	3
MALE	4,401	123	-	1	28	-	3
ESKIMO/ALEUT	42	-	1	1	-	-	2
FEMALE	24	-	-	1	-	-	2
MALE	18	-	1	-	-	-	-
FILIPINO	13,398	343	-	29	105	-	6
FEMALE	6,474	158	-	17	49	-	-
MALE	6,924	185	-	12	56	-	6
INDIAN (INDIA)	2,038	58	-	2	64	-	-
FEMALE	973	36	-	1	23	-	-
MALE	1,065	22	-	1	41	-	-
JAPANESE	4,144	99	2	6	71	-	5
FEMALE	2,006	51	1	3	43	-	3
MALE	2,138	48	1	3	28	-	2
KOREAN	3,670	49	2	5	12	-	2
FEMALE	1,788	21	-	4	7	-	-
MALE	1,882	28	2	1	5	-	2
PACIFIC ISLANDER	3,460	81	-	3	19	-	8
FEMALE	1,676	42	-	2	9	-	3
MALE	1,784	39	-	1	10	-	5
THAI	635	4	-	-	4	-	-
FEMALE	300	2	-	-	1	-	-
MALE	335	2	-	-	3	-	-
VIETNAMESE	4,631	50	-	-	41	-	-
FEMALE	2,173	23	-	-	17	-	-
MALE	2,456	27	-	-	24	-	-
WHITE	377,602	8,239	222	1,490	9,334	356	1,440
FEMALE	184,770	3,966	113	727	4,636	183	721
MALE	192,832	4,273	109	763	4,898	173	719
OTHER ASIAN	5,358	180	11	8	852	1	57
FEMALE	2,580	84	2	4	390	-	28
MALE	2,778	96	9	4	462	1	29
OTHER	590	15	-	-	8	-	-
FEMALE	271	8	-	-	2	-	-
MALE	319	7	-	-	6	-	-
NOT STATED	2,060	47	3	4	10	-	3
FEMALE	987	24	3	3	6	-	2
MALE	1,073	23	-	1	4	-	1

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	IMPERIAL	INYO	KERN	KINGS	LAKE	LASSEN
ALL RACES	481,905	2,092	224	10,213	1,924	668	305
FEMALE	235,456	1,046	106	4,991	871	323	135
MALE	246,449	1,046	118	5,222	1,053	345	170
AMERICAN INDIAN	5,325	33	45	158	24	38	16
FEMALE	2,565	20	22	84	12	19	7
MALE	2,760	13	23	74	12	19	9
BLACK	48,104	52	-	765	152	11	12
FEMALE	23,578	26	-	375	70	4	6
MALE	24,526	26	-	390	82	7	6
CAMBODIAN	2,273	-	-	6	1	-	-
FEMALE	1,115	-	-	2	-	-	-
MALE	1,158	-	-	4	1	-	-
CHINESE	8,575	3	-	35	8	4	-
FEMALE	4,174	3	-	20	5	2	-
MALE	4,401	-	-	15	3	2	-
ESKIMO/ALEUT	42	-	-	-	-	-	-
FEMALE	24	-	-	-	-	-	-
MALE	18	-	-	-	-	-	-
FILIPINO	13,398	20	-	215	65	1	4
FEMALE	6,474	16	-	105	29	-	1
MALE	6,924	4	-	110	36	1	3
INDIAN (INDIA)	2,038	2	-	31	1	-	-
FEMALE	973	-	-	16	-	-	-
MALE	1,065	2	-	15	1	-	-
JAPANESE	4,144	3	-	21	6	2	2
FEMALE	2,006	-	-	6	3	1	1
MALE	2,138	3	-	15	3	1	1
KOREAN	3,670	6	1	25	2	-	2
FEMALE	1,788	4	1	13	-	-	-
MALE	1,882	2	-	12	2	-	2
PACIFIC ISLANDER	3,460	-	-	29	6	2	1
FEMALE	1,676	-	-	14	3	2	1
MALE	1,784	-	-	15	3	-	-
THAI	635	-	-	6	2	-	-
FEMALE	300	-	-	4	-	-	-
MALE	335	-	-	2	2	-	-
VIETNAMESE	4,631	-	-	13	-	-	-
FEMALE	2,175	-	-	6	-	-	-
MALE	2,456	-	-	7	-	-	-
WHITE	377,602	1,966	177	8,873	1,655	608	268
FEMALE	184,770	973	82	4,325	748	293	119
MALE	192,832	993	95	4,548	907	315	149
OTHER ASIAN	5,358	2	1	28	2	1	-
FEMALE	2,580	-	1	15	1	1	-
MALE	2,778	2	-	13	1	-	-
OTHER	590	2	-	2	-	-	-
FEMALE	271	2	-	1	-	-	-
MALE	319	-	-	1	-	-	-
NOT STATED	2,060	3	-	6	-	1	-
FEMALE	987	2	-	5	-	1	-
MALE	1,073	1	-	1	-	-	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	LOS ANGELES	MADERA	MARIN	MARIPOSA	MENDOCINO	MERCED
ALL RACES	481,903	160,557	1,357	2,637	139	1,142	3,392
FEMALE	235,456	79,038	666	1,285	77	543	1,654
MALE	246,449	81,519	691	1,352	62	599	1,738
AMERICAN INDIAN	5,325	822	31	12	16	85	28
FEMALE	2,565	379	16	4	8	39	17
MALE	2,760	443	15	8	8	46	11
BLACK	48,104	22,294	44	103	-	6	193
FEMALE	23,578	11,001	20	47	-	3	98
MALE	24,526	11,293	24	56	-	3	95
CAMBODIAN	2,273	870	-	2	-	2	1
FEMALE	1,115	423	-	2	-	-	-
MALE	1,158	447	-	-	-	2	1
CHINESE	8,575	2,991	3	37	-	4	6
FEMALE	4,174	1,440	1	21	-	3	4
MALE	4,401	1,551	2	16	-	1	2
ESKIMO/ALEUT	42	3	-	-	-	1	-
FEMALE	24	1	-	-	-	1	-
MALE	18	2	-	-	-	-	-
FILIPINO	13,398	3,951	9	30	1	1	26
FEMALE	6,474	1,929	4	15	1	1	11
MALE	6,924	2,022	5	15	-	-	15
INDIAN (INDIA)	2,038	530	1	12	-	-	30
FEMALE	973	243	-	4	-	-	13
MALE	1,065	287	1	8	-	-	17
JAPANESE	4,144	1,436	-	21	-	4	11
FEMALE	2,006	706	-	9	-	2	5
MALE	2,138	730	-	12	-	2	6
KOREAN	3,670	1,984	1	13	-	1	7
FEMALE	1,788	980	1	5	-	1	4
MALE	1,882	1,004	-	8	-	-	3
PACIFIC ISLANDER	3,460	902	2	15	-	5	7
FEMALE	1,676	441	1	9	-	2	2
MALE	1,784	461	1	6	-	3	5
THAI	635	388	1	5	-	-	4
FEMALE	300	181	1	3	-	-	2
MALE	335	207	-	2	-	-	2
VIETNAMESE	4,631	989	1	15	-	1	7
FEMALE	2,175	455	-	8	-	1	2
MALE	2,456	534	1	7	-	-	5
WHITE	377,602	121,860	1,254	2,306	122	1,018	2,677
FEMALE	184,770	60,112	617	1,121	68	482	1,284
MALE	192,832	61,748	637	1,185	54	536	1,393
OTHER ASIAN	5,358	873	6	14	-	-	388
FEMALE	2,580	426	3	10	-	-	207
MALE	2,778	447	3	4	-	-	181
OTHER	590	201	2	3	-	-	4
FEMALE	271	97	2	-	-	-	4
MALE	319	104	-	3	-	-	-
NOT STATED	2,060	443	2	49	-	14	3
FEMALE	987	224	-	27	-	8	1
MALE	1,073	219	2	22	-	6	2

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	MODOC	MONO	MONTEREY	NAPA	NEVADA	ORANGE
ALL RACES	481,905	128	108	6,602	1,408	851	37,666
FEMALE	235,456	57	54	3,157	698	395	18,379
MALE	246,449	71	54	3,445	710	456	19,287
AMERICAN INDIAN	5,325	9	9	66	22	17	195
FEMALE	2,565	3	6	33	9	8	99
MALE	2,760	6	3	33	13	9	96
BLACK	48,104	-	-	597	14	1	965
FEMALE	23,578	-	-	276	8	-	474
MALE	24,526	-	-	321	6	1	491
CAMBODIAN	2,273	-	-	-	1	-	148
FEMALE	1,115	-	-	-	-	-	65
MALE	1,158	-	-	-	1	-	83
CHINESE	8,575	-	-	24	7	1	441
FEMALE	4,174	-	-	6	1	-	201
MALE	4,401	-	-	18	6	1	240
ESKIMO/ALEUT	42	-	-	-	-	-	2
FEMALE	24	-	-	-	-	-	2
MALE	18	-	-	-	-	-	-
FILIPINO	13,398	-	-	233	14	1	515
FEMALE	6,474	-	-	113	7	1	241
MALE	6,924	-	-	120	7	-	274
INDIAN (INDIA)	2,038	-	-	13	2	-	183
FEMALE	973	-	-	6	1	-	95
MALE	1,065	-	-	7	1	-	88
JAPANESE	4,144	-	1	64	8	3	374
FEMALE	2,006	-	1	28	5	2	160
MALE	2,138	-	-	36	3	1	214
KOREAN	3,670	-	-	120	5	1	368
FEMALE	1,788	-	-	58	2	-	177
MALE	1,882	-	-	62	3	1	191
PACIFIC ISLANDER	3,460	1	-	79	6	-	266
FEMALE	1,676	-	-	33	2	-	126
MALE	1,784	1	-	46	4	-	140
THAI	635	-	-	5	-	-	55
FEMALE	300	-	-	4	-	-	23
MALE	335	-	-	1	-	-	32
VIETNAMESE	4,631	-	-	52	-	-	1,078
FEMALE	2,175	-	-	27	-	-	505
MALE	2,456	-	-	25	-	-	573
WHITE	377,602	118	98	5,251	1,322	823	32,667
FEMALE	184,770	54	47	2,527	657	383	16,005
MALE	192,832	64	51	2,724	665	440	16,662
OTHER ASIAN	5,358	-	-	10	3	3	273
FEMALE	2,580	-	-	5	2	1	140
MALE	2,778	-	-	5	1	2	133
OTHER	590	-	-	3	1	1	54
FEMALE	271	-	-	2	1	-	22
MALE	319	-	-	1	-	1	32
NOT STATED	2,060	-	-	85	3	-	82
FEMALE	987	-	-	39	3	-	44
MALE	1,073	-	-	46	-	-	38

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	PLACER	PLUMAS	RIVERSIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO
ALL RACES	481,905	1,991	207	16,208	15,975	603	22,595
FEMALE	235,456	1,030	101	7,787	7,835	286	10,950
MALE	246,449	961	106	8,421	8,140	317	11,645
AMERICAN INDIAN	5,325	32	12	231	249	11	317
FEMALE	2,565	20	9	119	115	2	156
MALE	2,760	12	3	112	134	9	161
BLACK	48,104	15	6	1,145	2,124	7	2,193
FEMALE	23,578	5	5	558	1,051	3	1,061
MALE	24,526	10	1	587	1,073	4	1,132
CAMBODIAN	2,273	-	-	16	12	-	23
FEMALE	1,115	-	-	6	5	-	11
MALE	1,158	-	-	10	7	-	12
CHINESE	8,575	11	-	44	360	-	76
FEMALE	4,174	5	-	23	172	-	37
MALE	4,401	6	-	21	188	-	39
ESKIMO/ALEUT	42	-	-	1	5	-	2
FEMALE	24	-	-	-	3	-	1
MALE	18	-	-	1	2	-	1
FILIPINO	13,398	13	-	171	318	6	217
FEMALE	6,474	6	-	81	151	6	105
MALE	6,924	7	-	90	167	-	112
INDIAN (INDIA)	2,038	3	-	23	65	-	49
FEMALE	973	2	-	8	32	-	21
MALE	1,065	1	-	15	33	-	28
JAPANESE	4,144	18	-	70	185	1	106
FEMALE	2,006	9	-	29	85	1	56
MALE	2,138	9	-	41	100	-	50
KOREAN	3,670	1	-	39	63	1	121
FEMALE	1,788	-	-	20	33	1	59
MALE	1,882	1	-	19	30	-	62
PACIFIC ISLANDER	2,460	6	-	91	106	-	114
FEMALE	1,176	1	-	43	57	-	48
MALE	1,284	5	-	48	49	-	66
THAI	635	-	-	17	14	-	21
FEMALE	300	-	-	7	6	-	11
MALE	335	-	-	10	8	-	10
VIETNAMESE	4,631	-	-	42	178	-	79
FEMALE	2,175	-	-	24	85	-	31
MALE	2,456	-	-	18	93	-	48
WHITE	377,602	1,883	188	14,191	11,702	566	19,111
FEMALE	184,770	977	86	6,811	5,748	267	9,279
MALE	192,832	906	102	7,380	5,954	299	9,832
OTHER ASIAN	5,358	3	1	99	539	2	74
FEMALE	2,580	2	1	39	267	1	38
MALE	2,778	1	-	60	272	1	36
OTHER	590	1	-	8	39	-	15
FEMALE	271	-	-	5	19	-	9
MALE	319	1	-	3	20	-	6
NOT STATED	2,060	5	-	20	16	9	77
FEMALE	987	3	-	14	6	5	27
MALE	1,073	2	-	6	10	4	50

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA
ALL RACES	481,905	39,075	9,698	8,377	2,603	9,360	5,256
FEMALE	235,456	18,897	4,697	4,088	1,271	4,599	2,594
MALE	246,449	20,178	5,001	4,289	1,332	4,761	2,662
AMERICAN INDIAN	5,325	822	38	90	59	44	55
FEMALE	2,565	410	20	40	30	16	28
MALE	2,760	412	18	50	29	30	27
BLACK	48,104	3,823	1,677	626	50	717	216
FEMALE	23,578	1,819	818	316	19	350	115
MALE	24,526	2,004	859	310	31	367	101
CAMBODIAN	2,273	149	96	384	-	3	-
FEMALE	1,115	76	38	188	-	1	-
MALE	1,158	73	58	196	-	2	-
CHINESE	8,575	225	1,486	58	11	433	30
FEMALE	4,174	106	711	33	6	214	18
MALE	4,401	119	775	25	5	219	12
ESKIMO/ALEUT	42	7	1	-	-	1	1
FEMALE	24	3	1	-	-	-	-
MALE	18	4	-	-	-	1	1
FILIPINO	13,398	1,872	866	307	43	819	108
FEMALE	6,474	888	415	152	21	409	55
MALE	6,924	984	451	155	22	410	53
INDIAN (INDIA)	2,038	51	54	32	5	95	7
FEMALE	973	21	32	14	4	41	3
MALE	1,065	30	22	18	1	54	4
JAPANESE	4,144	355	122	49	15	131	45
FEMALE	2,006	182	58	24	10	60	25
MALE	2,138	173	64	25	5	71	20
KOREAN	3,670	114	104	10	7	44	23
FEMALE	1,788	53	58	9	4	19	12
MALE	1,882	61	46	1	3	25	11
PACIFIC ISLANDER	3,460	506	135	51	6	286	19
FEMALE	1,676	258	71	21	4	127	12
MALE	1,784	248	64	30	2	159	7
THAI	635	22	16	3	-	11	6
FEMALE	300	7	8	2	-	6	2
MALE	335	15	8	1	-	5	4
VIETNAMESE	4,631	309	238	208	1	29	12
FEMALE	2,175	145	95	99	1	14	9
MALE	2,456	164	143	109	-	15	3
WHITE	377,602	30,487	4,411	6,131	2,393	6,422	4,677
FEMALE	184,770	14,757	2,155	3,008	1,166	3,190	2,287
MALE	192,832	15,730	2,256	3,123	1,229	3,232	2,390
OTHER ASIAN	5,358	285	87	385	7	60	42
FEMALE	2,580	149	44	167	5	32	21
MALE	2,778	136	43	218	2	28	21
OTHER	590	16	26	35	-	22	2
FEMALE	271	6	9	13	-	12	2
MALE	319	10	17	22	-	10	-
NOT STATED	2,060	32	341	8	4	241	13
FEMALE	987	17	164	2	1	108	5
MALE	1,073	15	177	6	3	133	8

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO
ALL RACES	481,905	24,400	3,710	1,961	22	595	5,110
FEMALE	235,456	11,957	1,800	935	12	302	2,519
MALE	246,449	12,443	1,910	1,026	10	293	2,591
AMERICAN INDIAN	5,325	258	37	94	2	48	69
FEMALE	2,565	124	15	44	1	21	24
MALE	2,760	134	22	50	1	27	45
BLACK	48,104	1,283	58	29	-	8	822
FEMALE	23,578	624	31	13	-	3	394
MALE	24,526	659	27	16	-	5	428
CAMBODIAN	2,273	165	4	4	-	-	-
FEMALE	1,115	79	4	3	-	-	-
MALE	1,158	86	-	1	-	-	-
CHINESE	8,575	942	20	1	-	1	34
FEMALE	4,174	460	8	-	-	-	14
MALE	4,401	482	12	1	-	1	20
ESKIMO/ALEUT	42	3	-	1	-	2	1
FEMALE	24	3	-	1	-	1	1
MALE	18	-	-	-	-	1	-
FILIPINO	13,398	1,271	52	3	-	-	362
FEMALE	6,474	598	23	-	-	-	176
MALE	6,924	673	29	3	-	-	186
INDIAN (INDIA)	2,038	356	6	-	-	-	20
FEMALE	973	174	4	-	-	-	8
MALE	1,065	182	2	-	-	-	12
JAPANESE	4,144	383	35	6	-	1	54
FEMALE	2,006	189	13	2	-	-	33
MALE	2,138	194	22	4	-	1	21
KOREAN	3,670	256	9	-	-	-	23
FEMALE	1,788	114	3	-	-	-	9
MALE	1,882	142	6	-	-	-	14
PACIFIC ISLANDER	3,460	227	10	5	-	3	81
FEMALE	1,676	115	4	1	-	2	38
MALE	1,784	112	6	4	-	1	43
THAI	635	17	2	1	-	-	5
FEMALE	300	8	1	1	-	-	5
MALE	335	9	1	-	-	-	-
VIETNAMESE	4,631	947	2	1	-	-	7
FEMALE	2,175	451	1	-	-	-	3
MALE	2,456	496	1	1	-	-	4
WHITE	377,602	17,919	3,456	1,795	20	528	3,577
FEMALE	184,770	8,851	1,684	864	11	274	1,786
MALE	192,832	9,068	1,772	931	9	254	1,791
OTHER ASIAN	5,358	182	4	20	-	4	38
FEMALE	2,580	89	3	6	-	1	20
MALE	2,778	93	1	14	-	3	18
OTHER	590	52	1	-	-	-	6
FEMALE	271	25	-	-	-	-	2
MALE	319	27	1	-	-	-	4
NOT STATED	2,060	139	14	1	-	-	11
FEMALE	987	53	6	-	-	-	6
MALE	1,073	86	8	1	-	-	5

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE
ALL RACES	481,905	5,228	5,760	1,007	664	143	5,847
FEMALE	235,456	2,547	2,810	482	321	65	2,811
MALE	246,449	2,681	2,950	525	343	80	3,036
AMERICAN INDIAN	5,325	162	75	18	15	13	38
FEMALE	2,565	80	40	11	6	4	13
MALE	2,760	82	35	7	9	9	25
BLACK	48,104	128	141	24	1	-	131
FEMALE	23,578	62	77	14	-	-	62
MALE	24,526	66	64	10	1	-	69
CAMBODIAN	2,273	35	112	-	-	-	-
FEMALE	1,115	18	53	-	-	-	-
MALE	1,158	17	59	-	-	-	-
CHINESE	8,575	27	26	1	-	-	17
FEMALE	4,174	12	13	-	-	-	11
MALE	4,401	15	13	1	-	-	6
ESKIMO/ALEUT	42	3	-	-	-	-	1
FEMALE	24	2	-	-	-	-	-
MALE	18	1	-	-	-	-	1
FILIPINO	13,398	53	35	1	3	-	77
FEMALE	6,474	25	11	-	2	-	34
MALE	6,924	28	24	1	1	-	43
INDIAN (INDIA)	2,038	11	53	37	-	-	7
FEMALE	973	7	24	15	-	-	3
MALE	1,065	4	29	22	-	-	4
JAPANESE	4,144	40	20	2	2	-	15
FEMALE	2,006	17	10	1	1	-	9
MALE	2,138	23	10	1	1	-	6
KOREAN	3,670	8	13	-	-	-	5
FEMALE	1,788	4	5	-	-	-	1
MALE	1,882	4	8	-	-	-	4
PACIFIC ISLANDER	3,460	22	27	9	-	1	5
FEMALE	1,676	6	12	4	-	-	3
MALE	1,784	16	15	5	-	1	2
THAI	635	4	2	-	-	-	1
FEMALE	300	1	1	-	-	-	1
MALE	335	3	1	-	-	-	-
VIETNAMESE	4,631	18	29	1	-	-	2
FEMALE	2,175	11	14	-	-	-	-
MALE	2,456	7	15	1	-	-	2
WHITE	377,602	4,624	5,106	876	642	131	5,401
FEMALE	184,770	2,249	2,492	420	312	61	2,608
MALE	192,832	2,375	2,614	456	330	70	2,793
OTHER ASIAN	5,358	37	109	30	-	-	145
FEMALE	2,580	20	52	15	-	-	66
MALE	2,778	17	57	15	-	-	79
OTHER	590	3	10	5	-	-	2
FEMALE	271	1	4	1	-	-	-
MALE	319	2	6	4	-	-	2
NOT STATED	2,060	53	2	3	1	-	-
FEMALE	987	32	2	1	-	-	-
MALE	1,073	21	-	2	1	-	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	TUOLUMNE	VENTURA	YOLO	YUBA		
ALL RACES	481,905	479	10,368	1,937	1,233		
FEMALE	235,456	234	5,058	952	588		
MALE	246,449	245	5,310	985	645		
AMERICAN INDIAN	5,325	14	96	29	36		
FEMALE	2,565	9	48	14	9		
MALE	2,760	5	48	15	27		
BLACK	48,104	6	345	52	84		
FEMALE	23,578	1	164	30	31		
MALE	24,526	5	181	22	53		
CAMBODIAN	2,273	-	1	11	-		
FEMALE	1,115	-	-	6	-		
MALE	1,158	-	1	5	-		
CHINESE	8,575	2	60	26	4		
FEMALE	4,174	-	25	8	4		
MALE	4,401	2	35	18	-		
ESKIMO/ALEUT	42	-	-	1	-		
FEMALE	24	-	-	1	-		
MALE	18	-	-	-	-		
FILIPINO	13,398	2	225	19	16		
FEMALE	6,474	1	114	10	11		
MALE	6,924	1	111	9	5		
INDIAN (INDIA)	2,038	-	24	8	5		
FEMALE	973	-	15	3	-		
MALE	1,065	-	9	5	5		
JAPANESE	4,144	3	86	20	5		
FEMALE	2,006	2	40	10	1		
MALE	2,138	1	46	10	4		
KOREAN	3,670	-	35	14	10		
FEMALE	1,788	-	17	5	9		
MALE	1,882	-	18	9	1		
PACIFIC ISLANDER	3,460	1	55	8	6		
FEMALE	1,676	1	27	2	2		
MALE	1,784	-	28	6	4		
THAI	635	-	7	2	2		
FEMALE	300	-	6	2	-		
MALE	335	-	1	-	2		
VIETNAMESE	4,631	-	37	2	-		
FEMALE	2,175	-	21	-	-		
MALE	2,456	-	16	2	-		
WHITE	377,602	450	9,192	1,709	992		
FEMALE	184,770	220	4,485	846	494		
MALE	192,832	230	4,707	863	498		
OTHER ASIAN	5,358	-	57	13	72		
FEMALE	2,580	-	23	5	26		
MALE	2,778	-	34	8	46		
OTHER	590	-	11	13	1		
FEMALE	271	-	5	5	1		
MALE	319	-	6	8	-		
NOT STATED	2,060	1	137	10	-		
FEMALE	987	-	68	5	-		
MALE	1,073	1	69	5	-		

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-10

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	ALAMEDA	ALPINE	AMADOR	BUTTE	CALAVERAS	COLUSA
ALL ORIGINS	481,905	20,127	18	255	2,337	304	248
FEMALE	235,456	9,894	11	114	1,161	132	117
MALE	246,449	10,233	7	141	1,176	172	131
CUBAN	876	14	-	-	-	-	-
FEMALE	418	9	-	-	-	-	-
MALE	458	5	-	-	-	-	-
MEXICAN	135,331	2,465	1	12	185	9	105
FEMALE	66,286	1,164	-	5	104	4	50
MALE	69,245	1,301	1	7	81	5	55
PUERTO RICAN	1,487	109	-	-	-	2	-
FEMALE	744	54	-	-	-	1	-
MALE	743	55	-	-	-	1	-
OTHER SPANISH/HISPANIC	18,528	288	-	-	3	-	1
FEMALE	9,233	144	-	-	1	-	1
MALE	9,295	144	-	-	2	-	-
NOT SPANISH/HISPANIC	321,886	16,883	16	243	2,142	291	141
FEMALE	157,026	8,349	11	109	1,051	127	66
MALE	164,860	8,534	5	134	1,091	164	75
NOT STATED	3,597	368	1	-	7	2	1
FEMALE	1,749	174	-	-	5	-	-
MALE	1,848	194	1	-	2	2	1

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT
ALL ORIGINS	481,905	11,048	287	1,590	11,746	367	1,751
FEMALE	235,456	5,342	136	782	5,702	189	873
MALE	246,449	5,706	151	808	6,044	178	878
CUBAN	876	5	-	1	-	-	-
FEMALE	418	4	-	-	-	-	-
MALE	458	1	-	1	-	-	-
MEXICAN	135,531	1,057	17	118	5,024	83	53
FEMALE	66,286	487	8	59	2,421	43	28
MALE	69,245	570	9	59	2,603	40	25
PUERTO RICAN	1,487	36	-	-	8	-	1
FEMALE	744	18	-	-	6	-	-
MALE	743	18	-	-	2	-	1
OTHER SPANISH/HISPANIC	18,528	119	2	6	100	-	4
FEMALE	9,233	72	-	4	52	-	3
MALE	9,295	47	2	2	48	-	1
NOT SPANISH/HISPANIC	321,886	9,752	264	1,458	6,604	283	1,686
FEMALE	157,026	4,722	124	714	3,217	145	838
MALE	164,860	5,030	140	744	3,387	138	848
NOT STATED	3,597	79	4	7	10	1	7
FEMALE	1,749	39	4	5	6	1	4
MALE	1,848	40	-	2	4	-	3

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	IMPERIAL	INYO	KERN	KINGS	LAKE	LASSEN
ALL ORIGINS	481,905	2,092	224	10,213	1,924	668	305
FEMALE	235,456	1,046	106	4,991	871	323	135
MALE	246,449	1,046	118	5,222	1,053	345	170
CUBAN	876	-	-	3	-	1	-
FEMALE	418	-	-	1	-	-	-
MALE	458	-	-	2	-	1	-
MEXICAN	135,531	1,359	22	3,350	633	51	13
FEMALE	66,286	778	13	1,608	279	24	3
MALE	69,245	781	9	1,742	354	27	10
PUERTO RICAN	1,487	-	-	32	5	1	-
FEMALE	744	-	-	11	2	1	-
MALE	743	-	-	21	3	-	-
OTHER SPANISH/HISPANIC	18,528	7	-	116	9	1	-
FEMALE	9,233	3	-	63	4	-	-
MALE	9,295	4	-	53	5	1	-
NOT SPANISH/HISPANIC	321,886	523	202	6,395	1,271	612	292
FEMALE	157,026	264	93	3,244	584	296	132
MALE	164,860	259	109	3,351	687	316	160
NOT STATED	3,597	3	-	117	6	2	-
FEMALE	1,749	1	-	64	2	2	-
MALE	1,848	2	-	53	4	-	-

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	LOS ANGELES	MADERA	MARIN	MARIPOSA	MENDOCINO	MERCED
ALL ORIGINS	481,905	160,557	1,357	2,637	139	1,142	3,392
FEMALE	235,456	79,038	666	1,285	77	543	1,654
MALE	246,449	81,519	691	1,352	62	599	1,738
CUBAN	876	623	-	1	-	1	1
FEMALE	418	302	-	-	-	1	-
MALE	458	321	-	1	-	-	1
MEXICAN	135,531	61,087	614	130	3	141	1,107
FEMALE	66,286	30,100	295	58	1	61	546
MALE	69,245	30,987	319	72	2	80	561
PUERTO RICAN	1,487	580	4	6	-	-	3
FEMALE	744	300	4	5	-	-	1
MALE	743	280	-	1	-	-	2
OTHER SPANISH/HISPANIC	18,528	13,931	7	58	-	1	16
FEMALE	9,233	6,946	4	33	-	-	10
MALE	9,295	6,985	3	25	-	1	6
NOT SPANISH/HISPANIC	321,886	83,599	730	2,402	136	978	2,245
FEMALE	157,026	41,033	361	1,169	76	470	1,091
MALE	164,860	42,566	369	1,233	60	508	1,154
NOT STATED	3,597	737	2	40	-	21	20
FEMALE	1,749	357	2	20	-	11	6
MALE	1,848	380	-	20	-	10	14

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	MODOC	MONO	MONTEREY	NAPA	NEVADA	ORANGE
ALL ORIGINS	481,905	128	108	6,402	1,408	851	37,666
FEMALE	235,456	57	54	3,157	698	395	18,379
MALE	246,449	71	54	3,445	710	456	19,287
CUBAN	876	-	-	3	1	1	64
FEMALE	418	-	-	-	1	-	27
MALE	458	-	-	3	-	1	37
MEXICAN	135,531	25	13	2,557	221	29	10,195
FEMALE	66,286	13	6	1,250	118	12	5,042
MALE	69,245	12	7	1,307	103	17	5,153
PUERTO RICAN	1,487	-	-	42	3	1	64
FEMALE	744	-	-	23	1	1	31
MALE	743	-	-	19	2	-	33
OTHER SPANISH/HISPANIC	18,528	-	-	79	2	8	868
FEMALE	9,233	-	-	38	1	4	405
MALE	9,295	-	-	41	1	4	463
NOT SPANISH/HISPANIC	321,886	103	91	3,832	1,174	812	26,202
FEMALE	157,026	44	46	1,805	572	378	12,727
MALE	164,860	59	45	2,027	602	434	13,475
NOT STATED	3,597	-	4	89	7	-	273
FEMALE	1,749	-	2	41	3	-	147
MALE	1,848	-	2	48	2	-	126

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	PLACER	PLUMAS	RIVERSIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO
ALL ORIGINS	481,905	1,991	207	16,208	15,975	603	22,395
FEMALE	235,456	1,030	101	7,787	7,835	286	10,950
MALE	246,449	961	106	8,421	8,140	317	11,645
CUBAN	876	-	-	27	4	-	27
FEMALE	418	-	-	11	4	-	10
MALE	458	-	-	16	-	-	17
MEXICAN	135,531	135	11	4,698	1,877	320	5,495
FEMALE	66,286	68	4	2,227	884	157	2,674
MALE	69,245	67	7	2,471	993	163	2,821
PUERTO RICAN	1,487	2	-	39	47	2	72
FEMALE	744	2	-	12	24	-	35
MALE	743	-	-	27	23	2	37
OTHER SPANISH/HISPANIC	18,528	4	2	150	81	2	238
FEMALE	9,233	1	-	69	43	1	111
MALE	9,295	3	2	81	38	1	127
NOT SPANISH/HISPANIC	321,886	1,844	193	11,194	13,822	270	16,665
FEMALE	157,026	956	96	5,415	6,805	123	8,083
MALE	164,860	888	97	5,779	7,017	147	8,582
NOT STATED	3,597	6	1	100	144	9	98
FEMALE	1,749	3	1	53	75	5	37
MALE	1,848	3	-	47	69	4	61

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA
ALL ORIGINS	481,905	39,075	9,698	8,377	2,603	9,360	5,256
FEMALE	235,456	18,897	4,697	4,088	1,271	4,599	2,594
MALE	246,449	20,178	5,001	4,289	1,332	4,761	2,662
CUBAN	876	33	8	5	-	9	3
FEMALE	418	17	4	1	-	4	1
MALE	458	16	4	4	-	5	2
MEXICAN	135,531	9,232	963	1,989	346	1,436	1,741
FEMALE	66,286	4,481	475	1,017	172	713	839
MALE	69,245	4,751	488	972	174	743	902
PUERTO RICAN	1,487	164	47	11	2	34	12
FEMALE	744	77	22	3	2	15	5
MALE	743	87	25	8	-	19	7
OTHER SPANISH/HISPANIC	18,528	307	880	28	9	495	58
FEMALE	9,233	157	421	16	6	247	35
MALE	9,295	150	459	12	3	248	23
NOT SPANISH/HISPANIC	321,886	29,173	7,454	6,327	2,155	7,109	3,425
FEMALE	157,026	14,083	3,604	3,044	1,046	3,505	1,707
MALE	164,860	15,090	3,850	3,283	1,109	3,604	1,718
NOT STATED	3,597	166	346	17	91	257	17
FEMALE	1,749	82	171	7	45	115	7
MALE	1,848	84	175	10	46	142	10

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO
ALL ORIGINS	481,905	24,400	3,710	1,961	22	595	5,110
FEMALE	235,456	11,957	1,800	935	12	302	2,519
MALE	246,449	12,443	1,910	1,026	10	293	2,591
CUBAN	876	20	3	-	-	1	-
FEMALE	418	9	2	-	-	-	-
MALE	458	11	1	-	-	1	-
MEXICAN	135,531	5,788	1,185	72	-	43	489
FEMALE	66,286	2,868	585	42	-	24	233
MALE	69,245	2,920	600	30	-	19	256
PUERTO RICAN	1,487	87	1	-	-	-	23
FEMALE	744	48	1	-	-	-	13
MALE	743	39	-	-	-	-	10
OTHER SPANISH/HISPANIC	18,528	372	17	4	-	2	52
FEMALE	9,233	195	9	2	-	1	24
MALE	9,295	177	8	2	-	1	28
NOT SPANISH/HISPANIC	321,886	17,925	2,488	1,884	22	547	4,485
FEMALE	157,026	8,753	1,197	891	12	276	2,220
MALE	164,860	9,172	1,291	993	10	271	2,265
NOT STATED	3,597	208	16	1	-	2	61
FEMALE	1,749	84	6	-	-	1	29
MALE	1,848	124	10	1	-	1	32

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE
ALL ORIGINS	481,905	5,228	5,760	1,007	664	145	5,847
FEMALE	235,456	2,547	2,810	482	321	65	2,811
MALE	246,449	2,681	2,950	525	343	80	3,036
CUBAN	876	3	-	1	-	-	1
FEMALE	418	1	-	1	-	-	-
MALE	458	2	-	-	-	-	1
MEXICAN	135,531	582	1,338	179	88	4	2,861
FEMALE	66,286	270	654	78	46	-	1,381
MALE	69,245	312	684	101	42	4	1,480
PUERTO RICAN	1,487	7	7	-	2	-	6
FEMALE	744	2	3	-	1	-	2
MALE	743	5	4	-	1	-	4
OTHER SPANISH/HISPANIC	18,528	27	15	-	2	1	19
FEMALE	9,233	14	8	-	1	-	11
MALE	9,295	13	7	-	1	1	8
NOT SPANISH/HISPANIC	321,886	4,581	4,397	813	570	139	2,918
FEMALE	157,026	2,242	2,142	396	272	64	1,395
MALE	164,860	2,339	2,255	417	298	75	1,523
NOT STATED	3,597	28	3	14	2	1	42
FEMALE	1,749	18	3	7	1	1	22
MALE	1,848	10	-	7	1	-	20

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	TUOLUMNE	VENTURA	YOLO	YUBA		
ALL ORIGINS	481,905	479	10,368	1,937	1,233		
FEMALE	235,456	234	5,058	952	588		
MALE	246,449	245	5,310	985	645		
CUBAN	876	-	11	1	-		
FEMALE	418	-	7	1	-		
MALE	458	-	4	-	-		
MEXICAN	135,531	24	3,162	472	102		
FEMALE	66,286	11	1,528	228	47		
MALE	69,245	13	1,634	244	55		
PUERTO RICAN	1,487	-	22	3	-		
FEMALE	744	-	16	2	-		
MALE	743	-	6	1	-		
OTHER SPANISH/HISPANIC	18,528	-	123	8	6		
FEMALE	9,233	-	67	5	1		
MALE	9,295	-	56	3	5		
NOT SPANISH/HISPANIC	321,686	454	6,910	1,441	1,119		
FEMALE	157,026	223	3,370	710	538		
MALE	164,860	231	3,540	731	581		
NOT STATED	3,597	1	140	12	6		
FEMALE	1,749	-	70	6	2		
MALE	1,848	1	70	6	4		

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-11

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	481,905	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
AMERICAN INDIAN	5,325	21	56	110	173	228	342	1,792	1,492	775	290	42	1	-	3
BLACK	48,104	244	605	1,208	1,625	2,246	2,880	15,758	13,582	7,217	2,397	303	13	-	24
CAMBODIAN	2,273	2	7	16	27	48	73	498	616	517	316	129	19	-	5
CHINESE	8,575	-	3	5	14	20	22	693	2,974	3,367	1,340	125	7	-	5
ESKIMO/ALEUT	42	-	-	-	3	-	5	17	11	5	1	-	-	-	-
FILIPINO	13,398	12	23	73	145	183	310	2,596	4,185	3,935	1,641	282	10	1	2
INDIAN (INDIA)	2,038	-	1	1	5	10	35	480	794	504	180	27	1	-	-
JAPANESE	4,144	2	6	10	23	35	39	563	1,362	1,425	606	70	2	-	1
KOREAN	3,670	-	-	3	9	14	22	487	1,767	1,053	272	40	1	-	2
PACIFIC ISLANDER	3,460	7	20	53	72	113	172	1,152	1,095	549	201	25	3	-	1
THAI	635	1	1	6	9	10	12	71	160	201	142	21	-	-	1
VIETNAMESE	4,631	6	12	23	35	70	108	992	1,597	1,176	518	85	8	1	-
WHITE	377,602	565	1,874	4,366	7,421	11,008	14,784	108,267	120,412	76,254	28,086	4,073	170	9	113
OTHER ASIAN	5,358	33	41	100	137	169	178	1,385	1,494	1,110	540	139	35	10	5
OTHER	590	-	-	2	6	12	18	153	203	139	51	6	-	-	-
NOT STATED	2,060	6	8	16	24	38	59	400	642	529	241	43	3	-	51
ALAMEDA	20,127	44	105	214	314	477	639	4,929	6,552	4,601	1,961	262	12	3	14
AMERICAN INDIAN	154	-	1	4	6	4	8	52	31	31	17	-	-	-	-
BLACK	4,739	29	58	112	157	219	259	1,416	1,361	815	276	31	1	-	5
CAMBODIAN	161	-	2	2	1	7	7	40	37	28	21	14	1	-	1
CHINESE	789	-	-	2	-	-	1	63	267	310	139	4	2	-	1
ESKIMO/ALEUT	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
FILIPINO	962	1	1	4	6	10	17	186	329	262	128	18	-	-	-
INDIAN (INDIA)	192	-	-	-	1	-	3	43	88	43	13	1	-	-	-
JAPANESE	209	-	-	-	-	3	3	16	62	81	40	4	-	-	-
KOREAN	159	-	-	1	-	-	-	18	89	35	12	3	-	-	1
PACIFIC ISLANDER	237	-	1	5	7	5	15	71	80	34	18	-	1	-	-
THAI	8	-	-	-	1	-	-	-	3	2	2	-	-	-	-
VIETNAMESE	241	-	-	1	-	5	3	45	96	59	27	3	1	1	-
WHITE	11,764	10	41	78	128	213	302	2,869	3,936	2,785	1,215	174	3	2	6
OTHER ASIAN	321	3	1	4	4	8	21	77	104	62	30	7	-	-	-
OTHER	26	-	-	-	-	-	-	3	10	7	4	-	-	-	-
NOT STATED	163	1	-	1	3	3	-	28	57	47	19	3	1	-	-
ALPINE	18	-	-	1	-	-	1	5	5	4	2	-	-	-	-
AMERICAN INDIAN	7	-	-	-	-	-	1	2	1	3	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	11	-	-	1	-	-	-	3	4	1	2	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
AMADOR	255	-	1	2	4	7	9	68	80	54	28	2	-	-	-
AMERICAN INDIAN	10	-	-	-	-	-	1	2	4	3	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	239	-	1	2	4	7	7	66	74	48	28	2	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	2,337	-	10	33	50	76	93	707	701	491	153	20	3	-	-
AMERICAN INDIAN	70	-	-	3	1	1	5	31	19	9	1	-	-	-	-
BLACK	64	-	-	3	2	3	3	25	16	8	2	2	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	7	-	-	-	-	-	-	1	1	2	3	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	7	-	-	-	-	-	-	4	-	2	1	-	-	-	-
INDIAN (INDIA)	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
KOREAN	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-
PACIFIC ISLANDER	10	-	-	-	-	-	-	6	3	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	2,135	-	10	27	47	72	83	631	648	435	142	17	3	-	-
OTHER ASIAN	28	-	-	-	-	-	2	7	7	8	3	1	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CALAVERAS	304	-	1	4	3	14	13	79	102	56	31	1	-	-	-
AMERICAN INDIAN	13	-	-	-	-	1	1	2	7	1	1	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	288	-	1	4	3	13	12	77	94	54	29	1	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
COLUSA	248	-	2	4	8	11	9	65	85	49	13	6	-	-	-
AMERICAN INDIAN	8	-	1	-	-	-	-	1	1	4	1	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	239	-	1	4	6	11	9	64	84	44	12	4	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	11,048	20	61	114	180	257	353	2,632	3,326	2,660	1,143	117	3	1	1
AMERICAN INDIAN	82	-	1	2	3	7	4	22	25	10	7	1	-	-	-
BLACK	1,551	12	14	41	63	71	108	303	423	224	82	9	1	-	-
CAMBODIAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
CHINESE	248	-	-	-	1	-	-	14	65	100	65	3	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	343	-	-	1	9	6	3	70	99	101	51	3	-	-	-
INDIAN (INDIA)	58	-	-	-	-	-	-	11	16	24	6	1	-	-	-
JAPANESE	99	-	-	-	-	-	1	11	27	40	18	2	-	-	-
KOREAN	49	-	-	-	1	1	1	5	20	11	9	1	-	-	-
PACIFIC ISLANDER	81	-	2	1	-	-	3	31	26	13	4	1	-	-	-
THAI	4	-	-	-	-	1	-	1	-	1	-	-	-	-	-
VIETNAMESE	50	-	-	-	1	-	1	11	19	12	6	-	-	-	-
WHITE	8,239	6	23	65	102	161	228	1,889	2,743	2,065	862	92	2	1	-
OTHER ASIAN	180	2	1	4	-	9	3	55	40	39	23	4	-	-	-
OTHER	15	-	-	-	-	-	1	2	7	3	2	-	-	-	-
NOT STATED	47	-	-	-	-	1	-	7	15	16	7	-	-	-	1
DEL NORTE	287	1	4	6	8	6	17	109	80	34	19	-	2	-	1
AMERICAN INDIAN	46	-	-	2	2	1	4	17	14	5	1	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
KOREAN	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	222	1	4	4	5	5	13	84	61	26	17	-	2	-	-
OTHER ASIAN	11	-	-	-	-	-	-	4	4	2	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
EL DORADO	1,590	-	10	14	22	36	67	433	504	348	149	6	-	-	1
AMERICAN INDIAN	20	-	-	-	1	-	-	9	8	2	-	-	-	-	-
BLACK	15	-	1	1	-	-	1	3	3	4	2	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	7	-	-	-	-	-	-	-	2	4	1	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FILIPINO	29	-	-	-	-	-	-	6	11	7	5	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	1	-	1	1	2	1	-	-	-	-
KOREAN	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,490	-	9	13	19	34	65	413	470	324	137	6	-	-	-
OTHER ASIAN	8	-	-	-	-	-	-	-	5	3	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	1	-	1	-	-	-	1	-	-	-	1
FRESNO	11,746	47	115	227	334	489	611	3,670	3,379	2,031	693	117	20	4	7
AMERICAN INDIAN	123	2	3	5	2	8	10	46	29	12	6	-	-	-	-
BLACK	782	9	16	29	37	45	47	302	167	97	29	3	1	-	-
CAMBODIAN	63	-	-	-	-	-	2	8	17	14	15	5	-	-	2
CHINESE	58	-	-	-	-	-	-	12	19	18	7	1	1	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	105	-	-	2	2	1	6	21	33	26	12	2	-	-	-
INDIAN (INDIA)	64	-	-	-	-	1	1	29	23	5	5	-	-	-	-
JAPANESE	71	-	-	-	-	2	-	7	21	34	5	2	-	-	-
KOREAN	12	-	-	-	-	-	1	1	4	5	1	-	-	-	-
PACIFIC ISLANDER	19	-	-	-	-	2	1	9	2	4	1	-	-	-	-
THAI	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
VIETNAMESE	41	-	-	-	1	1	-	15	11	5	6	2	-	-	-
WHITE	9,534	31	86	176	266	386	304	2,991	2,832	1,664	522	67	5	-	4
OTHER ASIAN	852	5	9	15	26	42	39	226	211	140	86	33	13	4	1
OTHER	8	-	-	-	-	-	-	1	4	3	-	-	-	-	-
NOT STATED	10	-	1	-	-	1	-	2	3	3	-	-	-	-	-
GLENN	367	1	2	5	9	20	22	122	105	66	14	1	-	-	-
AMERICAN INDIAN	8	-	1	1	1	1	-	2	-	1	1	-	-	-	-
BLACK	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	356	1	1	4	8	19	21	120	104	64	13	1	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT	1,751	1	5	14	37	49	78	507	538	354	145	13	5	-	5
AMERICAN INDIAN	192	-	2	4	9	10	14	64	52	23	11	3	-	-	-
BLACK	30	-	-	-	-	2	2	9	12	5	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	6	-	-	-	-	-	-	1	2	2	1	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
FILIPINO	6	-	-	-	-	-	-	2	-	2	2	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-
KOREAN	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
PACIFIC ISLANDER	8	-	-	1	-	-	1	1	3	1	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,440	1	3	9	27	32	57	414	445	312	122	10	4	-	4
OTHER ASIAN	57	-	-	-	1	5	4	12	19	8	7	-	1	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	-	-	-	-	-	1
IMPERIAL	2,092	2	18	34	72	84	98	638	645	350	131	17	2	-	1
AMERICAN INDIAN	33	-	2	1	-	1	5	7	9	7	1	-	-	-	-
BLACK	52	-	2	2	5	1	4	16	14	4	4	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	20	-	-	1	1	1	2	4	7	1	2	1	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
KOREAN	6	-	-	-	-	-	-	3	1	2	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,966	2	14	30	66	81	87	603	610	330	124	16	2	-	1
OTHER ASIAN	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
INYO	224	-	-	3	4	11	6	56	67	48	28	1	-	-	-
AMERICAN INDIAN	45	-	-	-	1	1	-	11	13	11	7	1	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	177	-	-	3	3	10	6	44	53	37	21	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KERN	10,213	34	80	181	280	400	543	3,470	3,106	1,555	489	66	6	-	3
AMERICAN INDIAN	158	-	2	6	1	5	8	52	49	26	9	-	-	-	-
BLACK	765	10	14	26	38	44	55	242	211	99	25	1	-	-	-
CAMBODIAN	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-
CHINESE	35	-	-	-	1	-	1	2	13	9	7	2	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	215	-	1	3	9	6	6	56	66	39	24	4	1	-	-
INDIAN (INDIA)	31	-	-	-	-	1	2	9	10	3	3	-	1	-	-
JAPANESE	21	-	-	-	-	-	1	5	7	6	2	-	-	-	-
KOREAN	25	-	-	-	-	-	-	4	10	10	-	-	1	-	-
PACIFIC ISLANDER	29	1	-	1	-	2	1	9	9	5	1	-	-	-	-
THAI	6	-	-	1	-	-	-	-	2	-	3	-	-	-	-
VIETNAMESE	13	-	-	-	-	-	-	3	5	3	1	1	-	-	-
WHITE	8,873	23	63	144	231	341	468	3,077	2,707	1,346	410	37	3	-	3
OTHER ASIAN	28	-	-	-	-	1	1	6	13	3	3	1	-	-	-
OTHER	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
NOT STATED	6	-	-	-	-	-	-	2	1	2	1	-	-	-	-
KINGS	1,924	3	20	26	49	82	111	747	539	247	85	14	-	-	1
AMERICAN INDIAN	24	-	1	2	-	2	3	7	5	2	1	-	-	-	1
BLACK	152	-	3	3	3	10	11	70	32	17	3	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	8	-	-	-	1	-	-	-	2	4	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	65	-	-	-	1	1	1	16	20	22	4	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
JAPANESE	6	-	-	-	-	1	-	1	3	1	-	-	-	-	-
KOREAN	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
PACIFIC ISLANDER	6	-	-	-	-	-	2	2	1	-	1	-	-	-	-
THAI	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,655	3	16	21	43	68	94	630	472	200	74	14	-	-	-
OTHER ASIAN	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	668	2	5	9	20	29	47	211	185	118	38	4	-	-	-
AMERICAN INDIAN	38	-	1	1	2	-	5	12	10	6	1	-	-	-	-
BLACK	11	-	-	-	1	-	1	4	4	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	608	2	4	8	16	29	41	195	170	105	33	3	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LASSEN	305	1	3	3	9	10	21	110	82	50	14	2	-	-	-
AMERICAN INDIAN	16	-	2	-	2	-	-	8	1	2	1	-	-	-	-
BLACK	12	-	-	-	-	-	3	2	5	2	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
KOREAN	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	268	1	1	3	7	10	18	96	73	44	13	2	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES	160,557	331	977	2,220	3,498	5,092	6,389	44,248	49,381	33,081	12,929	2,025	90	5	91
AMERICAN INDIAN	822	3	8	14	23	38	50	242	232	136	60	16	-	-	-
BLACK	22,294	105	290	594	782	1,096	1,276	7,011	6,318	3,435	1,198	167	8	-	14
CAMBODIAN	870	-	2	2	14	17	30	196	261	201	109	34	3	-	1
CHINESE	2,991	-	2	-	6	11	9	251	1,108	1,134	421	45	1	-	3
ESKIMO/ALEUT	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
FILIPINO	3,951	1	6	17	25	30	70	603	1,169	1,363	568	94	3	1	1
INDIAN (INDIA)	530	-	-	-	-	2	8	106	195	149	65	5	-	-	-
JAPANESE	1,456	2	1	2	6	8	8	133	467	549	230	28	1	-	1
KOREAN	1,984	-	-	-	4	6	7	226	953	619	145	24	-	-	-
PACIFIC ISLANDER	902	1	4	16	15	32	43	298	265	158	58	10	1	-	1
THAI	388	-	-	3	2	1	7	40	88	135	95	16	-	-	1
VIETNAMESE	989	1	5	6	8	6	25	192	339	271	119	13	4	-	-
WHITE	121,860	217	653	1,551	2,591	3,825	5,025	34,643	37,502	24,520	9,669	1,546	69	4	45
OTHER ASIAN	873	1	3	11	15	10	11	175	269	250	114	14	-	-	-
OTHER	201	-	-	-	1	2	4	50	72	51	19	2	-	-	-
NOT STATED	443	-	3	4	6	8	16	82	140	110	39	11	-	-	24
MADERA	1,357	2	16	31	39	56	73	447	394	208	78	13	-	-	-
AMERICAN INDIAN	31	1	1	2	-	2	1	10	9	5	-	-	-	-	-
BLACK	44	-	1	2	2	2	4	18	10	5	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	9	-	-	-	1	-	3	2	2	-	1	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	1,254	1	14	27	35	52	65	410	369	192	77	12	-	-	-
OTHER ASIAN	6	-	-	-	-	-	-	3	1	1	-	1	-	-	-
OTHER	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIN	2,637	-	3	-	8	19	26	350	824	831	497	77	1	-	1
AMERICAN INDIAN	12	-	-	-	-	1	2	-	4	5	-	-	-	-	-
BLACK	103	-	2	-	1	3	3	29	37	18	9	1	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
CHINESE	37	-	-	-	-	-	-	1	10	11	12	2	1	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	30	-	-	-	-	-	-	2	14	10	4	-	-	-	-
INDIAN (INDIA)	12	-	-	-	-	-	-	2	4	5	1	-	-	-	-
JAPANESE	21	-	-	-	-	-	-	-	7	6	8	-	-	-	-
KOREAN	13	-	-	-	-	-	-	2	3	5	3	-	-	-	-
PACIFIC ISLANDER	15	-	-	-	-	-	2	2	5	3	3	-	-	-	-
THAI	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
VIETNAMESE	15	-	-	-	1	1	-	1	8	3	1	-	-	-	-
WHITE	2,306	-	1	-	6	14	19	299	707	749	438	72	-	-	1
OTHER ASIAN	14	-	-	-	-	-	-	3	6	4	-	1	-	-	-
OTHER	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
NOT STATED	49	-	-	-	-	-	-	6	15	10	17	1	-	-	-
MARIPOSA	139	-	-	3	5	5	10	33	44	32	7	-	-	-	-
AMERICAN INDIAN	16	-	-	1	2	-	4	2	4	2	1	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	122	-	-	2	3	5	6	31	40	29	6	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	1,142	2	9	15	30	44	58	321	290	238	114	21	-	-	-
AMERICAN INDIAN	85	1	1	-	5	7	18	23	15	11	4	-	-	-	-
BLACK	6	-	-	-	-	-	1	2	1	2	-	-	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
CHINESE	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	1	-	2	1	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	1,018	-	7	13	25	35	39	289	268	214	105	21	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	14	1	1	-	-	1	-	2	2	4	3	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED	3,392	7	21	64	95	142	198	1,162	955	517	187	39	2	-	3
AMERICAN INDIAN	28	-	1	1	-	2	1	8	8	4	2	1	-	-	-
BLACK	193	-	1	3	8	13	15	68	55	25	5	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CHINESE	6	-	-	-	-	-	-	3	1	1	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	26	-	-	-	1	1	3	8	7	4	-	2	-	-	-
INDIAN (INDIA)	30	-	-	-	-	1	-	12	10	5	1	1	-	-	-
JAPANESE	11	-	-	-	-	-	-	5	4	1	1	-	-	-	-
KOREAN	7	-	-	-	-	-	1	2	4	-	-	-	-	-	-
PACIFIC ISLANDER	7	-	-	-	-	-	1	1	4	1	-	-	-	-	-
THAI	4	-	-	-	-	1	-	1	1	-	1	-	-	-	-
VIETNAMESE	7	-	-	-	-	-	-	1	3	3	-	-	-	-	-
WHITE	2,677	6	16	43	77	105	166	918	776	405	140	22	1	-	-
OTHER ASIAN	388	1	3	15	9	19	10	132	79	47	36	13	1	-	3
OTHER	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
MODOC	128	-	2	3	2	9	5	40	41	16	8	1	-	-	1
AMERICAN INDIAN	9	-	1	-	1	1	1	1	1	2	-	1	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	118	-	1	3	1	8	4	39	39	14	8	-	-	-	1
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONO	108	-	-	1	1	1	3	33	36	25	8	-	-	-	-
AMERICAN INDIAN	9	-	-	1	-	-	2	3	3	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	98	-	-	-	1	1	1	30	33	24	8	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONTEREY	6,602	12	42	81	141	230	329	2,046	2,069	1,136	444	60	8	-	4
AMERICAN INDIAN	66	-	2	2	-	1	6	24	19	6	5	1	-	-	-
BLACK	597	3	4	9	13	19	49	242	173	67	16	1	1	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	24	-	-	-	-	-	-	1	10	11	2	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	233	-	2	3	6	4	12	58	73	51	20	3	1	-	-
INDIAN (INDIA)	13	-	-	-	1	-	-	4	4	3	1	-	-	-	-
JAPANESE	64	-	-	-	-	1	2	15	20	16	9	1	-	-	-
KOREAN	120	-	-	-	-	-	1	27	53	33	5	1	-	-	-
PACIFIC ISLANDER	79	-	-	-	-	1	8	26	28	10	6	-	-	-	-
THAI	5	-	-	-	-	-	-	1	1	3	-	-	-	-	-
VIETNAMESE	52	-	-	-	-	2	3	16	20	6	3	2	-	-	-
WHITE	5,251	9	34	66	120	200	245	1,613	1,627	915	364	49	5	-	4
OTHER ASIAN	10	-	-	-	-	-	-	1	7	2	-	-	-	-	-
OTHER	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
NOT STATED	85	-	-	1	1	2	3	17	33	12	13	2	1	-	-
NAPA	1,408	-	10	15	15	40	42	383	471	316	95	21	-	-	-
AMERICAN INDIAN	22	-	-	1	1	1	1	9	5	4	-	-	-	-	-
BLACK	14	-	1	-	1	-	-	6	4	2	-	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	7	-	-	-	-	-	-	-	2	5	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	14	-	-	-	1	1	3	3	2	-	3	1	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
JAPANESE	8	-	-	-	-	-	-	1	3	3	1	-	-	-	-
KOREAN	5	-	-	-	-	-	-	-	3	1	1	-	-	-	-
PACIFIC ISLANDER	6	-	1	-	-	-	-	1	1	2	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,322	-	8	14	12	38	37	362	446	297	89	19	-	-	-
OTHER ASIAN	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-
NEVADA	851	-	2	5	16	13	26	212	270	210	84	12	1	-	-
AMERICAN INDIAN	17	-	-	1	2	-	-	5	3	1	5	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
KOREAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	823	-	2	4	14	13	25	206	264	205	78	11	1	-	-
OTHER ASIAN	3	-	-	-	-	-	-	-	2	-	-	1	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ORANGE	37,666	40	134	303	535	823	1,248	10,125	12,841	8,309	2,830	415	24	-	37
AMERICAN INDIAN	195	-	-	3	6	10	12	71	57	29	4	3	-	-	-
BLACK	965	1	6	15	9	23	47	342	301	160	53	4	2	-	2
CAMBODIAN	148	-	-	2	1	3	4	31	46	35	19	4	3	-	-
CHINESE	441	-	-	-	-	2	1	25	135	190	77	11	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FILIPINO	515	-	1	2	7	9	7	104	157	148	62	17	1	-	-
INDIAN (INDIA)	183	-	-	-	-	-	2	28	85	52	14	2	-	-	-
JAPANESE	374	-	1	1	2	1	1	40	137	136	52	3	-	-	-
KOREAN	368	-	-	-	1	1	1	47	179	109	28	2	-	-	-
PACIFIC ISLANDER	266	-	1	-	6	7	9	78	92	55	15	3	-	-	-
THAI	55	1	1	-	-	-	1	9	12	16	14	1	-	-	-
VIETNAMESE	1,078	-	3	6	4	17	27	234	366	266	124	29	2	-	-
WHITE	32,667	36	121	273	492	743	1,130	9,026	11,138	7,016	2,328	331	16	-	17
OTHER ASIAN	273	2	-	2	2	6	5	64	95	65	28	3	-	-	1
OTHER	54	-	-	-	-	-	-	13	14	20	7	-	-	-	-
NOT STATED	82	-	-	1	5	1	1	13	26	11	5	2	-	-	17
PLACER	1,991	1	2	18	35	41	60	497	693	448	174	21	1	-	-
AMERICAN INDIAN	32	-	-	1	1	1	-	14	6	5	3	1	-	-	-
BLACK	15	-	-	-	-	2	1	1	3	7	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	11	-	-	-	-	-	-	2	4	2	3	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	13	-	-	1	-	-	-	3	4	3	1	1	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
JAPANESE	18	-	-	-	-	2	2	1	7	5	1	-	-	-	-
KOREAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	6	-	-	-	2	-	-	3	-	-	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,883	1	2	16	32	36	56	468	667	421	164	19	1	-	-
OTHER ASIAN	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	2	-	3	-	-	-	-	-
PLUMAS	207	-	2	4	3	1	13	53	76	40	12	3	-	-	-
AMERICAN INDIAN	12	-	-	1	-	-	3	1	5	2	-	-	-	-	-
BLACK	6	-	-	-	-	-	1	1	4	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	188	-	2	3	3	1	9	51	67	37	12	3	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
RIVERSIDE	16,208	43	118	229	404	594	821	5,085	5,267	2,714	800	122	4	1	6
AMERICAN INDIAN	231	1	4	5	9	7	24	78	67	28	7	-	-	-	1
BLACK	1,145	5	16	24	35	53	99	420	305	136	43	9	-	-	-
CAMBODIAN	16	-	-	-	-	-	2	-	5	5	3	1	-	-	-
CHINESE	44	-	-	2	-	-	-	6	15	13	8	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	171	1	-	-	1	6	6	36	67	42	9	2	-	-	1
INDIAN (INDIA)	23	-	-	-	-	1	-	5	10	5	2	-	-	-	-
JAPANESE	70	-	1	1	2	1	1	20	27	12	5	-	-	-	-
KOREAN	39	-	-	-	-	-	1	10	18	8	2	-	-	-	-
PACIFIC ISLANDER	91	-	1	-	-	2	6	37	25	14	5	1	-	-	-
THAI	17	-	-	-	1	1	1	4	6	1	3	-	-	-	-
VIETNAMESE	42	2	-	-	1	-	1	8	10	16	3	1	-	-	-
WHITE	14,191	33	95	195	348	519	676	4,420	4,680	2,415	696	106	3	1	4
OTHER ASIAN	99	1	-	2	5	1	2	31	27	16	11	2	1	-	-
OTHER	8	-	-	-	-	2	1	2	2	1	-	-	-	-	-
NOT STATED	20	-	1	-	2	1	1	7	3	2	3	-	-	-	-
SACRAMENTO	15,975	31	98	222	363	500	658	4,788	5,119	3,075	980	129	7	3	2
AMERICAN INDIAN	249	1	7	9	12	9	11	89	67	36	6	2	-	-	-
BLACK	2,124	12	21	57	83	100	146	747	592	289	65	12	-	-	-
CAMBODIAN	12	-	-	-	-	-	-	2	3	3	3	1	-	-	-
CHINESE	360	-	-	-	2	3	1	44	129	116	58	5	1	-	1
ESKIMO/ALEUT	5	-	-	-	-	-	1	3	1	-	-	-	-	-	-
FILIPINO	318	-	2	-	6	13	8	85	92	79	27	6	-	-	-
INDIAN (INDIA)	65	-	-	-	1	-	1	26	23	8	4	2	-	-	-
JAPANESE	185	-	-	2	2	-	4	40	64	58	13	2	-	-	-
KOREAN	63	-	-	1	2	-	1	12	28	14	3	2	-	-	-
PACIFIC ISLANDER	106	1	1	2	1	7	7	35	29	16	7	-	-	-	-
THAI	14	-	-	1	2	2	-	1	3	1	2	2	-	-	-
VIETNAMESE	178	1	-	4	2	5	6	37	56	46	17	4	-	-	-
WHITE	11,702	12	56	126	232	332	446	3,516	3,886	2,296	722	78	-	-	-
OTHER ASIAN	539	4	10	18	17	26	23	132	131	105	51	13	6	3	-
OTHER	39	-	-	1	1	2	3	14	13	4	1	-	-	-	-
NOT STATED	16	-	1	1	-	1	-	5	2	4	1	-	-	-	1
SAN BENITO	603	-	4	11	22	13	31	165	201	103	49	4	-	-	-
AMERICAN INDIAN	11	-	-	-	-	2	-	4	1	2	2	-	-	-	-
BLACK	7	-	-	-	1	1	-	3	1	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	6	-	-	-	-	2	-	-	1	2	1	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	586	-	4	11	20	8	30	154	195	97	43	4	-	-	-
OTHER ASIAN	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	9	-	-	-	1	-	1	3	2	-	2	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO	22,595	40	149	335	547	793	1,077	7,383	7,327	3,726	1,082	132	2	-	2
AMERICAN INDIAN	317	-	4	8	16	21	21	105	89	39	13	1	-	-	-
BLACK	2,193	7	32	54	78	111	140	738	633	302	87	11	-	-	-
CAMBODIAN	23	-	-	-	-	-	1	8	7	6	1	-	-	-	-
CHINESE	76	-	-	-	-	-	1	6	22	30	15	2	-	-	-
ESKIMO/ALEUT	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
FILIPINO	217	-	-	1	2	2	12	55	64	51	27	3	-	-	-
INDIAN (INDIA)	49	-	-	1	-	-	-	4	20	15	7	2	-	-	-
JAPANESE	106	-	-	1	1	2	3	27	40	23	8	1	-	-	-
KOREAN	121	-	-	-	-	-	3	29	51	29	7	2	-	-	-
PACIFIC ISLANDER	114	-	-	-	2	4	6	38	38	19	6	1	-	-	-
THAI	21	-	-	-	-	1	1	3	1	10	4	1	-	-	-
VIETNAMESE	79	-	-	-	-	1	1	13	37	16	9	2	-	-	-
WHITE	19,111	33	113	269	445	648	882	6,314	6,258	3,152	889	105	2	-	1
OTHER ASIAN	74	-	-	1	-	2	2	19	27	20	3	-	-	-	-
OTHER	15	-	-	-	-	-	1	3	8	2	1	-	-	-	-
NOT STATED	77	-	-	-	2	1	3	20	32	12	5	1	-	-	1
SAN DIEGO	39,075	52	177	387	613	939	1,449	11,787	12,595	8,007	2,671	375	14	1	8
AMERICAN INDIAN	822	2	1	8	19	20	40	304	252	131	43	2	-	-	-
BLACK	3,823	19	53	68	94	157	216	1,468	1,083	507	142	16	-	-	-
CAMBODIAN	149	-	1	1	3	2	3	42	36	27	24	7	2	-	1
CHINESE	225	-	-	-	1	1	1	13	82	90	32	5	-	-	-
ESKIMO/ALEUT	7	-	-	-	1	-	-	2	2	2	-	-	-	-	-
FILIPINO	1,872	1	3	7	18	25	40	392	644	525	184	32	1	-	-
INDIAN (INDIA)	51	-	-	-	-	-	-	12	12	18	9	-	-	-	-
JAPANESE	355	-	2	1	3	8	1	93	116	92	32	7	-	-	-
KOREAN	114	-	-	-	-	2	2	12	59	28	10	1	-	-	-
PACIFIC ISLANDER	506	-	5	11	17	17	28	176	156	64	30	2	-	-	-
THAI	22	-	-	-	-	-	-	5	8	5	4	-	-	-	-
VIETNAMESE	309	-	-	1	4	8	6	74	100	74	37	5	-	-	-
WHITE	30,487	30	110	286	446	684	1,100	9,105	9,952	6,379	2,092	288	10	-	5
OTHER ASIAN	285	-	2	4	7	14	12	83	77	50	26	9	-	1	-
OTHER	16	-	-	-	-	1	-	3	8	2	2	-	-	-	-
NOT STATED	32	-	-	-	-	-	-	3	8	13	4	1	1	-	2
SAN FRANCISCO	9,698	21	45	106	129	187	269	1,919	2,905	2,650	1,244	214	6	1	2
AMERICAN INDIAN	38	1	-	1	2	1	2	10	10	8	3	-	-	-	-
BLACK	1,677	12	22	57	57	84	104	533	434	256	105	10	1	-	2
CAMBODIAN	96	-	1	1	2	3	2	17	22	21	18	8	1	-	-
CHINESE	1,486	-	-	1	1	1	6	147	529	560	220	20	1	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	866	2	1	8	9	8	17	173	249	254	121	24	-	-	-
INDIAN (INDIA)	54	-	1	-	-	1	2	9	16	17	7	1	-	-	-
JAPANESE	122	-	1	-	2	-	-	8	35	42	31	3	-	-	-
KOREAN	104	-	-	-	-	-	-	14	62	14	11	3	-	-	-
PACIFIC ISLANDER	135	-	-	1	9	4	9	37	55	17	3	-	-	-	-
THAI	16	-	-	-	-	-	-	1	4	8	3	-	-	-	-
VIETNAMESE	238	1	-	1	2	2	5	40	92	65	27	3	-	-	-
WHITE	4,411	4	17	33	44	75	102	835	1,260	1,266	640	132	2	1	-
OTHER ASIAN	87	-	1	3	1	1	3	17	30	20	9	1	1	-	-
OTHER	26	-	-	-	-	-	3	9	4	6	3	1	-	-	-
NOT STATED	341	1	1	-	-	7	14	68	103	96	43	8	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN JOAQUIN	8,377	25	62	146	253	312	388	2,619	2,519	1,379	530	119	22	2	1
AMERICAN INDIAN	90	-	-	2	5	6	3	34	31	4	5	-	-	-	-
BLACK	626	4	7	16	37	31	49	209	162	83	24	4	-	-	-
CAMBODIAN	384	2	1	4	3	6	11	81	88	84	67	29	8	-	-
CHINESE	58	-	1	-	-	-	-	2	27	18	9	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	307	1	1	5	11	8	10	79	86	63	38	5	-	-	-
INDIAN (INDIA)	32	-	-	-	-	-	2	13	10	3	4	-	-	-	-
JAPANESE	49	-	-	1	-	-	2	10	18	13	4	1	-	-	-
KOREAN	10	-	-	-	-	1	-	3	4	2	-	-	-	-	-
PACIFIC ISLANDER	51	-	-	-	2	2	3	21	9	8	4	1	1	-	-
THAI	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
VIETNAMESE	208	-	-	-	2	3	6	63	72	37	20	4	1	-	-
WHITE	6,131	10	48	110	177	245	291	1,985	1,906	984	310	60	4	-	1
OTHER ASIAN	385	8	4	7	14	7	8	105	96	69	43	14	8	2	-
OTHER	35	-	-	1	2	3	3	11	5	9	1	-	-	-	-
NOT STATED	8	-	-	-	-	-	-	2	4	1	1	-	-	-	-
SAN LUIS OBISPO	2,603	3	11	26	30	53	105	712	850	595	199	19	-	-	-
AMERICAN INDIAN	59	-	-	1	3	2	2	21	19	7	3	1	-	-	-
BLACK	50	-	1	4	-	1	3	18	9	9	5	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	11	-	-	-	-	-	-	2	4	4	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	43	-	1	1	1	3	-	13	14	8	2	-	-	-	-
INDIAN (INDIA)	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
JAPANESE	15	-	-	-	-	-	-	3	6	5	1	-	-	-	-
KOREAN	7	-	-	-	-	-	1	3	-	2	1	-	-	-	-
PACIFIC ISLANDER	6	-	-	-	-	-	1	3	1	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	2,395	3	9	20	26	47	98	642	791	555	186	18	-	-	-
OTHER ASIAN	7	-	-	-	-	-	-	4	2	1	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
SAN MATEO	9,360	11	22	56	97	129	206	1,988	3,067	2,621	1,020	138	4	-	1
AMERICAN INDIAN	46	-	-	-	2	4	3	19	10	5	3	-	-	-	-
BLACK	717	3	9	15	17	28	33	241	195	123	49	4	-	-	-
CAMBODIAN	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
CHINESE	433	-	-	-	-	-	-	20	142	195	74	2	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	819	3	-	2	4	6	14	156	274	248	96	15	1	-	-
INDIAN (INDIA)	95	-	-	-	1	1	1	26	34	26	4	2	-	-	-
JAPANESE	131	-	-	-	-	-	2	11	39	56	20	3	-	-	-
KOREAN	44	-	-	-	-	-	-	5	9	22	8	-	-	-	-
PACIFIC ISLANDER	286	1	3	4	4	6	12	91	97	51	12	5	-	-	-
THAI	11	-	-	-	-	-	-	1	6	1	3	-	-	-	-
VIETNAMESE	29	1	-	-	-	-	1	3	9	12	3	-	-	-	-
WHITE	6,422	2	10	32	68	82	131	1,355	2,145	1,786	709	99	3	-	-
OTHER ASIAN	60	-	-	-	-	-	1	9	24	18	8	-	-	-	-
OTHER	22	-	-	-	1	-	-	6	8	6	-	1	-	-	-
NOT STATED	241	1	-	3	-	2	8	44	73	71	31	7	-	-	1

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA BARBARA	5,256	4	30	55	100	138	173	1,376	1,714	1,165	455	43	2	-	1
AMERICAN INDIAN	55	-	-	1	1	2	4	19	13	13	2	-	-	-	-
BLACK	216	-	4	4	10	6	16	68	63	32	12	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	30	-	-	-	-	-	-	6	6	12	5	1	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FILIPINO	108	-	-	1	2	2	4	27	32	31	8	1	-	-	-
INDIAN (INDIA)	7	-	-	-	-	-	-	4	1	1	1	-	-	-	-
JAPANESE	45	-	-	-	1	-	1	10	17	10	6	-	-	-	-
KOREAN	23	-	-	-	-	-	-	7	9	6	1	-	-	-	-
PACIFIC ISLANDER	19	1	-	-	1	-	1	6	6	3	1	-	-	-	-
THAI	6	-	-	-	-	-	-	-	4	1	1	-	-	-	-
VIETNAMESE	12	-	-	-	-	2	-	1	3	2	3	1	-	-	-
WHITE	4,677	3	25	48	83	126	144	1,215	1,544	1,039	409	38	2	-	1
OTHER ASIAN	42	-	1	1	2	-	2	11	12	9	3	1	-	-	-
OTHER	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NOT STATED	13	-	-	-	-	-	-	2	4	6	1	-	-	-	-
SANTA CLARA	24,400	33	77	229	343	527	760	5,900	8,331	5,760	2,107	312	8	-	13
AMERICAN INDIAN	258	3	4	3	6	11	12	80	86	33	17	2	-	-	1
BLACK	1,283	3	2	21	30	41	59	389	430	229	73	6	-	-	-
CAMBODIAN	165	-	-	3	2	4	7	35	41	42	17	13	1	-	-
CHINESE	942	-	-	-	-	2	-	43	306	430	142	19	-	-	-
ESKIMO/ALEUT	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
FILIPINO	1,271	2	3	7	12	17	33	260	407	351	151	28	-	-	-
INDIAN (INDIA)	356	-	-	-	1	1	8	73	165	85	15	8	-	-	-
JAPANESE	383	-	-	1	-	2	4	38	132	136	62	8	-	-	-
KOREAN	256	-	-	1	-	2	-	24	147	64	16	1	-	-	1
PACIFIC ISLANDER	227	1	1	3	-	12	6	89	74	32	9	-	-	-	-
THAI	17	-	-	-	-	-	1	-	6	5	4	1	-	-	-
VIETNAMESE	947	-	3	3	9	15	19	203	320	256	103	14	-	-	-
WHITE	17,919	23	63	181	281	412	598	4,569	6,097	4,004	1,464	209	7	-	11
OTHER ASIAN	182	-	1	3	2	5	7	56	54	41	13	-	-	-	-
OTHER	52	-	-	-	-	1	1	8	20	15	6	1	-	-	-
NOT STATED	139	1	-	3	-	2	5	29	43	37	15	2	-	-	-
SANTA CRUZ	3,710	6	12	42	55	85	116	914	1,170	868	379	58	5	-	-
AMERICAN INDIAN	37	-	-	-	-	-	2	11	9	9	5	1	-	-	-
BLACK	58	-	-	2	2	1	1	18	20	8	6	-	-	-	-
CAMBODIAN	4	-	-	-	-	-	1	-	2	-	1	-	-	-	-
CHINESE	20	-	-	-	-	-	-	3	5	10	1	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	52	-	-	-	-	2	2	13	19	10	4	2	-	-	-
INDIAN (INDIA)	6	-	-	-	-	-	-	-	4	2	-	-	-	-	-
JAPANESE	35	-	-	-	-	-	-	3	13	13	5	1	-	-	-
KOREAN	9	-	-	-	-	-	-	5	-	3	1	-	-	-	-
PACIFIC ISLANDER	10	-	-	-	1	-	-	1	4	2	2	-	-	-	-
THAI	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
WHITE	3,456	6	12	40	52	82	109	852	1,087	806	352	53	5	-	-
OTHER ASIAN	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	14	-	-	-	-	-	1	3	3	5	2	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SHASTA	1,961	6	9	27	43	70	112	624	613	331	110	15	1	-	-
AMERICAN INDIAN	94	-	-	1	2	4	7	47	17	14	-	2	-	-	-
BLACK	29	2	-	2	2	-	2	5	10	6	-	-	-	-	-
CAMBODIAN	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FILIPINO	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	4	1	-	-	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	1	1	1	2	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	1,793	4	8	23	38	64	99	560	579	301	107	11	1	-	-
OTHER ASIAN	20	-	1	1	1	2	2	6	2	5	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SIERRA	22	-	-	-	-	-	-	3	7	9	3	-	-	-	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	20	-	-	-	-	-	-	3	7	7	3	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	395	-	4	7	11	20	25	184	181	112	41	10	-	-	-
AMERICAN INDIAN	48	-	1	2	1	-	3	21	10	6	3	1	-	-	-
BLACK	8	-	-	1	-	1	1	4	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	328	-	3	4	10	19	19	158	165	103	38	9	-	-	-
OTHER ASIAN	4	-	-	-	-	-	-	-	4	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO	5,110	8	23	60	113	163	234	1,581	1,644	941	300	41	1	-	1
AMERICAN INDIAN	69	-	-	-	2	6	7	21	18	10	4	1	-	-	-
BLACK	822	5	13	21	27	41	61	281	224	106	37	6	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	34	-	-	-	1	-	-	5	12	13	3	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	362	-	-	1	3	8	12	73	109	102	43	10	1	-	-
INDIAN (INDIA)	20	-	-	-	-	-	-	6	11	1	2	-	-	-	-
JAPANESE	54	-	-	-	2	1	1	23	18	8	1	-	-	-	-
KOREAN	23	-	-	-	-	-	-	8	6	8	1	-	-	-	-
PACIFIC ISLANDER	81	-	-	2	1	4	6	20	34	8	6	-	-	-	-
THAI	5	-	-	-	1	2	-	-	1	1	-	-	-	-	-
VIETNAMESE	7	-	-	-	-	-	-	2	3	2	-	-	-	-	-
WHITE	3,577	2	10	36	75	101	146	1,128	1,188	669	198	23	-	-	1
OTHER ASIAN	38	1	-	-	1	-	1	7	15	10	2	1	-	-	-
OTHER	6	-	-	-	-	-	-	2	2	2	-	-	-	-	-
NOT STATED	11	-	-	-	-	-	-	4	3	1	3	-	-	-	-
SONOMA	5,228	9	19	42	76	97	144	1,234	1,778	1,229	528	71	1	-	-
AMERICAN INDIAN	162	3	2	3	10	8	8	53	42	22	9	1	1	-	-
BLACK	128	-	3	3	3	4	5	36	45	20	8	1	-	-	-
CAMBODIAN	35	-	-	-	-	1	-	7	9	11	4	3	-	-	-
CHINESE	27	-	-	-	-	-	1	2	6	9	9	-	-	-	-
ESKIMO/ALEUT	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-
FILIPINO	53	-	1	2	1	1	2	15	14	14	3	-	-	-	-
INDIAN (INDIA)	11	-	-	-	-	-	1	3	-	3	2	-	-	-	-
JAPANESE	40	-	-	-	-	-	-	5	14	16	4	1	-	-	-
KOREAN	8	-	-	-	-	-	-	1	3	3	1	-	-	-	-
PACIFIC ISLANDER	22	-	-	-	1	-	-	5	10	3	2	1	-	-	-
THAI	4	-	-	-	-	1	1	1	-	1	-	-	-	-	-
VIETNAMESE	18	-	-	1	-	2	-	7	6	1	-	1	-	-	-
WHITE	4,624	2	13	30	61	79	123	1,082	1,607	1,096	473	58	-	-	-
OTHER ASIAN	37	4	-	3	-	1	1	10	7	7	2	2	-	-	-
OTHER	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-
NOT STATED	53	-	-	-	-	-	1	6	13	21	10	2	-	-	-
STANISLAUS	5,760	12	38	85	168	207	277	1,928	1,724	940	325	54	2	-	-
AMERICAN INDIAN	75	1	-	4	3	5	8	23	22	8	1	-	-	-	-
BLACK	141	-	2	2	5	8	9	47	31	26	11	-	-	-	-
CAMBODIAN	112	-	-	-	1	4	3	25	31	30	10	8	-	-	-
CHINESE	26	-	-	-	-	-	-	4	9	9	4	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	35	-	-	-	1	-	-	8	10	11	3	2	-	-	-
INDIAN (INDIA)	53	-	-	-	-	-	1	18	20	11	3	-	-	-	-
JAPANESE	20	-	-	-	-	-	-	5	9	4	2	-	-	-	-
KOREAN	13	-	-	-	-	-	-	5	4	3	1	-	-	-	-
PACIFIC ISLANDER	27	-	-	1	1	1	-	15	6	3	-	-	-	-	-
THAI	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	29	-	1	-	-	-	1	7	10	8	2	-	-	-	-
WHITE	5,106	11	34	77	153	187	252	1,728	1,536	805	280	41	2	-	-
OTHER ASIAN	109	-	1	1	3	2	3	38	32	18	8	3	-	-	-
OTHER	10	-	-	-	-	-	-	4	4	2	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SUTTER	1,007	4	4	10	22	31	35	354	311	172	56	6	2	-	-
AMERICAN INDIAN	18	-	-	-	1	-	-	6	8	2	1	-	-	-	-
BLACK	24	-	1	1	-	3	-	9	8	1	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
INDIAN (INDIA)	37	-	-	-	-	-	2	18	8	3	5	1	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	9	1	-	-	-	1	-	3	3	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	876	1	3	8	21	26	32	305	271	157	46	5	1	-	-
OTHER ASIAN	30	2	-	1	-	1	1	8	10	5	1	-	1	-	-
OTHER	5	-	-	-	-	-	-	3	2	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
TEHAMA	664	-	2	8	21	22	24	254	196	97	33	5	1	-	1
AMERICAN INDIAN	15	-	1	-	1	-	2	3	5	3	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	642	-	1	8	19	22	20	248	191	94	32	5	1	-	1
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
TRINITY	145	-	-	-	5	3	10	53	37	27	10	-	-	-	-
AMERICAN INDIAN	13	-	-	-	1	-	2	5	5	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	131	-	-	-	4	3	8	47	32	27	10	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TULARE	5,847	18	50	112	205	310	358	1,950	1,589	861	343	46	5	-	-
AMERICAN INDIAN	38	1	1	2	2	3	3	16	7	3	-	-	-	-	-
BLACK	131	-	3	7	4	7	10	52	24	16	7	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	17	-	-	-	-	-	-	2	5	8	2	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FILIPINO	77	-	-	2	1	5	7	14	25	15	7	1	-	-	-
INDIAN (INDIA)	7	-	-	-	-	-	-	5	1	1	-	-	-	-	-
JAPANESE	15	-	-	-	-	-	-	-	2	9	3	1	-	-	-
KOREAN	5	-	-	-	-	1	-	1	1	-	2	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
THAI	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
WHITE	5,401	17	44	97	192	289	332	1,815	1,486	780	305	40	4	-	-
OTHER ASIAN	145	-	2	4	5	5	6	41	35	26	17	3	1	-	-
OTHER	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUOLUMNE	479	2	2	6	9	11	14	129	157	117	29	3	-	-	-
AMERICAN INDIAN	14	1	-	-	1	-	-	5	5	2	-	-	-	-	-
BLACK	6	1	-	-	-	-	-	1	1	2	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	450	-	2	6	8	11	14	117	150	111	28	3	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VENTURA	10,368	16	34	93	188	314	394	2,825	3,468	2,200	737	111	5	-	3
AMERICAN INDIAN	96	-	-	1	1	8	5	28	34	10	9	-	-	-	-
BLACK	345	1	1	3	10	13	24	104	114	58	14	3	-	-	-
CAMBODIAN	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
CHINESE	60	-	-	-	-	-	-	8	15	24	12	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	225	-	-	-	-	4	6	36	76	74	24	4	1	-	-
INDIAN (INDIA)	24	-	-	-	-	-	-	5	11	3	4	1	-	-	-
JAPANESE	86	-	-	-	1	2	1	16	33	23	10	-	-	-	-
KOREAN	35	-	-	-	-	-	1	3	21	8	2	-	-	-	-
PACIFIC ISLANDER	55	-	-	1	2	2	-	23	13	12	2	-	-	-	-
THAI	7	-	-	-	-	-	-	-	2	4	1	-	-	-	-
VIETNAMESE	37	-	-	-	-	-	3	12	10	6	6	-	-	-	-
WHITE	9,192	13	33	86	132	277	351	2,341	3,072	1,927	634	98	4	-	2
OTHER ASIAN	57	-	-	-	-	-	1	12	21	17	5	1	-	-	-
OTHER	11	-	-	-	1	1	-	3	3	2	1	-	-	-	-
NOT STATED	137	-	-	1	1	7	2	34	43	32	13	3	-	-	1

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YOLO	1,937	2	13	20	54	73	84	555	581	396	140	18	-	-	1
AMERICAN INDIAN	29	-	-	-	1	2	1	11	10	2	2	-	-	-	-
BLACK	52	1	1	-	3	-	3	25	14	2	-	-	-	-	1
CAMBODIAN	11	-	-	-	-	1	-	1	1	4	3	1	-	-	-
CHINESE	26	-	-	-	-	-	-	1	14	9	2	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	19	-	-	1	3	1	1	4	3	3	2	1	-	-	-
INDIAN (INDIA)	8	-	-	-	-	1	-	4	3	-	-	-	-	-	-
JAPANESE	20	-	-	-	1	-	-	2	1	10	6	-	-	-	-
KOREAN	14	-	-	-	-	-	-	2	8	4	-	-	-	-	-
PACIFIC ISLANDER	8	-	-	1	-	-	-	2	4	1	-	-	-	-	-
THAI	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
WHITE	1,709	-	12	16	44	68	77	492	511	349	124	16	-	-	-
OTHER ASIAN	13	-	-	-	-	-	1	4	4	4	-	-	-	-	-
OTHER	13	-	-	-	-	-	1	5	5	2	-	-	-	-	-
NOT STATED	10	1	-	1	-	-	-	1	3	1	-	-	-	-	-
YUBA	1,233	4	12	16	33	39	77	486	369	138	46	10	3	-	-
AMERICAN INDIAN	36	-	-	-	-	1	2	19	6	6	2	-	-	-	-
BLACK	84	-	1	6	3	2	7	29	26	8	2	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	16	-	-	1	-	-	-	4	5	5	1	-	-	-	-
INDIAN (INDIA)	5	-	-	-	-	-	1	1	1	1	1	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	1	2	-	1	-	1	-	-
KOREAN	10	-	-	-	-	-	-	1	9	-	-	-	-	-	-
PACIFIC ISLANDER	6	-	-	-	-	-	-	1	5	-	-	-	-	-	-
THAI	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	992	3	10	9	29	34	62	410	293	107	32	3	-	-	-
OTHER ASIAN	72	1	1	-	1	2	5	20	19	9	5	7	2	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-12

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	481,905	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
HISPANIC	156,422	413	1,266	2,835	4,548	6,372	8,304	51,265	44,641	24,973	9,802	1,822	109	3	67
NON-HISPANIC	321,886	474	1,365	3,117	5,090	7,739	10,822	83,159	106,621	72,997	26,708	3,534	162	16	82
NOT STATED	3,597	14	26	37	70	93	133	880	1,124	786	312	54	4	-	64
ALAMEDA	20,127	44	105	214	314	477	639	4,929	6,552	4,601	1,961	262	12	3	14
HISPANIC	2,876	7	23	37	61	85	134	991	854	474	179	25	-	1	5
NON-HISPANIC	16,883	37	80	171	243	382	490	3,851	5,590	4,038	1,744	234	12	2	9
NOT STATED	368	-	2	6	10	10	15	87	108	89	38	3	-	-	-
ALPINE	18	-	-	1	-	-	1	5	5	4	2	-	-	-	-
HISPANIC	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NON-HISPANIC	16	-	-	1	-	-	1	3	5	4	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
AMADOR	255	-	1	2	4	7	9	68	80	54	28	2	-	-	-
HISPANIC	12	-	-	1	-	-	1	2	4	2	1	1	-	-	-
NON-HISPANIC	243	-	1	1	4	7	8	66	76	52	27	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	2,337	-	10	33	50	76	93	707	701	491	153	20	3	-	-
HISPANIC	188	-	1	4	7	8	7	59	47	33	18	4	-	-	-
NON-HISPANIC	2,142	-	9	29	43	67	85	646	651	458	135	16	3	-	-
NOT STATED	7	-	-	-	-	1	1	2	3	-	-	-	-	-	-
CALAVERAS	304	-	1	4	3	14	13	79	102	56	31	1	-	-	-
HISPANIC	11	-	-	-	-	1	-	2	6	1	1	-	-	-	-
NON-HISPANIC	291	-	1	4	3	13	13	76	96	54	30	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
COLUSA	248	-	2	4	6	11	9	65	85	49	13	4	-	-	-
HISPANIC	106	-	-	2	3	6	4	29	36	19	5	2	-	-	-
NON-HISPANIC	141	-	2	2	3	5	5	36	49	29	8	2	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CONTRA COSTA	11,048	20	41	114	180	257	353	2,632	3,526	2,660	1,143	117	3	1	1
HISPANIC	1,217	1	9	20	32	45	56	388	362	202	91	10	1	-	-
NON-HISPANIC	9,752	19	32	93	147	211	291	2,226	3,149	2,432	1,041	107	2	1	1
NOT STATED	79	-	-	1	1	1	6	18	15	26	11	-	-	-	-
DEL NORTE	287	1	4	6	8	6	17	109	80	34	19	-	2	-	1
HISPANIC	19	-	1	-	-	-	-	5	5	4	2	-	2	-	-
NON-HISPANIC	264	1	3	6	8	6	17	102	74	30	17	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	2	1	-	-	-	-	-	1
EL DORADO	1,590	-	10	14	22	36	67	433	504	348	149	6	-	-	1
HISPANIC	125	-	-	5	2	7	9	46	37	18	1	-	-	-	-
NON-HISPANIC	1,458	-	10	9	19	29	57	386	466	329	147	6	-	-	-
NOT STATED	7	-	-	-	1	-	1	1	1	1	1	-	-	-	1
FRESNO	11,746	47	115	227	334	489	611	3,670	3,379	2,031	695	117	20	4	7
HISPANIC	5,132	24	73	138	194	267	329	1,723	1,317	743	274	44	5	-	1
NON-HISPANIC	6,604	23	41	89	140	220	281	1,944	2,061	1,286	421	73	15	4	6
NOT STATED	10	-	1	-	-	2	1	3	1	2	-	-	-	-	-
GLENN	367	1	2	5	9	20	22	122	105	66	14	1	-	-	-
HISPANIC	83	1	-	-	2	6	5	27	18	18	6	-	-	-	-
NON-HISPANIC	283	-	2	5	7	14	17	95	87	47	8	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT	1,751	1	5	14	37	49	78	507	538	354	145	13	5	-	5
HISPANIC	58	-	-	4	-	3	4	16	18	9	4	-	-	-	-
NON-HISPANIC	1,686	1	5	10	37	46	74	489	518	344	140	13	5	-	4
NOT STATED	7	-	-	-	-	-	-	2	2	1	1	-	-	-	1
IMPERIAL	2,092	2	18	34	72	84	98	638	645	350	131	17	2	-	1
HISPANIC	1,566	2	13	26	63	67	72	471	471	267	100	11	2	-	1
NON-HISPANIC	523	-	5	8	9	17	26	167	173	82	30	6	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
INYO	224	-	-	3	4	11	6	56	67	48	28	1	-	-	-
HISPANIC	22	-	-	-	1	3	-	4	7	5	2	-	-	-	-
NON-HISPANIC	202	-	-	3	3	8	6	52	60	43	26	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KERN	10,213	34	80	181	280	400	543	3,470	3,106	1,555	489	66	6	-	3
HISPANIC	3,501	19	36	76	106	154	208	1,201	987	482	181	47	2	-	2
NON-HISPANIC	6,595	15	44	105	174	244	331	2,238	2,072	1,048	300	19	4	-	1
NOT STATED	117	-	-	-	-	2	4	31	47	25	8	-	-	-	-
KINGS	1,924	3	20	26	49	82	111	747	539	247	85	14	-	-	1
HISPANIC	647	2	10	10	22	30	44	231	175	78	38	7	-	-	-
NON-HISPANIC	1,271	1	9	16	27	52	67	514	362	169	47	7	-	-	-
NOT STATED	6	-	1	-	-	-	-	2	2	-	-	-	-	-	1
LAKE	668	2	5	9	20	29	47	211	185	118	38	4	-	-	-
HISPANIC	54	-	1	-	2	7	3	15	17	7	2	-	-	-	-
NON-HISPANIC	612	2	4	9	18	22	44	196	168	110	35	4	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
LASSEN	305	1	3	3	9	10	21	110	82	50	14	2	-	-	-
HISPANIC	13	-	-	-	-	1	1	3	5	3	-	-	-	-	-
NON-HISPANIC	292	1	3	3	9	9	20	107	77	47	14	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES	160,557	331	977	2,220	3,498	5,092	6,589	44,248	49,381	33,081	12,929	2,025	90	5	91
HISPANIC	76,221	188	560	1,277	2,126	2,991	3,874	24,446	21,795	12,670	5,220	986	52	3	33
NON-HISPANIC	83,599	140	411	937	1,359	2,083	2,691	19,621	27,349	20,263	7,653	1,026	37	2	27
NOT STATED	737	3	6	6	13	18	24	181	237	148	56	13	1	-	31
MADERA	1,357	2	16	31	39	56	73	447	394	208	78	13	-	-	-
HISPANIC	625	1	6	18	23	23	39	217	172	77	41	8	-	-	-
NON-HISPANIC	730	1	9	13	16	33	34	230	221	131	37	5	-	-	-
NOT STATED	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-
MARIN	2,637	-	3	-	8	19	26	350	824	831	497	77	1	-	1
HISPANIC	195	-	-	-	2	4	5	46	74	43	15	4	-	-	-
NON-HISPANIC	2,402	-	3	-	6	15	21	300	736	778	468	73	1	-	1
NOT STATED	40	-	-	-	-	-	-	4	14	8	14	-	-	-	-
MARIPOSA	139	-	-	3	5	5	10	33	44	32	7	-	-	-	-
HISPANIC	3	-	-	1	-	-	-	-	1	-	1	-	-	-	-
NON-HISPANIC	136	-	-	2	5	5	10	33	43	32	6	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	1,142	2	9	15	30	44	38	321	290	238	114	21	-	-	-
HISPANIC	143	-	1	-	5	7	7	46	40	19	14	4	-	-	-
NON-HISPANIC	978	1	7	15	25	36	31	268	247	212	99	17	-	-	-
NOT STATED	21	1	1	-	-	1	-	7	3	7	1	-	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED	3,392	7	21	64	95	142	198	1,162	955	517	187	39	2	-	3
HISPANIC	1,127	4	12	25	42	65	75	361	282	175	74	12	-	-	-
NON-HISPANIC	2,245	3	9	39	52	76	122	792	666	341	113	27	2	-	3
NOT STATED	20	-	-	-	1	1	1	9	7	1	-	-	-	-	-
MODOC	128	-	2	3	2	9	5	40	41	16	8	1	-	-	1
HISPANIC	25	-	-	2	-	2	1	6	11	2	-	-	-	-	1
NON-HISPANIC	103	-	2	1	2	7	4	34	30	14	8	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONO	108	-	-	1	1	1	3	33	36	25	8	-	-	-	-
HISPANIC	13	-	-	1	-	1	1	7	2	1	-	-	-	-	-
NON-HISPANIC	91	-	-	-	1	-	1	24	33	24	8	-	-	-	-
NOT STATED	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-
MONTEREY	6,602	12	42	81	141	230	329	2,046	2,069	1,136	444	60	8	-	4
HISPANIC	2,681	6	30	52	93	125	158	869	747	374	191	29	3	-	4
NON-HISPANIC	3,832	6	12	28	47	103	168	1,159	1,291	747	239	28	4	-	-
NOT STATED	89	-	-	1	1	2	3	18	31	15	14	3	1	-	-
NAPA	1,408	-	10	15	15	40	42	383	471	316	95	21	-	-	-
HISPANIC	227	-	2	6	3	9	8	65	75	44	11	4	-	-	-
NON-HISPANIC	1,174	-	8	8	12	31	32	315	395	272	84	17	-	-	-
NOT STATED	7	-	-	1	-	-	2	3	1	-	-	-	-	-	-
NEVADA	851	-	2	5	16	13	26	212	270	210	84	12	1	-	-
HISPANIC	39	-	-	2	-	1	-	11	12	9	4	-	-	-	-
NON-HISPANIC	812	-	2	3	16	12	26	201	258	201	80	12	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE	37,666	40	134	305	535	823	1,248	10,125	12,841	8,309	2,830	415	24	-	37
HISPANIC	11,191	20	76	169	287	403	563	3,895	3,326	1,699	609	131	8	-	5
NON-HISPANIC	26,202	19	56	135	240	414	680	6,160	9,428	6,560	2,204	281	15	-	10
NOT STATED	273	1	2	1	8	6	5	70	87	50	17	3	1	-	22
PLACER	1,991	1	2	18	35	41	60	497	693	448	174	21	1	-	-
HISPANIC	141	-	-	2	5	3	4	48	44	24	8	2	1	-	-
NON-HISPANIC	1,844	1	2	16	29	38	56	448	648	421	166	19	-	-	-
NOT STATED	6	-	-	-	1	-	-	1	1	3	-	-	-	-	-
PLUMAS	207	-	2	4	3	1	13	53	76	40	12	3	-	-	-
HISPANIC	13	-	-	-	-	-	-	1	6	2	2	2	-	-	-
NON-HISPANIC	193	-	2	3	3	1	13	52	70	38	10	1	-	-	-
NOT STATED	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	16,208	43	118	229	404	594	821	5,085	5,267	2,714	800	122	4	1	6
HISPANIC	4,914	18	65	106	151	235	293	1,680	1,395	682	227	54	3	1	4
NON-HISPANIC	11,194	25	52	122	246	351	521	3,370	3,849	2,017	570	68	1	-	2
NOT STATED	100	-	1	1	7	8	7	35	23	15	3	-	-	-	-
SACRAMENTO	15,975	31	98	222	363	500	658	4,788	5,119	3,075	980	129	7	3	2
HISPANIC	2,009	8	21	54	72	93	122	658	562	314	82	23	-	-	-
NON-HISPANIC	13,822	23	73	164	286	403	528	4,076	4,522	2,742	889	105	7	3	1
NOT STATED	144	-	4	4	5	4	8	54	35	19	9	1	-	-	1
SAN BENITO	603	-	4	11	22	13	31	165	201	103	49	4	-	-	-
HISPANIC	324	-	3	10	15	8	24	88	102	48	23	3	-	-	-
NON-HISPANIC	270	-	1	1	6	5	6	74	97	55	24	1	-	-	-
NOT STATED	9	-	-	-	1	-	1	3	2	-	2	-	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO	22,595	40	149	335	547	793	1,077	7,383	7,327	3,726	1,082	132	2	-	2
HISPANIC	5,832	17	56	125	171	280	347	1,970	1,655	877	302	30	2	-	-
NON-HISPANIC	16,665	23	93	209	372	511	727	5,384	5,634	2,835	775	101	-	-	1
NOT STATED	98	-	-	1	4	2	3	29	38	14	5	1	-	-	1
SAN DIEGO	39,075	52	177	387	613	939	1,449	11,787	12,595	8,007	2,671	375	14	1	8
HISPANIC	9,736	23	67	173	245	351	461	3,290	2,901	1,552	573	93	5	-	2
NON-HISPANIC	29,173	27	108	212	365	581	982	8,458	9,643	6,420	2,085	279	8	1	4
NOT STATED	166	2	2	2	3	7	6	39	51	35	13	3	1	-	2
SAN FRANCISCO	9,698	21	45	106	129	187	269	1,919	2,905	2,650	1,244	214	6	1	2
HISPANIC	1,898	2	15	29	40	62	88	569	568	368	129	27	1	-	-
NON-HISPANIC	7,454	16	28	75	85	118	164	1,283	2,226	2,193	1,079	179	5	1	2
NOT STATED	346	3	2	2	4	7	17	67	111	89	36	8	-	-	-
SAN JOAQUIN	8,377	25	62	146	253	312	388	2,619	2,519	1,379	530	119	22	2	1
HISPANIC	2,033	8	27	54	91	96	132	728	483	273	104	34	3	-	-
NON-HISPANIC	6,327	16	34	92	162	216	255	1,887	2,028	1,105	426	84	19	2	1
NOT STATED	17	1	1	-	-	-	1	4	8	1	-	1	-	-	-
SAN LUIS OBISPO	2,603	3	11	26	30	53	105	712	850	595	199	19	-	-	-
HISPANIC	357	1	3	6	8	16	22	125	96	60	15	5	-	-	-
NON-HISPANIC	2,155	2	8	20	21	37	82	568	719	508	180	10	-	-	-
NOT STATED	91	-	-	-	1	-	1	19	35	27	4	4	-	-	-
SAN MATEO	9,360	11	22	56	97	129	206	1,988	3,067	2,621	1,020	138	4	-	1
HISPANIC	1,994	3	11	22	52	44	92	632	617	374	126	20	1	-	-
NON-HISPANIC	7,109	7	11	31	44	81	105	1,313	2,364	2,172	865	113	3	-	-
NOT STATED	257	1	-	3	1	4	9	43	86	75	29	5	-	-	1
SANTA BARBARA	5,256	4	30	55	100	138	173	1,376	1,714	1,165	455	43	2	-	1
HISPANIC	1,814	3	17	28	51	83	84	591	535	302	104	13	2	-	1
NON-HISPANIC	3,425	1	12	26	49	54	89	780	1,175	859	350	30	-	-	-
NOT STATED	17	-	1	1	-	1	-	5	4	4	1	-	-	-	-
SANTA CLARA	24,400	33	77	229	343	527	760	5,900	8,331	5,760	2,107	312	8	-	13
HISPANIC	6,267	19	44	136	199	272	353	2,091	1,795	949	338	59	5	-	7
NON-HISPANIC	17,925	14	32	89	142	251	399	3,762	6,468	4,763	1,748	249	3	-	5
NOT STATED	208	-	1	4	2	4	8	47	68	48	21	4	-	-	1
SANTA CRUZ	3,710	6	12	42	55	85	116	914	1,170	868	379	58	5	-	-
HISPANIC	1,206	4	6	27	31	50	59	398	347	174	83	22	5	-	-
NON-HISPANIC	2,488	2	6	15	24	35	56	511	822	687	294	36	-	-	-
NOT STATED	16	-	-	-	-	-	1	5	1	7	2	-	-	-	-
SHASTA	1,961	6	9	27	43	70	112	624	613	331	110	15	1	-	-
HISPANIC	76	-	-	1	4	3	7	24	16	13	5	3	-	-	-
NON-HISPANIC	1,884	6	9	26	39	67	105	600	596	318	105	12	1	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SIERRA	22	-	-	-	-	-	-	3	7	9	3	-	-	-	-
HISPANIC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	22	-	-	-	-	-	-	3	7	9	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	595	-	4	7	11	20	25	184	181	112	41	10	-	-	-
HISPANIC	46	-	-	1	1	2	4	18	12	5	1	2	-	-	-
NON-HISPANIC	547	-	4	6	10	18	20	166	169	106	40	8	-	-	-
NOT STATED	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO	5,110	8	23	60	113	163	234	1,581	1,644	941	300	41	1	-	1
HISPANIC	564	-	4	11	23	19	34	194	158	90	29	2	-	-	-
NON-HISPANIC	4,485	8	19	48	89	140	200	1,366	1,465	842	268	38	1	-	1
NOT STATED	61	-	-	1	1	4	-	21	21	9	3	1	-	-	-
SONOMA	5,228	9	19	42	76	97	144	1,234	1,778	1,229	528	71	1	-	-
HISPANIC	619	2	7	14	18	26	29	193	174	99	47	8	-	-	-
NON-HISPANIC	4,581	7	12	28	58	71	114	1,036	1,593	1,121	478	62	1	-	-
NOT STATED	28	-	-	-	-	-	1	3	11	9	3	1	-	-	-
STANISLAUS	5,760	12	38	85	168	207	277	1,928	1,724	940	325	54	2	-	-
HISPANIC	1,360	6	14	29	43	55	76	441	390	212	75	18	1	-	-
NON-HISPANIC	4,397	6	24	56	125	152	201	1,487	1,333	726	250	36	1	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
SUTTER	1,007	4	4	10	22	31	35	354	311	172	56	6	2	-	-
HISPANIC	180	-	1	1	4	12	6	65	50	29	10	2	-	-	-
NON-HISPANIC	813	4	3	9	17	19	29	285	257	138	46	4	2	-	-
NOT STATED	14	-	-	-	1	-	-	4	4	5	-	-	-	-	-
TEHAMA	664	-	2	8	21	22	24	254	196	97	33	5	1	-	1
HISPANIC	92	-	-	2	6	3	3	29	30	15	4	-	-	-	-
NON-HISPANIC	570	-	2	6	14	19	21	224	166	82	29	5	1	-	1
NOT STATED	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
TRINITY	145	-	-	-	5	3	10	53	37	27	10	-	-	-	-
HISPANIC	5	-	-	-	1	-	-	1	2	1	-	-	-	-	-
NON-HISPANIC	139	-	-	-	4	3	10	52	34	26	10	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TULARE	5,847	18	50	112	205	310	358	1,950	1,589	861	343	46	5	-	-
HISPANIC	2,887	11	27	65	129	165	216	989	701	380	177	24	3	-	-
NON-HISPANIC	2,918	7	23	47	74	144	140	947	879	471	162	22	2	-	-
NOT STATED	42	-	-	-	2	1	2	14	9	10	4	-	-	-	-
TUOLUMNE	479	2	2	6	9	11	14	129	157	117	29	3	-	-	-
HISPANIC	24	-	-	1	-	-	-	8	10	3	2	-	-	-	-
NON-HISPANIC	454	2	2	5	9	11	14	120	147	114	27	3	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VENTURA	10,368	16	34	93	163	314	394	2,825	3,468	2,200	737	111	5	-	3
HISPANIC	3,318	13	18	53	88	140	203	1,058	913	568	222	39	2	-	1
NON-HISPANIC	6,910	3	16	39	79	167	188	1,736	2,508	1,600	501	69	3	-	1
NOT STATED	140	-	-	1	1	7	3	31	47	32	14	3	-	-	1
YOLO	1,937	2	13	20	54	73	84	555	581	396	140	18	-	-	1
HISPANIC	484	-	6	7	21	31	27	157	142	62	23	8	-	-	-
NON-HISPANIC	1,441	1	7	13	33	42	57	392	436	332	117	10	-	-	1
NOT STATED	12	1	-	-	-	-	-	6	3	2	-	-	-	-	-
YUBA	1,233	4	12	16	33	39	77	486	369	138	46	10	3	-	-
HISPANIC	108	-	-	2	3	2	10	34	34	17	6	-	-	-	-
NON-HISPANIC	1,119	3	12	14	30	37	67	448	335	120	40	10	3	-	-
NOT STATED	6	1	-	-	-	-	-	4	-	1	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-13

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER, CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	481,905	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
AMERICAN INDIAN	5,325	21	56	110	173	228	342	1,792	1,492	775	290	42	1	-	3
NONE	2,123	21	52	98	146	167	242	779	403	159	54	2	-	-	-
ONE	1,592	-	4	11	26	49	75	607	502	248	63	6	-	-	1
TWO	896	-	-	1	-	11	20	286	336	167	65	9	1	-	-
THREE	403	-	-	-	1	1	4	86	157	100	48	5	-	-	1
FOUR OR MORE	297	-	-	-	-	-	-	30	92	96	58	20	-	-	1
NOT STATED	14	-	-	-	-	-	1	4	2	5	2	-	-	-	-
BLACK	48,104	244	605	1,208	1,625	2,246	2,880	15,758	13,582	7,217	2,397	303	15	-	24
NONE	19,593	240	573	1,074	1,345	1,666	1,980	7,056	3,764	1,465	387	35	2	-	6
ONE	14,139	3	30	124	230	478	688	5,246	4,583	2,108	582	56	4	-	7
TWO	7,968	1	-	4	43	81	173	2,322	2,983	1,769	522	63	2	-	5
THREE	3,574	-	-	-	5	13	32	775	1,326	988	386	46	1	-	2
FOUR OR MORE	2,612	-	-	-	-	4	3	288	858	844	508	101	6	-	-
NOT STATED	218	-	2	6	2	4	4	71	68	43	12	2	-	-	4
CAMBODIAN	2,273	2	7	16	27	48	73	498	616	517	316	129	19	-	5
NONE	474	2	6	14	24	38	55	187	97	34	14	1	-	-	2
ONE	376	-	-	2	3	7	16	165	103	58	19	2	-	-	1
TWO	387	-	1	-	-	1	2	95	173	89	17	8	1	-	-
THREE	372	-	-	-	-	2	-	39	155	107	56	12	1	-	-
FOUR OR MORE	648	-	-	-	-	-	-	9	85	225	205	105	17	-	2
NOT STATED	16	-	-	-	-	-	-	3	3	4	5	1	-	-	-
CHINESE	8,575	-	3	5	14	20	22	693	2,974	3,367	1,340	125	7	-	5
NONE	4,187	-	3	5	12	19	19	516	1,820	1,396	368	25	2	-	2
ONE	2,933	-	-	-	2	1	2	142	844	1,361	536	43	2	-	-
TWO	982	-	-	-	-	-	-	26	195	451	278	31	-	-	1
THREE	251	-	-	-	-	-	1	5	55	83	92	14	-	-	1
FOUR OR MORE	157	-	-	-	-	-	-	1	29	53	60	11	3	-	-
NOT STATED	65	-	-	-	-	-	-	3	31	23	6	1	-	-	1
ESKIMO/ALEUT	42	-	-	-	2	-	5	17	11	5	1	-	-	-	-
NONE	23	-	-	-	3	-	1	12	6	1	-	-	-	-	-
ONE	8	-	-	-	-	-	2	2	2	1	1	-	-	-	-
TWO	8	-	-	-	-	-	1	3	3	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FILIPINO	13,398	12	23	73	143	183	310	2,596	4,185	3,935	1,641	282	10	1	2
NONE	5,864	12	22	67	136	154	237	1,584	1,912	1,283	395	59	2	1	-
ONE	4,476	-	1	6	8	26	61	768	1,505	1,484	544	68	3	-	2
TWO	2,068	-	-	-	-	2	11	203	574	792	422	62	2	-	-
THREE	669	-	-	-	-	-	-	31	145	270	181	42	-	-	-
FOUR OR MORE	293	-	-	-	-	-	-	5	40	97	98	51	2	-	-
NOT STATED	28	-	-	-	1	1	1	5	9	9	1	-	1	-	-
INDIAN (INDIA)	2,038	-	1	1	5	10	35	480	794	504	180	27	1	-	-
NONE	947	-	1	1	4	7	30	326	393	138	41	6	-	-	-
ONE	732	-	-	-	1	3	4	123	297	237	62	5	-	-	-
TWO	260	-	-	-	-	-	1	24	80	101	48	6	-	-	-
THREE	64	-	-	-	-	-	-	5	16	19	20	4	-	-	-
FOUR OR MORE	28	-	-	-	-	-	-	1	4	7	9	6	1	-	-
NOT STATED	7	-	-	-	-	-	-	1	4	2	-	-	-	-	-
JAPANESE	4,144	2	6	10	23	35	39	563	1,362	1,425	606	70	2	-	1
NONE	1,989	2	6	10	21	30	31	369	726	577	192	23	1	-	1
ONE	1,485	-	-	-	2	5	8	151	472	577	244	26	-	-	-
TWO	492	-	-	-	-	-	-	35	128	205	111	13	-	-	-
THREE	121	-	-	-	-	-	-	7	21	48	40	5	-	-	-
FOUR OR MORE	45	-	-	-	-	-	-	-	10	14	17	3	1	-	-
NOT STATED	12	-	-	-	-	-	-	1	5	4	2	-	-	-	-

TABLE 2-13 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER, CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	481,905	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
KOREAN	3,670	-	-	3	9	14	22	487	1,767	1,053	272	40	1	-	2
NONE	1,938	-	-	3	9	14	19	384	1,064	347	84	13	-	-	1
ONE	1,329	-	-	-	-	-	1	83	598	522	109	15	-	-	1
TWO	318	-	-	-	-	-	2	12	82	155	61	6	-	-	-
THREE	55	-	-	-	-	-	-	3	13	22	12	4	1	-	-
FOUR OR MORE	11	-	-	-	-	-	-	1	3	2	4	1	-	-	-
NOT STATED	19	-	-	-	-	-	-	4	7	5	2	1	-	-	-
PACIFIC ISLANDER	3,460	7	20	50	72	113	172	1,152	1,095	549	201	25	3	-	1
NONE	1,340	7	20	46	62	84	126	560	288	117	27	3	-	-	-
ONE	1,002	-	-	3	8	25	39	366	374	146	38	3	-	-	-
TWO	535	-	-	-	-	3	6	150	226	114	33	3	-	-	-
THREE	292	-	-	-	-	1	1	58	118	71	39	4	-	-	-
FOUR OR MORE	280	-	-	-	-	-	-	13	87	100	64	12	3	-	1
NOT STATED	11	-	-	1	2	-	-	5	2	1	-	-	-	-	-
THAI	635	1	1	6	9	10	12	71	160	201	142	21	-	-	1
NONE	305	1	1	4	9	7	11	49	83	87	45	8	-	-	-
ONE	208	-	-	2	-	3	-	20	49	77	48	9	-	-	-
TWO	85	-	-	-	-	-	1	1	19	26	34	3	-	-	1
THREE	24	-	-	-	-	-	-	-	7	8	9	-	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	-	1	1	5	1	-	-	-
NOT STATED	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
VIETNAMESE	4,631	6	12	23	35	70	108	992	1,597	1,176	518	85	8	1	-
NONE	1,680	5	11	21	33	56	80	532	549	276	101	14	2	-	-
ONE	1,267	1	-	1	1	11	25	288	474	330	123	12	2	-	-
TWO	740	-	-	1	1	1	2	112	283	230	99	11	-	-	-
THREE	452	-	-	-	-	-	-	44	167	162	67	11	1	-	-
FOUR OR MORE	451	-	-	-	-	1	-	6	110	171	124	37	2	-	-
NOT STATED	41	-	1	1	-	1	1	10	14	7	4	-	1	1	-
WHITE	377,602	565	1,874	4,366	7,421	11,008	14,984	108,267	120,412	76,254	28,086	4,073	170	9	113
NONE	153,066	561	1,773	3,990	6,232	8,557	10,539	53,556	41,333	20,051	5,763	655	13	-	43
ONE	120,105	2	98	341	1,083	2,123	3,582	36,631	42,334	25,185	7,863	821	22	2	18
TWO	61,375	-	2	22	88	282	713	13,406	23,401	16,605	6,111	708	21	-	16
THREE	24,533	-	-	-	7	19	97	3,459	8,787	8,002	3,595	548	15	1	3
FOUR OR MORE	17,363	-	-	-	1	5	10	936	4,196	6,150	4,640	1,317	97	6	5
NOT STATED	1,160	2	1	13	10	22	43	279	361	261	114	24	2	-	28
OTHER ASIAN	5,358	35	41	100	117	169	178	1,385	1,494	1,110	540	139	35	10	5
NONE	1,438	31	32	65	63	76	78	396	391	234	65	7	-	-	-
ONE	1,119	3	9	21	33	54	50	300	299	243	99	8	-	-	-
TWO	736	1	-	11	19	28	35	244	207	125	56	6	2	-	2
THREE	527	-	-	2	2	9	12	211	159	87	38	2	5	-	-
FOUR OR MORE	1,517	-	-	-	-	1	3	234	432	415	276	115	28	10	3
NOT STATED	21	-	-	1	-	1	-	-	6	6	6	1	-	-	-
OTHER	590	-	-	2	6	12	18	153	203	139	51	6	-	-	-
NONE	279	-	-	1	4	12	17	100	92	41	12	-	-	-	-
ONE	181	-	-	1	2	-	1	42	68	57	9	1	-	-	-
TWO	86	-	-	-	-	-	-	8	33	27	16	2	-	-	-
THREE	21	-	-	-	-	-	-	1	6	6	6	2	-	-	-
FOUR OR MORE	21	-	-	-	-	-	-	1	4	7	8	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
NOT STATED	2,060	6	8	16	24	38	59	400	642	529	241	43	3	-	51
NONE	890	6	8	13	18	28	50	213	271	196	67	11	-	-	9
ONE	590	-	-	3	3	9	7	115	211	163	65	10	1	-	3
TWO	296	-	-	-	-	1	2	44	92	92	56	9	-	-	-
THREE	107	-	-	-	-	-	-	12	35	36	21	3	-	-	-
FOUR OR MORE	77	-	-	-	-	-	-	4	15	23	23	10	1	-	1
NOT STATED	100	-	-	-	3	-	-	12	18	19	9	-	1	-	38

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-14

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER, CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	481,905	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
HISPANIC	156,422	413	1,266	2,835	4,548	6,372	8,304	51,265	44,641	24,973	9,802	1,822	109	5	67
CUBAN	876	-	3	4	13	18	26	251	304	193	54	10	-	-	-
NONE	376	-	3	3	12	14	22	152	114	47	8	1	-	-	-
ONE	296	-	-	1	-	3	4	59	118	89	19	3	-	-	-
TWO	136	-	-	-	-	1	-	32	49	35	16	3	-	-	-
THREE	48	-	-	-	-	-	-	5	18	18	6	1	-	-	-
FOUR OR MORE	17	-	-	-	-	-	-	2	4	4	5	2	-	-	-
NOT STATED	3	-	-	-	1	-	-	1	1	-	-	-	-	-	-
MEXICAN	135,531	383	1,155	2,646	4,210	5,841	7,464	44,953	38,037	20,876	8,242	1,566	97	5	56
NONE	47,550	379	1,079	2,361	3,423	4,314	4,941	19,323	8,282	2,631	681	113	4	-	19
ONE	38,211	2	73	262	708	1,303	1,975	15,743	12,154	4,651	1,161	159	7	1	12
TWO	25,447	-	2	18	69	198	455	7,042	9,928	5,693	1,823	200	6	-	13
THREE	12,668	-	-	-	5	15	70	2,111	4,746	3,903	1,582	229	5	-	2
FOUR OR MORE	11,309	-	-	-	1	3	5	630	2,823	3,934	2,970	860	74	4	5
NOT STATED	346	2	1	5	4	8	18	104	104	64	25	5	1	-	5
PUERTO RICAN	1,487	5	16	31	47	60	84	482	416	238	93	15	-	-	-
NONE	587	5	14	30	35	50	58	226	102	51	15	1	-	-	-
ONE	455	-	2	1	12	9	23	156	156	66	27	3	-	-	-
TWO	272	-	-	-	-	1	3	71	106	59	28	4	-	-	-
THREE	102	-	-	-	-	-	-	16	35	33	13	5	-	-	-
FOUR OR MORE	62	-	-	-	-	-	-	8	16	26	10	2	-	-	-
NOT STATED	9	-	-	-	-	-	-	5	1	3	-	-	-	-	-
OTHER HISPANIC	18,528	25	92	154	278	453	730	5,579	5,884	3,666	1,413	231	12	-	11
NONE	7,046	25	85	139	231	385	540	2,939	1,784	681	201	28	1	-	7
ONE	5,622	-	7	13	44	55	161	1,761	2,093	1,131	317	36	1	-	3
TWO	3,328	-	-	1	3	13	25	656	1,272	937	366	52	3	-	-
THREE	1,468	-	-	-	-	-	2	166	487	504	266	42	1	-	-
FOUR OR MORE	984	-	-	-	-	-	-	35	221	395	258	70	5	-	-
NOT STATED	80	-	-	1	-	-	2	22	27	18	5	3	1	-	1
NON-HISPANIC	321,886	474	1,365	3,117	5,090	7,739	10,822	83,159	106,621	72,997	26,708	3,534	162	16	82
NONE	138,993	465	1,302	2,847	4,362	6,072	7,855	43,512	42,476	22,725	6,628	706	17	1	25
ONE	105,936	7	60	233	630	1,413	2,375	27,058	37,825	26,614	8,803	877	25	1	15
TWO	47,549	2	1	20	78	195	480	9,084	17,278	14,084	5,631	666	19	-	11
THREE	16,987	-	-	2	10	30	73	2,414	5,811	5,492	2,708	423	18	1	5
FOUR OR MORE	11,293	-	-	-	-	8	11	844	2,870	3,804	2,814	842	81	12	7
NOT STATED	1,128	-	2	15	10	21	28	247	361	278	124	20	2	1	19
NOT STATED	3,597	14	26	37	70	93	133	880	1,124	786	312	54	4	-	64
NONE	1,584	14	25	32	58	80	99	467	434	267	82	13	-	-	13
ONE	1,022	-	-	4	8	11	23	272	369	246	78	7	1	-	3
TWO	500	-	-	-	1	2	6	86	182	141	65	15	1	-	1
THREE	193	-	-	-	-	-	2	24	70	60	35	2	-	-	-
FOUR OR MORE	144	-	-	-	-	-	-	10	32	43	42	15	1	-	1
NOT STATED	154	-	1	1	3	-	3	21	37	29	10	2	1	-	46

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2–15

AGE-SPECIFIC LIVE BIRTH RATES BY AGE OF MOTHER (BY INDIVIDUAL YEAR FOR TEENS)
CALIFORNIA COUNTIES, 1986

(By place of residence)

COUNTY	10–14	15	16	17	18	19
California	1.1	13.7	30.3	51.4	74.5	95.7
Alameda	1.3	12.9	22.5	35.2	50.7	60.7
Alpine	0.0	0.0	a	0.0	0.0	a
Amador	0.0	a	a	a	47.9	62.9
Butte	0.0	9.7	28.6	48.3	46.2	45.4
Calaveras	0.0	a	a	a	77.3	65.0
Colusa	0.0	a	a	55.6	117.0	86.5
Contra Costa	0.9	7.7	20.5	33.0	55.0	76.2
Del Norte	a	a	39.5	74.1	48.8	149.1
El Dorado	0.0	13.4	18.7	30.8	54.1	104.7
Fresno	2.3	26.0	52.6	81.3	104.6	125.6
Glenn	a	a	27.2	58.8	135.1	147.7
Humboldt	a	6.4	19.3	54.9	51.6	72.8
Imperial	a	19.9	35.4	76.1	102.6	100.1
Inyo	0.0	0.0	a	a	93.2	65.2
Kern	1.9	20.9	51.2	83.5	116.8	165.9
Kings	a	32.3	43.5	73.8	138.0	170.2
Lake	a	16.7	25.6	71.2	107.4	158.8
Lassen	a	a	a	53.3	86.2	125.0
Los Angeles	1.2	16.7	38.0	63.5	93.9	116.7
Madera	a	22.8	49.8	66.4	101.8	122.5
Marin	0.0	a	0.0	5.8	19.8	23.8
Mariposa	0.0	0.0	a	50.0	58.8	119.0
Mendocino	a	15.7	26.6	57.3	98.4	122.6
Merced	1.2	18.4	49.3	78.8	119.7	185.9
Modoc	0.0	a	a	a	115.4	80.6
Mono	0.0	0.0	a	a	a	a
Monterey	1.1	15.9	31.4	51.5	87.6	114.8
Napa	0.0	12.5	18.5	21.0	54.1	53.0
Nevada	0.0	a	10.0	33.8	29.9	56.3
Orange	0.6	8.2	18.4	33.7	51.7	75.0
Placer	a	a	17.7	32.4	42.9	59.9
Plumas	0.0	a	a	a	a	104.8
Riverside	1.5	17.8	34.3	61.3	95.9	127.0
Sacramento	1.1	15.2	32.2	56.1	75.8	93.7
San Benito	0.0	a	38.3	80.9	55.1	127.0
San Bernardino	1.0	15.7	35.1	61.4	94.7	122.2
San Diego	0.8	11.7	24.0	39.8	54.6	78.6
San Francisco	1.5	14.0	31.4	41.0	56.5	71.3
San Joaquin	1.6	17.3	48.0	85.0	102.4	123.2
San Luis Obispo	a	8.5	20.3	24.6	28.7	50.9
San Mateo	0.7	5.7	13.3	25.2	38.7	56.9
Santa Barbara	a	11.8	23.2	40.5	37.0	44.9
Santa Clara	0.8	7.3	20.9	31.9	48.3	66.5
Santa Cruz	1.0	8.5	27.8	38.4	50.0	64.8
Shasta	1.4	8.0	24.2	46.2	76.5	114.2
Sierra	0.0	0.0	0.0	0.0	0.0	0.0
Siskiyou	0.0	a	22.9	39.0	75.2	89.6
Solano	0.8	10.8	25.1	48.6	82.3	100.6
Sonoma	0.9	7.0	15.5	30.0	39.6	59.2
Stanislaus	1.1	15.2	33.6	68.0	88.5	114.3
Sutter	a	a	24.2	53.1	79.1	80.1
Tehama	0.0	a	27.3	65.4	83.7	81.6
Trinity	0.0	0.0	0.0	50.5	a	102.0
Tulare	1.6	20.0	49.4	93.4	148.3	165.7
Tuolumne	a	a	24.5	30.1	49.1	55.8
Ventura	0.7	6.3	18.2	33.3	70.7	86.0
Yolo	a	16.3	24.2	71.0	38.4	38.3
Yuba	a	26.1	33.0	82.1	120.7	174.2

1 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group.

a Rates not calculated for fewer than five live births.

Source: *1986 Population Projections for California Counties, Baseline 86,* November 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 86 E-2).

State of California, Department of Health Services, Birth Records.

Figure 2–C

AGE-SPECIFIC LIVE BIRTH RATES[1]
CALIFORNIA COUNTIES, 1986
(Mothers ages 15–19)



1 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group.

* Rates not calculated for fewer than five live births.

Source: State of California, Department of Finance, Population Projections for California Counties, DOF Baseline 86, December 1986.
State of California, Department of Health Services, Birth Records.

TABLE 2-16

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL LIVE BIRTHS	481,905	5,325	48,104	2,273	8,575	42	13,398	2,038	4,144
UNDER 1,500 GRAMS	4,992	58	1,210	11	51	-	107	18	31
UNDER 37 WEEKS	4,003	44	980	6	36	-	82	14	27
37-42 WEEKS	337	4	56	1	8	-	12	1	1
43 WEEKS AND OVER	49	1	7	-	1	-	-	-	-
NOT STATED	603	9	167	4	6	-	13	3	3
1,500-2,499 GRAMS	23,790	280	4,557	141	370	6	868	137	182
UNDER 37 WEEKS	11,578	125	2,232	48	166	6	415	45	98
37-42 WEEKS	9,801	122	1,827	70	176	-	402	79	79
43 WEEKS AND OVER	696	10	137	4	4	-	22	2	1
NOT STATED	1,715	23	361	19	24	-	29	11	4
2,500 GRAMS OR MORE	452,822	4,982	42,307	2,120	8,153	36	12,416	1,882	3,930
UNDER 37 WEEKS	29,779	337	4,347	256	348	2	921	116	174
37-42 WEEKS	366,300	3,872	32,321	1,431	6,889	26	10,372	1,604	3,333
43 WEEKS AND OVER	33,389	472	3,170	159	359	6	659	92	231
NOT STATED	23,354	301	2,469	274	557	2	464	70	192
NOT STATED	301	5	30	1	1	-	7	1	1
UNDER 37 WEEKS	50	-	10	-	-	-	-	-	-
37-42 WEEKS	167	4	15	-	1	-	4	-	1
43 WEEKS AND OVER	17	-	2	-	-	-	1	-	-
NOT STATED	67	1	3	1	-	-	2	1	-

TABLE 2-16 (CONTINUED)

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL LIVE BIRTHS	481,905	3,670	3,460	635	4,631	377,602	5,358	590	2,060
UNDER 1,500 GRAMS	4,992	20	40	6	33	3,295	55	12	45
UNDER 37 WEEKS	4,003	16	33	3	25	2,661	45	10	21
37-42 WEEKS	337	3	3	2	1	236	3	-	6
43 WEEKS AND OVER	49	-	1	-	-	38	-	1	-
NOT STATED	603	1	3	1	7	360	7	1	18
1,500-2,499 GRAMS	23,790	135	153	33	232	16,285	283	33	95
UNDER 37 WEEKS	11,578	55	79	15	100	8,028	107	8	51
37-42 WEEKS	9,801	72	58	17	99	6,642	115	19	24
43 WEEKS AND OVER	696	2	4	1	10	488	10	1	-
NOT STATED	1,715	6	12	-	23	1,127	51	5	20
2,500 GRAMS OR MORE	452,822	3,512	3,263	596	4,365	357,784	5,016	544	1,916
UNDER 37 WEEKS	29,779	145	315	50	341	21,809	458	45	115
37-42 WEEKS	366,300	2,949	2,514	486	3,373	291,786	3,464	439	1,441
43 WEEKS AND OVER	33,389	217	260	31	254	27,047	286	32	114
NOT STATED	23,354	201	174	29	397	17,142	808	28	246
NOT STATED	301	3	4	-	1	238	4	1	4
UNDER 37 WEEKS	50	-	1	-	-	34	4	1	-
37-42 WEEKS	167	2	1	-	1	138	-	-	-
43 WEEKS AND OVER	17	-	-	-	-	14	-	-	-
NOT STATED	67	1	2	-	-	52	-	-	4

NOTE: 'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 301 LIVE BIRTHS OF 16 WEEKS OR LESS GESTATION AND 4027 LIVE BIRTHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES IN THE FILE RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-17

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL LIVE BIRTHS	481,905	876	135,531	1,487	18,528	321,886	3,597
UNDER 1,500 GRAMS	4,992	9	1,211	20	177	3,517	58
UNDER 37 WEEKS	4,003	9	959	17	131	2,857	30
37-42 WEEKS	337	-	98	1	21	211	6
43 WEEKS AND OVER	49	-	9	-	4	36	-
NOT STATED	603	-	145	2	21	413	22
1,500-2,499 GRAMS	23,790	40	5,798	90	818	16,884	160
UNDER 37 WEEKS	11,578	17	2,804	40	377	8,260	80
37-42 WEEKS	9,801	18	2,365	37	361	6,968	32
43 WEEKS AND OVER	696	1	172	2	21	498	2
NOT STATED	1,715	4	457	11	59	1,158	26
2,500 GRAMS OR MORE	452,822	827	128,409	1,376	17,518	301,319	3,373
UNDER 37 WEEKS	29,779	69	9,625	102	1,361	18,395	227
37-42 WEEKS	366,300	656	101,782	1,116	14,042	246,176	2,528
43 WEEKS AND OVER	33,389	59	9,853	103	1,233	21,908	233
NOT STATED	23,354	43	7,149	55	882	14,840	385
NOT STATED	301	-	113	1	15	166	6
UNDER 37 WEEKS	50	-	12	-	2	36	-
37-42 WEEKS	167	-	77	-	12	77	1
43 WEEKS AND OVER	17	-	6	-	1	10	-
NOT STATED	67	-	18	1	-	43	5

NOTE: 'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 301 LIVE BIRTHS OF 16 WEEKS OR LESS GESTATION AND 4027 LIVE BIRTHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES IN THE FILE RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-18

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	481,905	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
AMERICAN INDIAN	5,325	21	56	110	173	228	342	1,792	1,492	775	290	42	1	-	3
UNDER 1,500 GRAMS	58	-	-	-	-	3	3	16	19	10	6	-	-	-	1
1,500-2,499 GRAMS	280	2	7	4	16	17	20	85	77	29	19	4	-	-	-
2,500-3,499 GRAMS	2,631	10	22	62	107	121	193	897	714	355	132	17	-	-	1
3,500-4,499 GRAMS	2,213	8	27	43	49	86	123	751	640	347	121	16	1	-	1
4500 GRAMS OR MORE	138	1	-	1	1	1	2	40	41	34	12	5	-	-	-
NOT STATED	5	-	-	-	-	-	1	3	1	-	-	-	-	-	-
BLACK	48,104	244	605	1,208	1,625	2,246	2,880	15,758	13,582	7,217	2,397	303	15	-	24
UNDER 1,500 GRAMS	1,210	7	8	32	32	51	62	375	348	222	55	13	1	-	4
1,500-2,499 GRAMS	4,557	19	64	111	164	196	271	1,445	1,288	725	239	34	-	-	1
2,500-3,499 GRAMS	28,629	164	403	780	1,048	1,459	1,842	9,749	7,781	3,916	1,306	161	8	-	12
3,500-4,499 GRAMS	13,151	54	126	277	374	526	684	4,052	3,985	2,228	747	87	5	-	6
4500 GRAMS OR MORE	527	-	3	7	6	13	19	126	172	124	49	8	-	-	-
NOT STATED	30	-	1	1	1	1	2	11	8	2	1	-	1	-	1
CAMBODIAN	2,273	2	7	16	27	48	73	498	616	517	316	129	19	-	5
UNDER 1,500 GRAMS	11	-	-	-	-	-	-	5	2	3	-	1	-	-	-
1,500-2,499 GRAMS	141	-	-	-	1	5	5	30	48	30	13	9	-	-	-
2,500-3,499 GRAMS	1,627	2	7	15	24	39	61	387	407	365	216	87	13	-	4
3,500-4,499 GRAMS	479	-	-	1	2	4	7	74	157	111	85	31	6	-	1
4500 GRAMS OR MORE	14	-	-	-	-	-	-	2	1	8	2	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	8,575	-	3	5	14	20	22	693	2,974	3,367	1,340	125	7	-	5
UNDER 1,500 GRAMS	51	-	-	-	-	-	-	4	15	18	13	1	-	-	-
1,500-2,499 GRAMS	370	-	-	1	3	-	-	27	121	144	67	5	2	-	-
2,500-3,499 GRAMS	5,375	-	2	3	9	18	16	459	1,930	2,071	783	77	3	-	4
3,500-4,499 GRAMS	2,711	-	1	1	2	2	6	199	890	1,108	459	40	2	-	1
4500 GRAMS OR MORE	67	-	-	-	-	-	-	4	18	25	18	2	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	42	-	-	-	3	-	5	17	11	5	1	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	6	-	-	-	-	-	1	1	2	2	-	-	-	-	-
2,500-3,499 GRAMS	15	-	-	-	2	-	2	6	3	1	1	-	-	-	-
3,500-4,499 GRAMS	21	-	-	-	1	-	2	10	6	2	-	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	13,398	12	23	73	145	183	310	2,596	4,185	3,935	1,641	282	10	1	2
UNDER 1,500 GRAMS	107	-	-	1	1	2	1	20	27	35	17	3	-	-	-
1,500-2,499 GRAMS	868	2	4	5	13	17	18	161	263	234	127	24	-	-	-
2,500-3,499 GRAMS	8,293	9	13	54	86	122	200	1,650	2,625	2,387	966	174	4	1	2
3,500-4,499 GRAMS	3,994	1	6	12	44	40	90	737	1,232	1,242	509	75	6	-	-
4500 GRAMS OR MORE	129	-	-	1	1	2	1	24	37	37	20	6	-	-	-
NOT STATED	7	-	-	-	-	-	-	4	1	-	2	-	-	-	-
INDIAN (INDIA)	2,038	-	1	1	5	10	35	480	794	504	180	27	1	-	-
UNDER 1,500 GRAMS	18	-	-	-	-	1	-	6	7	4	-	-	-	-	-
1,500-2,499 GRAMS	137	-	-	-	-	-	3	36	52	33	13	-	-	-	-
2,500-3,499 GRAMS	1,331	-	1	-	3	8	25	309	542	314	110	17	-	-	-
3,500-4,499 GRAMS	536	-	-	1	-	-	7	127	188	147	55	10	1	-	-
4500 GRAMS OR MORE	15	-	-	-	-	1	-	1	5	6	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	4,144	2	6	10	23	35	39	563	1,362	1,425	606	70	2	-	1
UNDER 1,500 GRAMS	31	-	-	-	-	1	-	3	15	4	6	2	-	-	-
1,500-2,499 GRAMS	182	-	1	-	1	1	1	26	55	67	25	5	-	-	-
2,500-3,499 GRAMS	2,512	1	4	8	17	21	22	322	827	875	371	41	2	-	1
3,500-4,499 GRAMS	1,382	-	1	2	5	12	15	205	453	472	195	22	-	-	-
4500 GRAMS OR MORE	36	1	-	-	-	-	1	7	11	7	9	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 2-18 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	481,905	901	2,657	3,989	9,708	14,204	19,239	135,304	152,386	98,756	36,822	5,410	275	21	213
KOREAN	3,670	-	-	3	9	14	22	487	1,767	1,053	272	40	1	-	2
UNDER 1,500 GRAMS	20	-	-	-	-	-	-	2	9	7	1	1	-	-	-
1,500-2,499 GRAMS	135	-	-	-	-	1	2	23	65	29	12	3	-	-	-
2,500-3,499 GRAMS	2,132	-	-	1	6	8	8	287	1,080	578	140	22	1	-	1
3,500-4,499 GRAMS	1,331	-	-	2	3	5	11	171	593	418	114	13	-	-	1
4500 GRAMS OR MORE	49	-	-	-	-	-	1	4	19	19	5	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
PACIFIC ISLANDER	3,460	7	20	50	72	113	172	1,132	1,095	549	201	25	3	-	1
UNDER 1,500 GRAMS	40	-	1	-	1	2	3	15	6	8	3	1	-	-	-
1,500-2,499 GRAMS	153	-	-	3	2	8	10	55	43	23	9	-	-	-	-
2,500-3,499 GRAMS	1,630	5	11	30	40	63	93	560	475	249	90	12	1	-	1
3,500-4,499 GRAMS	1,512	2	8	17	28	35	63	497	530	233	86	12	1	-	-
4500 GRAMS OR MORE	121	-	-	-	1	5	3	24	39	36	13	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	1	2	-	-	-	1	-	-
THAI	635	1	1	6	9	10	12	71	160	201	142	21	-	-	1
UNDER 1,500 GRAMS	6	-	-	-	-	-	-	1	1	3	1	-	-	-	-
1,500-2,499 GRAMS	33	-	-	-	2	-	-	3	13	6	8	1	-	-	-
2,500-3,499 GRAMS	393	1	1	3	7	9	5	49	105	124	77	12	-	-	-
3,500-4,499 GRAMS	195	-	-	3	-	1	7	18	40	67	50	8	-	-	1
4500 GRAMS OR MORE	8	-	-	-	-	-	-	-	1	1	6	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	4,631	6	12	23	35	70	108	992	1,597	1,176	518	85	8	1	-
UNDER 1,500 GRAMS	33	-	-	1	-	-	1	13	6	9	3	-	-	-	-
1,500-2,499 GRAMS	232	-	-	-	3	6	8	43	79	56	32	4	1	-	-
2,500-3,499 GRAMS	3,235	6	11	16	29	53	77	717	1,117	811	336	58	4	-	-
3,500-4,499 GRAMS	1,109	-	1	6	3	11	22	214	392	293	141	22	3	1	-
4500 GRAMS OR MORE	21	-	-	-	-	-	-	5	2	7	6	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	377,602	565	1,874	4,366	7,421	11,008	14,984	108,267	120,412	76,254	28,086	4,073	170	9	113
UNDER 1,500 GRAMS	3,295	7	19	62	85	111	137	897	911	687	322	51	1	-	5
1,500-2,499 GRAMS	16,285	45	119	275	417	559	742	4,703	4,742	3,113	1,328	222	10	-	10
2,500-3,499 GRAMS	185,909	355	1,135	2,572	4,271	6,200	8,439	56,433	57,801	34,410	12,396	1,770	79	3	45
3,500-4,499 GRAMS	162,906	151	586	1,416	2,569	3,991	5,455	44,177	53,869	35,695	12,998	1,876	72	6	45
4500 GRAMS OR MORE	8,969	4	14	37	75	139	200	1,972	3,043	2,310	1,018	151	4	-	2
NOT STATED	238	3	1	4	4	8	11	85	46	39	24	3	4	-	6
OTHER ASIAN	5,358	35	41	100	117	169	178	1,385	1,494	1,110	540	139	35	10	5
UNDER 1,500 GRAMS	55	1	2	2	2	4	1	12	11	12	5	1	2	-	-
1,500-2,499 GRAMS	283	6	2	12	19	18	10	74	72	40	24	6	-	-	-
2,500-3,499 GRAMS	3,376	22	26	70	82	119	133	948	903	652	312	81	22	4	2
3,500-4,499 GRAMS	1,580	6	11	16	14	27	32	340	494	391	184	47	10	5	3
4500 GRAMS OR MORE	60	-	-	-	-	1	2	9	14	13	15	4	1	1	-
NOT STATED	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-
OTHER	590	-	-	2	6	12	18	153	203	139	51	6	-	-	-
UNDER 1,500 GRAMS	12	-	-	-	-	-	-	6	2	2	2	-	-	-	-
1,500-2,499 GRAMS	33	-	-	-	-	2	1	11	11	6	1	1	-	-	-
2,500-3,499 GRAMS	356	-	-	2	6	6	13	94	113	85	34	3	-	-	-
3,500-4,499 GRAMS	181	-	-	-	-	4	4	40	76	41	14	2	-	-	-
4500 GRAMS OR MORE	7	-	-	-	-	-	-	1	1	5	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	2,060	6	8	16	24	38	59	400	642	529	241	43	3	-	51
UNDER 1,500 GRAMS	43	-	-	2	-	-	-	7	12	7	8	-	-	-	9
1,500-2,499 GRAMS	95	-	-	-	-	3	3	14	25	23	15	3	1	-	8
2,500-3,499 GRAMS	1,088	4	6	11	14	27	40	231	349	253	111	22	-	-	20
3,500-4,499 GRAMS	794	2	2	3	10	7	15	145	242	233	101	18	2	-	14
4500 GRAMS OR MORE	34	-	-	-	-	1	1	3	13	10	6	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-19

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	481,905	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
HISPANIC	156,422	413	1,266	2,835	4,548	6,372	8,304	51,265	44,641	24,973	9,802	1,822	109	5	67
CUBAN	876	-	3	4	13	18	26	251	304	193	54	10	-	-	-
UNDER 1,500 GRAMS	9	-	-	-	-	-	-	2	3	2	2	-	-	-	-
1,500-2,499 GRAMS	40	-	-	1	4	-	2	15	6	8	3	1	-	-	-
2,500-3,499 GRAMS	481	-	3	1	5	9	17	145	167	99	31	4	-	-	-
3,500-4,499 GRAMS	332	-	-	2	4	9	7	85	123	79	18	5	-	-	-
4500 GRAMS OR MORE	14	-	-	-	-	-	-	4	5	5	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	135,531	383	1,155	2,646	4,210	5,841	7,464	44,953	38,037	20,876	8,242	1,566	97	5	56
UNDER 1,500 GRAMS	1,211	5	9	30	46	60	62	366	310	205	92	24	-	-	2
1,500-2,499 GRAMS	5,798	23	65	164	230	300	358	1,935	1,408	838	383	88	3	-	3
2,500-3,499 GRAMS	70,045	245	710	1,622	2,519	3,393	4,401	24,507	18,829	9,468	3,608	672	45	1	25
3,500-4,499 GRAMS	55,433	103	364	808	1,373	2,027	2,562	17,430	16,504	9,657	3,823	711	44	4	23
4500 GRAMS OR MORE	2,931	4	7	19	38	55	73	668	970	694	329	71	1	-	2
NOT STATED	113	3	-	3	4	6	8	47	16	14	7	-	4	-	1
PUERTO RICAN	1,487	5	16	31	47	60	84	482	416	238	93	15	-	-	-
UNDER 1,500 GRAMS	20	-	-	-	2	2	1	9	2	4	-	-	-	-	-
1,500-2,499 GRAMS	90	1	2	3	3	2	7	23	30	13	6	-	-	-	-
2,500-3,499 GRAMS	868	4	9	18	31	39	54	295	237	132	40	9	-	-	-
3,500-4,499 GRAMS	489	-	4	10	11	16	21	153	139	86	43	6	-	-	-
4500 GRAMS OR MORE	19	-	1	-	-	1	1	1	8	3	4	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER HISPANIC	18,528	25	92	154	278	453	730	5,579	5,884	3,666	1,413	231	12	-	11
UNDER 1,500 GRAMS	177	-	-	1	2	6	5	61	44	46	11	1	-	-	-
1,500-2,499 GRAMS	818	7	11	17	6	22	29	233	250	133	89	18	3	-	-
2,500-3,499 GRAMS	10,204	15	59	97	202	293	480	3,310	3,105	1,860	666	108	3	-	6
3,500-4,499 GRAMS	7,011	3	22	38	66	130	208	1,913	2,375	1,536	610	99	6	-	5
4500 GRAMS OR MORE	303	-	-	1	2	2	8	54	108	87	36	5	-	-	-
NOT STATED	15	-	-	-	-	-	-	8	2	4	1	-	-	-	-
NON-HISPANIC	321,886	474	1,365	3,117	5,090	7,739	10,822	83,159	106,621	72,997	26,708	3,534	162	16	82
UNDER 1,500 GRAMS	3,517	10	21	68	71	107	139	936	1,012	765	330	48	4	-	6
1,500-2,499 GRAMS	16,884	42	119	225	396	505	692	4,497	5,213	3,539	1,428	212	8	-	8
2,500-3,499 GRAMS	165,027	306	844	1,866	2,952	4,480	6,133	44,375	53,835	35,489	12,880	1,734	88	7	38
3,500-4,499 GRAMS	129,434	114	370	930	1,626	2,540	3,707	31,816	44,220	31,340	11,248	1,434	56	8	25
4500 GRAMS OR MORE	6,858	2	9	26	44	104	145	1,484	2,297	1,836	803	103	4	1	-
NOT STATED	166	-	2	2	1	3	6	51	44	28	19	3	2	-	5
NOT STATED	3,597	14	26	37	70	93	133	880	1,124	786	312	54	4	-	64
UNDER 1,500 GRAMS	58	-	-	1	-	-	1	8	20	9	7	1	-	-	11
1,500-2,499 GRAMS	160	1	-	1	2	4	7	34	49	29	23	2	-	-	8
2,500-3,499 GRAMS	1,907	9	17	23	44	59	84	466	599	398	156	27	1	-	24
3,500-4,499 GRAMS	1,396	4	9	12	24	29	38	360	426	330	117	24	3	-	20
4500 GRAMS OR MORE	70	-	-	-	-	1	3	11	29	17	9	-	-	-	-
NOT STATED	6	-	-	-	-	-	-	1	1	3	-	-	-	-	1

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

Table 2–20

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN
AND AGE OF MOTHER
CALIFORNIA, 1986

(By place of residence)

MONTH OF PREGNANCY PRENATAL CARE BEGAN	TOTAL	AGE OF MOTHER							
		Under 15	15–17	18–19	20–24	25–29	30–34	35 and Older	Unknown
Total	481,905	901	18,354	33,463	135,304	152,386	98,756	42,528	213
First Trimester	356,841	343	9,269	19,023	92,778	120,125	81,208	34,015	80
First Month	86,552	49	1,480	3,253	19,680	30,139	22,343	9,593	15
Second Month	172,598	156	3,883	8,264	43,695	59,950	40,239	16,369	42
Third Month	97,691	138	3,906	7,506	29,403	30,036	18,626	8,053	23
Second Trimester	89,857	371	6,503	10,567	30,807	23,113	12,597	5,877	22
Fourth Month	46,494	130	2,831	4,966	15,595	12,608	7,107	3,245	12
Fifth Month	27,097	137	2,260	3,424	9,469	6,659	3,508	1,635	5
Sixth Month	16,266	104	1,412	2,177	5,743	3,846	1,982	997	5
Third Trimester	18,341	118	1,554	2,269	6,292	4,547	2,322	1,231	8
Seventh Month	10,063	79	879	1,228	3,497	2,485	1,228	664	3
Eighth Month	5,233	22	448	698	1,775	1,293	660	334	3
Ninth Month	3,045	17	227	343	1,020	769	434	233	2
No Prenatal Care	8,454	46	672	941	2,917	2,135	1,116	592	35
Unknown	8,412	23	356	663	2,510	2,466	1,513	813	68

Source: State of California, Department of Health Services, Birth Records.

TABLE 2-21

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

TRIMESTER PRENATAL CARE BEGAN AND AGE OF MOTHER, CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND TRIMESTER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	481,905	901	2,657	3,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
AMERICAN INDIAN	5,325	21	56	110	173	228	342	1,792	1,492	775	290	42	1	-	3
FIRST TRIMESTER	3,673	5	23	56	93	136	194	1,216	1,088	606	230	24	-	-	2
SECOND TRIMESTER	1,175	10	25	33	54	59	104	416	298	118	46	11	-	-	1
THIRD TRIMESTER	315	6	6	13	17	24	33	103	64	32	10	6	1	-	-
NO PRENATAL CARE	93	-	-	7	5	7	8	25	26	11	3	1	-	-	-
NOT STATED	69	-	2	1	4	2	3	32	16	8	1	-	-	-	-
BLACK	48,104	244	605	1,208	1,625	2,246	2,880	15,758	13,582	7,217	2,397	303	15	-	24
FIRST TRIMESTER	32,646	83	275	601	900	1,219	1,669	10,429	9,964	5,481	1,786	222	7	-	10
SECOND TRIMESTER	11,434	106	233	441	537	774	926	3,965	2,658	1,279	451	57	5	-	2
THIRD TRIMESTER	2,061	32	66	104	102	143	174	682	456	210	68	19	1	-	4
NO PRENATAL CARE	1,196	17	23	40	58	69	64	411	303	150	55	2	1	-	3
NOT STATED	767	6	8	22	28	41	47	271	201	97	37	3	1	-	5
CAMBODIAN	2,273	2	7	16	27	48	73	498	616	517	316	129	19	-	5
FIRST TRIMESTER	1,240	1	2	6	14	30	46	259	369	287	162	56	6	-	2
SECOND TRIMESTER	677	-	5	6	7	14	17	169	156	146	94	52	11	-	-
THIRD TRIMESTER	130	1	-	1	5	2	7	28	29	27	22	8	-	-	-
NO PRENATAL CARE	64	-	-	1	-	-	-	18	11	15	13	5	-	-	1
NOT STATED	162	-	-	2	1	2	3	24	51	42	25	8	2	-	2
CHINESE	8,575	-	3	5	14	20	22	693	2,974	3,367	1,340	125	7	-	5
FIRST TRIMESTER	7,254	-	1	2	7	10	13	551	2,480	2,913	1,162	108	4	-	3
SECOND TRIMESTER	780	-	1	3	4	9	6	90	289	256	112	9	1	-	-
THIRD TRIMESTER	172	-	1	-	2	1	2	17	67	60	20	2	-	-	-
NO PRENATAL CARE	55	-	-	-	1	-	-	4	20	22	8	-	-	-	-
NOT STATED	314	-	-	-	-	-	1	31	118	116	38	6	2	-	2
ESKIMO/ALEUT	42	-	-	-	3	-	5	17	11	5	1	-	-	-	-
FIRST TRIMESTER	28	-	-	-	2	-	1	10	9	5	1	-	-	-	-
SECOND TRIMESTER	9	-	-	-	1	-	3	3	2	-	-	-	-	-	-
THIRD TRIMESTER	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
NO PRENATAL CARE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	13,398	12	23	73	145	183	310	2,596	4,185	3,935	1,641	282	10	1	2
FIRST TRIMESTER	10,645	1	10	32	76	95	177	1,887	3,406	3,330	1,399	221	8	1	2
SECOND TRIMESTER	2,113	7	7	24	52	62	101	534	621	476	181	46	2	-	-
THIRD TRIMESTER	406	2	6	13	10	20	22	114	100	79	32	8	-	-	-
NO PRENATAL CARE	92	2	-	2	4	3	6	25	24	13	10	3	-	-	-
NOT STATED	142	-	-	2	3	3	4	36	34	37	19	4	-	-	-
INDIAN (INDIA)	2,038	-	1	1	5	10	35	480	794	504	180	27	1	-	-
FIRST TRIMESTER	1,703	-	-	1	3	7	27	373	678	439	153	22	-	-	-
SECOND TRIMESTER	252	-	1	-	1	2	7	76	86	52	21	5	1	-	-
THIRD TRIMESTER	32	-	-	-	1	1	-	12	11	4	3	-	-	-	-
NO PRENATAL CARE	18	-	-	-	-	-	-	9	5	4	-	-	-	-	-
NOT STATED	33	-	-	-	-	-	1	10	14	5	3	-	-	-	-
JAPANESE	4,144	2	6	10	23	35	39	563	1,362	1,425	606	70	2	-	1
FIRST TRIMESTER	3,559	-	1	6	13	19	22	445	1,182	1,279	536	53	2	-	1
SECOND TRIMESTER	400	2	3	2	7	10	15	94	110	99	45	13	-	-	-
THIRD TRIMESTER	71	-	2	1	-	4	1	14	25	13	10	1	-	-	-
NO PRENATAL CARE	27	-	-	-	2	2	1	4	9	5	2	2	-	-	-
NOT STATED	87	-	-	1	1	-	-	6	36	29	13	1	-	-	-

TABLE 2-21 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

TRIMESTER PRENATAL CARE BEGAN AND AGE OF MOTHER, CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND TRIMESTER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	481,905	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
KOREAN	3,670	-	-	3	9	14	22	487	1,767	1,053	272	40	1	-	2
FIRST TRIMESTER	2,942	-	-	2	4	8	15	371	1,455	834	219	32	-	-	2
SECOND TRIMESTER	471	-	-	1	1	6	4	73	200	143	37	5	1	-	-
THIRD TRIMESTER	113	-	-	-	3	-	2	18	47	34	7	2	-	-	-
NO PRENATAL CARE	37	-	-	-	1	-	-	9	17	8	2	-	-	-	-
NOT STATED	107	-	-	-	-	-	1	16	48	34	7	1	-	-	-
PACIFIC ISLANDER	3,460	7	20	50	72	113	172	1,152	1,095	549	201	25	3	-	1
FIRST TRIMESTER	2,120	1	7	19	35	61	85	684	710	369	134	13	2	-	-
SECOND TRIMESTER	840	2	11	21	24	33	51	294	249	106	42	6	1	-	-
THIRD TRIMESTER	328	3	1	3	9	7	28	110	96	49	17	4	-	-	1
NO PRENATAL CARE	108	1	1	6	3	8	5	34	24	18	6	2	-	-	-
NOT STATED	64	-	-	1	1	4	3	30	16	7	2	-	-	-	-
THAI	635	1	1	6	9	10	12	71	160	201	142	21	-	-	1
FIRST TRIMESTER	506	-	1	3	5	5	4	56	127	164	122	18	-	-	1
SECOND TRIMESTER	90	1	-	3	4	2	7	12	19	28	11	3	-	-	-
THIRD TRIMESTER	21	-	-	-	-	3	1	1	7	6	3	-	-	-	-
NO PRENATAL CARE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NOT STATED	16	-	-	-	-	-	-	2	6	3	5	-	-	-	-
VIETNAMESE	4,631	6	12	23	35	70	108	992	1,597	1,176	518	85	8	1	-
FIRST TRIMESTER	3,349	5	5	10	19	37	70	676	1,181	885	393	62	5	1	-
SECOND TRIMESTER	765	1	5	7	8	25	20	209	246	160	74	9	1	-	-
THIRD TRIMESTER	176	-	-	5	5	3	7	37	54	44	16	5	-	-	-
NO PRENATAL CARE	114	-	1	-	3	2	4	29	38	26	9	2	-	-	-
NOT STATED	227	-	1	1	-	3	7	41	78	61	26	7	2	-	-
WHITE	377,602	565	1,874	4,366	7,421	11,008	14,984	108,267	120,412	76,254	28,086	4,073	170	9	113
FIRST TRIMESTER	282,103	233	828	2,165	3,892	6,110	8,708	74,691	95,867	63,381	22,993	3,085	95	3	52
SECOND TRIMESTER	69,175	225	707	1,600	2,352	3,555	4,610	24,379	17,762	9,452	3,576	687	49	4	17
THIRD TRIMESTER	14,183	69	200	365	591	800	958	5,058	3,516	1,706	761	141	14	2	2
NO PRENATAL CARE	6,439	24	96	153	255	337	415	2,303	1,603	797	343	89	8	-	16
NOT STATED	5,702	14	43	83	131	206	293	1,836	1,664	918	413	71	4	-	26
OTHER ASIAN	5,358	35	41	100	117	169	178	1,385	1,494	1,110	540	139	35	10	5
FIRST TRIMESTER	3,225	13	16	51	57	93	87	783	995	721	334	58	11	5	1
SECOND TRIMESTER	1,240	16	22	33	40	55	57	370	275	205	122	34	10	1	-
THIRD TRIMESTER	228	3	1	11	8	5	9	68	49	38	19	14	2	-	1
NO PRENATAL CARE	136	1	-	2	5	4	5	29	42	27	9	8	2	1	1
NOT STATED	529	2	2	3	7	12	20	135	133	119	56	25	10	3	2
OTHER	590	-	-	2	6	12	18	153	203	139	51	6	-	-	-
FIRST TRIMESTER	453	-	-	1	2	8	10	106	161	117	44	4	-	-	-
SECOND TRIMESTER	93	-	-	1	4	2	4	34	28	15	5	-	-	-	-
THIRD TRIMESTER	27	-	-	-	-	2	4	7	8	3	1	2	-	-	-
NO PRENATAL CARE	9	-	-	-	-	-	-	3	3	3	-	-	-	-	-
NOT STATED	8	-	-	-	-	-	-	3	3	1	1	-	-	-	-
NOT STATED	2,060	6	8	16	24	38	59	400	642	529	241	43	3	-	51
FIRST TRIMESTER	1,395	1	3	8	12	15	42	241	453	397	181	35	3	-	4
SECOND TRIMESTER	343	1	3	5	4	18	9	89	114	62	33	3	-	-	2
THIRD TRIMESTER	75	2	-	1	1	3	2	21	18	17	8	2	-	-	-
NO PRENATAL CARE	62	1	-	-	3	-	1	12	9	17	5	-	-	-	14
NOT STATED	185	1	2	2	4	2	5	37	48	36	14	3	-	-	11

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-22

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
TRIMESTER PRENATAL CARE BEGAN AND AGE OF MOTHER, CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND TRIMESTER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	481,903	901	2,657	5,989	9,708	14,204	19,259	135,304	152,386	98,756	36,822	5,410	275	21	213
HISPANIC	156,422	413	1,266	2,835	4,548	6,372	8,304	51,265	44,641	24,973	9,802	1,822	109	5	67
CUBAN	876	-	3	4	13	18	26	251	304	193	54	10	-	-	-
FIRST TRIMESTER	736	-	2	4	6	9	18	204	272	171	44	6	-	-	-
SECOND TRIMESTER	105	-	-	-	7	6	6	36	27	13	7	3	-	-	-
THIRD TRIMESTER	16	-	-	-	-	1	2	7	1	3	1	1	-	-	-
NO PRENATAL CARE	4	-	1	-	-	-	-	-	1	1	1	-	-	-	-
NOT STATED	15	-	-	-	-	2	-	4	3	5	1	-	-	-	-
MEXICAN	135,531	383	1,155	2,646	4,210	5,841	7,464	44,953	38,037	20,876	8,242	1,566	97	5	56
FIRST TRIMESTER	84,911	159	503	1,280	2,112	3,093	4,010	27,144	25,665	14,418	5,484	973	41	1	28
SECOND TRIMESTER	35,500	159	449	992	1,489	1,959	2,470	12,432	8,614	4,581	1,906	398	34	3	14
THIRD TRIMESTER	8,107	39	117	227	357	446	546	2,866	1,977	961	462	95	12	1	1
NO PRENATAL CARE	4,256	16	58	103	183	228	275	1,541	1,020	524	228	66	7	-	7
NOT STATED	2,757	10	28	44	69	115	163	970	761	392	162	34	3	-	6
PUERTO RICAN	1,487	5	16	31	47	60	84	482	416	238	93	15	-	-	-
FIRST TRIMESTER	1,113	2	8	15	24	39	50	350	335	197	81	12	-	-	-
SECOND TRIMESTER	273	2	6	11	14	19	19	100	61	30	8	3	-	-	-
THIRD TRIMESTER	58	1	2	3	4	2	12	18	10	6	-	-	-	-	-
NO PRENATAL CARE	24	-	-	1	3	-	3	9	6	2	-	-	-	-	-
NOT STATED	19	-	-	1	2	-	-	5	4	3	4	-	-	-	-
OTHER HISPANIC	18,528	25	92	154	278	453	730	5,579	5,884	3,666	1,413	231	12	-	11
FIRST TRIMESTER	11,461	9	29	78	136	223	396	3,210	3,814	2,456	943	153	9	-	5
SECOND TRIMESTER	5,101	10	43	46	97	155	228	1,675	1,508	926	355	55	2	-	1
THIRD TRIMESTER	1,060	3	8	16	23	40	54	387	304	157	61	6	-	-	1
NO PRENATAL CARE	463	3	11	6	15	16	29	176	117	58	25	6	-	-	1
NOT STATED	443	-	1	8	7	19	23	131	141	69	29	11	1	-	3
NON-HISPANIC	321,886	474	1,365	3,117	5,090	7,739	10,822	83,159	106,621	72,997	26,708	3,534	162	16	82
FIRST TRIMESTER	256,134	167	620	1,566	2,821	4,441	6,610	61,314	89,215	63,348	23,062	2,829	90	9	42
SECOND TRIMESTER	48,264	197	515	1,121	1,672	2,456	3,191	16,368	12,725	6,961	2,531	474	46	2	5
THIRD TRIMESTER	8,964	71	155	269	366	517	630	2,979	2,217	1,174	465	109	6	1	5
NO PRENATAL CARE	3,611	26	50	100	135	187	200	1,168	972	514	203	42	4	1	9
NOT STATED	4,913	13	25	61	96	138	191	1,330	1,492	1,000	447	80	16	3	21
NOT STATED	3,597	14	26	37	70	93	133	880	1,124	786	312	54	4	-	64
FIRST TRIMESTER	2,486	6	10	20	35	48	86	556	824	618	235	40	3	-	5
SECOND TRIMESTER	614	3	10	10	21	31	27	196	178	86	43	7	-	-	2
THIRD TRIMESTER	136	4	1	2	4	12	7	35	38	21	8	3	-	-	1
NO PRENATAL CARE	96	1	1	1	4	1	2	23	19	17	9	-	-	-	18
NOT STATED	265	-	4	4	6	1	11	70	65	44	17	4	1	-	38

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-23

LIVE BIRTHS BY BIRTHWEIGHT, TRIMESTER PRENATAL CARE BEGAN AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND PRENATAL CARE BEGAN	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL LIVE BIRTHS	481,905	5,325	48,104	2,273	8,575	42	13,398	2,038	4,144
UNDER 1,500 GRAMS	4,992	58	1,210	11	51	-	107	18	31
FIRST TRIMESTER	3,504	36	772	2	45	-	88	14	25
SECOND TRIMESTER	865	15	248	3	3	-	11	2	2
THIRD TRIMESTER	89	-	24	-	-	-	2	1	-
NO PRENATAL CARE	346	7	117	3	1	-	3	1	2
NOT STATED	188	-	49	3	2	-	3	-	2
1,500-2,499 GRAMS	23,790	280	4,557	141	370	6	868	137	182
FIRST TRIMESTER	16,299	182	2,759	77	302	4	674	115	154
SECOND TRIMESTER	5,073	72	1,193	45	40	2	143	19	20
THIRD TRIMESTER	976	14	232	7	8	-	28	-	2
NO PRENATAL CARE	884	7	253	4	3	-	10	1	2
NOT STATED	558	5	120	8	17	-	13	2	4
2,500-3,499 GRAMS	248,532	2,631	28,629	1,627	5,375	15	8,293	1,331	2,512
FIRST TRIMESTER	180,077	1,783	19,111	873	4,545	8	6,538	1,120	2,172
SECOND TRIMESTER	48,671	586	7,131	499	480	4	1,327	158	225
THIRD TRIMESTER	10,395	179	1,291	99	121	1	283	18	46
NO PRENATAL CARE	4,741	51	663	42	29	2	61	11	13
NOT STATED	4,648	32	433	114	200	-	84	24	56
3,500-4,499 GRAMS	194,095	2,213	13,151	479	2,711	21	3,994	536	1,382
FIRST TRIMESTER	148,828	1,571	9,596	280	2,305	16	3,240	442	1,178
SECOND TRIMESTER	33,521	474	2,753	127	251	3	608	70	147
THIRD TRIMESTER	6,586	115	494	23	40	2	89	13	22
NO PRENATAL CARE	2,332	23	152	13	21	-	18	4	10
NOT STATED	2,828	30	156	36	94	-	39	7	25
4,500 GRAMS OR MORE	10,195	138	527	14	67	-	129	15	36
FIRST TRIMESTER	7,987	100	393	8	57	-	100	12	29
SECOND TRIMESTER	1,671	27	102	3	6	-	23	3	6
THIRD TRIMESTER	274	5	16	1	2	-	4	-	1
NO PRENATAL CARE	125	4	9	2	1	-	-	-	-
NOT STATED	138	2	7	-	1	-	2	-	-
NOT STATED	301	5	30	1	1	-	7	1	1
FIRST TRIMESTER	146	1	15	-	-	-	5	-	1
SECOND TRIMESTER	56	1	7	-	-	-	1	-	-
THIRD TRIMESTER	21	2	4	-	1	-	-	-	-
NO PRENATAL CARE	26	1	2	-	-	-	-	1	-
NOT STATED	52	-	2	1	-	-	1	-	-

TABLE 2-23 (CONTINUED)

LIVE BIRTHS BY BIRTHWEIGHT, TRIMESTER PRENATAL CARE BEGAN AND RACE/ETHNICITY OF CHILD

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND PRENATAL CARE BEGAN	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL LIVE BIRTHS	481,905	3,670	3,460	635	4,631	377,602	5,358	590	2,060
UNDER 1,500 GRAMS	4,992	20	40	6	33	3,295	55	12	45
FIRST TRIMESTER	3,504	15	25	6	22	2,389	36	9	20
SECOND TRIMESTER	865	4	8	-	4	539	14	3	9
THIRD TRIMESTER	89	1	1	-	1	58	1	-	-
NO PRENATAL CARE	346	-	5	-	3	196	3	-	5
NOT STATED	188	-	1	-	3	113	1	-	11
1,500-2,499 GRAMS	23,790	135	153	33	202	16,285	283	33	95
FIRST TRIMESTER	16,299	102	101	22	167	11,376	184	25	55
SECOND TRIMESTER	5,073	17	31	6	36	3,378	53	3	15
THIRD TRIMESTER	976	8	8	4	3	641	12	3	6
NO PRENATAL CARE	884	5	12	-	13	555	16	-	3
NOT STATED	558	3	1	1	13	335	18	2	16
2,500-3,499 GRAMS	248,532	2,132	1,630	393	3,235	185,909	3,376	356	1,088
FIRST TRIMESTER	180,077	1,709	1,029	323	2,334	135,532	2,007	276	717
SECOND TRIMESTER	48,671	278	400	52	533	35,944	810	57	187
THIRD TRIMESTER	10,395	62	131	9	134	7,823	143	12	43
NO PRENATAL CARE	4,741	21	39	-	72	3,636	66	6	29
NOT STATED	4,648	62	31	9	162	2,974	350	5	112
3,500-4,499 GRAMS	194,095	1,331	1,512	195	1,109	162,906	1,580	181	794
FIRST TRIMESTER	148,828	1,078	893	147	808	125,591	965	137	581
SECOND TRIMESTER	33,521	165	375	32	191	27,825	347	28	125
THIRD TRIMESTER	6,586	40	170	8	37	5,425	71	12	25
NO PRENATAL CARE	2,332	9	49	2	26	1,930	49	3	23
NOT STATED	2,828	39	25	6	47	2,135	148	1	40
4,500 GRAMS OR MORE	10,195	49	121	8	21	8,969	60	7	34
FIRST TRIMESTER	7,987	37	70	8	18	7,097	31	5	22
SECOND TRIMESTER	1,671	6	26	-	-	1,445	15	2	7
THIRD TRIMESTER	274	2	18	-	1	222	1	-	1
NO PRENATAL CARE	125	2	3	-	-	102	2	-	-
NOT STATED	138	2	4	-	2	103	11	-	4
NOT STATED	301	3	4	-	1	238	4	1	4
FIRST TRIMESTER	146	1	2	-	-	118	2	1	-
SECOND TRIMESTER	56	1	-	-	1	44	1	-	-
THIRD TRIMESTER	21	-	-	-	-	14	-	-	-
NO PRENATAL CARE	26	-	-	-	-	20	-	-	2
NOT STATED	52	1	2	-	-	42	1	-	2

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-24

LIVE BIRTHS BY BIRTHWEIGHT, TRIMESTER PRENATAL CARE BEGAN AND SPANISH/HISPANIC ORIGIN OF MOTHER

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL LIVE BIRTHS	481,905	876	135,531	1,487	18,528	321,886	3,597
UNDER 1,500 GRAMS	4,992	9	1,211	20	177	3,517	58
FIRST TRIMESTER	3,504	8	794	12	113	2,547	30
SECOND TRIMESTER	865	-	247	7	44	560	7
THIRD TRIMESTER	89	1	23	-	6	59	-
NO PRENATAL CARE	346	-	105	1	7	225	8
NOT STATED	188	-	42	-	7	126	13
1,500-2,499 GRAMS	23,790	40	5,798	90	818	16,884	160
FIRST TRIMESTER	16,299	29	3,392	61	483	12,235	99
SECOND TRIMESTER	5,073	10	1,599	17	235	3,181	31
THIRD TRIMESTER	976	1	333	5	36	592	9
NO PRENATAL CARE	884	-	324	7	35	513	5
NOT STATED	558	-	150	-	29	363	16
2,500-3,499 GRAMS	248,532	481	70,045	868	10,204	165,027	1,907
FIRST TRIMESTER	180,077	396	43,183	640	6,149	128,407	1,302
SECOND TRIMESTER	48,671	63	18,612	160	2,858	26,646	332
THIRD TRIMESTER	10,395	6	4,417	44	653	5,206	69
NO PRENATAL CARE	4,741	4	2,399	11	297	1,982	48
NOT STATED	4,648	12	1,434	13	247	2,786	156
3,500-4,499 GRAMS	194,095	332	55,433	489	7,011	129,434	1,396
FIRST TRIMESTER	148,828	290	33,361	383	4,499	107,089	1,004
SECOND TRIMESTER	33,521	31	14,275	84	1,886	17,012	233
THIRD TRIMESTER	6,586	8	3,192	9	355	2,967	55
NO PRENATAL CARE	2,332	-	1,338	5	119	838	32
NOT STATED	2,828	3	1,067	6	152	1,528	72
4,500 GRAMS OR MORE	10,195	14	2,931	19	303	6,858	70
FIRST TRIMESTER	7,987	13	1,926	14	208	5,773	51
SECOND TRIMESTER	1,671	1	740	5	73	841	11
THIRD TRIMESTER	274	-	135	-	9	127	3
NO PRENATAL CARE	125	-	78	-	5	42	-
NOT STATED	138	-	50	-	8	75	5
NOT STATED	301	-	113	1	15	166	6
FIRST TRIMESTER	146	-	53	1	9	83	-
SECOND TRIMESTER	56	-	27	-	5	24	-
THIRD TRIMESTER	21	-	7	-	1	13	-
NO PRENATAL CARE	26	-	12	-	-	11	3
NOT STATED	52	-	14	-	-	35	3

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-25

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY OF CHILD	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL RACES	481,905	235,456	246,449	471,873	230,489	241,384	9,862	4,881	4,981	162	80	82	6	4	2	2	2	-
AMERICAN INDIAN	5,325	2,565	2,760	5,204	2,490	2,714	121	75	46	-	-	-	-	-	-	-	-	-
BLACK	48,104	23,578	24,526	46,909	22,994	23,915	1,182	577	605	12	6	6	-	-	-	1	1	-
CAMBODIAN	2,273	1,115	1,158	2,239	1,098	1,141	34	17	17	-	-	-	-	-	-	-	-	-
CHINESE	8,575	4,174	4,401	8,424	4,105	4,319	142	65	77	9	4	5	-	-	-	-	-	-
ESKIMO/ALEUT	42	24	18	38	23	15	4	1	3	-	-	-	-	-	-	-	-	-
FILIPINO	13,398	6,474	6,924	13,163	6,334	6,829	232	137	95	3	3	-	-	-	-	-	-	-
INDIAN (INDIA)	2,038	973	1,065	2,014	962	1,052	24	11	13	-	-	-	-	-	-	-	-	-
JAPANESE	4,144	2,006	2,138	4,056	1,954	2,102	88	52	36	-	-	-	-	-	-	-	-	-
KOREAN	3,670	1,788	1,882	3,620	1,759	1,861	44	23	21	6	6	-	-	-	-	-	-	-
PACIFIC ISLANDER	3,460	1,676	1,784	3,393	1,646	1,747	67	30	37	-	-	-	-	-	-	-	-	-
THAI	635	300	335	625	298	327	10	2	8	-	-	-	-	-	-	-	-	-
VIETNAMESE	4,631	2,175	2,456	4,578	2,157	2,421	53	18	35	-	-	-	-	-	-	-	-	-
WHITE	377,602	184,770	192,832	369,748	180,881	188,867	7,715	3,823	3,892	132	61	71	6	4	2	1	1	-
OTHER ASIAN	5,358	2,580	2,778	5,266	2,545	2,721	92	35	57	-	-	-	-	-	-	-	-	-
OTHER	590	271	319	584	270	314	6	1	5	-	-	-	-	-	-	-	-	-
NOT STATED	2,060	987	1,073	2,012	973	1,039	48	14	34	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-26

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL ORIGINS	481,905	235,456	246,449	471,873	230,489	241,384	9,862	4,881	4,981	162	80	82	6	4	2	2	2	-
CUBAN	876	418	458	839	394	445	37	24	13	-	-	-	-	-	-	-	-	-
MEXICAN	135,531	66,286	69,245	132,997	65,015	67,982	2,495	1,251	1,244	39	20	19	-	-	-	-	-	-
PUERTO RICAN	1,487	744	743	1,461	731	730	26	13	13	-	-	-	-	-	-	-	-	-
OTHER SPANISH/ HISPANIC	18,528	9,233	9,295	18,208	9,078	9,130	316	153	163	3	1	2	-	-	-	1	1	-
NOT SPANISH/ HISPANIC	321,886	157,026	164,860	314,847	153,555	161,292	6,912	3,407	3,505	120	59	61	6	4	2	1	1	-
NOT STATED	3,597	1,749	1,848	3,521	1,716	1,805	76	33	43	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

Table 2–27

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE BY SEX AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
Live Births, Total[1]	3,283	49	276	28	59	22	11	2,709	110	19
Male	1,879	26	150	14	30	13	4	1,567	67	8
Female	1,404	23	126	14	29	9	7	1,142	43	11
Congenital Anomalies, Total[2,3]	3,910	60	336	31	77	27	12	3,221	123	23
Male	2,207	29	186	15	36	14	4	1,839	73	11
Female	1,703	31	150	16	41	13	8	1,382	50	12
01	62	1	7	–	4	1	–	45	4	–
Male	28	–	1	–	1	1	–	24	1	–
Female	34	1	6	–	3	–	–	21	3	–
02	82	–	11	1	2	1	–	65	2	–
Male	42	–	8	–	1	–	–	32	1	–
Female	40	–	3	1	1	1	–	33	1	–
03	34	–	4	1	–	–	–	29	–	–
Male	17	–	–	1	–	–	–	16	–	–
Female	17	–	4	–	–	–	–	13	–	–
04	33	1	5	–	–	–	–	24	2	1
Male	16	–	3	–	–	–	–	12	1	–
Female	17	1	2	–	–	–	–	12	1	1
05	106	1	14	–	2	–	–	86	3	–
Male	48	–	5	–	1	–	–	41	1	–
Female	58	1	9	–	1	–	–	45	2	–
06	67	2	4	1	2	1	–	56	–	1
Male	36	2	2	–	1	–	–	30	–	1
Female	31	–	2	1	1	1	–	26	–	–
07	13	–	1	–	–	–	–	11	1	–
Male	9	–	1	–	–	–	–	7	1	–
Female	4	–	–	–	–	–	–	4	–	–
08	67	2	8	1	1	1	1	51	2	–
Male	39	1	5	–	1	–	–	30	2	–
Female	28	1	3	1	–	1	1	21	–	–
09	61	–	5	1	1	–	–	54	–	–
Male	31	–	2	–	–	–	–	29	–	–
Female	30	–	3	1	1	–	–	25	–	–
10	47	2	4	1	1	1	1	35	2	–
Male	25	1	2	1	–	–	–	19	2	–
Female	22	1	2	–	1	1	1	16	–	–
11	15	2	1	–	–	1	–	11	–	–
Male	8	2	1	–	–	–	–	5	–	–
Female	7	–	–	–	–	1	–	6	–	–
12	143	2	5	–	4	1	–	127	3	1
Male	80	2	2	–	2	1	–	73	–	–
Female	63	–	3	–	2	–	–	54	3	1

Table 2–27 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
13	9	1	–	–	–	–	–	7	1	–
Male	3	1	–	–	–	–	–	2	–	–
Female	6	–	–	–	–	–	–	5	1	–
14	24	–	1	–	–	1	–	21	1	–
Male	14	–	1	–	–	–	–	13	–	–
Female	10	–	–	–	–	1	–	8	1	–
15	17	–	1	–	1	2	–	13	–	–
Male	13	–	–	–	1	2	–	10	–	–
Female	4	–	1	–	–	–	–	3	–	–
16	54	–	5	–	3	–	–	45	1	–
Male	23	–	2	–	1	–	–	19	1	–
Female	31	–	3	–	2	–	–	26	–	–
17	8	–	1	–	1	–	–	6	–	–
Male	3	–	1	–	–	–	–	2	–	–
Female	5	–	–	–	1	–	–	4	–	–
18	3	–	–	–	–	–	–	2	1	–
Male	2	–	–	–	–	–	–	1	1	–
Female	1	–	–	–	–	–	–	1	–	–
19	9	–	–	–	–	–	–	9	–	–
Male	6	–	–	–	–	–	–	6	–	–
Female	3	–	–	–	–	–	–	3	–	–
20	18	–	1	–	1	–	–	15	–	1
Male	8	–	–	–	1	–	–	6	–	1
Female	10	–	1	–	–	–	–	9	–	–
21	37	–	1	–	2	–	–	32	2	–
Male	16	–	1	–	1	–	–	14	–	–
Female	21	–	–	–	1	–	–	18	2	–
22	3	–	–	–	–	–	–	3	–	–
Male	2	–	–	–	–	–	–	2	–	–
Female	1	–	–	–	–	–	–	1	–	–
23	207	3	6	2	3	–	1	184	6	2
Male	106	–	3	1	2	–	–	94	4	2
Female	101	3	3	1	1	–	1	90	2	–
24	2	–	–	–	–	–	–	2	–	–
Male	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	2	–	–
25	39	–	1	–	2	1	–	33	1	1
Male	20	–	1	–	1	1	–	17	–	–
Female	19	–	–	–	1	–	–	16	1	1
26	247	6	7	–	5	1	1	220	6	1
Male	150	3	7	–	2	–	1	131	5	1
Female	97	3	–	–	3	1	–	89	1	–

Table 2–27 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
27	110	3	7	2	2	–	1	92	3	–
Male	49	–	3	2	–	–	–	43	1	–
Female	61	3	4	–	2	–	1	49	2	–
28	89	2	4	2	2	2	–	72	5	–
Male	52	–	1	–	1	–	–	46	4	–
Female	37	2	3	2	1	2	–	26	1	–
29	128	4	2	3	5	3	1	105	5	–
Male	82	4	–	1	5	–	1	68	3	–
Female	46	–	2	2	–	3	–	37	2	–
30	32	2	1	–	–	1	–	26	1	1
Male	18	1	–	–	–	1	–	15	–	1
Female	14	1	1	–	–	–	–	11	1	–
31	33	–	1	1	–	–	1	29	1	–
Male	20	–	1	1	–	–	1	16	1	–
Female	13	–	–	–	–	–	–	13	–	–
32	120	2	13	2	3	–	–	96	3	1
Male	59	–	8	1	1	–	–	48	1	–
Female	61	2	5	1	2	–	–	48	2	1
33	139	1	10	–	2	2	–	119	5	–
Male	136	1	8	–	2	2	–	118	5	–
Female	3	–	2	–	–	–	–	1	–	–
34	16	–	4	–	–	1	–	11	–	–
Male	11	–	2	–	–	1	–	8	–	–
Female	5	–	2	–	–	–	–	3	–	–
35	17	–	2	–	–	–	–	15	–	–
Male	14	–	1	–	–	–	–	13	–	–
Female	3	–	1	–	–	–	–	2	–	–
36	14	–	–	1	–	–	–	12	1	–
Male	8	–	–	1	–	–	–	6	1	–
Female	6	–	–	–	–	–	–	6	–	–
37	14	–	1	–	–	–	–	13	–	–
Male	6	–	1	–	–	–	–	5	–	–
Female	8	–	–	–	–	–	–	8	–	–
38	6	–	–	–	–	–	–	6	–	–
Male	3	–	–	–	–	–	–	3	–	–
Female	3	–	–	–	–	–	–	3	–	–

Table 2–27 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE
BY SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
39	155	4	7	1	1	1	–	138	3	–
Male	130	4	6	1	1	1	–	114	3	–
Female	25	–	1	–	–	–	–	24	–	–
40	65	–	8	1	–	–	–	55	1	–
Male	12	–	3	–	–	–	–	9	–	–
Female	53	–	5	1	–	–	–	46	1	–
41	175	2	14	–	2	–	–	154	3	–
Male	117	1	9	–	2	–	–	104	1	–
Female	58	1	5	–	–	–	–	50	2	–
42	98	1	27	3	2	2	1	60	2	–
Male	59	–	16	1	–	2	1	38	1	–
Female	39	1	11	2	2	–	–	22	1	–
43	82	1	3	–	2	1	–	71	2	2
Male	47	1	2	–	–	–	–	42	2	–
Female	35	–	1	–	2	1	–	29	–	2
44	13	–	3	–	–	–	–	10	–	–
Male	6	–	2	–	–	–	–	4	–	–
Female	7	–	1	–	–	–	–	6	–	–
45	7	–	1	–	–	–	–	6	–	–
Male	4	–	1	–	–	–	–	3	–	–
Female	3	–	–	–	–	–	–	3	–	–
46	31	1	2	–	–	–	–	27	1	–
Male	18	1	2	–	–	–	–	14	1	–
Female	13	–	–	–	–	–	–	13	–	–
47	37	1	3	–	–	–	1	31	–	1
Male	23	1	2	–	–	–	–	19	–	1
Female	14	–	1	–	–	–	1	12	–	–
48	296	4	42	2	2	–	–	226	18	2
Male	156	1	23	1	–	–	–	121	9	1
Female	140	3	19	1	2	–	–	105	9	1
49	234	4	28	1	4	1	1	183	10	2
Male	108	1	15	–	1	1	–	85	5	–
Female	126	3	13	1	3	–	1	98	5	2

Table 2–27 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE BY SEX AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
51	171	2	7	3	5	–	1	145	5	3
Male	97	–	4	2	4	–	–	82	3	2
Female	74	2	3	1	1	–	1	63	2	1
52	27	–	5	–	1	–	–	20	–	1
Male	14	–	2	–	–	–	–	12	–	–
Female	13	–	3	–	1	–	–	8	–	1
53	11	–	1	–	–	–	–	10	–	–
Male	3	–	–	–	–	–	–	3	–	–
Female	8	–	1	–	–	–	–	7	–	–
54	23	–	2	–	–	–	–	21	–	–
Male	14	–	2	–	–	–	–	12	–	–
Female	9	–	–	–	–	–	–	9	–	–
55	262	3	36	1	7	1	–	198	14	2
Male	145	1	22	1	3	1	–	106	10	1
Female	117	2	14	–	4	–	–	92	4	1
98	98	–	9	–	2	–	1	84	2	–
Male	51	–	2	–	–	–	–	47	2	–
Female	47	–	7	–	2	–	1	37	–	–
Unknown Congenital Anomalies[4]	2,746	94	223	18	37	12	18	2,182	154	8
Male	1,411	43	115	8	18	6	7	1,119	89	6
Female	1,335	51	108	10	19	6	11	1,063	65	2

1 All live births with at least one type of congenital anomaly.

2 Each type of congenital anomaly contains only those births with that anomaly.

3 See page 234 for definitions of congenital anomaly codes.

4 Birth records with "unknown congenital anomalies" include those that do not state whether or not there are congenital anomalies.

Note: Congenital anomalies which were not detected at the time of birth are not included in this table.

Source: State of California, Department of Health Services, Birth Records.

Table 2–28

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
Live Births, Total[1]	3,283	7	814	5	74	2,355	28
Male	1,879	3	454	3	41	1,364	14
Female	1,404	4	360	2	33	991	14
Congenital Anomalies, Total[2,3]	3,910	7	967	6	92	2,806	32
Male	2,207	3	543	4	50	1,590	17
Female	1,703	4	424	2	42	1,216	15
01	62	–	17	–	2	42	1
Male	28	–	10	–	1	16	1
Female	34	–	7	–	1	26	–
02	82	–	21	1	5	55	–
Male	42	–	13	–	2	27	–
Female	40	–	8	1	3	28	–
03	34	–	11	–	1	22	–
Male	17	–	6	–	1	10	–
Female	17	–	5	–	–	12	–
04	33	–	9	–	–	23	1
Male	16	–	4	–	–	12	–
Female	17	–	5	–	–	11	1
05	106	–	29	–	8	69	–
Male	48	–	15	–	3	30	–
Female	58	–	14	–	5	39	–
06	67	1	24	–	1	40	1
Male	36	–	13	–	1	21	1
Female	31	1	11	–	–	19	–
07	13	–	2	–	1	10	–
Male	9	–	2	–	–	7	–
Female	4	–	–	–	1	3	–
08	67	–	22	–	3	42	–
Male	39	–	12	–	1	26	–
Female	28	–	10	–	2	16	–
09	61	–	27	–	1	33	–
Male	31	–	14	–	1	16	–
Female	30	–	13	–	–	17	–
10	47	–	13	–	2	30	2
Male	25	–	6	–	1	17	1
Female	22	–	7	–	1	13	1
11	15	1	5	–	–	9	–
Male	8	1	2	–	–	5	–
Female	7	–	3	–	–	4	–
12	143	–	45	–	4	93	1
Male	80	–	25	–	3	52	–
Female	63	–	20	–	1	41	1

Table 2–28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES		ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
13		9	–	2	–	–	7	–
	Male	3	–	1	–	–	2	–
	Female	6	–	1	–	–	5	–
14		24	–	4	–	–	20	–
	Male	14	–	1	–	–	13	–
	Female	10	–	3	–	–	7	–
15		17	–	3	–	–	14	–
	Male	13	–	3	–	–	10	–
	Female	4	–	–	–	–	4	–
16		54	–	8	–	3	43	–
	Male	23	–	3	–	–	20	–
	Female	31	–	5	–	3	23	–
17		8	–	2	–	–	6	–
	Male	3	–	2	–	–	1	–
	Female	5	–	–	–	–	5	–
18		3	–	–	–	–	3	–
	Male	2	–	–	–	–	2	–
	Female	1	–	–	–	–	1	–
19		9	–	1	–	–	8	–
	Male	6	–	–	–	–	6	–
	Female	3	–	1	–	–	2	–
20		18	–	1	–	–	16	1
	Male	8	–	1	–	–	6	1
	Female	10	–	–	–	–	10	–
21		37	–	7	–	–	30	–
	Male	16	–	3	–	–	13	–
	Female	21	–	4	–	–	17	–
22		3	–	–	–	–	3	–
	Male	2	–	–	–	–	2	–
	Female	1	–	–	–	–	1	–
23		207	–	36	–	4	164	3
	Male	106	–	16	–	3	84	3
	Female	101	–	20	–	1	80	–
24		2	–	–	–	–	2	–
	Male	–	–	–	–	–	–	–
	Female	2	–	–	–	–	2	–
25		39	–	8	–	2	28	1
	Male	20	–	4	–	1	15	–
	Female	19	–	4	–	1	13	1
26		247	1	66	1	3	174	2
	Male	150	–	39	–	3	106	2
	Female	97	1	27	1	–	68	–

Table 2–28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
27	110	–	29	–	1	80	–
Male	49	–	15	–	–	34	–
Female	61	–	14	–	1	46	–
28	89	–	25	–	1	61	2
Male	52	–	12	–	–	39	1
Female	37	–	13	–	1	22	1
29	128	–	36	–	7	84	1
Male	82	–	22	–	4	56	–
Female	46	–	14	–	3	28	1
30	32	–	4	–	–	27	1
Male	18	–	3	–	–	14	1
Female	14	–	1	–	–	13	–
31	33	–	4	–	2	27	–
Male	20	–	3	–	1	16	–
Female	13	–	1	–	1	11	–
32	120	–	30	–	1	88	1
Male	59	–	13	–	1	45	–
Female	61	–	17	–	–	43	1
33	139	–	26	–	–	113	–
Male	136	–	25	–	–	111	–
Female	3	–	1	–	–	2	–
34	16	–	6	–	–	10	–
Male	11	–	5	–	–	6	–
Female	5	–	1	–	–	4	–
35	17	–	2	–	1	14	–
Male	14	–	1	–	1	12	–
Female	3	–	1	–	–	2	–
36	14	–	5	–	–	9	–
Male	8	–	2	–	–	6	–
Female	6	–	3	–	–	3	–
37	14	–	2	–	1	11	–
Male	6	–	1	–	–	5	–
Female	8	–	1	–	1	6	–
38	6	–	–	–	–	6	–
Male	3	–	–	–	–	3	–
Female	3	–	–	–	–	3	–
39	155	1	34	–	3	116	1
Male	130	1	29	–	2	97	1
Female	25	–	5	–	1	19	–
40	65	–	16	–	1	48	–
Male	12	–	5	–	–	7	–
Female	53	–	11	–	1	41	–

Table 2–28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
41	175	–	48	–	4	123	–
Male	117	–	37	–	3	77	–
Female	58	–	11	–	1	46	–
42	98	–	16	–	–	81	1
Male	59	–	10	–	–	49	–
Female	39	–	6	–	–	32	1
43	82	–	21	1	3	55	2
Male	47	–	11	1	2	33	–
Female	35	–	10	–	1	22	2
44	13	–	3	–	–	10	–
Male	6	–	1	–	–	5	–
Female	7	–	2	–	–	5	–
45	7	–	2	–	1	4	–
Male	4	–	1	–	–	3	–
Female	3	–	1	–	1	1	–
46	31	–	9	–	1	21	–
Male	18	–	4	–	1	13	–
Female	13	–	5	–	–	8	–
47	37	–	5	1	1	29	1
Male	23	–	4	1	1	16	1
Female	14	–	1	–	–	13	–
48	296	1	62	–	9	222	2
Male	156	–	32	–	5	118	1
Female	140	1	30	–	4	104	1
49	234	2	51	1	3	176	1
Male	108	1	26	1	1	79	–
Female	126	1	25	–	2	97	1
51	171	–	48	–	5	116	2
Male	97	–	26	–	4	65	2
Female	74	–	22	–	1	51	–
52	27	–	8	–	–	18	1
Male	14	–	5	–	–	9	–
Female	13	–	3	–	–	9	1

Table 2–28 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1986

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
53	11	–	5	–	–	6	–
Male	3	–	–	–	–	3	–
Female	8	–	5	–	–	3	–
54	23	–	6	–	1	16	–
Male	14	–	4	–	–	10	–
Female	9	–	2	–	1	6	–
55	262	–	64	1	5	190	2
Male	145	–	31	1	3	109	1
Female	117	–	33	–	2	81	1
98	98	–	37	–	1	59	1
Male	51	–	20	–	–	31	–
Female	47	–	17	–	1	28	1
Unknown Congenital Anomalies[4]	2,746	2	413	4	28	2,225	74
Male	1,411	1	227	–	13	1,136	34
Female	1,335	1	186	4	15	1,089	40

1 All live births with at least one type of congenital anomaly.

2 Each type of congenital anomaly contains only those births with that anomaly.

3 See page 234 for definitions of congenital anomaly codes.

4 Birth records with "unknown congenital anomalies" include those that do not state whether or not there are congenital anomalies.

Note: Congenital anomalies which were not detected at the time of birth are not included in this table.

Source: State of California, Department of Health Services, Birth Records.

TABLE 2-29

NUMBER OF LIVE BIRTHS BY ESTIMATED MARITAL STATUS[1]
AND AGE OF MOTHER (DETAILED UNDER AGE 20)
CALIFORNIA, SELECTED YEARS, 1966-1986

(BY PLACE OF RESIDENCE)

MARITAL STATUS[1] AND YEAR	TOTAL ALL AGES	UNDER 13	13	14	15	16	17	18	19	TOTAL UNDER 20
ALL LIVE BIRTHS										
1986	481,905	26	141	734	2,657	5,989	9,708	14,204	19,259	52,718
1985	470,816	18	131	741	2,554	5,630	9,323	13,824	19,034	51,255
1984	447,394	20	137	770	2,457	5,480	9,139	13,393	18,661	50,057
1983*	435,722	16	135	702	2,356	5,389	9,140	14,221	19,285	51,244
1982*	429,631	22	122	707	2,379	5,620	9,875	15,035	20,261	54,021
1980	402,720	9	118	638	2,446	5,868	10,216	15,224	21,002	55,521
1975	317,318	9	138	722	2,623	5,845	10,296	14,950	18,814	53,397
1971	329,826	13	98	639	2,317	5,804	10,292	15,334	19,968	54,465
1970	362,652	17	107	620	2,447	6,570	11,563	17,428	23,005	61,757
1966	337,623	18	101	453	1,853	5,083	10,201	17,132	25,248	60,089
MARRIED[1]										
1986	354,448	4	14	113	466	1,437	3,111	5,679	9,389	20,233
1985	355,372	3	10	128	442	1,442	3,090	5,827	9,883	20,825
1984	342,864	4	11	123	449	1,475	3,281	5,964	10,080	21,387
1983*	335,717	3	13	93	429	1,407	3,262	6,327	10,759	22,293
1982*	334,047	5	5	92	411	1,601	3,740	7,237	11,832	24,923
1980	319,347	2	12	89	525	1,891	4,307	7,994	13,023	27,843
1975	264,464	1	10	130	716	2,370	5,405	9,205	13,283	31,120
1971	289,914	-	7	111	757	2,892	6,445	11,107	15,788	37,107
1970	317,059	-	10	128	823	3,315	7,435	12,624	17,928	42,263
1966	305,819	1	10	89	762	3,108	7,505	13,844	21,479	46,798
UNMARRIED[1]										
1986	127,457	22	127	621	2,191	4,532	6,597	8,525	9,870	32,485
1985	115,444	15	121	613	2,112	4,188	6,233	7,997	9,151	30,430
1984	104,530	16	126	647	2,008	4,005	5,858	7,429	8,581	28,670
1983*	100,005	13	122	609	1,927	3,982	5,878	7,894	8,526	28,951
1982*	95,584	17	117	615	1,968	4,019	6,135	7,798	8,429	29,098
1980	83,373	7	106	549	1,921	3,977	5,909	7,230	7,979	27,678
1975	52,854	8	128	592	1,907	3,475	4,891	5,745	5,531	22,277
1971	39,912	13	91	528	1,560	2,912	3,847	4,227	4,180	17,358
1970	45,593	17	97	492	1,624	3,255	4,128	4,804	5,077	19,494
1966	31,804	17	91	364	1,091	1,975	2,696	3,288	3,769	13,291

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTH STATISTICS, SERIES 2, NO. 97, 1985.

* 1982 AND 1983 MARRIED AND UNMARRIED DATA HAVE BEEN ADJUSTED TO CORRECT FOR CERTAIN CODING ERRORS; FURTHER INFORMATION ON THE ADJUSTMENT IS AVAILABLE IN DATA MATTERS REPORT NO. 86-01131, SEPTEMBER, 1986

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-30

NUMBER OF LIVE BIRTHS BY ESTIMATED MARITAL STATUS,[1] RACE OF MOTHER, AND AGE OF MOTHER CALIFORNIA, SELECTED YEARS, 1966-1986

(BY PLACE OF RESIDENCE)

MARITAL STATUS[1] AND YEAR	ALL RACES[2]					BLACK					WHITE				
	ALL AGES[3]	15-19	20-24	25-34	35+	ALL AGES[3]	15-19	20-24	25-34	35+	ALL AGES[3]	15-19	20-24	25-34	35+
ALL LIVE BIRTHS															
1986	481,905	51,817	135,304	251,142	42,741	41,839	7,664	13,885	17,828	2,233	390,547	41,356	112,067	203,044	33,488
1985	470,816	50,365	136,985	243,590	38,986	40,292	7,331	13,821	16,825	2,070	381,837	40,358	113,485	196,877	30,527
1984	447,394	49,130	134,540	228,056	34,741	38,642	7,254	13,537	15,768	1,846	362,138	39,259	111,202	183,786	27,268
1983*	435,722	50,391	134,387	218,485	31,428	36,748	7,110	12,988	14,767	1,660	354,174	40,595	111,473	176,289	25,132
1982*	429,631	53,170	136,388	210,920	28,159	35,964	7,362	12,961	13,990	1,441	351,389	43,064	113,786	171,175	22,667
1980	402,720	54,756	133,504	190,794	22,666	34,511	7,607	12,731	12,726	1,236	332,679	44,492	112,409	156,780	18,295
1975	317,318	52,528	109,563	138,796	15,522	28,456	8,155	10,232	8,749	1,025	273,029	43,312	95,748	120,299	13,083
1971	329,826	53,715	125,177	131,309	18,829	29,045	8,142	10,519	8,615	1,483	287,441	44,639	110,849	115,449	16,028
1970	362,652	61,013	137,283	142,027	21,539	32,133	9,073	11,483	9,554	1,715	317,168	50,942	122,103	125,320	18,366
1966	337,623	59,517	122,823	126,451	28,237	28,847	7,785	9,360	9,318	2,108	298,491	51,118	110,986	111,449	24,632
MARRIED[1]															
1986	354,448	20,102	91,077	207,550	35,588	16,690	1,034	4,864	9,415	1,364	294,138	17,612	78,636	170,060	27,741
1985	355,372	20,684	96,418	205,320	32,809	16,857	1,004	5,202	9,349	1,279	295,463	18,273	83,329	168,114	25,650
1984	342,864	21,249	97,284	194,722	29,471	16,131	965	5,118	8,854	1,179	285,444	18,885	84,070	159,283	23,108
1983*	335,717	22,184	99,070	187,503	26,758	15,569	853	5,071	8,531	1,080	280,468	19,886	85,637	153,400	21,379
1982*	334,047	24,821	102,220	182,527	24,278	15,218	1,013	5,101	8,164	933	281,325	22,316	88,964	150,334	19,557
1980	319,347	27,740	103,384	168,098	19,854	15,011	1,181	5,262	7,765	788	273,215	25,125	91,234	140,504	16,151
1975	264,464	30,979	91,996	127,327	13,997	13,438	1,644	5,078	5,971	723	236,473	28,705	83,738	111,992	11,902
1971	289,914	36,989	111,955	123,422	17,410	16,595	2,404	6,569	6,470	1,142	260,919	33,954	101,919	109,935	14,987
1970	317,059	42,125	121,668	133,234	19,863	18,531	2,842	7,206	7,158	1,311	286,116	38,597	111,107	119,122	17,144
1966	305,819	46,698	112,520	119,869	26,610	19,723	3,647	6,910	7,458	1,690	276,287	42,587	103,274	106,867	23,465
UNMARRIED[1]															
1986	127,457	31,715	44,227	43,592	7,153	25,149	6,630	9,021	8,413	869	96,409	23,744	33,431	32,984	5,747
1985	115,444	29,681	40,567	38,270	6,177	23,435	6,327	8,619	7,476	791	86,374	22,085	30,156	28,763	4,877
1984	104,530	27,881	37,256	33,334	5,270	22,511	6,289	8,419	6,914	667	76,694	20,374	27,132	24,503	4,160
1983*	100,005	28,207	35,317	30,982	4,670	21,179	6,257	7,917	6,236	580	73,706	20,709	25,836	22,889	3,753
1982*	95,584	28,349	34,168	28,393	3,881	20,746	6,349	7,860	5,826	508	70,064	20,748	24,822	20,841	3,110
1980	83,373	27,016	30,120	22,696	2,812	19,500	6,426	7,469	4,961	448	59,464	19,367	21,175	16,276	2,144
1975	52,854	21,549	17,567	11,469	1,525	15,018	6,511	5,154	2,778	302	36,356	14,607	12,010	8,307	1,181
1971	39,912	16,726	13,222	7,887	1,419	12,450	5,738	3,950	2,145	341	26,522	10,685	8,930	5,514	1,041
1970	45,593	18,888	15,615	8,793	1,676	13,602	6,231	4,277	2,396	404	31,052	12,345	10,996	6,198	1,222
1966	31,804	12,819	10,303	6,582	1,627	9,124	4,138	2,450	1,860	418	22,204	8,531	7,712	4,582	1,167

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTH STATISTICS, SERIES 2, NO. 97, 1985.

2 INCLUDES LIVE BIRTHS TO WOMEN OF ALL RACES INCLUDING WHITE, BLACK, OTHER AND UNKNOWN RACE.

3 INCLUDES LIVE BIRTHS TO MOTHERS UNDER 15 AND OF UNKNOWN AGE.

* 1982 AND 1983, MARRIED AND UNMARRIED DATA HAVE BEEN ADJUSTED TO CORRECT FOR CERTAIN CODING ERRORS; FURTHER INFORMATION ON THE ADJUSTMENT IS AVAILABLE IN DATA MATTERS REPORT NO. 86-01131, SEPTEMBER, 1986.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-31

ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] AS A PERCENT OF TOTAL LIVE BIRTHS
BY RACE OF MOTHER AND AGE OF MOTHER
CALIFORNIA, SELECTED YEARS, 1966-1986

(BY PLACE OF RESIDENCE)

RACE AND AGE	1986	1985	1984	1983 M	1982 M	1980	1975	1971	1970	1966
ALL RACES[2]										
ALL AGES[3]	26.4	24.5	23.4	23.0	22.2	20.7	16.7	12.1	12.6	9.4
UNDER 15	85.5	84.2	85.1	87.2	86.0	86.5	83.8	84.3	81.5	82.5
15-17	72.6	71.6	69.5	69.8	67.8	63.7	54.7	45.2	43.8	33.6
18-19	55.0	52.2	49.9	49.0	46.0	42.0	33.4	23.8	24.4	16.7
20-24	32.7	29.6	27.7	26.3	25.1	22.6	16.0	10.6	11.4	8.4
25-29	18.6	16.9	15.7	15.0	14.3	12.5	8.5	5.8	6.0	5.2
30-34	15.4	13.9	12.9	12.8	12.1	10.7	7.8	6.4	6.5	5.3
35 AND OVER	16.7	15.8	15.2	14.9	13.8	12.4	9.8	7.5	7.8	5.8
BLACK										
ALL AGES[3]	60.1	58.2	58.3	57.6	57.7	56.5	52.8	42.9	42.3	31.6
UNDER 15	94.3	90.6	93.7	86.1	98.5	96.4	93.4	96.8	96.1	93.5
15-17	90.6	90.8	92.5	94.4	93.8	91.8	86.2	83.9	81.1	68.6
18-19	83.7	83.4	83.1	84.1	81.3	79.6	73.5	59.9	59.0	42.1
20-24	65.0	62.4	62.2	61.0	60.6	58.7	50.4	37.6	37.2	26.2
25-29	49.4	46.4	46.3	44.6	44.0	41.3	33.4	25.2	24.7	19.7
30-34	42.8	40.4	38.8	37.4	36.6	34.2	27.8	24.3	25.9	20.4
35 AND OVER	38.9	38.2	36.1	34.9	35.3	36.2	29.5	23.0	23.6	19.8
WHITE										
ALL AGES[3]	24.7	22.6	21.2	20.8	19.9	17.9	13.4	9.2	9.8	7.4
UNDER 15	85.0	83.6	84.3	81.9	85.9	83.6	79.0	76.5	70.6	73.3
15-17	69.7	68.5	65.4	65.5	62.9	57.9	46.7	35.6	34.6	25.2
18-19	51.0	47.6	44.9	44.0	41.0	36.5	27.2	18.3	19.3	13.6
20-24	29.8	26.6	24.4	23.2	21.8	18.8	12.5	8.1	9.0	6.9
25-29	17.2	15.4	14.0	13.5	12.7	10.7	7.0	4.6	4.9	4.1
30-34	14.8	13.3	12.2	12.2	11.3	9.7	6.8	5.2	5.1	4.1
35 AND OVER	17.2	16.0	15.3	14.9	13.7	11.7	9.0	6.5	6.7	4.7

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTHSTATISTICS, SERIES 2, NO.97, 1983.

2 INCLUDES LIVE BIRTHS TO WOMEN OF ALL RACES INCLUDING WHITE, BLACK, OTHER AND UNKNOWN RACE.

3 INCLUDES LIVE BIRTHS TO MOTHERS OF UNKNOWN AGE.

M FOR 1982 AND 1983, MARRIED AND UNMARRIED DATA HAVE BEEN ADJUSTED TO CORRECT FOR CERTAIN CODING ERRORS; FURTHER INFORMATION ON THE ADJUSTMENT IS AVAILABLE IN DATA MATTERS REPORT NO. 86-01131, SEPTEMBER, 1986.

NOTE: PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-32 1

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN
BY RACE, SPANISH/HISPANIC ORIGIN AND AGE OF MOTHER AND LIVE BIRTH ORDER
CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

RACE AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER					
		FIRST	SECOND	THIRD	FOURTH	FIFTH OR HIGHER	UNKNOWN
	TOTAL LIVE BIRTHS						
ALL RACES [2,3]	481,905	196,136	151,542	77,232	31,466	23,809	1,720
UNDER 15	901	888	9	2	-	-	2
15-17	18,354	16,041	2,058	193	17	1	44
18-19	33,463	24,430	7,355	1,379	192	27	80
20-24	133,304	66,619	45,049	16,971	4,736	1,529	400
25-29	152,386	53,192	52,715	28,815	11,167	5,966	531
30-34	98,756	26,402	32,797	20,949	10,010	8,206	392
35-39	36,822	7,615	10,403	7,929	4,610	6,099	164
40 AND OVER	5,706	885	1,121	969	727	1,968	36
UNKNOWN	213	64	33	25	7	13	71
BLACK [3]	41,839	16,803	12,320	7,006	3,179	2,333	198
UNDER 15	229	225	3	1	-	-	-
15-17	3,127	2,704	365	43	3	-	10
18-19	4,537	3,181	1,069	233	40	7	7
20-24	13,885	6,103	4,634	2,096	709	279	64
25-29	11,763	3,124	3,965	2,618	1,198	793	63
30-34	6,065	1,158	1,762	1,317	850	739	39
35-39	1,972	278	473	444	333	435	9
40 AND OVER	240	25	44	49	42	78	2
UNKNOWN	21	5	5	5	2	-	4
WHITE-HISPANIC	154,699	54,787	44,104	28,898	14,179	12,300	431
UNDER 15	403	399	2	-	-	-	2
15-17	8,502	7,279	1,113	93	5	1	11
18-19	14,522	10,208	3,498	694	86	8	28
20-24	50,738	22,369	17,565	7,719	2,285	669	131
25-29	44,176	10,147	14,353	11,243	3,254	3,047	130
30-34	24,688	3,329	5,852	6,665	4,426	4,333	83
35-39	9,685	886	1,499	2,204	1,844	3,222	30
40 AND OVER	1,919	144	207	265	278	1,015	10
UNKNOWN	66	26	15	13	1	5	6
WHITE NON-HISPANIC	234,571	103,438	79,600	34,256	11,046	3,504	727
UNDER 15	180	179	1	-	-	-	-
15-17	5,689	5,206	445	23	2	-	13
18-19	12,302	9,685	2,398	340	37	7	35
20-24	60,974	32,973	20,172	6,102	1,287	283	157
25-29	79,747	32,433	29,253	12,796	3,773	1,267	225
30-34	53,739	17,329	20,070	10,414	3,792	1,973	181
35-39	19,207	5,066	6,587	4,091	1,852	1,524	87
40 AND OVER	2,471	552	669	487	301	448	14
UNKNOWN	42	15	5	3	2	2	15
OTHER [3]	47,243	19,543	14,480	6,573	2,881	3,547	221
UNDER 15	74	70	3	1	-	-	-
15-17	930	764	121	34	3	-	6
18-19	1,698	1,188	360	108	29	3	8
20-24	8,889	4,739	2,424	970	436	289	31
25-29	13,573	7,043	4,773	1,971	873	831	80
30-34	13,419	4,298	4,646	2,209	883	1,122	61
35-39	5,622	1,284	1,757	1,124	548	882	27
40 AND OVER	1,014	150	189	132	103	413	7
UNKNOWN	24	7	5	4	2	5	1
NOT STATED [3]	2,274	988	633	324	119	84	104
UNDER 15	6	6	-	-	-	-	-
15-17	57	46	8	-	-	-	3
18-19	112	91	18	3	-	-	-
20-24	463	243	136	31	13	5	13
25-29	705	296	230	103	41	16	19
30-34	571	207	180	100	40	24	20
35-39	262	77	69	37	22	27	10
40 AND OVER	47	11	11	10	3	11	1
UNKNOWN	51	9	3	-	-	1	38

TABLE 2-32 (CONTINUED) [1]

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN BY RACE, SPANISH/HISPANIC ORIGIN AND AGE OF MOTHER AND LIVE BIRTH ORDER CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

RACE AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER					
		FIRST	SECOND	THIRD	FOURTH	FIFTH OR HIGHER	UNKNOWN
	NONMARITAL LIVE BIRTHS						
ALL RACES [2,3]	127,457	61,772	32,808	17,871	8,035	6,440	511
UNDER 15	770	762	6	-	-	-	2
15-17	13,320	11,798	1,369	116	7	1	29
18-19	18,395	13,699	3,781	766	94	15	40
20-24	44,227	21,596	13,709	6,160	1,970	646	146
25-29	28,409	8,225	8,558	6,417	3,064	2,024	121
30-34	15,183	3,989	3,900	3,187	1,942	2,096	69
35-39	5,997	1,459	1,309	1,066	816	1,303	42
40 AND OVER	1,049	213	169	149	160	350	6
UNKNOWN	107	29	7	10	2	3	56
BLACK [3]	25,149	11,217	6,843	3,807	1,801	1,364	115
UNDER 15	216	213	3	-	-	-	-
15-17	2,834	2,470	323	32	2	-	7
18-19	3,796	2,666	896	191	31	6	6
20-24	9,021	3,944	2,934	1,393	499	203	46
25-29	5,815	1,351	1,833	1,393	700	506	32
30-34	2,398	452	682	636	406	487	15
35-39	758	108	151	138	147	208	6
40 AND OVER	96	9	20	17	15	34	1
UNKNOWN	15	4	3	5	1	-	2
WHITE-HISPANIC	55,277	23,595	14,516	8,846	4,272	3,902	146
UNDER 15	336	332	2	-	-	-	2
15-17	5,884	5,081	726	68	2	1	6
18-19	7,789	5,482	1,855	391	48	4	9
20-24	19,482	8,628	6,329	3,142	1,018	322	43
25-29	12,472	2,746	3,708	3,160	1,637	1,177	44
30-34	6,293	963	1,429	1,491	1,057	1,329	24
35-39	2,502	297	406	519	427	844	9
40 AND OVER	492	53	58	70	83	224	4
UNKNOWN	25	11	3	5	-	1	5
WHITE NON-HISPANIC	40,799	23,505	10,008	4,551	1,677	898	160
UNDER 15	139	138	1	-	-	-	-
15-17	4,001	3,710	265	14	2	-	10
18-19	5,982	4,890	903	135	9	5	20
20-24	13,649	7,939	3,932	1,439	398	96	45
25-29	8,777	3,550	2,652	1,634	623	285	33
30-34	5,326	2,203	1,520	905	408	271	19
35-39	2,313	920	657	352	184	179	21
40 AND OVER	372	128	77	52	52	62	1
UNKNOWN	20	7	1	-	1	-	11
OTHER [3,4]	5,296	2,960	1,224	573	270	245	24
UNDER 15	46	46	-	-	-	-	-
15-17	522	469	47	2	1	-	3
18-19	711	561	113	27	6	-	4
20-24	1,617	933	445	160	48	21	8
25-29	1,138	505	305	186	90	48	4
30-34	815	309	224	133	66	79	4
35-39	364	111	78	55	30	69	1
40 AND OVER	80	22	12	10	9	27	-
UNKNOWN	3	2	-	-	-	1	-
NOT STATED [3]	603	299	139	65	24	22	54
UNDER 15	5	3	-	-	-	-	-
15-17	44	36	3	-	-	-	3
18-19	64	34	9	1	-	-	-
20-24	158	86	42	18	6	3	3
25-29	127	46	39	25	9	4	4
30-34	113	48	31	19	3	7	7
35-39	43	17	12	2	5	5	4
40 AND OVER	7	3	1	-	1	2	-
UNKNOWN	38	4	-	-	-	1	33

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTH STATISTICS, SERIES 2, NO. 97, 1985.

2 LIVE BIRTHS WHERE RACE OF MOTHER WAS "WHITE" AND "HISPANIC" OR "NON-HISPANIC" ORIGIN OF MOTHER WAS UNKNOWN ARE INCLUDED ONLY IN THE "ALL RACES" CATEGORY. THERE WERE 1,277 "TOTAL LIVE BIRTHS" AND 333 "NONMARITAL LIVE BIRTHS" WITH THIS UNKNOWN DESIGNATION. FOR THIS REASON, SUBSEQUENT RACE AND "NOT STATED" CATEGORIES WILL NOT SUM TO THE "ALL RACES" TOTAL.

3 INCLUDES LIVE BIRTHS TO WOMEN OF HISPANIC, NON-HISPANIC AND UNKNOWN HISPANIC ORGIN.

4 THE COUNTS OF NONMARITAL BIRTHS IN THE "OTHER" RACE GROUP MAY BE LOW, DUE TO THE DIFFICULTY OF APPLYING INFERENTIAL CRITERIA TO BIRTHS IN THIS GROUP; SEE REFERENCE GIVEN IN FOOTNOTE 1.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-33

TOTAL LIVE BIRTHS AND ESTIMATED NUMBER AND PERCENT OF LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL LIVE BIRTHS				NONMARITAL LIVE BIRTHS[1] NUMBER				NONMARITAL LIVE BIRTHS[1] PERCENT OF ALL LIVE BIRTHS			
	ALL RACES[2,3]	BLACK[4]	WHITE HISPANIC	WHITE NON-HISPANIC	ALL RACES[2,3]	BLACK[4]	WHITE HISPANIC	WHITE NON-HISPANIC	ALL RACES[2,3]	BLACK[4]	WHITE HISPANIC	WHITE NON-HISPANIC
CALIFORNIA	481,905	41,839	154,699	234,571	127,457	25,149	55,277	40,799	26.4	60.1	35.7	17.4
ALAMEDA	20,127	4,364	2,759	9,636	5,460	2,618	765	1,644	27.1	60.0	27.7	17.1
ALPINE	18	-	1	10	5	-	1	2	*	-	*,**	*,**
AMADOR	255	-	9	236	37	-	3	31	14.5	-	*,**	13.1
BUTTE	2,337	36	187	2,010	578	26	57	465	24.7	*	30.5	23.1
CALAVERAS	304	-	11	284	57	-	-	54	18.8	-	-	19.0
COLUSA	248	-	106	134	39	-	18	17	15.7	-	17.0	12.7
CONTRA COSTA	11,048	1,391	1,180	7,377	2,443	843	304	1,181	22.1	60.7	25.8	16.0
DEL NORTE	287	-	19	220	84	-	3	67	29.3	-	*,**	30.5
EL DORADO	1,590	7	124	1,395	346	3	50	280	21.8	*,**	40.3	20.1
FRESNO	11,746	689	5,106	4,651	3,614	482	2,127	882	30.8	70.0	41.7	19.0
GLENN	367	2	83	274	77	2	19	52	21.0	*,**	*	19.0
HUMBOLDT	1,751	10	36	1,470	448	3	16	355	25.6	*	*	24.1
IMPERIAL	2,092	34	1,559	446	520	19	431	70	24.9	*	27.6	15.7
INYO	224	-	19	164	59	-	5	36	26.3	-	*	22.0
KERN	10,213	639	3,477	5,366	2,963	409	1,311	1,161	29.0	62.1	37.7	20.9
KINGS	1,924	126	643	1,046	531	81	241	193	27.6	64.3	37.5	18.5
LAKE	668	8	53	564	193	4	10	154	28.9	*,**	*	27.3
LASSEN	305	6	13	269	75	4	3	62	24.6	*,**	*,**	23.0
LOS ANGELES	160,557	20,556	75,676	49,196	54,005	13,459	30,120	8,865	33.6	65.5	39.8	18.0
MADERA	1,357	34	621	657	389	23	227	125	28.7	*	36.6	19.0
MARIN	2,637	71	188	2,168	396	29	38	305	15.0	*	20.2	14.1
MARIPOSA	139	-	3	127	26	-	-	19	18.7	-	-	15.0
MENDOCINO	1,142	3	141	901	323	3	31	239	28.3	*,**	22.0	26.5
MERCED	3,392	150	1,120	1,615	759	66	344	311	22.4	44.0	30.7	19.3
MODOC	128	-	25	97	27	-	3	20	21.1	-	*,**	*
MONO	108	-	12	83	20	-	1	14	18.5	-	*,**	*
MONTEREY	6,602	450	2,641	2,866	1,255	120	720	328	19.0	26.7	27.3	11.4
NAPA	1,408	6	227	1,124	235	3	44	180	16.7	*,**	19.4	16.0
NEVADA	851	-	37	799	151	-	6	140	17.7	-	*	17.5
ORANGE	37,666	683	11,129	22,101	6,761	219	3,361	2,866	17.9	32.1	30.2	13.0
PLACER	1,991	6	136	1,795	342	1	32	294	17.2	*,**	23.5	16.4
PLUMAS	207	3	13	180	45	2	3	34	21.7	*,**	*,**	18.9
RIVERSIDE	16,208	907	4,859	9,706	4,100	473	1,369	1,892	25.3	52.1	32.3	19.5
SACRAMENTO	15,975	1,735	1,941	10,418	4,481	1,076	770	2,345	28.1	62.0	39.7	22.5
SAN BENITO	603	4	324	253	122	2	89	28	20.2	*,**	27.5	11.1
SAN BERNARDINO	22,595	1,838	5,778	13,933	5,706	934	1,931	2,660	25.3	50.8	33.8	19.1
SAN DIEGO	39,075	2,990	9,538	22,396	8,548	1,415	2,888	3,630	21.9	47.3	30.2	16.2
SAN FRANCISCO	9,698	1,467	1,824	2,882	2,705	966	669	642	27.9	65.8	36.7	22.3
SAN JOAQUIN	8,377	536	1,989	4,387	2,210	348	699	998	26.4	64.9	35.1	22.7
SAN LUIS OBISPO	2,603	32	345	2,034	378	12	73	270	14.5	*	21.2	13.3
SAN MATEO	9,360	604	1,923	4,760	1,646	326	482	618	17.6	54.0	25.1	13.0
SANTA BARBARA	5,256	148	1,780	3,026	1,006	60	467	442	19.1	40.5	26.2	14.6
SANTA CLARA	24,400	968	6,169	12,548	5,032	469	2,287	1,750	20.6	48.5	37.1	13.9
SANTA CRUZ	3,710	19	1,202	2,333	819	12	370	409	22.1	*	30.8	17.5
SHASTA	1,961	14	71	1,780	465	3	16	409	23.7	*	*	23.0
SIERRA	22	-	-	20	4	-	-	3	*,**	-	-	*,**
SISKIYOU	595	3	44	504	114	2	6	91	19.2	*,**	*	18.1
SOLANO	5,110	673	326	3,292	1,142	336	133	363	22.3	52.9	25.3	17.1
SONOMA	5,228	60	393	4,212	951	24	153	680	18.2	*	26.1	16.1
STANISLAUS	5,760	98	1,354	3,879	1,331	34	392	682	23.5	*	29.0	22.2
SUTTER	1,007	16	176	719	149	4	43	93	14.8	*,**	24.4	12.9
TEHAMA	664	1	90	559	162	1	22	131	24.4	*,**	*	23.4
TRINITY	145	-	4	135	29	-	-	28	20.0	-	-	20.7
TULARE	5,847	91	2,873	2,561	1,776	62	1,093	565	30.4	*	38.1	22.1
TUOLUMNE	479	3	22	439	74	2	1	65	15.4	*,**	*,**	14.8
VENTURA	10,368	242	3,298	6,115	1,304	78	628	721	14.3	32.2	19.0	11.8
YOLO	1,937	37	476	1,262	470	21	157	268	24.3	*	33.0	20.9
YUBA	1,233	37	104	933	248	21	21	190	20.1	*	20.2	20.4

1 FOR STATISTICAL PURPOSES, MARITAL STATUS IS ESTIMATED BY AN INFERENTIAL METHOD. FOR DETAILS OF THE INFERENTIAL METHOD, SEE BERKOV, BETH, "AN EVALUATION OF CALIFORNIA'S INFERRED BIRTH STATISTICS FOR UNMARRIED WOMEN", NATIONAL CENTER FOR HEALTH STATISTICS, VITAL AND HEALTH STATISTICS, SERIES 2, NO. 97, 1983.

2 INCLUDES LIVE BIRTHS TO WOMEN OF ALL RACES INCLUDING WHITE, BLACK, OTHER AND UNKNOWN RACE.

3 LIVE BIRTHS WHERE RACE OF MOTHER WAS "WHITE" AND "HISPANIC" OR "NON-HISPANIC" ORIGIN OF MOTHER WAS UNKNOWN ARE INCLUDED ONLY IN THE "ALL RACES" COLUMNS. THERE WERE 1,277 "TOTAL LIVE BIRTHS" AND 333 "NONMARITAL LIVE BIRTHS" WITH THIS UNKNOWN DESIGNATION.

4 INCLUDES LIVE BIRTHS TO WOMEN OF HISPANIC, NON-HISPANIC AND UNKNOWN HISPANIC ORIGIN.

* PERCENTS ARE NOT CALCULATED FOR BASE LESS THAN 100.

** PERCENTS ARE NOT CALCULATED FOR FEWER THAN 5 EVENTS.

NOTE: QUANTITIES MORE THAN ZERO BUT LESS THAN 0.05 ARE REPRESENTED AS 0.0.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

3. FETAL DEATHS

			Page
Table	3-1	Fetal deaths by race/ethnicity of child and age of mother: California, 1986	108
	3-2	Fetal deaths by Spanish/Hispanic origin of mother and age of mother: California, 1986	108
	3-3	Fetal deaths-number, ratio, and percent distribution by age of mother: California, 1986	109
	3-4	Fetal deaths by age of mother: California counties, 1986	110
	3-5	Fetal deaths by birthweight, weeks of gestation, and race/ethnicity of child: California, 1986	111
	3-6	Fetal deaths by birthweight, weeks of gestation, and Spanish/Hispanic origin of mother: California, 1986	113
	3-7	Number and percent of fetal deaths by weeks of gestation: California, 1986 ..	114
	3-8	Fetal deaths by plurality of delivery, sex and race/ethnicity of child: California, 1986	115
	3-9	Fetal deaths by plurality of delivery, sex, and Spanish/Hispanic origin of mother: California, 1986	116
	3-10	Fetal deaths by each cause and race/ethnicity of child: California, 1986	117
	3-11	Fetal deaths by each cause and Spanish/Hispanic origin of mother: California, 1986	121

Table 3–1

FETAL DEATHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER
CALIFORNIA 1986

(By place of residence)

RACE/ETHNICITY OF CHILD	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
California	3,259	18	29	45	69	112	137	800	858	642	352	69	5	3	120
American Indian	25	–	–	1	1	1	–	12	4	5	1	–	–	–	–
Black	540	6	12	13	17	25	28	132	141	95	32	8	–	–	31
Cambodian	12	–	–	–	–	–	–	–	3	3	2	3	–	1	–
Chinese	39	–	–	1	–	–	–	2	4	20	11	1	–	–	–
Eskimo/Aleut	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Filipino	71	–	–	1	1	4	–	10	20	16	15	4	–	–	–
Indian (India)	14	–	–	–	–	–	–	3	3	3	3	1	1	–	–
Japanese	6	–	–	–	–	–	1	1	2	1	1	–	–	–	–
Korean	16	–	–	–	–	–	–	3	5	7	1	–	–	–	–
Pacific Islander	19	–	–	–	–	1	3	4	6	2	2	1	–	–	–
Thai	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Vietnamese	23	–	1	–	–	1	1	7	7	4	2	–	–	–	–
White	2,402	12	15	26	48	80	101	603	644	474	276	49	4	1	69
Other Asian	35	–	1	2	1	–	2	12	6	4	5	1	–	1	–
Other	4	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Not Stated	49	–	–	1	1	–	1	9	10	6	–	1	–	–	20

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–2

FETAL DEATHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER
CALIFORNIA 1986

(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
California	3,259	18	29	45	69	112	137	800	858	642	352	69	5	3	120
Hispanic	1,042	9	6	10	31	48	55	265	252	178	119	22	4	0	43
Non-Hispanic	2,107	7	22	34	37	64	78	510	592	451	232	46	1	3	30
Not Stated	110	2	1	1	1	0	4	25	14	13	1	1	0	0	47

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–3

FETAL DEATHS
NUMBER, RATIO, AND PERCENT DISTRIBUTION
BY AGE OF MOTHER
CALIFORNIA, 1986

(By place of residence)

AGE OF MOTHER	FETAL DEATHS	RATIO[1]	PERCENT
Total	3,259	6.8	100.0
Under 15	18	20.0	0.6
15–19	392	7.6	12.0
15	29	10.9	0.9
16	45	7.5	1.4
17	69	7.1	2.1
18	112	7.9	3.4
19	137	7.1	4.2
20–24	800	5.9	24.5
25–29	858	5.6	26.3
30–34	642	6.5	19.7
35–39	352	9.6	10.8
40–44	69	12.8	2.1
45–49	5	18.2	0.2
50 and Over	3	142.9	0.1
Not Stated	120	. . .	3.7

1 Fetal death ratios are per 1,000 live births of each age group.

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Birth and Fetal Death Records.

TABLE 3-4

FETAL DEATHS BY AGE OF MOTHER

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	3,259	18	29	45	69	112	137	800	858	642	352	89	5	3	120
ALAMEDA	123	1	1	3	2	6	6	24	38	24	14	2	-	-	2
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BUTTE	12	-	1	-	-	1	-	6	1	2	1	-	-	-	-
CALAVERAS	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	77	1	1	1	1	2	-	16	25	16	10	3	-	1	-
DEL NORTE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
EL DORADO	7	-	-	-	-	-	-	1	1	3	2	-	-	-	-
FRESNO	92	-	3	1	2	2	2	28	19	21	11	1	-	1	1
GLENN	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
HUMBOLDT	16	-	-	1	-	-	-	7	3	3	1	1	-	-	-
IMPERIAL	14	-	-	-	-	1	2	3	3	2	-	-	1	-	-
INYO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KERN	75	-	1	1	2	2	5	21	26	8	7	2	-	-	-
KINGS	14	-	-	-	2	-	1	5	2	2	1	1	-	-	-
LAKE	8	-	-	-	-	1	-	1	1	2	3	-	-	-	-
LASSEN	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
LOS ANGELES	1,184	7	7	15	19	43	53	279	296	213	138	21	3	1	87
MADERA	11	-	-	-	-	2	1	1	3	2	-	1	-	-	1
MARIN	17	-	-	-	-	-	-	3	4	3	6	1	-	-	-
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	13	-	-	-	1	-	1	2	4	3	2	-	-	-	-
MERCED	24	1	-	2	1	1	2	8	4	1	3	-	-	-	1
MODOC	3	-	-	-	-	1	-	-	-	2	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	50	-	-	-	1	2	2	20	12	7	3	3	-	-	-
NAPA	10	-	-	1	-	-	-	1	5	3	-	-	-	-	-
NEVADA	7	-	-	-	-	-	-	3	1	2	1	-	-	-	-
ORANGE	219	-	3	2	2	5	6	58	64	47	25	2	-	-	5
PLACER	10	-	-	-	-	1	-	1	5	2	-	1	-	-	-
PLUMAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	104	-	-	1	2	4	7	28	30	21	6	1	-	-	4
SACRAMENTO	72	-	-	1	1	2	3	15	19	19	8	2	-	-	2
SAN BENITO	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
SAN BERNARDINO	142	1	1	2	4	5	5	44	41	23	9	3	-	-	4
SAN DIEGO	267	3	2	3	8	9	14	74	74	54	19	6	-	-	1
SAN FRANCISCO	91	1	-	2	1	3	2	9	18	29	16	-	-	-	10
SAN JOAQUIN	60	-	-	1	3	3	6	13	15	12	5	2	-	-	-
SAN LUIS OBISPO	18	-	-	1	1	1	2	3	4	5	1	-	-	-	-
SAN MATEO	46	-	-	-	3	-	1	4	15	9	11	3	-	-	-
SANTA BARBARA	51	-	1	1	1	1	5	9	18	8	4	2	-	-	1
SANTA CLARA	149	1	2	2	5	2	4	34	38	40	14	7	-	-	-
SANTA CRUZ	23	-	1	-	1	1	2	4	5	6	3	-	-	-	-
SHASTA	6	-	-	-	-	-	-	2	-	3	1	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SOLANO	27	-	2	-	1	3	1	8	4	4	2	2	-	-	-
SONOMA	38	-	1	-	-	-	2	9	10	8	7	-	1	-	-
STANISLAUS	30	1	-	1	-	1	-	11	9	2	5	-	-	-	-
SUTTER	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
TEHAMA	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
TRINITY	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TULARE	47	-	-	2	2	3	-	20	6	8	5	1	-	-	-
TUOLUMNE	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
VENTURA	56	1	1	-	2	-	-	13	19	13	6	1	-	-	-
YOLO	17	-	-	-	-	2	-	6	3	5	1	-	-	-	-
YUBA	7	-	-	-	-	-	1	2	1	1	1	-	-	-	1

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.
SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-5

FETAL DEATHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL FETAL DEATHS	3,259	25	540	12	39	-	71	14	6
UNDER 1,500 GRAMS	1,653	15	331	5	17	-	36	9	4
UNDER 37 WEEKS	1,259	12	246	4	14	-	25	9	3
37-42 WEEKS	59	-	9	-	-	-	3	-	-
43 WEEKS AND OVER	13	-	2	-	-	-	1	-	-
NOT STATED	322	3	74	1	3	-	7	-	1
1,500-2,499 GRAMS	627	-	105	2	8	-	12	-	1
UNDER 37 WEEKS	335	-	54	1	4	-	9	-	-
37-42 WEEKS	181	-	28	1	2	-	2	-	1
43 WEEKS AND OVER	17	-	-	-	-	-	1	-	-
NOT STATED	94	-	23	-	2	-	-	-	-
2,500 GRAMS OR MORE	880	10	95	3	14	-	21	4	1
UNDER 37 WEEKS	154	-	23	-	4	-	3	-	-
37-42 WEEKS	546	9	50	2	9	-	17	4	1
43 WEEKS AND OVER	63	1	6	-	1	-	-	-	-
NOT STATED	117	-	16	1	-	-	1	-	-
NOT STATED	99	-	9	2	-	-	2	1	-
UNDER 37 WEEKS	44	-	4	1	-	-	1	-	-
37-42 WEEKS	20	-	1	-	-	-	1	-	-
43 WEEKS AND OVER	1	-	-	-	-	-	-	-	-
NOT STATED	34	-	4	1	-	-	-	1	-

TABLE 3-5 (CONTINUED)

FETAL DEATHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL FETAL DEATHS	3,259	16	19	4	23	2,402	35	4	49
UNDER 1,500 GRAMS	1,653	11	6	3	10	1,154	17	3	32
UNDER 37 WEEKS	1,259	8	5	3	8	891	11	2	18
37-42 WEEKS	59	-	-	-	1	44	2	-	-
43 WEEKS AND OVER	13	-	-	-	-	9	-	-	1
NOT STATED	322	3	1	-	1	210	4	1	13
1,500-2,499 GRAMS	627	-	3	1	6	476	5	1	7
UNDER 37 WEEKS	335	-	2	-	3	259	2	-	1
37-42 WEEKS	181	-	1	1	2	142	-	1	-
43 WEEKS AND OVER	17	-	-	-	1	15	-	-	-
NOT STATED	94	-	-	-	-	60	3	-	6
2,500 GRAMS OR MORE	880	5	7	-	5	699	12	-	4
UNDER 37 WEEKS	154	1	3	-	1	118	1	-	-
37-42 WEEKS	546	3	4	-	3	434	9	-	1
43 WEEKS AND OVER	63	1	-	-	-	53	1	-	-
NOT STATED	117	-	-	-	1	94	1	-	3
NOT STATED	99	-	3	-	2	73	1	-	6
UNDER 37 WEEKS	44	-	2	-	-	35	1	-	-
37-42 WEEKS	20	-	1	-	1	15	-	-	1
43 WEEKS AND OVER	1	-	-	-	-	1	-	-	-
NOT STATED	34	-	-	-	1	22	-	-	5

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 34 FETAL DEATHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-6

FETAL DEATHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND SPANISH/HISPANIC ORIGIN OF MOTHER

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL FETAL DEATHS	3,259	3	907	4	128	2,107	110
UNDER 1,500 GRAMS	1,653	1	413	1	66	1,101	71
UNDER 37 WEEKS	1,259	1	298	1	35	897	27
37-42 WEEKS	59	-	15	-	3	41	-
43 WEEKS AND OVER	13	-	3	-	-	9	1
NOT STATED	322	-	97	-	28	154	43
1,500-2,499 GRAMS	627	-	176	1	24	406	20
UNDER 37 WEEKS	335	-	86	1	9	235	4
37-42 WEEKS	181	-	52	-	4	124	1
43 WEEKS AND OVER	17	-	8	-	1	8	-
NOT STATED	94	-	30	-	10	39	15
2,500 GRAMS OR MORE	880	2	297	2	37	528	14
UNDER 37 WEEKS	154	1	41	-	8	104	-
37-42 WEEKS	546	1	175	2	18	347	3
43 WEEKS AND OVER	63	-	28	-	2	33	-
NOT STATED	117	-	53	-	9	44	11
NOT STATED	99	-	21	-	1	72	5
UNDER 37 WEEKS	44	-	8	-	-	36	-
37-42 WEEKS	20	-	5	-	-	14	1
43 WEEKS AND OVER	1	-	-	-	-	1	-
NOT STATED	34	-	8	-	1	21	4

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 34 FETAL DEATHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

Table 3–7

NUMBER AND PERCENT OF FETAL DEATHS BY WEEKS OF GESTATION CALIFORNIA, 1986

(By place of residence)

WEEKS OF GESTATION	FETAL DEATHS	PERCENT	
		All Fetal Deaths	Excluding Unknown Gestation
Total	3,259	100.0	100.0
Under 37 Weeks	1,792	55.0	66.6
37–42 Weeks	806	24.7	29.9
43 Weeks and Over	94	2.9	3.5
Not Stated[1]	567	17.4	. . .

1 "Not Stated" includes not only those not stated, but also 34 fetal deaths of 53 weeks or more gestation. These latter categories reflect reporting inaccuracies rather than actual gestation periods.

Note: Includes only those fetal deaths of 20 weeks or more gestation.
Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Fetal Death Records.

TABLE 3-8

FETAL DEATHS BY PLURALITY OF DELIVERY, SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY OF CHILD	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL RACES	3,259	1,554	1,705	3,030	1,454	1,576	223	95	128	5	4	1	1	1	-	-	-	-
AMERICAN INDIAN	25	18	7	23	16	7	2	2	-	-	-	-	-	-	-	-	-	-
BLACK	540	247	293	509	230	279	31	17	14	-	-	-	-	-	-	-	-	-
CAMBODIAN	12	6	6	12	6	6	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	39	22	17	38	22	16	1	-	1	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	71	33	38	67	31	36	4	2	2	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	14	6	8	14	6	8	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	1	5	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	16	10	6	14	10	4	2	-	2	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	19	6	13	17	6	11	2	-	2	-	-	-	-	-	-	-	-	-
THAI	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	23	12	11	20	11	9	3	1	2	-	-	-	-	-	-	-	-	-
WHITE	2,402	1,148	1,254	2,229	1,075	1,154	167	68	99	5	4	1	1	1	-	-	-	-
OTHER ASIAN	35	13	22	31	11	20	4	2	2	-	-	-	-	-	-	-	-	-
OTHER	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	49	28	21	42	25	17	7	3	4	-	-	-	-	-	-	-	-	-

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-9

FETAL DEATHS BY PLURALITY OF DELIVERY, SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL ORIGINS	3,259	1,554	1,705	3,030	1,454	1,576	223	95	128	5	4	1	1	1	-	-	-	-
CUBAN	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	907	414	493	858	398	460	49	16	33	-	-	-	-	-	-	-	-	-
PUERTO RICAN	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-
OTHER SPANISH/ HISPANIC	128	56	72	120	53	67	8	3	5	-	-	-	-	-	-	-	-	-
NOT SPANISH/ HISPANIC	2,107	1,026	1,081	1,945	950	995	156	71	85	5	4	1	1	1	-	-	-	-
NOT STATED	110	55	55	101	50	51	9	5	4	-	-	-	-	-	-	-	-	-

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-10

FETAL DEATHS BY EACH CAUSE AND RACE/EHTNICITY OF CHILD

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
	TOTAL ALL CAUSES	3,259	25	540	12	39	-	71	14	6
027	OTHER ZOONOTIC BACTERIAL DISEASES	1	-	-	-	-	-	-	-	-
070	VIRAL HEPATITIS	1	1	-	-	-	-	-	-	-
090	CONGENITAL SYPHILIS	1	-	1	-	-	-	-	-	-
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE	1	-	1	-	-	-	-	-	-
195	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES	1	-	-	-	-	-	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	3	-	-	-	-	-	1	-	-
259	OTHER ENDOCRINE DISORDERS	1	-	-	-	-	-	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS	1	-	-	-	-	-	-	-	-
425	CARDIOMYOPATHY	1	-	1	-	-	-	-	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	2	-	-	-	-	-	1	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	68	1	4	2	-	-	1	-	-
741	SPINA BIFIDA	4	-	-	-	-	-	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	28	-	2	-	-	-	1	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	1	-	-	-	-	-	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART	10	-	-	-	1	-	-	-	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	3	-	-	-	-	-	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	2	-	-	-	-	-	-	-	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	1	-	-	-	-	-	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	1	-	-	-	1	-	-	-	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	1	-	-	-	1	-	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	11	-	3	-	-	-	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	10	-	3	-	-	-	-	-	-
758	CHROMOSOMAL ANOMALIES	25	-	1	-	-	-	1	-	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	105	-	10	-	-	-	3	-	-
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	150	1	37	-	1	-	4	1	-
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	263	3	54	-	2	-	5	3	-
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	1,196	7	175	6	17	-	32	6	3
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	22	1	4	1	-	-	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	15	-	1	1	-	-	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	142	1	35	-	1	-	2	-	-
766	DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT	1	-	-	-	-	-	-	-	-
767	BIRTH TRAUMA	8	-	2	-	-	-	1	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	218	1	43	-	1	-	3	2	1
769	RESPIRATORY DISTRESS SYNDROME	2	-	-	-	-	-	-	-	-
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	27	-	5	-	-	-	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	24	-	2	-	1	-	2	-	-
772	FETAL AND NEONATAL HAEMORRHAGE	3	-	1	-	-	-	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	12	-	1	-	1	-	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	31	-	4	-	1	-	-	-	-
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	2	-	-	-	-	-	-	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM	2	-	-	-	-	-	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	34	-	3	1	-	-	2	-	-
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	823	9	147	1	11	-	12	2	2

TABLE 3-10 (CONTINUED)

FETAL DEATHS BY EACH CAUSE AND RACE/ENTHICITY OF CHILD

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
782	SYMPTOMS INVOLVING SKIN AND OTHER INTEGUMENTARY TISSUE	1	-	-	-	-	-	-	-	-

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-10 (CONTINUED)

FETAL DEATHS BY EACH CAUSE AND RACE/EHTNICITY OF CHILD

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
	TOTAL ALL CAUSES	3,259	16	19	4	23	2,402	35	4	49
027	OTHER ZOONOTIC BACTERIAL DISEASES	1	-	-	-	-	1	-	-	-
070	VIRAL HEPATITIS	1	-	-	-	-	-	-	-	-
090	CONGENITAL SYPHILIS	1	-	-	-	-	-	-	-	-
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE	1	-	-	-	-	-	-	-	-
195	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES	1	-	-	-	-	1	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	3	-	-	-	-	2	-	-	-
259	OTHER ENDOCRINE DISORDERS	1	-	-	-	-	1	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS	1	-	-	-	-	-	-	-	1
425	CARDIOMYOPATHY	1	-	-	-	-	-	-	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	2	-	-	-	-	1	-	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	68	-	-	-	-	56	2	1	1
741	SPINA BIFIDA	4	-	-	-	-	4	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	28	-	-	-	-	24	1	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	1	-	-	-	-	1	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART	10	-	-	-	-	8	-	-	1
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	3	-	-	-	-	3	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	2	-	-	-	-	1	1	-	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	1	-	-	-	-	1	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	1	-	-	-	-	-	-	-	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	1	-	-	-	-	-	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	11	-	-	1	-	6	-	-	1
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	10	-	-	1	-	5	1	-	-
758	CHROMOSOMAL ANOMALIES	25	-	-	1	-	22	-	-	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	105	2	1	-	-	85	-	-	4
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	150	3	1	-	1	95	-	-	6
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	263	1	-	-	2	191	1	-	1
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	1,196	6	10	1	8	906	9	2	8
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	22	-	-	-	-	13	2	-	1
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	15	-	-	-	1	10	2	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	142	3	-	-	1	95	1	-	3
766	DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT	1	-	-	-	-	1	-	-	-
767	BIRTH TRAUMA	8	-	-	-	-	5	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	218	-	1	-	2	162	1	-	1
769	RESPIRATORY DISTRESS SYNDROME	2	-	-	-	-	2	-	-	-
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	27	-	-	-	-	22	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	24	-	-	-	-	18	-	-	1
772	FETAL AND NEONATAL HAEMORRHAGE	3	-	-	-	-	2	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	12	-	-	-	-	10	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	31	-	-	-	1	24	1	-	-
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	2	-	-	-	-	2	-	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM	2	-	-	-	-	2	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	34	-	-	-	2	25	1	-	-
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	823	1	6	-	5	594	12	1	20

TABLE 3-10 (CONTINUED)

FETAL DEATHS BY EACH CAUSE AND RACE/EHTNICITY OF CHILD
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
782	SYMPTOMS INVOLVING SKIN AND OTHER INTEGUMENTARY TISSUE	1	-	-	-	-	1	-	-	-

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

TABLE 3-11

FETAL DEATHS BY EACH CAUSE AND SPANISH/HISPANIC ORIGIN OF MOTHER

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
	TOTAL ALL CAUSES	3,259	3	907	4	128	2,107	110
027	OTHER ZOONOTIC BACTERIAL DISEASES	1	-	-	-	-	1	-
070	VIRAL HEPATITIS	1	-	-	-	-	1	-
090	CONGENITAL SYPHILIS	1	-	-	-	-	1	-
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE	1	-	-	-	-	1	-
195	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES	1	-	-	-	-	1	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	3	-	1	-	-	1	1
259	OTHER ENDOCRINE DISORDERS	1	-	-	-	-	1	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS	1	-	-	-	-	-	1
425	CARDIOMYOPATHY	1	-	-	-	-	1	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	2	-	-	-	-	2	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	68	-	21	-	4	42	1
741	SPINA BIFIDA	4	-	1	-	1	2	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	28	-	11	-	1	16	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	1	-	1	-	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART	10	-	3	-	-	6	1
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	3	-	1	-	-	2	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	2	-	1	-	-	1	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	1	-	-	-	-	1	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	1	-	-	-	-	1	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	1	-	-	-	-	1	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	11	-	1	-	1	8	1
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	10	-	3	-	-	7	-
758	CHROMOSOMAL ANOMALIES	25	-	7	-	2	16	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	105	-	38	-	3	60	4
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	150	1	28	-	6	102	13
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	263	-	53	2	7	196	5
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	1,196	1	320	1	29	826	19
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	22	-	5	-	1	15	1
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	15	-	1	-	-	14	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	142	-	35	-	8	90	9
766	DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT	1	-	-	-	-	1	-
767	BIRTH TRAUMA	8	-	1	-	-	6	1
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	218	1	59	-	7	145	6
769	RESPIRATORY DISTRESS SYNDROME	2	-	-	-	-	2	-
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	27	-	13	-	-	14	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	24	-	4	-	1	18	1
772	FETAL AND NEONATAL HAEMORRHAGE	3	-	1	-	-	2	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	12	-	3	-	-	8	1
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	31	-	13	-	1	17	-
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	2	-	2	-	-	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM	2	-	1	-	-	1	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	34	-	10	-	2	22	-
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	823	-	269	1	54	454	45

TABLE 3-11 (CONTINUED)

FETAL DEATHS BY EACH CAUSE AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
782	SYMPTOMS INVOLVING SKIN AND OTHER INTEGUMENTARY TISSUE	1	-	-	-	-	1	-

NOTE: INCLUDES ONLY THOSE FETAL DEATHS OF 20 WEEKS OR MORE GESTATION.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, FETAL DEATH RECORDS.

4. INFANT DEATHS

			Page
Table	4-1	Infant, neonatal, and postneonatal deaths, number and rate: California, 1960-1986	125
	4-2	Percent distribution of infant deaths by age and sex: California, 1986	125
	4-3	Age-adjusted perinatal and infant mortality rates among single total births occurring in California by race of child: California Birth Cohorts, 1960, 1965, 1970-1985	126
	4-4	Infant, neonatal, and postneonatal deaths from selected causes by age: California, 1986	128
	4-5	Infant deaths by month of death: California counties, residence, 1986	130
	4-6	Infant deaths by month of death: California counties, occurrence, 1986	131
	4-7	Infant deaths by sex, race/ethnicity and age: California counties, 1986	132
	4-8	Infant deaths by sex, Spanish/Hispanic origin and age: California counties, 1986	136
Figure	4-A	Infant, neonatal, and postneonatal death rates: California, 1960-1986	124
	4-B	Percent distribution of infant deaths by age and sex: California, 1986	124
	4-C	Age-adjusted perinatal death rates by race of child: California Birth Cohorts, 1960, 1965-1985	127
	4-D	Percent distribution of neonatal and postneonatal deaths by cause: California 1986	129

Figure 4—A

INFANT, NEONATAL, AND POSTNEONATAL DEATH RATES
CALIFORNIA, 1960—1986

(By place of residence)



Source: Table 4-1.

Figure 4—B

PERCENT DISTRIBUTION OF INFANT DEATHS
BY AGE AND SEX
CALIFORNIA, 1986
(By place of residence)



Source: Table 4-2.

TABLE 4-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS

NUMBER AND RATE

CALIFORNIA, 1960-1986

(BY PLACE OF RESIDENCE)

YEAR	NUMBER			RATE		
	INFANT	NEONATAL	POSTNEONATAL	INFANT	NEONATAL	POSTNEONATAL
1986	4,298	2,703	1,595	8.9	5.6	3.3
1985	4,475	2,813	1,662	9.3	6.0	3.5
1984	4,212	2,654	1,558	9.4	5.9	3.5
1983	4,226	2,711	1,515	9.7	6.2	3.5
1982	4,218	2,686	1,532	9.8	6.3	3.6
1981	4,276	2,711	1,565	10.2	6.4	3.7
1980	4,451	2,886	1,565	11.1	7.2	3.9
1979	4,278	2,788	1,490	11.3	7.4	3.9
1978	4,235	2,741	1,494	11.9	7.7	4.2
1977	4,192	2,752	1,440	12.1	7.9	4.1
1976	4,134	2,826	1,308	12.4	8.5	3.9
1975	4,256	2,919	1,337	13.4	9.2	4.2
1974	4,274	2,959	1,315	13.7	9.5	4.2
1973	4,351	3,065	1,286	14.6	10.3	4.3
1972	4,877	3,467	1,410	15.9	11.3	4.6
1971	5,440	3,922	1,518	16.5	11.9	4.6
1970	6,243	4,592	1,651	17.2	12.7	4.6
1969	6,466	4,798	1,668	18.3	13.6	4.7
1968	6,437	4,774	1,663	19.0	14.1	4.9
1967	6,382	4,691	1,691	19.6	14.5	5.0
1966	7,043	5,204	1,839	20.9	15.4	5.4
1965	7,845	5,720	2,125	22.1	16.1	6.0
1964	8,143	6,042	2,101	21.7	16.1	5.6
1963	8,488	6,333	2,155	22.3	16.6	5.7
1962	8,664	6,443	2,221	22.9	17.0	5.9
1961	8,871	6,570	2,301	23.3	17.2	6.0
1960	8,663	6,405	2,258	23.3	17.2	6.1

NOTE: RATES ARE PER 1,000 LIVE BIRTHS.
RATES ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 4-2

PERCENT DISTRIBUTION OF INFANT DEATHS

BY AGE AND SEX

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

AGE	NUMBER			PERCENT BY AGE AND SEX		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	4,298	2,437	1,861	100.0	56.7	43.3
UNDER 1 DAY	1,244	679	565	28.9	15.8	13.1
1-6 DAYS	920	544	376	21.4	12.7	8.7
7-27 DAYS	539	300	239	12.5	7.0	5.6
28 DAYS-11 MONTHS	1,593	914	681	37.1	21.3	15.8
	PERCENT BY SEX			PERCENT BY AGE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	100.0	56.7	43.3	100.0	100.0	100.0
UNDER 1 DAY	100.0	54.6	45.4	28.9	27.9	30.4
1-6 DAYS	100.0	59.1	40.9	21.4	22.3	20.2
7-27 DAYS	100.0	55.7	44.3	12.5	12.3	12.8
28 DAYS-11 MONTHS	100.0	57.3	42.7	37.1	37.5	36.6

NOTE: PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 4–3

AGE ADJUSTED[1] PERINATAL AND INFANT MORTALITY RATES AMONG SINGLE TOTAL BIRTHS OCCURRING IN CALIFORNIA BY RACE OF CHILD CALIFORNIA BIRTH COHORTS, 1960, 1965, 1970–1985

RACE OF CHILD AND COHORT YEAR	TOTAL BIRTHS	LIVE BIRTHS	DEATH RATE[2]				
			Fetal[3,4]	Neonatal	Perinatal	Post-neonatal	Infant
All Races							
1985[a]	464,303	461,448	6.3 (0.1)	5.2 (0.1)	11.4 (0.2)	NA	NA
1984	441,099	438,293	6.5 (0.1)	5.3 (0.1)	11.8 (6.2)	3.3 (0.1)	8.6 (0.1)
1983	429,942	427,202	6.6 (0.1)	5.5 (0.1)	12.0 (0.2)	3.4 (0.1)	8.9 (0.2)
1982	424,467	421,449	7.4 (0.1)	5.6 (0.1)	12.9 (0.2)	3.5 (0.1)	9.1 (0.2)
1981	415,857	412,705	7.9 (0.1)	5.7 (0.1)	13.6 (0.2)	3.5 (0.1)	9.2 (0.2)
1980	398,222	395,026	7.7 (0.2)	6.3 (0.1)	13.9 (0.2)	3.7 (0.1)	10.0 (0.2)
1979	374,596	371,585	8.0 (0.2)	6.4 (0.1)	14.4 (0.2)	3.6 (0.1)	10.1 (0.2)
1978	351,779	348,995	8.3 (0.2)	6.7 (0.1)	14.9 (0.2)	3.9 (0.1)	10.5 (0.2)
1977	343,559	340,827	8.4 (0.2)	7.2 (0.2)	15.5 (0.2)	4.3 (0.1)	11.4 (0.2)
1976	328,566	325,725	9.2 (0.2)	7.5 (0.2)	16.6 (0.2)	3.7 (0.1)	11.2 (0.2)
1975	314,119	311,395	9.1 (0.2)	8.2 (0.2)	17.3 (0.2)	4.0 (0.1)	12.2 (0.2)
1974	308,797	305,931	9.9 (0.2)	8.5 (0.2)	18.4 (0.3)	3.9 (0.1)	12.4 (0.2)
1973	295,170	292,436	9.9 (0.2)	9.3 (0.2)	19.1 (0.3)	3.9 (0.1)	13.2 (0.2)
1972	303,870	300,953	10.3 (0.2)	10.3 (0.2)	20.4 (0.3)	4.2 (0.1)	14.4 (0.2)
1971	326,820	323,606	10.5 (0.2)	10.5 (0.2)	20.8 (0.3)	3.9 (0.1)	14.3 (0.2)
1970	359,345	355,637	10.9 (0.2)	11.2 (0.2)	22.0 (0.3)	4.3 (0.1)	15.4 (0.2)
1965	351,658	347,491	12.0 (0.2)	14.0 (0.2)	25.9 (0.3)	5.0 (0.1)	19.0 (0.2)
1960	368,149	363,795	11.8 (0.2)	15.5 (0.2)	27.1 (0.3)	5.8 (0.1)	21.2 (0.2)
White Spanish[5]							
1985[a]	142,901	142,002	6.5 (0.2)	5.0 (0.2)	11.4 (0.3)	NA	NA
1984	132,191	131,339	6.6 (0.2)	5.0 (0.2)	11.6 (0.3)	2.9 (0.2)	7.9 (0.2)
1983	128,195	127,369	6.7 (0.2)	5.1 (0.2)	11.7 (0.3)	2.8 (0.2)	7.9 (0.2)
1982	125,857	124,946	7.5 (0.2)	5.3 (0.2)	12.7 (0.3)	2.6 (0.2)	8.0 (0.3)
1981	124,974	124,030	8.0 (0.3)	5.6 (0.2)	13.6 (0.3)	3.2 (0.2)	8.8 (0.3)
1980	119,997	119,077	7.7 (0.3)	6.3 (0.2)	14.0 (0.4)	3.1 (0.2)	9.4 (0.3)
1979	107,140	106,296	8.0 (0.3)	5.9 (0.2)	13.9 (0.4)	3.3 (0.2)	9.2 (0.3)
1978	101,616	100,797	8.5 (0.3)	6.7 (0.3)	15.2 (0.4)	3.5 (0.2)	10.2 (0.3)
1977	101,509	100,655	9.0 (0.3)	6.7 (0.3)	15.6 (0.4)	3.7 (0.2)	10.4 (0.4)
1976	98,072	97,179	9.8 (0.3)	7.5 (0.3)	17.2 (0.4)	3.3 (0.2)	10.7 (0.3)
1975	90,698	89,844	9.9 (0.4)	7.6 (0.3)	17.4 (0.4)	4.0 (0.2)	11.6 (0.4)
1974	86,091	85,287	10.0 (0.4)	7.8 (0.3)	17.8 (0.5)	3.5 (0.2)	11.3 (0.4)
1973	78,093	77,343	10.1 (0.4)	8.4 (0.3)	18.4 (0.5)	3.6 (0.2)	12.0 (0.4)
1972	74,318	73,507	11.5 (0.4)	9.3 (0.4)	20.7 (0.5)	4.0 (0.2)	13.3 (0.4)
1971	74,577	73,793	11.0 (0.4)	9.8 (0.4)	20.6 (0.5)	3.9 (0.2)	13.7 (0.4)
1970	76,232	75,364	11.8 (0.4)	10.7 (0.4)	22.4 (0.6)	4.3 (0.2)	15.0 (0.4)
1965	62,512	61,680	13.1 (0.4)	13.1 (0.5)	26.1 (0.6)	5.3 (0.3)	18.4 (0.5)
1960	57,191	56,398	13.7 (0.5)	15.0 (0.5)	28.5 (0.7)	6.9 (0.4)	21.8 (0.6)
White Non-Spanish[4]							
1985[a]	221,223	220,004	5.6 (0.2)	4.7 (0.2)	10.3 (0.2)	NA	NA
1984	213,355	212,037	6.4 (0.2)	4.7 (0.2)	11.1 (0.2)	3.2 (0.1)	7.9 (0.2)
1983	210,267	209,040	6.0 (0.2)	5.0 (0.2)	11.0 (0.2)	3.2 (0.1)	8.2 (0.2)
1982	210,563	209,178	6.9 (0.2)	5.2 (0.2)	12.1 (0.2)	3.6 (0.1)	8.9 (0.2)
1981	207,199	205,680	7.7 (0.2)	5.2 (0.2)	12.9 (0.3)	3.3 (0.1)	8.6 (0.2)
1980	200,632	199,141	7.0 (0.2)	5.3 (0.2)	12.3 (0.3)	3.6 (0.1)	8.9 (0.2)
1979	189,159	187,797	7.2 (0.2)	5.9 (0.2)	13.0 (0.3)	3.4 (0.1)	9.2 (0.2)
1978	189,535	188,211	7.4 (0.2)	5.6 (0.2)	12.9 (0.3)	3.6 (0.2)	9.2 (0.2)
1977	184,314	182,995	7.6 (0.2)	6.5 (0.2)	14.1 (0.3)	4.0 (0.2)	10.5 (0.3)
1976	176,983	175,657	8.0 (0.2)	6.7 (0.2)	14.7 (0.3)	3.6 (0.2)	10.3 (0.3)
1975	173,610	172,346	7.7 (0.2)	7.8 (0.2)	15.4 (0.3)	3.4 (0.2)	11.2 (0.3)
1974	175,503	173,977	9.3 (0.2)	8.3 (0.2)	17.5 (0.3)	3.6 (0.2)	11.8 (0.3)
1973	173,214	171,736	9.2 (0.2)	9.0 (0.2)	18.1 (0.4)	3.6 (0.2)	12.6 (0.3)
1972	184,950	183,383	9.0 (0.2)	9.8 (0.2)	18.7 (0.3)	3.7 (0.2)	13.4 (0.3)
1971	205,317	203,527	9.4 (0.2)	10.0 (0.2)	19.4 (0.3)	3.5 (0.1)	13.5 (0.3)
1970	233,076	230,923	9.8 (0.2)	10.6 (0.2)	20.3 (0.3)	3.8 (0.1)	14.4 (0.3)
1965	244,134	241,523	11.0 (0.2)	13.5 (0.2)	24.3 (0.3)	4.5 (0.1)	17.9 (0.3)
1960	269,319	266,426	10.8 (0.2)	14.7 (0.2)	25.4 (0.3)	5.1 (0.1)	19.8 (0.3)
Black							
1985[a]	45,452	44,993	10.3 (0.5)	8.7 (6.4)	18.9 (0.7)	NA	NA
1984	43,637	43,226	9.6 (0.5)	9.0 (0.5)	18.5 (0.7)	5.3 (0.4)	14.3 (0.6)
1983	41,501	41,080	10.4 (0.5)	10.0 (0.5)	20.3 (0.7)	5.9 (0.4)	15.8 (0.6)
1982	40,589	40,157	11.6 (0.6)	9.0 (0.5)	20.5 (0.8)	5.8 (0.4)	14.8 (0.6)
1981	40,226	39,805	10.8 (0.6)	9.6 (0.5)	20.3 (0.8)	5.7 (0.4)	15.3 (0.7)
1980	38,862	38,316	13.6 (0.7)	11.3 (0.6)	24.8 (0.9)	6.4 (0.4)	17.6 (0.7)
1979	37,431	36,928	13.7 (0.7)	11.1 (0.6)	24.7 (0.9)	6.3 (0.4)	17.4 (0.7)
1978	36,148	35,675	13.8 (0.7)	12.6 (0.7)	26.2 (1.0)	5.7 (0.4)	18.2 (0.8)
1977	35,306	34,875	12.8 (0.7)	11.9 (0.6)	24.6 (0.9)	7.5 (0.5)	19.3 (0.8)
1976	33,442	32,956	15.5 (0.8)	13.1 (0.7)	25.4 (1.0)	5.8 (0.5)	18.9 (0.8)
1975	31,675	31,210	15.5 (0.8)	13.6 (0.8)	28.9 (1.1)	6.7 (0.5)	20.3 (0.9)
1974	30,702	30,284	14.7 (0.8)	12.5 (0.7)	27.0 (1.1)	6.4 (0.5)	18.8 (0.9)
1973	28,953	28,550	14.9 (0.8)	15.0 (0.8)	29.7 (1.2)	6.3 (0.5)	21.3 (1.0)
1972	29,498	29,076	15.6 (0.8)	17.1 (0.9)	32.4 (1.2)	7.2 (0.5)	24.2 (1.0)
1971	31,677	31,169	17.7 (0.8)	15.6 (0.8)	33.0 (1.1)	6.5 (0.5)	22.0 (0.9)
1970	34,830	34,266	17.5 (0.8)	16.9 (0.8)	34.1 (1.1)	6.8 (0.4)	23.6 (0.9)
1965	32,438	31,808	19.9 (0.8)	20.6 (0.8)	40.0 (1.1)	8.2 (0.5)	28.6 (1.0)
1960	29,434	28,859	19.8 (0.8)	23.3 (0.9)	42.6 (1.2)	8.6 (0.6)	31.7 (1.0)

1 Direct method of adjustment to 1960 California single total births by age of mother, excluding age unknown.

2 Fetal and perinatal death rates are per 1,000 total single births; neonatal and infant death rates are per 1,000 single live births; postneonatal death rates are per 1,000 infants surviving 28 days or more.

3 Fetal deaths under 20 weeks' gestation are excluded.

4 Fetal death rates include some induced terminations.

5 Not strictly comparable to the category "Spanish/Hispanic Origin" used in this report for live births and fetal deaths. For method used to classify Spanish, see Robert W. Buechley, "A Reproducible Method of Counting Persons of Spanish Surname," *Journal of the American Statistical Association*, 55:88–97, 1961. Blacks with Spanish surnames included in "Black" race category.

a Provisional.

NA Not available.

Note: Figure in parenthesis is standard error of rate.

Source: State of California, Department of Health Services, Birth Cohort Records.

Figure 4—C

AGE-ADJUSTED PERINATAL DEATH RATES BY RACE OF CHILD
CALIFORNIA BIRTH COHORTS, 1960, 1965– 1985

(By place of occurrence)



a 1960 data.
Note: Continuous series only for 1965– 1985
Source: Table 4-3.

TABLE 4-4

INFANT, NEONATAL, AND POSTNEONATAL DEATHS FROM SELECTED CAUSES BY AGE

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	INFANT			NEONATAL (1)			POSTNEONATAL (2)		
		NUMBER	RATE	PERCENT	NUMBER	RATE	PERCENT	NUMBER	RATE	PERCENT
001-999	TOTAL, ALL CAUSES	4,298	891.9	100.0	2,703	560.9	100.0	1,595	331.0	100.0
740-759	CAUSES SPECIFIC TO PERINATAL PERIOD	987	204.8	23.0	739	153.3	27.3	248	51.5	15.5
740-759	CONGENITAL ANOMALIES	987	204.8	23.0	739	153.3	27.3	248	51.5	15.5
740-742	ANENCEPHALUS, SPINA BIFIDA AND OTHER NERVOUS SYSTEM	158	32.8	3.7	119	24.7	4.4	39	8.1	2.4
745-747	HEART/CIRCULATORY SYSTEM	359	74.5	8.4	235	48.8	8.7	124	25.7	7.8
748	RESPIRATORY SYSTEM	124	25.7	2.9	114	23.7	4.2	10	2.1	0.6
750-751	UPPER ALIMENTARY TRACT/DIGESTIVE SYSTEM	11	2.3	0.3	2	A	0.1	9	1.9	0.6
753	URINARY SYSTEM	48	10.0	1.1	46	9.5	1.7	2	A	0.1
758	CHROMOSOMAL	112	23.2	2.6	71	14.7	2.6	41	8.5	2.6
759.8	OTHER SPECIFIED	21	4.4	0.5	15	3.1	0.6	6	1.2	0.4
759(EXCEPT 759.8)	OTHER AND UNSPECIFIED	69	14.3	1.6	60	12.5	2.2	9	1.9	0.6
RESIDUAL	OTHER CONGENITAL ANOMALIES	85	17.6	2.0	77	16.0	2.8	8	1.7	0.5
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1,873	388.7	43.6	1,747	362.5	64.6	126	26.1	7.9
760-764	MATERNAL CONDITIONS	223	46.3	5.2	220	45.7	8.1	3	A	0.2
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	17	3.5	0.4	16	3.3	0.6	1	A	0.1
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	106	22.0	2.5	106	22.0	3.9	-	-	-
761.0-761.3	INCOMPETENT CERVIX, PREMATURE RUPTURE OF MEMBRANES, OLIGOHYDRAMNIOS AND POLYHYDRAMNIOS	61	12.7	1.4	61	12.7	2.3	-	-	-
761.5	MULTIPLE PREGNANCY	37	7.7	0.9	37	7.7	1.4	-	-	-
761.4,761.6-761.9	OTHER	8	1.7	0.2	8	1.7	0.3	-	-	-
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	92	19.1	2.1	90	18.7	3.3	2	A	0.1
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	8	1.7	0.2	8	1.7	0.3	-	-	-
RESIDUAL	OTHER MATERNAL CONDITIONS	-	-	-	-	-	-	-	-	-
765-779	EARLY INFANCY	1,650	342.4	38.4	1,527	316.9	56.5	123	25.5	7.7
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	313	65.0	7.3	303	62.9	11.2	10	2.1	0.6
767	BIRTH TRAUMA	28	5.8	0.7	27	5.6	1.0	1	A	0.1
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	133	27.6	3.1	127	26.4	4.7	6	1.2	0.4
769	RESPIRATORY DISTRESS SYNDROME	372	77.2	8.7	349	72.4	12.9	23	4.8	1.4
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	377	78.2	8.8	307	63.7	11.4	70	14.5	4.4
RESIDUAL	OTHER EARLY INFANCY	427	88.6	9.9	414	85.9	15.3	13	2.7	0.8
	CAUSES NOT SPECIFIC TO PERINATAL PERIOD	1,331	276.2	31.0	170	35.3	6.3	1,161	240.9	72.8
001-139	INFECTIVE AND PARASITIC DISEASES	82	17.0	1.9	13	2.7	0.5	69	14.3	4.3
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	79	16.4	1.8	4	A	0.1	75	15.6	4.7
320-326	INFLAMMATORY DISEASES OF CENTRAL NERVOUS SYSTEM	23	4.8	0.5	4	A	0.1	19	3.9	1.2
RESIDUAL	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	56	11.6	1.3	-	-	-	56	11.6	3.5
390-459	DISEASES OF THE CIRCULATORY SYSTEM	108	22.4	2.5	42	8.7	1.6	66	13.7	4.1
430-431	SUBARACHNOID AND INTRACEREBRAL HEMORRHAGE	3	A	0.1	-	-	-	3	A	0.2
RESIDUAL	OTHER DISEASES OF THE CIRCULATORY SYSTEM	105	21.8	2.4	42	8.7	1.6	63	13.1	3.9
460-519	DISEASES OF THE RESPIRATORY SYSTEM	171	35.5	4.0	34	7.1	1.3	137	28.4	8.6
480-486	PNEUMONIA	90	18.7	2.1	24	5.0	0.9	66	13.7	4.1
RESIDUAL	OTHER DISEASES OF THE RESPIRATORY SYSTEM	81	16.8	1.9	10	2.1	0.4	71	14.7	4.5
520-579	DISEASES OF THE DIGESTIVE SYSTEM	44	9.1	1.0	14	2.9	0.5	30	6.2	1.9
550-553	HERNIA OF ABDOMINAL CAVITY	9	1.9	0.2	5	1.0	0.2	4	A	0.3
RESIDUAL	OTHER DISEASES OF THE DIGESTIVE SYSTEM	35	7.3	0.8	9	1.9	0.3	26	5.4	1.6
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	706	146.5	16.4	46	9.5	1.7	660	137.0	41.4
798.0	SUDDEN INFANT DEATH SYNDROME	651	135.1	15.1	34	7.1	1.3	617	128.0	38.7
RESIDUAL	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	55	11.4	1.3	12	2.5	0.4	43	8.9	2.7
800-999	ACCIDENTS AND ADVERSE EFFECTS	141	29.3	3.3	17	3.5	0.6	124	25.7	7.8
800-949	ACCIDENTS	109	22.6	2.5	13	2.7	0.5	96	19.9	6.0
960-969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHER PERSONS	26	5.4	0.6	3	A	0.1	23	4.8	1.4
RESIDUAL	OTHER ACCIDENTS AND ADVERSE EFFECTS	6	1.2	0.1	1	A	B	5	1.0	0.3
	ALL OTHER CAUSES NOT SPECIFIC TO PERINATAL PERIOD	107	22.2	2.5	47	9.8	1.7	60	12.5	3.8

1 DEATHS OCCURRING DURING FIRST 27 DAYS OF LIFE.
2 DEATHS OCCURRING BETWEEN THE 28TH DAY AND THE END OF THE FIRST YEAR OF LIFE.

A RATES ARE NOT CALCULATED FOR FEWER THAN FIVE EVENTS.
B MORE THAN ZERO BUT LESS THAN 0.050.

NOTE : RATES ARE PER 100,000 LIVE BIRTHS (1986 LIVE BIRTHS- 481,905).
PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE : STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

Figure 4–D
PERCENT DISTRIBUTION OF NEONATAL AND POSTNEONATAL DEATHS BY CAUSE
CALIFORNIA, 1986



a 92.2 percent of this category is due to "sudden infant death syndrome", ICD 798.0.
Note: Percents may not total to 100 due to independent rounding.
Source: Table 4-4.

TABLE 4-5

INFANT DEATHS BY MONTH OF DEATH

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL INFANT DEATHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	4,298	388	366	376	347	353	285	399	335	324	358	380	387
ALAMEDA	181	8	18	16	20	16	15	16	8	13	18	10	23
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	4	-	-	1	-	1	-	-	-	-	1	-	1
BUTTE	20	1	1	-	4	-	3	4	3	-	3	-	1
CALAVERAS	3	-	-	-	-	-	-	1	-	-	-	-	2
COLUSA	3	1	-	-	-	1	-	-	-	-	1	-	-
CONTRA COSTA	90	14	8	14	7	8	7	2	4	3	9	7	7
DEL NORTE	4	1	-	-	-	-	-	1	-	1	-	-	1
EL DORADO	22	6	3	4	1	1	2	-	-	-	3	1	1
FRESNO	114	6	7	14	13	8	10	9	7	9	9	9	13
GLENN	4	-	-	1	2	-	-	-	-	-	-	-	1
HUMBOLDT	12	1	1	1	1	1	-	2	3	-	1	-	1
IMPERIAL	14	2	1	-	-	2	1	1	2	1	2	1	1
INYO	4	-	-	-	-	1	-	-	-	1	-	-	2
KERN	121	6	12	17	8	13	12	7	9	9	10	9	9
KINGS	20	2	1	1	1	1	5	-	1	-	1	4	3
LAKE	7	2	1	-	3	-	-	-	1	-	-	-	-
LASSEN	2	1	-	-	-	-	1	-	-	-	-	-	-
LOS ANGELES	1,527	143	145	119	120	138	100	150	114	114	125	127	132
MADERA	12	-	-	1	1	2	2	2	-	-	1	1	2
MARIN	14	-	2	3	2	-	2	1	3	-	-	1	-
MARIPOSA	2	-	-	-	-	-	-	-	-	1	1	-	-
MENDOCINO	10	-	1	2	3	-	-	2	-	-	-	1	1
MERCED	25	1	-	1	4	2	4	1	2	-	1	5	4
MODOC	1	-	-	1	-	-	-	-	-	-	-	-	-
MONO	1	-	-	-	-	-	1	-	-	-	-	-	-
MONTEREY	67	5	9	2	5	9	5	7	4	8	7	2	4
NAPA	13	2	2	1	-	1	-	4	1	-	1	1	-
NEVADA	12	2	1	2	-	-	2	2	1	-	1	-	1
ORANGE	246	21	22	24	16	10	18	22	22	14	27	27	23
PLACER	25	1	2	6	-	2	1	2	2	3	1	2	3
PLUMAS	3	1	1	-	-	1	-	-	-	-	-	-	-
RIVERSIDE	175	18	18	14	14	14	8	20	12	14	20	14	9
SACRAMENTO	148	10	10	17	13	15	9	10	18	4	14	17	11
SAN BENITO	7	1	-	-	-	-	2	1	-	-	1	1	1
SAN BERNARDINO	207	24	18	17	15	10	9	23	15	23	12	26	15
SAN DIEGO	356	34	23	29	30	30	22	30	33	30	22	39	34
SAN FRANCISCO	84	6	6	7	11	6	3	3	13	6	6	6	11
SAN JOAQUIN	71	9	9	6	3	8	3	5	5	7	9	3	4
SAN LUIS OBISPO	20	1	1	2	1	3	1	2	2	2	-	1	2
SAN MATEO	70	4	3	7	7	6	5	9	5	5	10	4	5
SANTA BARBARA	23	1	3	2	-	2	1	3	3	1	2	2	3
SANTA CLARA	197	23	9	14	15	11	14	20	8	22	17	23	21
SANTA CRUZ	30	2	3	5	3	1	-	6	5	3	-	-	2
SHASTA	20	-	1	1	3	-	1	3	1	1	2	3	4
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	10	1	2	1	1	-	-	1	2	1	-	1	-
SOLANO	42	4	4	3	2	5	3	3	4	4	2	5	3
SONOMA	33	1	3	4	2	5	1	3	2	7	-	1	4
STANISLAUS	56	8	3	3	4	2	6	4	7	2	6	5	6
SUTTER	8	1	-	-	-	1	-	1	-	1	1	1	2
TEHAMA	7	-	-	1	-	1	-	1	1	-	-	-	3
TRINITY	2	-	-	-	-	-	-	1	-	1	-	-	-
TULARE	49	5	6	5	1	4	4	4	5	4	2	4	5
TUOLUMNE	1	-	-	-	-	-	-	-	-	-	1	-	-
VENTURA	63	3	4	4	7	5	1	8	6	7	3	11	4
YOLO	17	2	1	2	2	1	1	1	1	1	2	2	1
YUBA	19	3	1	1	2	3	-	1	-	1	3	3	1

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 4-6

INFANT DEATHS BY MONTH OF DEATH

CALIFORNIA COUNTIES, 1986

(BY PLACE OF OCCURRENCE)

COUNTY	TOTAL INFANT DEATHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	4,305	388	362	376	349	354	290	398	336	323	361	380	388
ALAMEDA	234	15	19	21	22	23	20	16	13	16	23	19	23
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	2	-	-	1	-	-	-	-	-	-	1	-	-
BUTTE	15	-	1	1	2	-	1	3	3	-	2	-	2
CALAVERAS	2	-	-	-	-	-	-	-	-	-	-	-	2
COLUSA	3	1	-	-	-	-	-	1	-	-	1	-	-
CONTRA COSTA	33	5	4	4	1	2	5	-	1	1	4	2	4
DEL NORTE	2	-	-	-	-	-	-	1	-	-	-	-	1
EL DORADO	15	5	1	2	-	2	2	-	-	-	1	1	1
FRESNO	189	12	11	18	16	14	22	14	17	15	13	17	18
GLENN	3	-	-	-	2	-	-	-	-	-	-	-	1
HUMBOLDT	11	-	1	1	1	1	-	2	2	1	1	-	1
IMPERIAL	9	1	2	-	-	1	-	-	-	1	2	1	1
INYO	4	-	-	-	-	1	-	-	-	1	-	-	2
KERN	91	4	11	14	5	12	9	4	5	6	7	6	8
KINGS	12	-	1	-	-	1	2	-	1	-	-	3	4
LAKE	5	1	-	-	2	1	-	-	1	-	-	-	-
LASSEN	1	-	-	-	-	-	1	-	-	-	-	-	-
LOS ANGELES	1,591	150	147	127	128	144	107	158	115	123	133	130	129
MADERA	3	-	-	-	-	-	-	1	-	-	-	-	2
MARIN	6	-	2	2	1	-	1	-	-	-	-	-	-
MARIPOSA	1	-	-	-	-	-	-	-	-	-	1	-	-
MENDOCINO	7	-	-	-	4	-	-	1	2	-	-	-	-
MERCED	13	2	-	1	3	-	1	2	-	-	-	3	1
MODOC	1	-	-	1	-	-	-	-	-	-	-	-	-
MONO	1	-	-	-	-	-	-	-	-	-	-	1	-
MONTEREY	45	4	9	2	5	6	2	7	1	3	3	-	3
NAPA	8	1	3	1	-	-	-	1	1	-	-	1	-
NEVADA	9	1	2	1	-	-	1	1	1	-	1	-	1
ORANGE	245	22	21	24	15	10	18	24	24	13	24	28	22
PLACER	18	2	-	5	2	2	1	1	1	1	-	-	3
PLUMAS	1	-	1	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	93	11	11	3	6	9	5	9	5	9	8	9	8
SACRAMENTO	209	18	13	23	15	20	12	21	21	12	20	21	13
SAN BENITO	1	-	-	-	-	-	1	-	-	-	-	-	-
SAN BERNARDINO	276	25	19	24	24	13	13	29	24	24	27	34	20
SAN DIEGO	369	36	25	30	30	34	22	33	34	30	21	39	35
SAN FRANCISCO	205	19	13	20	26	12	11	17	24	16	15	14	18
SAN JOAQUIN	51	6	8	6	1	6	1	4	4	1	7	4	3
SAN LUIS OBISPO	9	1	2	-	-	2	1	1	-	1	-	-	1
SAN MATEO	18	-	1	1	1	4	1	1	-	1	3	3	2
SANTA BARBARA	13	1	2	1	-	1	-	1	3	-	-	1	3
SANTA CLARA	248	26	14	19	16	13	18	30	13	27	21	26	25
SANTA CRUZ	19	1	3	4	2	1	-	2	2	1	2	-	1
SHASTA	13	-	1	-	3	-	1	1	1	1	-	2	3
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	5	-	1	1	-	-	-	-	2	-	-	1	-
SOLANO	25	3	2	3	2	2	1	1	1	3	3	3	1
SONOMA	30	3	1	4	2	5	2	2	1	5	1	-	4
STANISLAUS	38	2	2	2	4	3	5	2	5	1	5	1	6
SUTTER	6	1	-	-	-	1	-	1	-	-	1	1	1
TEHAMA	6	-	-	1	-	1	-	-	1	-	-	-	3
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	24	4	3	4	-	1	2	2	3	1	-	1	3
TUOLUMNE	2	-	-	-	1	-	-	-	-	-	1	-	-
VENTURA	40	1	4	3	5	4	1	4	4	5	1	5	4
YOLO	10	1	1	1	1	1	-	-	-	2	1	2	-
YUBA	15	3	-	-	1	1	-	-	-	2	3	2	3

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 4-7

INFANT DEATHS BY SEX, RACE/ETHNICITY AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
CALIFORNIA	4,298	2,437	1,861	2,703	1,523	1,180	1,595	914	681
AMERICAN INDIAN	22	13	9	10	5	5	12	8	4
BLACK	777	425	352	476	262	214	301	163	138
CAMBODIAN	8	5	3	6	3	3	2	2	-
CHINESE	38	20	18	19	10	9	19	10	9
FILIPINO	61	31	30	41	20	21	20	11	9
INDIAN (INDIA)	7	6	1	3	3	-	4	3	1
JAPANESE	14	10	4	7	5	2	7	5	2
KOREAN	18	13	5	9	8	1	9	5	4
PACIFIC ISLANDER	25	13	12	13	5	8	12	8	4
THAI	4	3	1	1	1	-	3	2	1
VIETNAMESE	33	15	18	21	9	12	12	6	6
WHITE	3,188	1,821	1,367	2,016	1,142	874	1,172	679	493
OTHER ASIAN	49	28	21	37	22	15	12	6	6
OTHER	5	3	2	3	2	1	2	1	1
NOT STATED	49	31	18	41	26	15	8	5	3
ALAMEDA	181	98	83	107	59	48	74	39	35
AMERICAN INDIAN	2	2	-	-	-	-	2	2	-
BLACK	80	41	39	43	22	21	37	19	18
CHINESE	6	2	4	3	1	2	3	1	2
FILIPINO	1	-	1	1	-	1	-	-	-
INDIAN (INDIA)	1	1	-	-	-	-	1	1	-
KOREAN	1	-	1	-	-	-	1	-	1
PACIFIC ISLANDER	3	3	-	3	3	-	-	-	-
VIETNAMESE	1	1	-	1	1	-	-	-	-
WHITE	82	46	36	34	32	22	28	14	14
OTHER ASIAN	1	1	-	-	-	-	1	1	-
OTHER	1	-	1	1	-	1	-	-	-
NOT STATED	2	1	1	1	-	1	1	1	-
AMADOR	4	4	-	2	2	-	2	2	-
FILIPINO	1	1	-	-	-	-	1	1	-
WHITE	3	3	-	2	2	-	1	1	-
BUTTE	20	7	13	10	2	8	10	5	5
WHITE	20	7	13	10	2	8	10	5	5
CALAVERAS	3	2	1	2	2	-	1	-	1
WHITE	2	1	1	1	1	-	1	-	1
NOT STATED	1	1	-	1	1	-	-	-	-
COLUSA	3	2	1	1	-	1	2	2	-
WHITE	3	2	1	1	-	1	2	2	-
CONTRA COSTA	90	46	44	48	24	24	42	22	20
BLACK	22	13	9	12	9	3	10	4	6
CHINESE	1	1	-	-	-	-	1	1	-
FILIPINO	1	-	1	1	-	1	-	-	-
INDIAN (INDIA)	1	1	-	-	-	-	1	1	-
WHITE	65	31	34	35	15	20	30	16	14
DEL NORTE	4	2	2	3	2	1	1	-	1
AMERICAN INDIAN	1	1	-	1	1	-	-	-	-
WHITE	3	1	2	2	1	1	1	-	1
EL DORADO	22	15	7	9	6	3	13	9	4
WHITE	22	15	7	9	6	3	13	9	4
FRESNO	114	65	49	93	49	44	21	16	5
BLACK	13	6	7	12	6	6	1	-	1
INDIAN (INDIA)	1	1	-	-	-	-	1	1	-
VIETNAMESE	1	1	-	1	1	-	-	-	-
WHITE	87	52	35	70	38	32	17	14	3
OTHER ASIAN	11	5	6	9	4	5	2	1	1
NOT STATED	1	-	1	1	-	1	-	-	-
GLENN	4	1	3	-	-	-	4	1	3
AMERICAN INDIAN	1	-	1	-	-	-	1	-	1
WHITE	3	1	2	-	-	-	3	1	2
HUMBOLDT	12	8	4	5	5	-	7	3	4
AMERICAN INDIAN	2	2	-	-	-	-	2	2	-
WHITE	9	5	4	4	4	-	5	1	4
OTHER ASIAN	1	1	-	1	1	-	-	-	-
IMPERIAL	14	10	4	4	3	1	10	7	3
BLACK	1	1	-	-	-	-	1	1	-
WHITE	13	9	4	4	3	1	9	6	3
INYO	4	3	1	-	-	-	4	3	1
WHITE	4	3	1	-	-	-	4	3	1
KERN	121	56	65	88	41	47	33	15	18
BLACK	12	4	8	9	4	5	3	-	3
FILIPINO	1	-	1	1	-	1	-	-	-
WHITE	108	52	56	78	37	41	30	15	15
KINGS	20	16	4	10	9	1	10	7	3
AMERICAN INDIAN	1	-	1	-	-	-	1	-	1
WHITE	19	16	3	10	9	1	9	7	2
LAKE	7	4	3	2	1	1	5	3	2
AMERICAN INDIAN	1	1	-	-	-	-	1	1	-
WHITE	6	3	3	2	1	1	4	2	2
LASSEN	2	2	-	1	1	-	1	1	-
WHITE	2	2	-	1	1	-	1	1	-
LOS ANGELES	1,327	657	670	1,006	564	442	321	293	228
AMERICAN INDIAN	3	2	1	3	2	1	-	-	-
BLACK	436	242	194	275	152	123	161	90	71
CAMBODIAN	4	1	3	3	-	3	1	1	-
CHINESE	11	5	6	4	2	2	7	3	4
FILIPINO	15	7	8	10	4	6	5	3	2

TABLE 4-7 (CONTINUED)

INFANT DEATHS BY SEX, RACE/ETHNICITY AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
LOS ANGELES (CONT'D)									
INDIAN (INDIA)	1	1	-	1	1	-	-	-	-
JAPANESE	6	4	2	3	2	1	3	2	1
KOREAN	11	9	2	7	6	1	4	3	1
PACIFIC ISLANDER	8	5	3	2	-	2	6	5	1
THAI	1	1	-	-	-	-	1	1	-
VIETNAMESE	9	2	7	5	1	4	4	1	3
WHITE	1,013	574	439	686	391	295	327	183	144
OTHER ASIAN	7	2	5	5	1	4	2	1	1
NOT STATED	2	2	-	2	2	-	-	-	-
MADERA	12	8	4	9	6	3	3	2	1
WHITE	12	8	4	9	6	3	3	2	1
MARIN	14	9	5	11	6	5	3	3	-
WHITE	13	8	5	10	5	5	3	3	-
NOT STATED	1	1	-	1	1	-	-	-	-
MARIPOSA	2	1	1	1	-	1	1	1	-
WHITE	2	1	1	1	-	1	1	1	-
MENDOCINO	10	6	4	7	5	2	3	1	2
AMERICAN INDIAN	1	1	-	-	-	-	1	1	-
WHITE	9	5	4	7	5	2	2	-	2
MERCED	25	12	13	14	7	7	11	5	6
BLACK	1	-	1	-	-	-	1	-	1
VIETNAMESE	1	-	1	1	-	1	-	-	-
WHITE	17	8	9	11	5	6	6	3	3
OTHER ASIAN	6	4	2	2	2	-	4	2	2
MODOC	1	-	1	-	-	-	1	-	1
WHITE	1	-	1	-	-	-	1	-	1
MONO	1	1	-	1	1	-	-	-	-
WHITE	1	1	-	1	1	-	-	-	-
MONTEREY	67	42	25	36	23	13	31	19	12
BLACK	5	5	-	4	4	-	1	1	-
FILIPINO	2	-	2	-	-	-	2	-	2
KOREAN	1	-	1	-	-	-	1	-	1
VIETNAMESE	1	1	-	1	1	-	-	-	-
WHITE	56	35	21	29	17	12	27	18	9
NOT STATED	2	1	1	2	1	1	-	-	-
NAPA	13	8	5	7	5	2	6	3	3
WHITE	13	8	5	7	5	2	6	3	3
NEVADA	12	8	4	7	3	4	5	5	-
AMERICAN INDIAN	1	-	1	1	-	1	-	-	-
WHITE	11	8	3	6	3	3	5	5	-
ORANGE	246	139	107	166	95	71	80	44	36
BLACK	10	8	2	6	5	1	4	3	1
CHINESE	1	1	-	1	1	-	-	-	-
FILIPINO	1	-	1	1	-	1	-	-	-
KOREAN	1	1	-	1	1	-	-	-	-
PACIFIC ISLANDER	2	-	2	1	-	1	1	-	1
VIETNAMESE	7	5	2	2	-	2	5	3	2
WHITE	221	124	97	132	86	66	69	38	31
OTHER ASIAN	1	-	1	1	-	1	-	-	-
OTHER	1	-	1	-	-	-	1	-	1
NOT STATED	1	-	1	1	-	1	-	-	-
PLACER	25	15	10	17	10	7	8	5	3
BLACK	1	-	1	-	-	-	1	-	1
WHITE	23	14	9	16	9	7	7	5	2
NOT STATED	1	1	-	1	1	-	-	-	-
PLUMAS	3	2	1	2	2	-	1	-	1
WHITE	3	2	1	2	2	-	1	-	1
RIVERSIDE	175	110	65	115	71	44	60	39	21
AMERICAN INDIAN	1	1	-	-	-	-	1	1	-
BLACK	17	11	6	10	6	4	7	5	2
FILIPINO	1	-	1	1	-	1	-	-	-
JAPANESE	1	1	-	-	-	-	1	1	-
PACIFIC ISLANDER	1	1	-	1	1	-	-	-	-
WHITE	130	95	55	100	63	37	30	32	18
OTHER ASIAN	1	1	-	1	1	-	-	-	-
NOT STATED	3	-	3	2	-	2	1	-	1
SACRAMENTO	148	91	57	77	41	36	71	50	21
AMERICAN INDIAN	1	-	1	-	-	-	1	-	1
BLACK	22	13	9	13	5	8	9	8	1
CHINESE	2	1	1	1	-	1	1	1	-
FILIPINO	2	1	1	1	-	1	1	1	-
JAPANESE	2	2	-	-	-	-	2	2	-
PACIFIC ISLANDER	1	-	1	-	-	-	1	-	1
THAI	1	-	1	-	-	-	1	-	1
VIETNAMESE	2	2	-	1	1	-	1	1	-
WHITE	108	67	41	55	31	24	53	36	17
OTHER ASIAN	4	3	1	4	3	1	-	-	-
OTHER	1	1	-	1	1	-	-	-	-
NOT STATED	2	1	1	1	-	1	1	1	-
SAN BENITO	7	3	4	4	1	3	3	2	1
WHITE	7	3	4	4	1	3	3	2	1
SAN BERNARDINO	207	114	93	135	76	59	72	38	34
BLACK	27	16	11	21	13	8	6	3	3
CAMBODIAN	1	1	-	-	-	-	1	1	-
PACIFIC ISLANDER	2	1	1	1	-	1	1	1	-
WHITE	177	96	81	113	63	50	64	33	31

TABLE 4-7 (CONTINUED)

INFANT DEATHS BY SEX, RACE/ETHNICITY AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
SAN DIEGO	336	198	138	232	131	101	124	67	57
AMERICAN INDIAN	5	3	2	3	2	1	2	1	1
BLACK	51	26	25	34	18	16	17	8	9
CAMBODIAN	1	1	-	1	1	-	-	-	-
CHINESE	2	1	1	1	-	1	1	1	-
FILIPINO	13	8	5	8	5	3	5	3	2
KOREAN	1	1	-	-	-	-	1	1	-
PACIFIC ISLANDER	2	-	2	1	-	1	1	-	1
WHITE	273	155	120	180	103	77	93	52	43
OTHER ASIAN	5	2	3	4	2	2	1	-	1
OTHER	1	1	-	-	-	-	1	1	-
SAN FRANCISCO	84	52	32	43	26	17	41	26	15
BLACK	20	12	8	8	5	3	12	7	5
CHINESE	7	6	1	5	4	1	2	2	-
FILIPINO	5	-	5	3	-	3	2	-	2
KOREAN	1	-	1	-	-	-	1	-	1
THAI	1	1	-	1	1	-	-	-	-
WHITE	40	24	16	17	8	9	23	16	7
OTHER ASIAN	1	1	-	1	1	-	-	-	-
NOT STATED	9	8	1	8	7	1	1	1	-
SAN JOAQUIN	71	36	35	43	22	21	28	14	14
AMERICAN INDIAN	2	-	2	2	-	2	-	-	-
BLACK	13	4	9	4	1	3	9	3	6
FILIPINO	3	1	2	2	-	2	1	1	-
PACIFIC ISLANDER	1	-	1	1	-	1	-	-	-
VIETNAMESE	3	2	1	2	1	1	1	1	-
WHITE	45	26	19	29	17	12	16	9	7
OTHER ASIAN	2	2	-	2	2	-	-	-	-
NOT STATED	2	1	1	1	1	-	1	-	1
SAN LUIS OBISPO	20	15	5	14	11	3	6	4	2
BLACK	1	-	1	-	-	-	1	-	1
WHITE	19	15	4	14	11	3	5	4	1
SAN MATEO	70	40	30	47	30	17	23	10	13
BLACK	5	2	3	4	2	2	1	-	1
CHINESE	2	1	1	-	-	-	2	1	1
FILIPINO	6	4	2	5	4	1	1	-	1
JAPANESE	2	2	-	2	2	-	-	-	-
PACIFIC ISLANDER	3	2	1	1	-	1	2	2	-
WHITE	43	23	20	27	16	11	16	7	9
NOT STATED	9	6	3	8	6	2	1	-	1
SANTA BARBARA	23	14	9	11	7	4	12	7	5
WHITE	22	13	9	11	7	4	11	6	5
OTHER ASIAN	1	1	-	-	-	-	1	1	-
SANTA CLARA	197	105	92	117	60	57	80	45	35
BLACK	20	9	11	11	4	7	9	5	4
CAMBODIAN	2	2	-	2	2	-	-	-	-
CHINESE	4	2	2	3	2	1	1	-	1
FILIPINO	6	6	-	5	5	-	1	1	-
INDIAN (INDIA)	1	1	-	1	1	-	-	-	-
JAPANESE	3	1	2	2	1	1	1	-	1
KOREAN	1	1	-	1	1	-	-	-	-
PACIFIC ISLANDER	2	1	1	2	1	1	-	-	-
VIETNAMESE	7	1	6	6	1	5	1	-	1
WHITE	139	74	65	74	36	38	65	38	27
OTHER ASIAN	3	1	2	2	1	1	1	-	1
OTHER	1	1	-	1	1	-	-	-	-
NOT STATED	8	5	3	7	4	3	1	1	-
SANTA CRUZ	30	19	11	17	14	3	13	5	8
BLACK	1	1	-	1	1	-	-	-	-
FILIPINO	1	1	-	-	-	-	1	1	-
WHITE	27	16	11	15	12	3	12	4	8
NOT STATED	1	1	-	1	1	-	-	-	-
SHASTA	20	10	10	10	3	7	10	7	3
KOREAN	1	1	-	-	-	-	1	1	-
WHITE	18	9	9	9	3	6	9	6	3
NOT STATED	1	-	1	1	-	1	-	-	-
SISKIYOU	10	4	6	5	2	3	5	2	3
BLACK	1	-	1	-	-	-	1	-	1
WHITE	8	3	5	5	2	3	3	1	2
NOT STATED	1	1	-	-	-	-	1	1	-
SOLANO	42	31	11	20	14	6	22	17	5
BLACK	10	8	2	5	4	1	5	4	1
FILIPINO	2	2	-	2	2	-	-	-	-
WHITE	30	21	9	13	8	5	17	13	4
SONOMA	33	18	15	17	8	9	16	10	6
CHINESE	1	-	1	-	-	-	1	-	1
WHITE	32	18	14	17	8	9	15	10	5
STANISLAUS	36	33	23	32	17	15	24	16	8
BLACK	1	1	-	-	-	-	1	1	-
CHINESE	1	-	1	1	-	1	-	-	-
INDIAN (INDIA)	1	1	-	1	1	-	-	-	-
THAI	1	1	-	-	-	-	1	1	-
WHITE	31	30	21	29	16	13	22	14	8
NOT STATED	1	-	1	1	-	1	-	-	-
SUTTER	8	6	2	4	3	1	4	3	1
WHITE	7	5	2	3	2	1	4	3	1
OTHER ASIAN	1	1	-	1	1	-	-	-	-
TEHAMA	7	4	3	3	1	2	4	3	1
WHITE	7	4	3	3	1	2	4	3	1
TRINITY	2	-	2	1	-	1	1	-	1

TABLE 4-7 (CONTINUED)

INFANT DEATHS BY SEX, RACE/ETHNICITY AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TRINITY (CONT'D)									
WHITE	2	-	2	1	-	1	1	-	1
TULARE	49	26	23	26	15	11	23	11	12
INDIAN (INDIA)	1	-	1	-	-	-	1	-	1
WHITE	46	24	22	24	13	11	22	11	11
OTHER ASIAN	2	2	-	2	2	-	-	-	-
TUOLUMNE	1	1	-	-	-	-	1	1	-
WHITE	1	1	-	-	-	-	1	1	-
VENTURA	63	38	25	43	26	17	20	12	8
BLACK	5	2	3	4	1	3	1	1	-
VIETNAMESE	1	-	1	1	-	1	-	-	-
WHITE	55	35	20	36	24	12	19	11	8
OTHER ASIAN	1	-	1	1	-	1	-	-	-
NOT STATED	1	1	-	1	1	-	-	-	-
YOLO	17	6	11	11	4	7	6	2	4
BLACK	1	-	1	-	-	-	1	-	1
WHITE	16	6	10	11	4	7	5	2	3
YUBA	19	14	5	7	7	-	12	7	5
BLACK	1	-	1	-	-	-	1	-	1
WHITE	17	13	4	6	6	-	11	7	4
OTHER ASIAN	1	1	-	1	1	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEATH SERVICES, DEATH RECORDS

TABLE 4-8

INFANT DEATHS BY SEX, SPANISH/HISPANIC ORIGIN AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
CALIFORNIA	4,298	2,437	1,861	2,703	1,523	1,180	1,595	914	681
HISPANIC	1,170	673	497	788	447	341	382	226	156
CUBAN	4	-	4	4	-	4	-	-	-
MEXICAN	1,003	577	428	659	374	285	346	203	143
PUERTO RICAN	4	4	-	3	3	-	1	1	-
OTHER HISPANIC	157	92	65	122	70	52	35	22	13
NON-HISPANIC	3,002	1,682	1,320	1,826	1,017	809	1,176	665	511
NOT STATED	126	82	44	89	59	30	37	23	14
ALAMEDA	181	98	83	107	59	48	74	39	35
HISPANIC	24	12	12	18	9	9	6	3	3
MEXICAN	22	11	11	16	8	8	6	3	3
OTHER HISPANIC	2	1	1	2	1	1	-	-	-
NON-HISPANIC	145	79	66	83	46	37	62	33	29
NOT STATED	12	7	5	6	4	2	6	3	3
AMADOR	4	4	-	2	2	-	2	2	-
HISPANIC	1	1	-	-	-	-	1	1	-
MEXICAN	1	1	-	-	-	-	1	1	-
NON-HISPANIC	3	3	-	2	2	-	1	1	-
BUTTE	20	7	13	10	2	8	10	5	5
NON-HISPANIC	20	7	13	10	2	8	10	5	5
CALAVERAS	3	2	1	2	2	-	1	-	1
NON-HISPANIC	2	1	1	1	1	-	1	-	1
NOT STATED	1	1	-	1	1	-	-	-	-
COLUSA	3	2	1	1	-	1	2	2	-
HISPANIC	2	1	1	1	-	1	1	1	-
MEXICAN	2	1	1	1	-	1	1	1	-
NON-HISPANIC	1	1	-	-	-	-	1	1	-
CONTRA COSTA	90	46	44	48	24	24	42	22	20
HISPANIC	13	7	6	7	3	4	6	4	2
MEXICAN	13	7	6	7	3	4	6	4	2
NON-HISPANIC	74	37	37	39	20	19	35	17	18
NOT STATED	3	2	1	2	1	1	1	1	-
DEL NORTE	4	2	2	3	2	1	1	-	1
NON-HISPANIC	4	2	2	3	2	1	1	-	1
EL DORADO	22	15	7	9	6	3	13	9	4
HISPANIC	1	1	-	1	1	-	-	-	-
MEXICAN	1	1	-	1	1	-	-	-	-
NON-HISPANIC	21	14	7	8	5	3	13	9	4
FRESNO	114	63	49	93	49	44	21	16	5
HISPANIC	40	26	14	31	18	13	9	8	1
MEXICAN	40	26	14	31	18	13	9	8	1
NON-HISPANIC	73	39	34	61	31	30	12	8	4
NOT STATED	1	-	1	1	-	1	-	-	-
GLENN	4	1	3	-	-	-	4	1	3
NON-HISPANIC	4	1	3	-	-	-	4	1	3
HUMBOLDT	12	8	4	5	5	-	7	3	4
NON-HISPANIC	12	8	4	5	5	-	7	3	4
IMPERIAL	14	10	4	4	3	1	10	7	3
HISPANIC	8	6	2	2	1	1	6	5	1
MEXICAN	8	6	2	2	1	1	6	5	1
NON-HISPANIC	3	2	1	1	1	-	2	1	1
NOT STATED	3	2	1	1	1	-	2	1	1
INYO	4	3	1	-	-	-	4	3	1
NON-HISPANIC	4	3	1	-	-	-	4	3	1
KERN	121	56	65	88	41	47	33	15	18
HISPANIC	38	22	16	29	17	12	9	5	4
MEXICAN	37	22	15	28	17	11	9	5	4
OTHER HISPANIC	1	-	1	1	-	1	-	-	-
NON-HISPANIC	83	34	49	59	24	35	24	10	14
KINGS	20	16	4	10	9	1	10	7	3
HISPANIC	5	5	-	4	4	-	1	1	-
MEXICAN	5	5	-	4	4	-	1	1	-
NON-HISPANIC	13	11	4	6	5	1	9	6	3
LAKE	7	4	3	2	1	1	5	3	2
NON-HISPANIC	7	4	3	2	1	1	5	3	2
LASSEN	2	2	-	1	1	-	1	1	-
NON-HISPANIC	2	2	-	1	1	-	1	1	-
LOS ANGELES	1,527	857	670	1,006	564	442	521	293	228
HISPANIC	563	324	239	391	224	167	172	100	72
CUBAN	2	-	2	2	-	2	-	-	-
MEXICAN	432	247	185	286	163	121	146	82	64
PUERTO RICAN	1	1	-	1	1	-	-	-	-
OTHER HISPANIC	128	76	52	102	58	44	26	18	8
NON-HISPANIC	942	516	426	602	329	273	340	187	153
NOT STATED	22	17	5	13	11	2	9	6	3
MADERA	12	8	4	9	6	3	3	2	1
HISPANIC	4	1	3	4	1	3	-	-	-
MEXICAN	4	1	3	4	1	3	-	-	-
NON-HISPANIC	8	7	1	5	5	-	3	2	1
MARIN	14	9	5	11	6	5	3	3	-
HISPANIC	2	1	1	2	1	1	-	-	-
MEXICAN	2	1	1	2	1	1	-	-	-
NON-HISPANIC	11	7	4	8	4	4	3	3	-
NOT STATED	1	1	-	1	1	-	-	-	-

TABLE 4-8 (CONTINUED)

INFANT DEATHS BY SEX, SPANISH/HISPANIC ORIGIN AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
MARIPOSA	2	1	1	1	-	1	1	1	-
NON-HISPANIC	2	1	1	1	-	1	1	1	-
MENDOCINO	10	6	4	7	5	2	3	1	2
HISPANIC	2	2	-	1	1	-	1	1	-
MEXICAN	2	2	-	1	1	-	1	1	-
NON-HISPANIC	8	4	4	6	4	2	2	-	2
MERCED	25	12	13	14	7	7	11	5	6
HISPANIC	6	2	4	3	1	2	3	1	2
MEXICAN	6	2	4	3	1	2	3	1	2
NON-HISPANIC	19	10	9	11	6	5	8	4	4
MODOC	1	-	1	-	-	-	1	-	1
HISPANIC	1	-	1	-	-	-	1	-	1
MEXICAN	1	-	1	-	-	-	1	-	1
MONO	1	1	-	1	1	-	-	-	-
NON-HISPANIC	1	1	-	1	1	-	-	-	-
MONTEREY	67	42	25	36	23	13	31	19	12
HISPANIC	25	11	14	10	3	7	15	8	7
MEXICAN	25	11	14	10	3	7	15	8	7
NON-HISPANIC	40	30	10	24	19	5	16	11	5
NOT STATED	2	1	1	2	1	1	-	-	-
NAPA	13	8	5	7	5	2	6	3	3
HISPANIC	3	1	2	-	-	-	3	1	2
MEXICAN	3	1	2	-	-	-	3	1	2
NON-HISPANIC	9	6	3	6	4	2	3	2	1
NOT STATED	1	1	-	1	1	-	-	-	-
NEVADA	12	8	4	7	3	4	5	5	-
NON-HISPANIC	12	8	4	7	3	4	5	5	-
ORANGE	246	139	107	166	95	71	80	44	36
HISPANIC	71	43	28	46	28	18	25	15	10
MEXICAN	66	39	27	43	25	18	23	14	9
PUERTO RICAN	1	1	-	1	1	-	-	-	-
OTHER HISPANIC	4	3	1	2	2	-	2	1	1
NON-HISPANIC	173	96	77	119	67	52	54	29	25
NOT STATED	2	-	2	1	-	1	1	-	1
PLACER	25	15	10	17	10	7	8	5	3
HISPANIC	2	1	1	2	1	1	-	-	-
MEXICAN	2	1	1	2	1	1	-	-	-
NON-HISPANIC	22	13	9	14	8	6	8	5	3
NOT STATED	1	1	-	1	1	-	-	-	-
PLUMAS	3	2	1	2	2	-	1	-	1
NON-HISPANIC	3	2	1	2	2	-	1	-	1
RIVERSIDE	175	110	65	115	71	44	60	39	21
HISPANIC	47	31	16	31	18	13	16	13	3
MEXICAN	46	31	15	31	18	13	15	13	2
OTHER HISPANIC	1	-	1	-	-	-	1	-	1
NON-HISPANIC	124	79	45	81	53	28	43	26	17
NOT STATED	4	-	4	3	-	3	1	-	1
SACRAMENTO	148	91	57	77	41	36	71	50	21
HISPANIC	19	12	7	11	6	5	8	6	2
MEXICAN	18	11	7	10	5	5	8	6	2
OTHER HISPANIC	1	1	-	1	1	-	-	-	-
NON-HISPANIC	124	76	48	63	34	29	61	42	19
NOT STATED	5	3	2	3	1	2	2	2	-
SAN BENITO	7	3	4	4	1	3	3	2	1
HISPANIC	4	1	3	3	-	3	1	1	-
MEXICAN	4	1	3	3	-	3	1	1	-
NON-HISPANIC	3	2	1	1	1	-	2	1	1
SAN BERNARDINO	207	114	93	133	76	59	72	38	34
HISPANIC	40	20	20	30	13	17	10	7	3
MEXICAN	39	19	20	29	12	17	10	7	3
OTHER HISPANIC	1	1	-	1	1	-	-	-	-
NON-HISPANIC	166	93	73	104	62	42	62	31	31
NOT STATED	1	1	-	1	1	-	-	-	-
SAN DIEGO	336	198	138	232	131	101	104	67	37
HISPANIC	68	35	33	47	28	19	21	7	14
CUBAN	2	-	2	2	-	2	-	-	-
MEXICAN	63	32	31	43	26	17	20	6	14
PUERTO RICAN	1	1	-	-	-	-	1	1	-
OTHER HISPANIC	2	2	-	2	2	-	-	-	-
NON-HISPANIC	267	162	125	184	102	82	103	60	43
NOT STATED	1	1	-	1	1	-	-	-	-
SAN FRANCISCO	84	52	32	43	26	17	41	26	15
HISPANIC	10	4	6	8	2	6	2	2	-
MEXICAN	2	-	2	2	-	2	-	-	-
OTHER HISPANIC	8	4	4	6	2	4	2	2	-
NON-HISPANIC	56	34	22	23	14	9	33	20	13
NOT STATED	18	14	4	12	10	2	6	4	2
SAN JOAQUIN	71	36	35	43	22	21	28	14	14
HISPANIC	17	11	6	12	8	4	5	3	2
MEXICAN	15	10	5	11	8	3	4	2	2
OTHER HISPANIC	2	1	1	1	-	1	1	1	-
NON-HISPANIC	53	24	29	30	13	17	23	11	12
NOT STATED	1	1	-	1	1	-	-	-	-
SAN LUIS OBISPO	20	15	5	14	11	3	6	4	2
HISPANIC	1	1	-	1	1	-	-	-	-
MEXICAN	1	1	-	1	1	-	-	-	-
NON-HISPANIC	19	14	5	13	10	3	6	4	2

TABLE 4-8 (CONTINUED)

INFANT DEATHS BY SEX, SPANISH/HISPANIC ORIGIN AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC	INFANT			NEONATAL			POSTNEONATAL		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
SAN MATEO	70	40	30	47	30	17	23	10	13
HISPANIC	15	12	3	11	10	1	4	2	2
MEXICAN	11	10	1	9	8	1	2	2	-
OTHER HISPANIC	4	2	2	2	2	-	2	-	2
NON-HISPANIC	35	15	20	19	9	10	16	6	10
NOT STATED	20	13	7	17	11	6	3	2	1
SANTA BARBARA	23	14	9	11	7	4	12	7	5
HISPANIC	8	5	3	4	3	1	4	2	2
MEXICAN	8	5	3	4	3	1	4	2	2
NON-HISPANIC	15	9	6	7	4	3	8	5	3
SANTA CLARA	197	105	92	117	60	57	80	45	35
HISPANIC	49	28	21	27	15	12	22	13	9
MEXICAN	47	27	20	25	14	11	22	13	9
OTHER HISPANIC	2	1	1	2	1	1	-	-	-
NON-HISPANIC	132	68	64	76	37	39	56	31	25
NOT STATED	16	9	7	14	8	6	2	1	1
SANTA CRUZ	30	19	11	17	14	3	13	5	8
HISPANIC	8	6	2	5	4	1	3	2	1
MEXICAN	8	6	2	5	4	1	3	2	1
NON-HISPANIC	20	11	9	10	8	2	10	3	7
NOT STATED	2	2	-	2	2	-	-	-	-
SHASTA	20	10	10	10	3	7	10	7	3
HISPANIC	1	-	1	1	-	1	-	-	-
MEXICAN	1	-	1	1	-	1	-	-	-
NON-HISPANIC	18	10	8	8	3	5	10	7	3
NOT STATED	1	-	1	1	-	1	-	-	-
SISKIYOU	10	4	6	5	2	3	5	2	3
NON-HISPANIC	9	3	6	5	2	3	4	1	3
NOT STATED	1	1	-	-	-	-	1	1	-
SOLANO	42	31	11	20	14	6	22	17	5
HISPANIC	3	2	1	2	1	1	1	1	-
MEXICAN	3	2	1	2	1	1	1	1	-
NON-HISPANIC	36	28	8	17	13	4	19	15	4
NOT STATED	3	1	2	1	-	1	2	1	1
SONOMA	33	18	15	17	8	9	16	10	6
HISPANIC	3	3	-	3	3	-	-	-	-
MEXICAN	3	3	-	3	3	-	-	-	-
NON-HISPANIC	30	15	15	14	5	9	16	10	6
STANISLAUS	56	33	23	32	17	15	24	16	8
HISPANIC	10	7	3	7	5	2	3	2	1
MEXICAN	10	7	3	7	5	2	3	2	1
NON-HISPANIC	46	26	20	25	12	13	21	14	7
SUTTER	8	6	2	4	3	1	4	3	1
NON-HISPANIC	8	6	2	4	3	1	4	3	1
TEHAMA	7	4	3	3	1	2	4	3	1
HISPANIC	2	-	2	1	-	1	1	-	1
MEXICAN	1	-	1	1	-	1	-	-	-
OTHER HISPANIC	1	-	1	-	-	-	1	-	1
NON-HISPANIC	5	4	1	2	1	1	3	3	-
TRINITY	2	-	2	1	-	1	1	-	1
NON-HISPANIC	2	-	2	1	-	1	1	-	1
TULARE	49	26	23	26	15	11	23	11	12
HISPANIC	29	16	13	14	8	6	15	8	7
MEXICAN	29	16	13	14	8	6	15	8	7
NON-HISPANIC	19	10	9	11	7	4	8	3	5
NOT STATED	1	-	1	1	-	1	-	-	-
TUOLUMNE	1	1	-	-	-	-	1	1	-
NON-HISPANIC	1	1	-	-	-	-	1	1	-
VENTURA	63	38	25	43	26	17	20	12	8
HISPANIC	18	12	6	12	9	3	6	3	3
MEXICAN	17	11	6	11	8	3	6	3	3
PUERTO RICAN	1	1	-	1	1	-	-	-	-
NON-HISPANIC	44	25	19	31	17	14	13	8	5
NOT STATED	1	1	-	-	-	-	1	1	-
YOLO	17	6	11	11	4	7	6	2	4
HISPANIC	6	-	6	6	-	6	-	-	-
MEXICAN	6	-	6	6	-	6	-	-	-
NON-HISPANIC	11	6	5	5	4	1	6	2	4
YUBA	19	14	5	7	7	-	12	7	5
HISPANIC	1	-	1	-	-	-	1	-	1
MEXICAN	1	-	1	-	-	-	1	-	1
NON-HISPANIC	16	12	4	5	5	-	11	7	4
NOT STATED	2	2	-	2	2	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEATH SERVICES, DEATH RECORDS

5. DEATHS

			Page
Table	5-1	Ten leading causes of death: California, 1985 and 1986	140
	5-2	Five leading causes of death by sex and age: California, 1986	143
	5-3	Age-and sex-specific death rates and percent change: California, 1984-1986 ..	145
	5-4	Deaths by sex, race, and age: California, 1986	146
	5-5	Deaths by sex, race, and age: California counties, 1986	147
	5-6	Deaths by month of death: California counties, 1986	169
	5-7	Deaths from selected external causes of injury and poisoning: California counties, 1986	170
	5-8	Deaths from selected causes: California counties, 1986	172
	5-9	Deaths by sex, Spanish/Hispanic origin and age: California, 1986	187
	5-10	Deaths by sex, Spanish/Hispanic origin and age: California counties, 1986	188
	5-11	Deaths from six causes associated with AIDS by sex and age: Calfornia, 1985-1986	206
	5-12	Deaths from AIDS by sex and age group: Calfornia, 1980-1986	207
	5-13	Deaths rates from malignant neoplasms by site: California counties, 1986	209
	5-14	Deaths from each cause by sex and age: California, 1986 (microfiche in back cover)	
Figure	5-A	Percent distribution of the ten leading causes of death: California, 1986	141
	5-B	Percent change in rate for the ten leading causes of death: California, 1985-1986	142
	5-C	Deaths from six causes associated with AIDS by sex: California, 1980-1986	208

TABLE 5-1

TEN LEADING CAUSES OF DEATH

CALIFORNIA, 1985 AND 1986

(BY PLACE OF RESIDENCE)

(NUMBER AND RATE, WITH PERCENT CHANGE, AND PERCENT DISTRIBUTION)

CAUSE OF DEATH	NINTH REVISION ICD NUMBER	NUMBER		PERCENT CHANGE 1985 TO 1986
		1986	1985	
ALL CAUSES	001-999	202,826	201,813	0.5
DISEASES OF THE HEART	390-398,402,404-429	68,049	69,046	-1.4
MALIGNANT NEOPLASMS	140-208	46,412	45,615	1.7
CEREBROVASCULAR DISEASE	430-438	15,075	15,222	-1.0
UNINTENTIONAL INJURIES	800-949	10,817	10,380	4.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	490-496	8,477	8,606	-1.5
PNEUMONIA AND INFLUENZA	480-487	7,602	8,046	-5.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	571	3,968	3,965	0.1
SUICIDE	950-959	3,960	3,782	4.7
HOMICIDE	960-969	3,089	2,818	9.6
DIABETES MELLITUS	250	3,028	2,997	1.0
ALL OTHER CAUSES	RESIDUAL	32,349	31,338	3.2
		RATE		
ALL CAUSES	001-999	751.7	765.5	-1.8
DISEASES OF THE HEART	390-398,402,404-429	252.2	261.9	-3.7
MALIGNANT NEOPLASMS	140-208	172.0	173.0	-0.6
CEREBROVASCULAR DISEASE	430-438	55.9	57.7	-3.2
UNINTENTIONAL INJURIES	800-949	40.1	39.4	1.8
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	490-496	31.4	32.6	-3.7
PNEUMONIA AND INFLUENZA	480-487	28.2	30.5	-7.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	571	14.7	15.0	-2.2
SUICIDE	950-959	14.7	14.3	2.3
HOMICIDE	960-969	11.4	10.7	7.1
DIABETES MELLITUS	250	11.2	11.4	-1.3
ALL OTHER CAUSES	RESIDUAL	119.9	118.9	0.9
		PERCENTAGE		DIFFERENCE 1986 MINUS 1985
ALL CAUSES	001-999	100.0	100.0	...
DISEASES OF THE HEART	390-398,402,404-429	33.6	34.2	-0.6
MALIGNANT NEOPLASMS	140-208	22.9	22.6	0.3
CEREBROVASCULAR DISEASE	430-438	7.4	7.5	-0.1
UNINTENTIONAL INJURIES	800-949	5.3	5.1	0.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	490-496	4.2	4.3	-0.1
PNEUMONIA AND INFLUENZA	480-487	3.7	4.0	-0.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	571	2.0	2.0	-
SUICIDE	950-959	2.0	1.9	0.1
HOMICIDE	960-969	1.5	1.4	0.1
DIABETES MELLITUS	250	1.5	1.5	-
ALL OTHER CAUSES	RESIDUAL	15.9	15.5	0.4

(A) NOT AMONG THE TEN LEADING CAUSES OF DEATH FOR THIS YEAR.

NOTE: RATES ARE PER 100,000 POPULATION. RATES AND PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.

SOURCE: 1986 POPULATION PROJECTIONS FOR CALIFORNIA COUNTIES, BASELINE 86, NOV. 1987. BASELINE 86, PROJECTIONS HAVE BEEN CONTROLLED TO REFLECT THE LATEST DEPT. OF FINANCE POP. ESTIMATES (REPORT 86 E-2).

STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

Figure 5–A
PERCENT DISTRIBUTION OF
THE TEN LEADING CAUSES OF DEATH
CALIFORNIA 1986



Source: Table 5–1.

Figure 5–B
PERCENT CHANGE IN RATE FOR
THE TEN LEADING CAUSES OF DEATH
CALIFORNIA, 1985–1986



Source: Table 5-1.

TABLE 3-2

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		NUMBER	PERCENT	RANK	NUMBER	PERCENT	RANK
		UNDER 1					
	ALL CAUSES	2,437	100.0		1,861	100.0	
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1,056	43.3	1	817	43.9	1
740-759	CONGENITAL ANOMALIES	541	22.2	2	446	24.0	2
798.0	SUDDEN INFANT DEATH SYNDROME	396	16.2	3	255	13.7	3
390-398,402,404-429	DISEASES OF THE HEART	55	2.3	4	41	2.2	5
480-487	PNEUMONIA AND INFLUENZA	55	2.3	4	35A	1.9A	A
800-949	UNINTENTIONAL INJURIES	48A	2.0A	A	61	3.3	4
810-825	MOTOR VEHICLE ACCIDENTS	15	0.6		16	0.9	
910	DROWNINGS	8	0.3		10	0.5	
800-807,826-909,911-949	ALL OTHER UNINTENTIONAL INJURIES	25	1.0		35	1.9	
	ALL OTHER CAUSES	286	11.7		206	11.1	
		1 - 4					
	ALL CAUSES	492	100.0		338	100.0	
800-949	UNINTENTIONAL INJURIES	200	40.7	1	137	38.3	1
810-825	MOTOR VEHICLE ACCIDENTS	82	16.7		59	16.3	
910	DROWNINGS	80	16.3		43	12.0	
800-807,826-909,911-949	ALL OTHER UNINTENTIONAL INJURIES	38	7.7		35	9.8	
740-759	CONGENITAL ANOMALIES	65	13.2	2	59	16.5	2
960-969	HOMICIDE	38	7.7	3	18	5.0	4
140-208	MALIGNANT NEOPLASMS	36	7.3	4	28	7.8	3
390-398,402,404-429	DISEASES OF THE HEART	16	3.3	5	16	4.5	5
	ALL OTHER CAUSES	137	27.8		100	27.9	
		5 - 14					
	ALL CAUSES	573	100.0		315	100.0	
800-949	UNINTENTIONAL INJURIES	308	53.8	1	95	30.2	1
810-825	MOTOR VEHICLE ACCIDENTS	194	33.9		78	24.8	
910	DROWNINGS	42	7.3		8	2.5	
800-807,826-909,911-949	ALL OTHER UNINTENTIONAL INJURIES	72	12.6		9	2.9	
140-208	MALIGNANT NEOPLASMS	79	13.8	2	61	19.4	2
740-759	CONGENITAL ANOMALIES	28	4.9	3	27	8.6	3
960-969	HOMICIDE	24	4.2	4	20	6.3	4
950-959	SUICIDE	16	2.8	5	4A	1.3A	A
390-398,402,404-429	DISEASES OF THE HEART	14A	2.4A	A	19	6.0	5
	ALL OTHER CAUSES	104	18.2		89	28.3	
		15 - 24					
	ALL CAUSES	3,692	100.0		1,050	100.0	
800-949	UNINTENTIONAL INJURIES	1,815	49.2	1	425	40.5	1
810-825	MOTOR VEHICLE ACCIDENTS	1,423	38.5		330	31.4	
910	DROWNINGS	115	3.1		20	1.9	
800-807,826-909,911-949	ALL OTHER UNINTENTIONAL INJURIES	277	7.5		75	7.1	
960-969	HOMICIDE	749	20.3	2	168	16.0	2
950-959	SUICIDE	486	13.2	3	116	11.0	3
140-208	MALIGNANT NEOPLASMS	174	4.7	4	86	8.2	4
390-398,402,404-429	DISEASES OF THE HEART	75	2.0	5	32	3.0	5
	ALL OTHER CAUSES	393	10.6		223	21.2	
		25 - 34					
	ALL CAUSES	5,644	100.0		1,815	100.0	
800-949	UNINTENTIONAL INJURIES	1,946	34.5	1	471	26.0	1
810-825	MOTOR VEHICLE ACCIDENTS	1,090	19.3		288	15.9	
850-858	POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	480	8.5		130	7.2	
800-807,826-849,859-949	ALL OTHER UNINTENTIONAL INJURIES	376	6.7		53	2.9	
960-969	HOMICIDE	784	13.9	2	194	10.7	3
950-959	SUICIDE	724	12.8	3	191	10.5	4
140-208	MALIGNANT NEOPLASMS	411	7.3	4	325	17.9	2
390-398,402,404-429	DISEASES OF THE HEART	263	4.7	5	100	5.5	5
	ALL OTHER CAUSES	1,516	26.9		534	29.4	
		35 - 44					
	ALL CAUSES	6,013	100.0		2,581	100.0	
800-949	UNINTENTIONAL INJURIES	1,155	19.2	1	342	13.3	2
810-825	MOTOR VEHICLE ACCIDENTS	588	9.8		197	7.6	
850-858	POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	313	5.2		88	3.4	
800-807,826-849,859-949	ALL OTHER UNINTENTIONAL INJURIES	254	4.2		57	2.2	
390-398,402,404-429	DISEASES OF THE HEART	849	14.1	2	270	10.5	3
140-208	MALIGNANT NEOPLASMS	810	13.5	3	928	36.0	1
950-959	SUICIDE	492	8.2	4	183	7.1	4
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	457	7.6	5	143	5.5	5
	ALL OTHER CAUSES	2,252	37.4		715	27.7	
		45 - 54					
	ALL CAUSES	7,413	100.0		4,334	100.0	
390-398,402,404-429	DISEASES OF THE HEART	2,140	28.9	1	739	17.0	2
140-208	MALIGNANT NEOPLASMS	1,868	25.2	2	1,936	44.5	1
800-949	UNINTENTIONAL INJURIES	606	8.2	3	208	4.8	5
810-825	MOTOR VEHICLE ACCIDENTS	343	4.6		107	2.5	
850-858	POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	78	1.1		36	0.8	
800-807,826-849,859-949	ALL OTHER UNINTENTIONAL INJURIES	187	2.5		65	1.5	
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	540	7.3	4	251	5.8	4
950-959	SUICIDE	308	4.2	5	121A	2.8A	A
430-438	CEREBROVASCULAR DISEASE	223A	3.0A	A	263	6.0	3
	ALL OTHER CAUSES	1,728	23.3		836	19.2	

TABLE 5-2 (CONTINUED)

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		NUMBER	PERCENT	RANK	NUMBER	PERCENT	RANK
		55 - 64					
	ALL CAUSES	16,081	100.0		10,614	100.0	
390-398,402,404-429	DISEASES OF THE HEART	5,900	36.7	1	2,303	24.0	2
140-208	MALIGNANT NEOPLASMS	3,098	31.7	2	4,596	44.1	1
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	696	4.3	3	383	3.7	5
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	604	3.8	4	470	4.5	4
430-438	CEREBROVASCULAR DISEASE	399	3.7	5	490	4.7	3
	ALL OTHER CAUSES	3,184	19.8		1,972	18.9	
		65 - 74					
	ALL CAUSES	25,730	100.0		19,225	100.0	
390-398,402,404-429	DISEASES OF THE HEART	9,730	37.8	1	5,980	31.1	2
140-208	MALIGNANT NEOPLASMS	7,845	30.5	2	6,566	34.2	1
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	1,563	6.1	3	1,174	6.1	4
430-438	CEREBROVASCULAR DISEASE	1,339	5.2	4	1,408	7.3	3
480-487	PNEUMONIA AND INFLUENZA	667	2.6	5	464	2.4	5
	ALL OTHER CAUSES	4,606	17.9		3,633	18.9	
		75 AND OVER					
	ALL CAUSES	38,942	100.0		53,628	100.0	
390-398,402,404-429	DISEASES OF THE HEART	15,827	40.6	1	23,436	43.7	1
140-208	MALIGNANT NEOPLASMS	7,722	19.8	2	7,820	14.6	2
430-438	CEREBROVASCULAR DISEASE	3,491	9.0	3	6,860	12.8	3
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	2,348	6.0	4	1,939	3.6	5
480-487	PNEUMONIA AND INFLUENZA	2,311	5.9	5	3,251	6.1	4
	ALL OTHER CAUSES	7,243	18.6		10,302	19.2	

(A) NOT AMONG FIVE LEADING CAUSES OF DEATH IN THIS AGE-SEX GROUP.

NOTE: PERCENTS ARE ROUNDED INDEPENDENTLY AND MAY NOT ADD TO TOTALS.
THIS TABLE EXCLUDES 184 DEATHS OF UNKNOWN AGE.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-3
AGE- AND SEX-SPECIFIC DEATH RATES
AND PERCENT CHANGE
CALIFORNIA, 1984-1986

(By place of residence)

AGE (In Years)	1984			1985			1986		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
	RATE								
Total	757.8	810.1	706.8	765.5	818.0	714.3	751.7	805.5	699.5
Under 1	956.1	1,043.1	864.9	966.3	1084.0	843.1	949.7	1,052.9	841.6
1-4	50.5	54.9	45.9	49.8	56.3	42.9	46.4	52.6	40.1
5-14	24.9	29.3	20.4	24.6	30.0	19.1	23.9	30.2	17.3
15-24	104.3	151.8	53.5	104.4	152.3	53.1	109.9	165.5	50.4
25-44	164.2	229.8	98.1	169.7	239.3	99.5	183.5	265.6	100.9
45-64	805.2	1013.6	609.7	791.0	1005.0	590.1	768.4	973.7	575.4
65-74	2627.5	3423.6	1989.5	2602.9	3355.7	1996.2	2,543.5	3,251.8	1,969.0
75 and Over	8239.1	9855.7	7347.0	8341.7	9955.1	7450.3	7,941.1	9,376.9	7,146.5

AGE (In Years)	PERCENT CHANGE					
	1984 - 1985			1985 - 1986		
	Total	Male	Female	Total	Male	Female
Total	1.0	1.0	1.1	-1.8	-1.5	-2.1
Under 1	1.1	3.9	-2.5	-1.7	-2.9	-0.2
1-4	-1.5	2.4	-6.4	-6.7	-6.6	-6.7
5-14	-1.3	2.3	-6.7	-3.0	0.8	-9.4
15-24	0.1	0.3	-0.7	5.3	8.7	-5.2
25-44	3.3	4.1	1.4	8.1	11.0	1.4
45-64	-1.8	-0.8	-3.2	-2.9	-3.1	-2.5
65-74	-0.9	-2.0	0.3	-2.3	-3.1	-1.4
75 and Over	1.2	1.0	1.4	-4.8	-5.8	-4.1

Note: Rates are per 100,000 population.

Source: State of California, Department of Finance, 1986 Population Projections for California Counties, Baseline 86, November 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates; and California Projected 1985 Population by Age and Sex, run date December 1986.

State of California, Department of Health Services, Death Records.

TABLE 5-4

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TOTAL	202,826	3,148	426	462	1,831	2,911	3,478	3,981	4,295	4,301	4,925	6,844	10,569	15,926	20,334	24,641	92,570	184
AMERICAN INDIAN	601	25	1	3	15	29	23	28	36	27	28	36	40	49	48	58	155	-
BLACK	15,833	899	54	43	252	402	476	583	570	609	676	864	1,179	1,534	1,656	1,657	4,374	5
CAMBODIAN	77	16	2	-	-	3	4	3	2	7	5	3	2	5	10	7	8	-
CHINESE	1,996	43	2	2	7	21	26	29	31	43	50	76	129	154	177	273	933	-
FILIPINO	1,885	70	11	7	13	23	40	35	52	54	52	69	97	127	131	239	864	1
INDIAN (INDIA)	169	10	-	1	3	5	8	6	11	14	20	11	10	16	10	12	32	-
JAPANESE	1,328	17	-	-	8	17	9	17	21	22	23	57	110	128	157	141	601	-
KOREAN	455	23	6	4	5	14	22	10	22	21	24	35	20	43	47	47	112	-
PACIFIC ISLANDER	268	29	3	3	9	9	7	10	6	8	14	26	25	25	33	15	46	-
THAI	34	6	-	-	-	2	3	1	1	5	2	1	-	1	2	6	4	-
VIETNAMESE	362	39	7	7	19	17	19	13	20	10	16	12	20	15	22	36	90	-
WHITE	179,231	3,857	332	388	1,489	2,355	2,828	3,227	3,511	3,457	3,996	5,631	8,914	13,796	17,998	22,094	85,235	123
OTHER ASIAN	295	57	6	4	5	10	11	19	9	18	15	11	9	16	22	37	43	3
OTHER	59	7	1	-	2	1	-	-	-	2	-	3	5	8	9	5	14	-
NOT STATED	233	50	1	-	4	3	2	-	3	4	4	7	9	9	12	14	59	52
FEMALE	95,653	2,219	153	162	447	603	822	993	1,189	1,392	1,739	2,595	4,037	6,377	8,485	10,740	53,628	52
AMERICAN INDIAN	245	9	-	2	3	9	5	9	13	9	11	13	15	21	22	26	76	-
BLACK	6,787	404	23	14	57	70	115	169	164	218	254	310	448	636	695	753	2,456	1
CAMBODIAN	33	7	-	-	-	-	2	-	1	3	1	3	1	1	7	2	5	-
CHINESE	855	22	1	1	-	3	13	9	14	21	15	25	53	47	76	104	451	-
FILIPINO	554	33	1	3	3	9	9	17	24	28	23	34	33	48	52	75	162	-
INDIAN (INDIA)	42	3	-	1	-	2	2	1	1	-	3	2	2	6	4	4	11	-
JAPANESE	640	5	-	-	1	4	3	5	7	8	9	35	66	57	44	47	349	-
KOREAN	203	6	3	1	2	3	9	1	9	13	8	12	9	16	25	23	63	-
PACIFIC ISLANDER	110	14	-	-	5	-	3	2	3	4	3	9	11	10	13	10	23	-
THAI	10	1	-	-	-	-	1	1	-	1	1	-	-	-	-	2	3	-
VIETNAMESE	158	20	2	3	3	1	6	3	9	2	10	6	9	7	12	21	44	-
WHITE	85,803	1,649	120	135	367	501	652	767	940	1,078	1,414	2,132	3,385	5,522	7,523	9,652	49,932	34
OTHER ASIAN	116	26	3	2	3	1	2	9	4	6	7	6	3	4	5	16	18	1
OTHER	22	2	-	-	-	-	-	-	-	-	-	4	2	2	4	1	7	-
NOT STATED	75	18	-	-	1	-	-	-	-	1	-	4	-	-	3	4	28	16
MALE	107,173	2,929	273	300	1,384	2,308	2,656	2,988	3,106	2,909	3,166	4,249	6,532	9,549	11,849	13,901	38,942	132
AMERICAN INDIAN	356	16	1	1	10	20	18	19	23	18	17	23	25	28	26	32	79	-
BLACK	9,046	495	31	29	195	332	361	414	406	391	422	554	731	898	961	904	1,918	4
CAMBODIAN	44	9	2	-	-	3	2	3	1	4	4	-	1	4	3	5	3	-
CHINESE	1,141	21	1	1	7	18	13	20	17	22	35	51	76	107	101	169	482	-
FILIPINO	1,331	37	10	4	10	14	31	18	28	26	29	35	64	79	79	164	702	1
INDIAN (INDIA)	127	7	-	-	3	3	6	5	10	14	17	9	8	10	6	8	21	-
JAPANESE	688	12	-	-	7	13	6	12	14	14	14	22	44	71	113	94	252	-
KOREAN	252	17	3	3	3	11	13	9	13	8	16	23	11	27	22	24	49	-
PACIFIC ISLANDER	158	15	3	3	4	9	4	8	3	4	11	17	14	15	20	5	23	-
THAI	24	5	-	-	-	2	2	-	1	4	1	1	-	1	2	4	1	-
VIETNAMESE	204	19	5	4	16	16	13	10	11	8	6	6	11	8	10	15	46	-
WHITE	93,428	2,208	212	253	1,122	1,854	2,176	2,460	2,571	2,379	2,582	3,499	5,529	8,274	10,475	12,442	35,303	89
OTHER ASIAN	179	31	3	2	2	9	9	10	5	12	8	5	6	12	17	21	25	2
OTHER	37	5	1	-	2	1	-	-	-	2	-	1	3	6	5	4	7	-
NOT STATED	158	32	1	-	3	3	2	-	3	3	4	3	9	9	9	10	31	36

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-5

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
ALAMEDA	9,580	212	21	16	73	109	136	198	217	216	246	358	550	783	970	1,109	4,364	2
AMERICAN INDIAN	27	2	1	-	-	1	2	-	3	1	1	3	6	1	1	3	2	-
BLACK	1,904	92	6	2	30	38	39	75	69	72	73	96	138	199	227	196	552	-
CAMBODIAN	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
CHINESE	201	7	1	-	-	-	3	3	1	5	7	7	12	11	18	20	106	-
FILIPINO	116	2	1	-	-	1	-	1	3	3	4	3	9	9	6	18	56	-
INDIAN (INDIA)	11	2	-	-	-	-	-	2	-	-	2	1	1	2	-	-	1	-
JAPANESE	72	-	-	-	1	-	1	2	-	1	1	3	8	6	9	7	33	-
KOREAN	14	1	1	-	-	1	-	-	1	2	1	1	1	-	1	1	3	-
PACIFIC ISLANDER	16	3	1	-	-	-	-	1	1	-	-	-	3	1	2	2	2	-
THAI	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	19	1	-	2	-	-	1	2	3	-	-	2	-	1	2	1	3	-
WHITE	7,148	96	10	12	42	67	89	109	135	132	155	239	371	547	699	853	3,588	2
OTHER ASIAN	11	2	-	-	-	1	-	2	1	-	-	1	-	2	1	1	1	-
OTHER	10	1	-	-	-	-	-	-	-	-	-	1	-	3	1	-	4	-
NOT STATED	26	3	-	-	-	-	-	-	-	-	-	1	1	3	2	5	11	-
FEMALE	4,648	98	7	8	23	20	41	55	68	78	92	121	218	334	419	497	2,568	1
AMERICAN INDIAN	10	-	-	-	-	-	-	-	1	-	-	1	3	-	1	3	1	-
BLACK	802	43	2	-	6	5	9	22	19	32	30	34	60	80	88	87	285	1
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	85	5	-	-	-	1	1	1	1	-	1	2	4	5	7	9	49	-
FILIPINO	37	2	-	-	-	1	-	1	1	2	4	1	3	5	2	3	12	-
INDIAN (INDIA)	5	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-
JAPANESE	45	-	-	-	1	-	1	1	-	-	-	1	8	5	2	3	23	-
KOREAN	10	1	1	-	-	-	-	-	1	2	1	1	-	-	-	-	3	-
PACIFIC ISLANDER	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-
VIETNAMESE	8	-	-	2	-	-	1	-	2	-	-	-	-	1	-	1	1	-
WHITE	3,619	44	4	6	16	14	29	29	43	42	55	78	139	236	314	388	2,181	1
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
OTHER	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
NOT STATED	13	1	-	-	-	-	-	-	-	-	-	1	-	-	1	2	8	-
MALE	4,932	114	14	8	50	89	95	143	149	138	134	237	332	449	551	612	1,796	1
AMERICAN INDIAN	17	2	1	-	1	1	2	-	2	1	1	2	3	1	-	-	1	-
BLACK	1,102	49	4	2	24	33	30	53	50	40	43	62	78	119	139	109	267	-
CAMBODIAN	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
CHINESE	116	2	1	-	-	-	2	2	-	5	6	5	8	6	11	11	57	-
FILIPINO	79	1	1	-	-	-	-	-	2	1	-	2	6	4	4	15	44	-
INDIAN (INDIA)	6	1	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-
JAPANESE	27	-	-	-	-	-	-	1	-	1	1	2	-	1	7	4	10	-
KOREAN	4	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-
PACIFIC ISLANDER	9	3	1	-	-	-	-	1	1	-	-	-	2	-	-	-	1	-
THAI	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	11	1	-	-	-	-	-	2	1	-	1	2	-	-	1	1	2	-
WHITE	3,329	52	6	6	26	53	60	80	92	90	100	161	232	311	385	467	1,407	1
OTHER ASIAN	9	2	-	-	-	1	-	2	1	-	-	-	-	-	1	1	1	-
OTHER	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
NOT STATED	13	2	-	-	-	-	-	-	-	-	-	-	1	3	1	3	3	-
ALPINE	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
AMADOR	215	4	-	-	2	1	2	1	3	3	3	2	10	15	29	28	112	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	213	3	-	-	2	1	2	1	3	3	3	2	10	15	29	27	112	-
FEMALE	96	-	-	-	-	-	-	-	-	1	-	1	4	5	12	12	61	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	95	-	-	-	-	-	-	-	-	1	-	1	4	5	12	11	61	-
MALE	119	4	-	-	2	1	2	1	3	2	3	1	6	10	17	16	51	-
FILIPINO	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	118	3	-	-	2	1	2	1	3	2	3	1	6	10	17	16	51	-
BUTTE	1,703	25	-	4	19	26	14	21	27	22	30	33	64	133	181	225	877	2
AMERICAN INDIAN	12	-	-	-	-	1	1	-	1	-	-	2	1	1	1	2	2	-
BLACK	14	-	-	-	1	-	-	2	-	-	-	-	-	-	1	2	8	-
CHINESE	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
BUTTE (CONT'D)																		
KOREAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,669	25	-	4	17	24	13	19	26	22	30	31	61	132	179	220	865	1
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
FEMALE	767	14	-	2	10	5	4	2	10	8	9	13	26	52	68	85	458	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
BLACK	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-
KOREAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	758	14	-	2	9	5	4	1	10	8	9	13	25	52	68	84	454	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	936	11	-	2	9	21	10	19	17	14	21	20	38	81	113	140	419	1
AMERICAN INDIAN	9	-	-	-	-	1	1	-	1	-	-	2	-	1	1	1	1	-
BLACK	10	-	-	-	1	-	-	1	-	-	-	-	-	-	1	2	5	-
CHINESE	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	911	11	-	2	8	19	9	18	16	14	21	18	36	80	111	136	411	1
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
CALAVERAS	248	7	-	-	2	4	1	5	7	5	3	4	17	20	24	32	117	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	244	6	-	-	2	4	1	5	7	5	3	3	17	20	24	31	116	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	108	3	-	-	-	1	-	1	3	1	1	-	3	7	8	17	63	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	107	3	-	-	-	1	-	1	3	1	1	-	3	7	8	16	63	-
MALE	140	4	-	-	2	3	1	4	4	4	2	4	14	13	16	15	54	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	137	3	-	-	2	3	1	4	4	4	2	3	14	13	16	15	53	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
COLUSA	150	5	-	1	2	2	2	1	1	-	4	5	8	10	15	22	71	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	141	5	-	1	2	2	2	1	1	-	4	5	7	9	12	21	68	1
FEMALE	74	3	-	-	-	-	1	-	-	-	1	-	4	6	11	9	38	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	69	3	-	-	-	-	1	-	-	-	1	-	4	5	9	9	36	1
MALE	76	2	-	1	2	2	1	1	1	-	3	5	4	4	4	13	33	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	72	2	-	1	2	2	1	1	1	-	3	5	3	4	3	12	32	-
CONTRA COSTA	5,218	106	6	5	36	73	71	87	110	120	132	173	272	453	525	690	2,359	-
AMERICAN INDIAN	6	-	-	-	-	1	-	1	-	1	-	-	-	-	1	1	1	-
BLACK	520	26	2	3	3	14	16	17	22	11	21	29	22	49	62	74	149	-
CHINESE	33	1	-	-	1	1	2	-	2	2	1	-	5	4	2	2	10	-
FILIPINO	43	1	-	-	-	-	-	-	4	3	-	4	1	5	4	7	14	-
INDIAN (INDIA)	9	1	-	-	-	-	1	-	-	-	2	2	-	1	2	-	-	-
JAPANESE	26	-	-	-	-	1	-	-	1	-	1	-	2	2	4	2	13	-
KOREAN	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
VIETNAMESE	5	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	-
WHITE	4,558	76	4	2	32	56	52	65	81	100	107	137	241	389	448	603	2,165	-
OTHER ASIAN	8	1	-	-	-	-	-	3	-	1	-	-	1	1	-	1	-	-
OTHER	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-
FEMALE	2,493	53	2	5	8	19	19	26	36	42	40	67	97	182	211	310	1,376	-
AMERICAN INDIAN	5	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	-
BLACK	221	12	1	3	-	4	4	5	9	5	7	8	10	22	27	34	70	-
CHINESE	12	-	-	-	-	-	1	-	-	2	-	-	1	-	1	1	6	-
FILIPINO	19	1	-	-	-	-	-	-	3	1	-	1	1	3	2	2	5	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
CONTRA COSTA (CONT'D)																		
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
JAPANESE	10	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	6	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	2,214	40	1	2	8	15	14	18	23	30	33	57	83	136	178	271	1,285	-
OTHER ASIAN	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
OTHER	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
MALE	2,725	53	4	-	28	54	52	61	74	78	92	106	175	271	314	380	983	-
AMERICAN INDIAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	299	14	1	-	3	10	12	12	13	6	14	21	12	27	35	40	79	-
CHINESE	21	1	-	-	1	1	1	-	2	-	1	-	4	4	1	1	4	-
FILIPINO	24	-	-	-	-	-	1	-	1	2	-	3	-	2	2	5	9	-
INDIAN (INDIA)	7	1	-	-	-	-	1	-	-	-	2	1	-	1	1	-	-	-
JAPANESE	16	-	-	-	-	1	-	-	-	-	1	-	-	2	4	1	7	-
KOREAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	4	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-
WHITE	2,344	36	3	-	24	41	38	47	58	70	74	80	158	233	270	332	880	-
OTHER ASIAN	5	1	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
DEL NORTE	201	4	-	-	4	-	2	1	5	3	4	5	15	12	29	33	84	-
AMERICAN INDIAN	8	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	191	3	-	-	4	-	2	1	5	3	4	5	13	11	28	31	81	-
FEMALE	95	2	-	-	1	-	1	-	1	-	2	2	8	5	13	17	43	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	91	2	-	-	1	-	1	-	1	-	2	2	7	4	13	16	42	-
MALE	106	2	-	-	3	-	1	1	4	3	2	3	7	7	16	16	41	-
AMERICAN INDIAN	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	100	1	-	-	3	-	1	1	4	3	2	3	6	7	15	15	39	-
EL DORADO	729	25	2	3	7	12	9	14	18	16	22	17	35	78	84	100	287	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THAI	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
WHITE	722	25	2	3	7	12	9	14	18	14	22	17	35	75	84	100	285	-
FEMALE	324	7	1	-	2	2	1	5	7	4	8	5	14	33	32	47	156	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	321	7	1	-	2	2	1	5	7	3	8	5	14	32	32	47	155	-
MALE	405	18	1	3	5	10	8	9	11	12	14	12	21	45	52	53	131	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	401	18	1	3	5	10	8	9	11	11	14	12	21	43	52	53	130	-
FRESNO	4,411	135	17	9	43	88	70	94	75	63	93	144	189	337	455	551	2,039	7
AMERICAN INDIAN	23	-	-	-	1	3	-	4	1	-	1	2	3	-	2	1	5	-
BLACK	281	13	-	-	4	8	6	10	10	10	9	19	17	20	29	29	97	-
CHINESE	19	-	-	-	1	-	-	1	-	-	-	1	1	2	3	2	8	-
FILIPINO	25	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	17	-
INDIAN (INDIA)	16	1	-	-	-	2	2	1	-	2	2	1	-	2	1	-	2	-
JAPANESE	62	-	-	-	-	-	-	-	-	-	1	3	1	6	8	9	34	-
KOREAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
THAI	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	3,931	106	16	8	37	74	62	77	62	49	77	117	165	303	407	500	1,869	2
OTHER ASIAN	36	13	1	1	1	-	-	1	2	2	3	1	1	1	2	5	2	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
FRESNO (CONT'D)																		
NOT STATED	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5
FEMALE	1,953	55	6	2	12	20	18	22	27	18	35	48	76	119	186	197	1,111	1
AMERICAN INDIAN	8	-	-	-	-	3	-	-	1	-	-	1	1	-	1	-	1	-
BLACK	117	7	-	-	1	-	2	3	4	2	4	5	7	13	9	12	48	-
CHINESE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	4	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
INDIAN (INDIA)	6	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	1	-
JAPANESE	34	-	-	-	-	-	-	-	-	-	1	2	1	2	2	4	22	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	1,757	39	6	2	10	15	15	19	21	15	28	39	66	104	169	179	1,030	-
OTHER ASIAN	16	8	-	-	1	-	-	-	1	1	1	-	1	-	-	2	1	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
MALE	2,458	80	11	7	33	68	52	72	48	45	58	96	113	218	269	354	928	6
AMERICAN INDIAN	15	-	-	-	1	-	-	4	-	-	1	2	-	1	1	1	4	-
BLACK	164	6	-	-	3	8	4	7	6	8	5	14	10	7	20	17	49	-
CHINESE	12	-	-	-	1	-	-	1	-	-	-	-	1	2	1	2	4	-
FILIPINO	22	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	15	-
INDIAN (INDIA)	10	1	-	-	-	-	1	1	-	2	1	1	-	2	-	-	1	-
JAPANESE	28	-	-	-	-	-	-	-	-	-	-	1	-	4	6	5	12	-
KOREAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
THAI	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	2,174	67	10	6	27	59	47	58	41	34	49	78	99	199	238	321	839	2
OTHER ASIAN	20	5	1	1	-	-	-	1	1	1	2	1	-	1	2	3	1	-
NOT STATED	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4
GLENN	238	4	-	1	2	3	3	4	5	2	4	11	16	20	19	32	112	-
AMERICAN INDIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	236	3	-	1	2	3	3	4	5	2	4	10	16	20	19	32	112	-
FEMALE	114	3	-	-	-	-	-	2	2	2	3	7	5	10	10	12	58	-
AMERICAN INDIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	113	2	-	-	-	-	-	2	2	2	3	7	5	10	10	12	58	-
MALE	124	1	-	1	2	3	3	2	3	-	1	4	11	10	9	20	54	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	123	1	-	1	2	3	3	2	3	-	1	3	11	10	9	20	54	-
HUMBOLDT	1,053	13	1	2	12	6	13	17	15	20	27	30	52	79	118	158	490	-
AMERICAN INDIAN	42	2	-	-	2	1	-	3	1	2	1	1	2	4	2	5	16	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
PACIFIC ISLANDER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,001	9	1	2	10	5	12	14	14	18	25	29	49	75	114	152	472	-
OTHER ASIAN	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	484	4	1	-	2	-	4	5	5	7	5	12	15	31	55	75	263	-
AMERICAN INDIAN	18	-	-	-	-	-	-	1	-	1	-	1	1	2	1	3	8	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	461	4	1	-	2	-	3	4	5	6	3	11	13	29	52	71	255	-
OTHER ASIAN	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	569	9	-	2	10	6	9	12	10	13	22	18	37	48	63	83	227	-
AMERICAN INDIAN	24	2	-	-	2	1	-	2	1	1	1	-	1	2	1	2	8	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	540	5	-	2	8	5	9	10	9	12	20	18	36	46	62	81	217	-
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IMPERIAL	749	18	1	2	10	9	13	18	12	11	25	22	42	65	79	99	300	23
AMERICAN INDIAN	7	-	-	-	-	1	1	-	-	-	2	-	1	-	-	2	-	-
BLACK	38	1	-	-	-	1	2	1	-	-	2	2	4	2	1	7	14	1
CHINESE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-
FILIPINO	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
IMPERIAL (CONT'D)																		
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
WHITE	675	17	1	2	10	7	10	17	12	10	21	20	36	53	78	90	265	16
NOT STATED	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6
FEMALE	276	8	1	-	3	-	4	2	5	4	10	6	12	20	28	37	135	1
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-
BLACK	10	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-	5	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
WHITE	260	8	1	-	3	-	3	2	5	4	8	6	9	20	28	35	129	1
MALE	473	10	-	2	7	9	9	16	7	7	15	16	30	45	51	62	165	22
AMERICAN INDIAN	3	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
BLACK	28	1	-	-	-	1	1	1	-	-	-	2	2	2	1	7	9	1
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FILIPINO	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
WHITE	415	9	-	2	7	7	7	15	7	6	13	14	27	43	50	55	136	15
NOT STATED	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6
INYO	204	4	-	1	2	-	3	1	1	2	1	7	8	12	22	32	108	-
AMERICAN INDIAN	10	-	-	-	-	-	1	-	1	-	1	2	-	1	1	-	3	-
WHITE	193	4	-	1	2	-	2	1	-	2	-	5	8	11	21	32	104	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	93	1	-	-	1	-	1	-	-	2	-	3	6	3	5	13	58	-
AMERICAN INDIAN	6	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	2	-
WHITE	87	1	-	-	1	-	-	-	-	2	-	2	6	2	4	13	56	-
MALE	111	3	-	1	1	-	2	1	1	-	1	4	2	9	17	19	50	-
AMERICAN INDIAN	4	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-
WHITE	106	3	-	1	1	-	2	1	-	-	-	3	2	9	17	19	48	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
KERN	3,668	147	11	20	51	56	73	90	83	77	95	135	196	315	372	497	1,448	2
AMERICAN INDIAN	10	-	-	-	-	2	1	-	1	1	-	1	-	1	-	2	1	-
BLACK	228	14	-	3	2	3	5	10	6	6	7	7	12	23	29	33	63	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CHINESE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-
FILIPINO	35	1	1	-	-	-	-	1	1	3	2	-	2	4	3	5	31	1
JAPANESE	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
WHITE	3,362	132	10	17	49	51	67	78	75	67	86	126	182	286	336	456	1,343	1
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	1,808	75	3	11	15	13	19	25	26	28	27	52	78	116	139	199	762	-
AMERICAN INDIAN	4	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-
BLACK	94	10	-	1	-	-	-	5	2	-	2	3	6	4	11	15	35	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	7	1	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
WHITE	1,497	64	3	10	15	12	18	20	24	27	25	49	72	109	143	183	723	-
MALE	2,060	72	8	9	36	43	54	85	57	49	68	83	118	199	213	298	686	2
AMERICAN INDIAN	6	-	-	-	-	1	-	-	1	1	-	1	-	-	-	2	-	-
BLACK	134	4	-	2	2	3	5	5	4	6	5	4	6	19	18	18	33	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-
FILIPINO	48	-	1	-	-	-	-	1	1	2	2	-	2	3	1	4	30	1
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	1,865	68	7	7	34	39	49	58	51	40	61	77	110	177	193	273	620	1
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
KINGS	356	33	4	2	9	15	11	10	11	11	8	15	25	41	65	83	241	-
AMERICAN INDIAN	3	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
BLACK	41	-	-	-	2	2	1	1	-	1	1	1	2	2	10	5	13	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
WHITE	305	32	4	2	7	13	10	8	11	9	7	13	23	38	53	80	225	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
KINGS (CONT'D)																		
FEMALE	237	7	2	-	1	2	2	2	4	3	1	5	9	13	27	29	128	-
AMERICAN INDIAN	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BLACK	21	-	-	-	-	1	-	1	-	1	-	-	1	2	6	2	7	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
WHITE	210	6	2	-	1	1	2	1	4	2	1	4	8	12	20	27	119	-
MALE	319	16	2	2	8	13	9	8	7	8	7	10	16	26	38	36	113	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BLACK	20	-	-	-	2	1	1	-	-	-	1	1	1	-	4	3	6	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
WHITE	295	16	2	2	6	12	8	7	7	7	6	9	15	26	33	33	106	-
LAKE	596	8	-	-	2	8	7	4	10	10	4	10	24	48	68	97	296	-
AMERICAN INDIAN	8	1	-	-	-	1	-	-	-	-	-	-	1	1	1	-	3	-
BLACK	11	-	-	-	1	-	-	-	-	-	-	-	1	2	1	2	4	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	576	7	-	-	1	7	7	4	10	10	4	10	22	45	66	95	288	-
FEMALE	266	3	-	-	-	4	-	1	2	5	3	8	10	21	32	36	145	-
AMERICAN INDIAN	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
WHITE	261	3	-	-	-	3	-	1	2	5	3	4	9	19	32	36	144	-
MALE	330	5	-	-	2	4	7	3	8	5	1	6	14	27	36	61	151	-
AMERICAN INDIAN	6	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-
BLACK	8	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	3	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	315	4	-	-	1	4	7	3	8	5	1	6	13	26	34	59	144	-
LASSEN	145	2	-	-	2	4	5	1	3	2	2	5	5	14	16	17	67	-
AMERICAN INDIAN	5	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	139	2	-	-	2	4	3	1	3	2	2	5	5	13	15	17	65	-
FEMALE	68	-	-	-	1	2	-	-	1	-	1	2	2	3	8	11	37	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
WHITE	66	-	-	-	1	2	-	-	1	-	1	2	2	2	8	11	36	-
MALE	77	2	-	-	1	2	5	1	2	2	1	3	3	11	8	6	30	-
AMERICAN INDIAN	3	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	73	2	-	-	1	2	3	1	2	2	1	3	3	11	7	6	29	-
LOS ANGELES	62,829	1,821	149	138	578	1,007	1,263	1,331	1,441	1,461	1,669	2,298	3,466	5,000	6,040	7,222	27,918	27
AMERICAN INDIAN	103	5	-	-	2	6	3	1	5	5	6	9	7	8	9	11	26	-
BLACK	8,546	509	30	23	148	240	265	284	296	336	357	462	657	833	847	871	2,388	-
CAMBODIAN	39	8	1	-	-	2	4	1	1	5	3	1	-	3	2	4	4	-
CHINESE	571	14	1	2	2	9	9	7	9	12	9	24	37	50	50	79	257	-
FILIPINO	480	18	5	2	4	4	12	9	12	17	20	22	31	32	46	67	179	-
INDIAN (INDIA)	29	1	-	-	2	-	-	1	3	1	4	2	2	1	1	5	6	-
JAPANESE	611	8	-	-	2	5	3	7	7	12	11	20	41	59	68	68	300	-
KOREAN	293	14	3	1	4	7	15	7	16	11	15	22	13	32	32	31	70	-
PACIFIC ISLANDER	71	9	1	2	5	-	2	1	-	3	3	8	3	7	10	5	12	-
THAI	18	1	-	-	-	1	1	-	1	3	-	1	-	-	2	4	4	-
VIETNAMESE	91	12	4	-	3	5	4	-	4	3	6	1	6	5	6	13	19	-
WHITE	51,851	1,213	102	107	404	724	942	1,008	1,084	1,080	1,233	1,719	2,660	3,960	4,951	6,060	24,620	14
OTHER ASIAN	58	7	2	1	-	1	1	5	2	3	2	3	1	5	7	1	17	-
OTHER	20	-	-	-	1	1	-	-	-	-	-	3	3	2	5	2	3	-
NOT STATED	48	2	-	-	1	2	2	-	1	-	-	1	5	3	4	1	13	13
FEMALE	30,058	792	48	54	121	186	282	278	378	453	562	871	1,315	2,033	2,558	3,184	16,929	14
AMERICAN INDIAN	44	1	-	-	2	2	-	-	1	1	2	3	4	2	6	5	15	-
BLACK	3,750	228	14	8	35	43	65	84	83	126	128	168	250	350	361	410	1,397	-
CAMBODIAN	16	4	-	-	-	-	2	-	-	3	-	1	-	-	1	2	3	-
CHINESE	261	8	1	1	-	1	4	-	3	8	4	12	17	16	23	33	130	-
FILIPINO	157	8	-	1	-	2	2	3	6	7	7	11	9	14	21	22	44	-
INDIAN (INDIA)	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-
JAPANESE	272	3	-	-	-	1	1	1	2	3	4	9	20	24	18	21	165	-
KOREAN	113	3	1	-	1	2	6	1	4	5	2	6	6	12	16	16	32	-
PACIFIC ISLANDER	28	4	-	-	4	-	1	-	-	1	-	1	2	4	3	3	5	-
THAI	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
LOS ANGELES (CONT'D)																		
VIETNAMESE	40	8	1	-	1	-	1	-	2	-	5	-	3	-	3	8	8	-
WHITE	25,325	520	30	43	78	135	200	186	276	299	409	657	1,001	1,607	2,102	2,660	15,112	10
OTHER ASIAN	22	5	1	1	-	-	-	3	1	-	1	1	-	2	-	1	6	-
OTHER	9	-	-	-	-	-	-	-	-	-	-	2	2	1	3	-	1	-
NOT STATED	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4
MALE	32,771	1,029	101	84	457	821	981	1,053	1,063	1,008	1,107	1,427	2,151	2,967	3,482	4,038	10,989	13
AMERICAN INDIAN	59	4	-	-	-	4	3	1	4	4	4	6	3	6	3	6	11	-
BLACK	4,796	281	16	15	113	197	200	200	213	210	229	294	407	483	486	461	991	-
CAMBODIAN	23	4	1	-	-	2	2	1	1	2	3	-	-	3	1	2	1	-
CHINESE	310	6	-	1	2	8	5	7	6	4	5	12	20	34	27	46	127	-
FILIPINO	323	10	5	1	4	2	10	6	6	10	13	11	22	18	25	45	135	-
INDIAN (INDIA)	23	1	-	-	2	-	-	1	3	1	4	2	1	-	-	3	5	-
JAPANESE	339	5	-	-	2	4	2	6	5	9	7	11	21	35	50	47	135	-
KOREAN	180	11	2	1	3	5	9	6	12	6	13	16	7	20	16	15	38	-
PACIFIC ISLANDER	43	5	1	2	1	-	1	1	-	2	3	7	1	3	7	2	7	-
THAI	14	1	-	-	-	1	1	-	1	3	-	1	-	-	2	3	1	-
VIETNAMESE	51	4	3	-	2	5	3	-	2	3	1	1	3	5	3	3	11	-
WHITE	26,526	693	72	64	326	589	742	822	808	751	824	1,062	1,659	2,353	2,849	3,400	9,508	4
OTHER ASIAN	36	2	1	-	-	1	1	2	1	3	1	2	1	3	7	-	11	-
OTHER	11	-	-	-	1	1	-	-	-	-	-	1	1	1	2	2	2	-
NOT STATED	37	2	-	-	1	2	2	-	1	-	-	1	5	3	4	1	6	9
MADERA	647	15	4	-	5	6	7	18	17	11	20	25	30	46	63	86	292	2
AMERICAN INDIAN	10	-	-	-	-	-	-	1	2	-	-	-	-	-	1	1	5	-
BLACK	39	-	-	-	1	-	1	1	1	2	3	2	4	1	3	5	15	-
CHINESE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	590	15	4	-	4	6	5	16	14	9	17	23	26	45	58	78	268	2
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE	261	6	3	-	-	-	1	3	6	3	8	12	10	16	16	25	152	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
BLACK	12	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	10	-
CHINESE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	243	6	3	-	-	-	-	3	5	3	7	12	9	16	16	25	138	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	386	9	1	-	5	6	6	15	11	8	12	13	20	30	47	61	140	2
AMERICAN INDIAN	7	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	3	-
BLACK	27	-	-	-	1	-	1	1	1	2	2	2	3	1	3	5	5	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	347	9	1	-	4	6	5	13	9	6	10	11	17	29	42	53	130	2
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MARIN	1,732	17	1	1	9	12	21	19	39	24	40	81	108	135	156	215	871	2
AMERICAN INDIAN	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
BLACK	22	-	-	-	-	-	1	2	2	-	3	2	1	3	1	5	2	-
CHINESE	5	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-
JAPANESE	7	-	-	-	1	-	-	-	-	-	-	-	1	-	3	1	1	-
KOREAN	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
WHITE	1,688	16	1	1	8	12	20	15	37	23	36	58	106	131	151	206	885	2
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	893	7	-	-	1	4	4	5	13	7	20	23	43	51	64	96	553	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
KOREAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-
WHITE	878	7	-	-	1	4	4	5	13	7	19	21	44	50	61	94	548	-
MALE	839	10	1	1	8	8	17	14	26	17	20	38	63	85	92	119	318	2
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BLACK	16	-	-	-	-	-	1	2	2	-	3	1	1	2	1	3	-	-
CHINESE	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-
JAPANESE	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MARIN (CONT'D)																		
WHITE	810	9	1	1	7	8	16	10	24	16	17	37	62	81	90	112	317	2
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MARIPOSA	151	2	2	1	-	3	3	2	1	2	2	5	5	10	24	12	77	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	150	2	2	1	-	3	3	2	1	2	2	4	5	10	24	12	77	-
FEMALE	69	1	-	-	-	-	2	2	-	1	-	1	4	4	7	4	43	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	68	1	-	-	-	-	2	2	-	1	-	-	4	4	7	4	43	-
MALE	82	1	2	1	-	3	1	-	1	1	2	4	1	6	17	8	34	-
WHITE	82	1	2	1	-	3	1	-	1	1	2	4	1	6	17	8	34	-
MENDOCINO	732	11	1	4	8	11	9	13	19	12	11	18	45	48	88	97	336	1
AMERICAN INDIAN	20	1	-	-	1	1	-	1	-	-	1	-	1	4	1	1	8	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
JAPANESE	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
VIETNAMESE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	706	10	1	4	6	10	9	12	18	12	10	18	43	44	86	94	328	1
FEMALE	334	4	1	1	2	3	2	4	5	3	6	6	13	16	33	41	194	-
AMERICAN INDIAN	7	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	4	-
JAPANESE	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
WHITE	325	4	1	1	2	3	2	3	4	3	6	6	13	15	32	40	190	-
MALE	398	7	-	3	6	8	7	9	14	9	5	12	32	32	55	56	142	1
AMERICAN INDIAN	13	1	-	-	1	1	-	-	-	-	1	-	1	3	1	-	4	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	381	6	-	3	4	7	7	9	14	9	4	12	30	29	54	54	138	1
MERCED	1,039	34	2	4	17	14	12	18	16	26	28	41	52	101	110	140	423	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BLACK	71	3	-	-	2	1	1	1	1	1	2	6	1	10	7	10	25	-
CHINESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FILIPINO	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	11	-
INDIAN (INDIA)	7	-	-	-	1	-	1	1	-	-	-	-	1	2	-	-	1	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-
VIETNAMESE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	918	24	1	3	13	13	8	15	14	24	26	33	50	85	102	124	383	-
OTHER ASIAN	18	6	1	1	1	-	2	-	1	-	-	-	-	2	-	3	-	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	472	16	2	2	5	1	3	8	4	10	12	20	23	46	43	52	224	1
BLACK	25	1	-	-	1	-	-	1	-	-	-	3	1	4	-	1	13	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-
VIETNAMESE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	428	12	1	1	3	1	3	7	4	10	12	15	22	38	43	49	207	-
OTHER ASIAN	10	2	1	1	1	-	-	-	-	-	-	-	-	2	-	2	-	1
MALE	567	18	-	2	12	13	9	10	12	16	16	21	29	55	67	88	199	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BLACK	46	2	-	-	1	1	1	-	1	1	2	3	-	6	7	9	12	-
CHINESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FILIPINO	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	10	-
INDIAN (INDIA)	5	-	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	490	12	-	2	10	12	5	8	10	14	14	18	28	47	59	75	176	-
OTHER ASIAN	8	4	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MODOC	106	2	-	1	1	4	1	2	3	-	5	2	8	3	9	18	47	-
AMERICAN INDIAN	6	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	3	-
WHITE	100	2	-	1	1	3	1	2	2	-	5	2	8	3	9	17	44	-
FEMALE	49	1	-	1	-	-	-	-	1	-	-	1	3	2	5	6	26	-
AMERICAN INDIAN	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MODOC (CONT'D)																		
WHITE	45	1	-	1	-	-	-	-	-	-	3	1	3	2	3	6	23	-
MALE	37	1	-	-	1	4	3	2	2	-	2	1	3	1	4	12	21	-
AMERICAN INDIAN	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	35	1	-	-	1	3	3	2	2	-	2	1	3	1	4	11	21	-
MONO	37	2	-	1	2	1	3	-	1	-	-	1	1	4	4	7	10	-
AMERICAN INDIAN	4	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-
WHITE	33	2	-	1	1	1	3	-	1	-	-	1	-	3	4	7	9	-
FEMALE	11	-	-	1	2	-	1	-	-	-	-	-	-	1	2	2	2	-
AMERICAN INDIAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	10	-	-	1	1	-	1	-	-	-	-	-	-	1	2	2	2	-
MALE	26	2	-	-	-	1	2	-	1	-	-	1	1	3	2	5	8	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
WHITE	23	2	-	-	-	1	2	-	1	-	-	1	-	2	2	5	7	-
MONTEREY	2,235	73	5	5	22	42	34	35	49	47	44	53	127	163	227	261	1,047	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BLACK	94	5	-	-	3	4	5	1	2	3	3	6	9	10	11	12	20	-
CHINESE	9	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	6	-
FILIPINO	47	2	-	-	-	1	1	-	-	1	2	2	2	3	3	3	27	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
JAPANESE	12	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	-
KOREAN	6	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	2	-
PACIFIC ISLANDER	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
VIETNAMESE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,052	61	5	5	19	37	26	33	46	43	38	45	111	148	207	243	985	-
OTHER ASIAN	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
FEMALE	1,045	28	1	1	5	4	8	9	10	18	19	24	41	73	91	114	399	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BLACK	36	-	-	-	-	-	1	-	1	-	2	3	1	3	5	6	14	-
CHINESE	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-
FILIPINO	11	2	-	-	-	-	-	-	-	1	2	1	1	-	-	2	2	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-
KOREAN	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	980	23	1	1	5	4	6	9	9	17	15	20	37	69	84	105	375	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	1,190	45	4	4	17	38	26	26	39	29	25	29	86	90	136	147	448	1
BLACK	58	5	-	-	3	4	4	1	1	3	1	3	8	7	6	6	6	-
CHINESE	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-
FILIPINO	36	-	-	-	-	1	1	-	-	-	-	1	1	3	3	1	25	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
JAPANESE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	-
KOREAN	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
VIETNAMESE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,072	38	4	4	14	33	20	24	37	26	23	25	74	79	123	138	410	-
OTHER ASIAN	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
NAPA	1,030	15	2	1	8	7	9	7	12	12	14	20	39	63	101	142	578	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	1,025	15	2	1	8	7	9	7	12	12	13	20	39	62	101	142	575	-
FEMALE	492	7	-	1	1	2	2	1	4	3	9	6	12	25	31	54	334	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	488	7	-	1	1	2	2	1	4	3	8	6	12	25	31	54	331	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
NAPA (CONT'D)																		
MALE	538	8	2	-	7	5	7	6	8	9	5	14	27	38	70	88	244	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	537	8	2	-	7	5	7	6	8	9	5	14	27	37	70	88	244	-
NEVADA	561	13	1	1	4	5	6	3	10	9	12	10	21	29	58	89	286	-
AMERICAN INDIAN	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
WHITE	556	14	1	1	4	5	6	5	10	9	12	9	20	29	58	89	284	-
FEMALE	259	6	-	-	-	2	1	1	1	4	-	3	9	16	21	40	155	-
AMERICAN INDIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	257	5	-	-	-	2	1	1	1	4	-	3	9	16	21	40	154	-
MALE	302	9	1	1	4	3	5	4	9	5	12	7	12	13	37	49	131	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
WHITE	299	9	1	1	4	3	5	4	9	5	12	6	11	13	37	49	130	-
ORANGE	13,609	301	28	30	143	235	236	215	231	244	332	461	767	1,105	1,337	1,550	6,393	3
AMERICAN INDIAN	22	-	-	-	-	-	-	3	2	1	2	-	1	2	1	1	9	-
BLACK	104	13	-	-	1	8	4	7	5	5	8	7	11	8	8	7	12	-
CAMBODIAN	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
CHINESE	71	1	-	-	-	1	-	-	4	-	6	4	2	7	6	17	23	-
FILIPINO	45	2	1	-	-	1	1	-	2	3	1	4	3	4	2	6	15	-
INDIAN (INDIA)	10	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	3	-
JAPANESE	59	1	-	-	1	3	-	-	-	2	1	4	9	8	6	2	22	-
KOREAN	53	2	-	-	-	3	3	1	1	1	3	3	4	5	5	9	13	-
PACIFIC ISLANDER	17	2	-	-	-	2	-	-	1	1	-	2	1	-	2	1	5	-
THAI	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
VIETNAMESE	92	7	1	2	6	7	6	4	4	2	5	1	5	5	3	10	24	-
WHITE	13,107	270	23	28	135	210	222	199	212	227	301	434	728	1,061	1,302	1,489	6,264	2
OTHER ASIAN	21	1	1	-	-	-	-	1	-	-	4	1	1	2	1	6	3	-
OTHER	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	6,704	127	9	11	34	51	50	64	56	86	118	175	297	435	568	736	3,865	2
AMERICAN INDIAN	10	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	6	-
BLACK	30	2	-	-	-	1	1	-	1	1	3	1	4	3	2	1	10	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	33	-	-	-	-	-	-	-	3	-	3	-	2	1	2	11	11	-
FILIPINO	13	2	-	-	-	1	1	-	1	3	-	1	-	1	-	-	3	-
INDIAN (INDIA)	5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-
JAPANESE	29	-	-	-	-	1	-	-	-	2	-	3	4	4	-	1	14	-
KOREAN	26	-	-	-	-	-	1	-	-	1	1	-	2	2	4	4	11	-
PACIFIC ISLANDER	8	2	-	-	-	-	-	-	-	1	-	1	-	-	-	1	3	-
THAI	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	43	2	-	1	-	1	2	1	2	-	3	1	3	3	2	8	14	-
WHITE	6,497	116	9	10	34	47	55	82	58	78	106	166	281	418	558	706	3,792	1
OTHER ASIAN	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-
OTHER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	6,905	174	17	19	109	184	176	151	165	158	214	286	470	670	769	814	2,528	1
AMERICAN INDIAN	12	-	-	-	-	-	-	2	1	1	1	-	1	1	1	1	3	-
BLACK	74	11	-	-	1	7	3	7	4	4	5	6	7	5	6	3	2	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CHINESE	38	1	-	-	-	1	-	-	1	-	3	4	-	6	4	6	12	-
FILIPINO	32	-	1	-	-	-	-	-	1	-	1	3	3	3	2	6	12	-
INDIAN (INDIA)	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-
JAPANESE	30	1	-	-	1	2	-	-	-	-	1	1	5	4	6	1	8	-
KOREAN	27	2	-	-	-	3	2	1	1	-	2	3	2	3	1	5	2	-
PACIFIC ISLANDER	9	-	-	-	-	2	-	-	1	-	-	1	1	-	2	-	2	-
THAI	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	49	5	1	1	6	6	4	3	2	2	2	-	2	2	1	2	10	-
WHITE	6,610	134	14	18	101	163	167	137	154	149	195	268	447	643	744	783	2,472	1
OTHER ASIAN	16	-	1	-	-	-	-	1	-	-	4	-	1	2	1	3	3	-
OTHER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
PLACER	1,113	30	4	2	15	11	9	11	18	24	24	25	61	76	115	136	550	2
AMERICAN INDIAN	5	-	-	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-
BLACK	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
PLACER (CONT'D)																		
JAPANESE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	4	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	1,090	28	4	2	15	10	9	11	16	23	24	25	59	76	112	133	543	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2
FEMALE	539	14	2	-	8	1	2	2	10	10	10	13	23	26	42	53	323	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
BLACK	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	530	13	2	-	8	1	2	2	9	9	10	13	22	26	41	51	321	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MALE	574	16	2	2	7	10	7	9	8	14	14	12	38	50	73	83	227	2
AMERICAN INDIAN	3	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-
WHITE	560	15	2	2	7	9	7	9	7	14	14	12	37	50	71	82	222	-
NOT STATED	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
PLUMAS	155	4	1	-	1	-	2	2	1	2	7	1	5	18	22	21	68	-
AMERICAN INDIAN	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
BLACK	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-
WHITE	149	4	1	-	1	-	2	1	1	2	7	1	4	18	22	20	65	-
FEMALE	70	1	1	-	-	-	1	1	1	1	5	1	1	9	9	9	30	-
AMERICAN INDIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
WHITE	67	1	1	-	-	-	1	-	1	1	5	1	-	9	9	9	29	-
MALE	85	3	-	-	1	-	1	1	-	1	2	-	4	9	13	12	38	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
WHITE	82	3	-	-	1	-	1	1	-	1	2	-	4	9	13	11	36	-
RIVERSIDE	7,895	208	12	22	75	99	124	130	116	139	185	231	308	604	850	1,052	3,746	14
AMERICAN INDIAN	22	1	-	-	1	-	2	1	2	-	-	-	1	-	1	6	7	-
BLACK	314	17	2	-	5	2	13	12	7	8	15	19	23	22	32	29	107	1
CHINESE	7	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	4	-
FILIPINO	23	1	-	-	2	1	2	-	1	-	-	-	1	1	1	2	11	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-
JAPANESE	9	1	-	-	-	1	-	1	-	-	-	-	2	3	-	-	1	-
KOREAN	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	5	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	6	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	2	-
WHITE	7,484	182	9	22	66	92	102	115	103	129	148	209	279	578	814	1,015	3,610	11
OTHER ASIAN	4	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	14	3	1	-	-	1	-	-	-	-	1	1	1	-	-	-	4	2
FEMALE	3,518	78	5	8	20	22	29	38	35	44	51	92	113	242	331	423	1,961	6
AMERICAN INDIAN	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-
BLACK	123	6	2	-	2	-	2	4	1	1	4	10	7	5	8	10	61	-
CHINESE	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	10	1	-	-	1	1	2	-	-	-	-	-	-	1	1	-	3	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
WHITE	3,357	67	3	8	17	21	24	33	33	43	47	80	103	234	341	411	1,887	5
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
MALE	4,377	130	7	14	55	77	95	92	81	95	114	139	195	362	499	629	1,785	8
AMERICAN INDIAN	15	1	-	-	1	-	2	1	2	-	-	-	1	-	1	4	2	-
BLACK	191	11	-	-	3	2	11	8	6	7	11	9	16	17	24	19	46	1
CHINESE	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-
FILIPINO	13	-	-	-	1	-	-	-	1	-	-	-	1	-	-	2	8	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
RIVERSIDE (CONT'D)																		
JAPANESE	5	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-
KOREAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
VIETNAMESE	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
WHITE	4,127	115	6	14	49	71	78	82	70	86	101	129	176	344	473	604	1,723	6
OTHER ASIAN	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	8	-	1	-	-	1	-	-	-	-	1	1	1	-	-	-	2	1
SACRAMENTO	7,071	173	12	26	78	75	102	157	140	150	150	265	378	629	797	895	3,033	11
AMERICAN INDIAN	14	1	-	-	-	1	1	1	-	1	-	1	1	2	2	1	2	-
BLACK	494	25	1	3	12	12	18	30	19	30	12	39	43	57	55	48	90	-
CHINESE	87	3	-	-	-	1	-	3	2	3	-	3	7	3	7	10	45	-
FILIPINO	64	2	-	-	1	-	2	3	1	2	2	-	-	6	3	6	36	-
INDIAN (INDIA)	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
JAPANESE	76	2	-	-	-	-	1	-	2	-	1	3	7	9	9	10	32	-
KOREAN	5	-	-	1	-	-	-	1	1	-	1	-	-	-	-	1	-	-
PACIFIC ISLANDER	7	1	-	-	1	-	1	-	-	-	-	-	1	1	-	-	2	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	17	2	-	1	1	-	-	-	1	1	-	2	-	-	2	1	6	-
WHITE	6,268	127	11	21	60	58	78	117	113	110	132	215	317	549	719	815	2,816	10
OTHER ASIAN	29	6	-	-	2	2	1	2	1	2	2	2	2	2	-	3	2	-
OTHER	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1
FEMALE	3,289	70	10	11	20	24	22	47	40	62	54	93	143	273	313	377	1,728	2
AMERICAN INDIAN	8	1	-	-	-	-	1	-	-	1	-	1	-	1	2	-	1	-
BLACK	186	9	1	1	1	4	3	7	3	11	3	13	13	23	19	20	55	-
CHINESE	47	2	-	-	-	-	-	3	1	2	-	2	4	1	3	5	24	-
FILIPINO	17	1	-	-	1	-	1	-	-	2	2	-	-	-	2	3	5	-
JAPANESE	33	-	-	-	-	-	-	-	-	-	-	1	4	3	3	1	21	-
KOREAN	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-
PACIFIC ISLANDER	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	9	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	4	-
WHITE	2,965	52	9	10	16	20	17	35	33	44	46	74	121	245	282	344	1,616	1
OTHER ASIAN	15	2	-	-	1	-	-	2	1	2	2	1	1	-	-	2	1	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	3,782	103	2	15	58	51	80	110	100	88	96	172	235	356	484	518	1,305	9
AMERICAN INDIAN	6	-	-	-	-	1	-	1	-	-	-	-	1	1	-	1	1	-
BLACK	308	16	-	2	11	8	15	23	16	19	9	26	30	34	36	28	35	-
CHINESE	40	1	-	-	-	1	-	-	1	1	-	1	3	2	4	5	21	-
FILIPINO	47	1	-	-	-	-	1	3	1	-	-	-	-	6	1	3	31	-
INDIAN (INDIA)	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
JAPANESE	43	2	-	-	-	-	1	-	2	-	1	2	3	6	6	9	11	-
KOREAN	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	2	-
VIETNAMESE	8	2	-	1	1	-	-	-	-	1	-	1	-	-	-	-	2	-
WHITE	3,303	75	2	11	44	38	61	82	80	66	86	141	196	304	437	471	1,202	9
OTHER ASIAN	14	4	-	-	1	2	1	-	-	-	-	1	1	2	-	1	1	-
OTHER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
SAN BENITO	197	7	-	-	1	5	4	1	4	7	3	5	10	13	19	25	92	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
WHITE	191	7	-	-	1	5	4	1	3	7	3	4	10	13	19	25	88	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	97	4	-	-	-	-	1	-	3	3	1	2	7	3	5	10	58	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
WHITE	94	4	-	-	-	-	1	-	2	3	1	1	7	3	5	10	57	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MALE	100	3	-	-	1	5	3	1	1	4	2	3	3	10	14	15	34	1
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
WHITE	97	3	-	-	1	5	3	1	1	4	2	3	3	10	14	15	31	1
SAN BERNARDINO	8,367	262	25	20	90	134	170	166	154	178	189	296	424	665	907	1,073	3,603	11
AMERICAN INDIAN	17	-	-	-	-	1	1	1	-	-	1	1	-	2	2	1	7	-
BLACK	412	33	6	1	5	8	21	25	19	16	17	21	29	37	38	29	107	-
CAMBODIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN BERNARDINO (CONT'D)																		
CHINESE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-
FILIPINO	18	-	-	-	-	-	-	-	-	1	-	1	2	-	2	3	9	-
INDIAN (INDIA)	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-
KOREAN	3	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
PACIFIC ISLANDER	10	2	1	-	2	-	-	-	1	-	-	1	1	-	1	1	-	-
THAI	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
VIETNAMESE	3	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	1	-
WHITE	7,880	225	18	19	83	122	148	139	134	158	169	270	392	625	856	1,035	3,477	10
OTHER ASIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
OTHER	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
FEMALE	3,881	114	9	5	28	30	43	53	57	53	70	119	165	257	372	469	2,035	2
AMERICAN INDIAN	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-
BLACK	183	13	2	-	3	1	6	7	5	6	10	5	14	14	24	13	60	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
KOREAN	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
PACIFIC ISLANDER	6	1	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-
THAI	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
WHITE	3,673	100	7	5	25	29	37	46	51	45	58	110	149	242	344	454	1,969	2
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MALE	4,486	148	16	15	62	104	127	113	97	125	119	177	259	408	535	604	1,368	9
AMERICAN INDIAN	12	-	-	-	-	1	1	1	-	-	1	1	-	1	1	1	4	-
BLACK	229	20	4	1	2	7	15	18	14	10	7	16	15	23	14	16	47	-
CAMBODIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-
FILIPINO	14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	8	-
INDIAN (INDIA)	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
KOREAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	3	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
WHITE	4,207	125	11	14	58	93	111	93	83	113	111	160	243	383	512	581	1,508	8
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
OTHER	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
SAN DIEGO	15,591	422	28	30	113	225	266	284	310	272	303	460	736	1,152	1,594	1,960	7,403	33
AMERICAN INDIAN	44	5	-	1	3	3	-	-	3	5	1	2	3	-	5	3	10	-
BLACK	618	59	1	3	11	20	26	24	29	17	33	39	41	46	59	64	144	2
CAMBODIAN	9	1	-	-	-	1	-	-	1	-	-	1	-	1	3	1	-	-
CHINESE	38	2	-	-	-	-	-	-	1	2	-	1	3	5	1	5	18	-
FILIPINO	155	14	1	1	-	5	4	5	5	5	1	11	11	16	12	19	45	-
INDIAN (INDIA)	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-
JAPANESE	57	-	-	-	1	4	1	1	2	1	1	8	9	1	7	2	19	-
KOREAN	9	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	-
PACIFIC ISLANDER	41	3	-	1	-	3	3	2	1	-	2	6	4	2	1	2	11	-
VIETNAMESE	22	-	2	-	-	-	-	-	2	1	-	2	4	-	-	4	7	-
WHITE	14,535	329	24	23	97	186	229	251	265	237	263	388	659	1,079	1,501	1,853	7,136	15
OTHER ASIAN	36	5	-	1	1	3	3	1	1	3	2	1	1	-	4	5	5	-
OTHER	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	16
FEMALE	7,485	182	14	9	30	45	56	81	83	86	120	180	289	490	686	873	4,251	10
AMERICAN INDIAN	13	2	-	1	1	1	-	-	-	1	-	-	1	-	2	1	3	-
BLACK	264	28	1	1	3	3	3	8	12	3	15	13	20	24	27	30	73	-
CAMBODIAN	5	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-
CHINESE	11	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	7	-
FILIPINO	52	3	1	1	-	2	1	4	2	1	-	6	4	7	4	10	4	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
JAPANESE	34	-	-	-	-	1	-	1	1	1	1	8	9	-	2	1	9	-
KOREAN	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-
PACIFIC ISLANDER	18	2	-	-	-	-	2	-	1	-	1	1	-	1	-	2	8	-
VIETNAMESE	8	-	1	-	-	-	-	-	-	-	-	2	1	-	-	1	3	-
WHITE	7,047	141	11	6	26	37	49	67	64	79	101	147	252	457	647	826	4,134	3
OTHER ASIAN	17	3	-	-	-	1	1	1	1	1	2	1	-	-	1	1	4	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN DIEGO (CONT'D)																		
NOT STATED	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7
MALE	8,106	240	14	21	83	180	210	203	227	186	183	280	447	662	908	1,087	3,152	23
AMERICAN INDIAN	31	3	-	-	2	2	-	-	3	4	1	2	2	-	3	2	7	-
BLACK	354	31	-	2	8	17	23	16	17	14	18	26	21	22	32	34	71	2
CAMBODIAN	4	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-
CHINESE	27	1	-	-	-	-	-	-	-	2	-	1	1	5	1	5	11	-
FILIPINO	103	9	-	-	-	3	3	1	3	4	1	5	7	9	8	9	41	-
INDIAN (INDIA)	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
JAPANESE	23	-	-	-	1	3	1	-	1	-	-	-	-	1	5	1	10	-
KOREAN	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
PACIFIC ISLANDER	23	1	-	1	-	3	1	2	-	-	1	5	4	1	1	-	3	-
VIETNAMESE	14	-	1	-	-	-	-	-	2	1	-	-	3	-	-	3	4	-
WHITE	7,488	188	13	17	71	149	180	184	201	158	162	241	407	622	854	1,027	3,002	12
OTHER ASIAN	19	2	-	1	1	2	2	-	-	2	-	-	1	-	3	4	1	-
OTHER	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
SAN FRANCISCO	8,037	95	3	7	22	73	144	294	386	277	253	314	418	549	649	853	3,687	13
AMERICAN INDIAN	18	-	-	-	1	-	2	4	1	-	-	2	1	3	1	-	3	-
BLACK	963	21	-	1	7	19	19	37	43	45	48	53	79	113	121	117	240	-
CAMBODIAN	6	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-
CHINESE	707	7	-	-	3	6	8	8	7	13	17	29	44	49	62	106	348	-
FILIPINO	235	5	1	-	-	4	8	3	8	5	5	4	14	12	19	31	116	-
INDIAN (INDIA)	10	-	-	-	-	-	-	-	-	1	2	-	-	2	2	1	2	-
JAPANESE	53	-	-	-	-	-	-	2	4	4	1	2	5	7	4	4	20	-
KOREAN	13	1	-	-	-	-	1	-	1	1	-	1	-	1	-	1	6	-
PACIFIC ISLANDER	18	-	-	-	1	1	-	1	-	-	-	-	3	3	6	-	3	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	13	-	-	-	1	1	2	1	1	-	1	-	-	1	-	1	4	-
WHITE	5,961	49	2	6	8	42	103	235	319	205	175	220	272	355	433	589	2,936	12
OTHER ASIAN	15	1	-	-	-	-	1	3	-	1	-	1	-	2	-	2	4	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NOT STATED	23	9	-	-	1	-	-	-	2	2	2	1	-	1	-	-	4	1
FEMALE	3,405	40	-	2	5	19	20	45	46	57	47	90	117	190	271	376	2,079	1
AMERICAN INDIAN	6	-	-	-	-	-	-	2	-	-	-	-	1	2	-	-	1	-
BLACK	418	9	-	-	3	5	5	8	6	14	12	20	24	50	57	65	140	-
CAMBODIAN	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
CHINESE	285	1	-	-	-	1	4	3	2	6	4	7	16	14	28	33	166	-
FILIPINO	65	5	-	-	-	1	1	3	3	3	2	3	4	3	5	10	22	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	28	-	-	-	-	-	-	-	1	2	-	2	3	4	2	2	12	-
KOREAN	10	1	-	-	-	1	-	1	-	-	-	-	-	1	-	1	5	-
PACIFIC ISLANDER	7	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	-
VIETNAMESE	4	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-
WHITE	2,570	22	-	2	-	12	9	27	33	31	28	55	67	115	176	263	1,729	1
OTHER ASIAN	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NOT STATED	5	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-
MALE	4,632	55	3	5	17	54	124	249	340	220	206	224	301	359	378	477	1,608	12
AMERICAN INDIAN	12	-	-	-	1	-	2	2	1	-	-	2	-	1	1	-	2	-
BLACK	545	12	-	1	4	14	14	29	37	31	36	33	55	63	64	52	100	-
CAMBODIAN	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
CHINESE	422	6	-	-	3	5	4	5	5	7	13	22	28	35	34	73	182	-
FILIPINO	170	-	1	-	-	3	7	-	5	2	3	1	10	9	14	21	94	-
INDIAN (INDIA)	9	-	-	-	-	-	-	-	-	1	2	-	-	2	2	1	1	-
JAPANESE	25	-	-	-	-	-	-	2	3	2	1	-	2	3	2	2	8	-
KOREAN	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-
PACIFIC ISLANDER	11	-	-	-	1	1	-	1	-	-	-	-	1	2	3	-	2	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	9	-	-	-	-	1	2	-	1	-	1	-	-	1	-	-	3	-
WHITE	3,391	27	2	4	8	30	94	208	286	174	147	165	203	240	257	326	1,207	11
OTHER ASIAN	13	1	-	-	-	-	1	2	-	1	-	-	-	2	-	2	4	-
NOT STATED	18	8	-	-	-	-	-	-	2	1	2	-	-	1	-	-	3	1
SAN JOAQUIN	3,488	86	8	10	44	46	54	77	74	78	80	128	183	260	363	440	1,354	3
AMERICAN INDIAN	14	2	-	-	-	-	1	1	1	1	-	2	1	1	2	-	2	-
BLACK	239	14	2	2	4	1	10	9	10	11	13	11	15	18	16	24	79	-
CAMBODIAN	7	2	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	-
CHINESE	26	-	-	-	-	-	-	-	1	-	-	2	3	3	5	1	11	-
FILIPINO	113	4	-	2	2	1	1	-	3	1	2	-	3	7	2	10	73	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS: UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
SAN JOAQUIN (CONT'D)																		
INDIAN (INDIA)	4	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-
JAPANESE	35	-	-	-	-	-	-	-	-	-	-	2	2	2	2	3	24	-
PACIFIC ISLANDER	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	9	3	-	-	-	-	1	-	-	-	-	1	1	-	-	1	2	-
WHITE	3,018	54	5	6	37	43	41	64	57	62	64	109	158	226	334	398	1,358	2
OTHER ASIAN	12	3	1	-	-	1	-	-	1	2	1	-	-	1	1	1	-	-
OTHER	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
FEMALE	1,543	42	2	2	13	12	14	16	18	29	42	44	60	108	134	179	827	1
AMERICAN INDIAN	6	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-
BLACK	113	10	-	-	2	-	4	2	5	4	9	3	3	9	8	9	45	-
CAMBODIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	13	-	-	-	-	-	-	-	1	-	-	-	2	2	2	1	5	-
FILIPINO	15	2	-	1	1	-	-	-	1	1	-	-	1	5	1	1	1	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	18	-
PACIFIC ISLANDER	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
WHITE	1,363	23	1	1	10	12	10	12	10	23	33	39	54	91	121	166	756	1
OTHER ASIAN	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	1,945	44	6	8	31	34	40	61	56	49	38	84	123	152	229	261	727	2
AMERICAN INDIAN	8	-	-	-	-	-	1	1	1	-	-	1	1	1	1	-	1	-
BLACK	126	4	2	2	2	1	6	7	5	7	4	8	12	9	8	15	34	-
CAMBODIAN	5	1	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-
CHINESE	13	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	6	-
FILIPINO	98	2	-	1	1	1	1	-	2	-	2	-	2	2	1	9	74	-
INDIAN (INDIA)	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-
JAPANESE	15	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	6	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-
WHITE	1,655	31	4	5	27	31	31	52	47	39	31	70	104	135	213	232	602	1
OTHER ASIAN	9	2	-	-	-	1	-	-	1	2	1	-	-	1	-	1	-	-
OTHER	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
SAN LUIS OBISPO	1,533	26	1	1	13	16	10	19	22	26	20	37	63	114	187	204	773	1
BLACK	14	2	-	-	1	-	-	1	-	1	-	1	1	1	-	1	5	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	6	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-
KOREAN	6	-	-	-	-	1	1	-	-	1	1	1	-	-	1	-	-	-
WHITE	1,500	24	1	1	12	15	9	18	22	24	19	34	60	113	186	202	759	1
FEMALE	723	7	-	-	3	4	1	6	6	8	9	18	30	46	81	90	414	-
BLACK	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
KOREAN	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
WHITE	710	6	-	-	3	3	1	6	6	7	8	17	27	46	81	90	409	-
MALE	810	19	1	1	10	12	9	13	16	18	11	19	33	68	106	114	359	1
BLACK	9	1	-	-	1	-	-	1	-	1	-	1	-	1	-	1	2	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
KOREAN	3	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
WHITE	790	18	1	1	9	12	8	12	16	17	11	17	33	67	103	112	350	1
SAN MATEO	4,778	77	6	10	30	47	63	72	86	96	120	154	271	392	459	649	2,241	5
AMERICAN INDIAN	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-
BLACK	218	5	1	-	1	4	6	12	8	7	17	18	15	23	28	20	52	1
CHINESE	54	2	-	-	-	-	-	-	2	2	-	-	3	3	6	10	26	-
FILIPINO	120	7	-	-	-	1	2	3	5	4	5	7	4	8	9	23	42	-
INDIAN (INDIA)	10	-	-	-	-	-	2	-	2	1	1	2	-	-	1	1	-	-
JAPANESE	38	2	-	-	2	-	-	-	1	1	1	2	3	3	7	3	13	-
KOREAN	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-
PACIFIC ISLANDER	31	3	-	-	-	1	-	2	-	1	3	2	3	2	6	3	5	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	4,282	49	5	10	27	40	53	54	67	79	92	122	243	353	401	587	2,097	3

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN MATEO (CONT'D)																		
OTHER ASIAN	5	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	11	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
FEMALE	2,349	32	3	2	8	13	17	24	29	34	47	66	114	161	202	289	1,306	2
AMERICAN INDIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
BLACK	94	3	-	-	-	1	3	4	3	2	8	10	6	9	9	8	27	1
CHINESE	24	1	-	-	-	-	-	-	-	1	-	-	-	-	2	4	16	-
FILIPINO	59	3	-	-	-	-	-	1	3	3	3	5	3	3	6	11	18	-
INDIAN (INDIA)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	13	-	-	-	-	-	-	-	-	-	-	1	2	1	4	1	4	-
KOREAN	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
PACIFIC ISLANDER	9	1	-	-	-	-	-	1	-	-	-	-	2	1	1	1	2	-
WHITE	2,160	21	3	2	8	12	13	18	22	28	35	50	101	147	179	263	1,237	1
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NOT STATED	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	2,429	45	3	8	22	34	46	48	57	62	73	88	137	231	257	360	935	3
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
BLACK	124	2	1	-	1	3	3	8	5	5	9	8	9	14	19	12	25	-
CHINESE	30	1	-	-	-	-	-	-	2	1	-	-	3	3	4	6	10	-
FILIPINO	61	4	-	-	-	1	2	2	2	1	2	2	1	5	3	12	24	-
INDIAN (INDIA)	9	-	-	-	-	-	1	-	2	1	1	2	-	-	1	1	-	-
JAPANESE	25	2	-	-	2	-	-	-	1	1	1	1	1	2	3	2	9	-
KOREAN	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	22	2	-	-	-	1	-	1	-	1	3	2	1	1	5	2	3	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	2,142	28	2	8	19	28	40	36	45	51	57	72	142	206	222	324	860	2
OTHER ASIAN	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
SANTA BARBARA	2,551	29	6	5	15	31	39	30	37	47	48	61	106	177	246	318	1,355	1
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-
BLACK	47	-	-	-	-	1	2	2	3	1	1	1	4	3	6	5	18	-
CHINESE	6	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2	1	-
FILIPINO	19	-	-	-	-	2	1	-	-	1	-	-	-	1	-	3	11	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
JAPANESE	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	5	-
KOREAN	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	2,461	28	6	5	15	28	35	28	34	43	45	59	101	168	240	308	1,317	1
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1,267	14	1	-	2	6	11	8	15	19	20	30	38	82	117	134	770	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
BLACK	24	-	-	-	-	-	1	1	2	1	-	-	-	2	5	3	9	-
CHINESE	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
KOREAN	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	1,229	14	1	-	2	6	9	7	13	16	20	29	38	77	112	130	755	-
MALE	1,284	15	5	5	13	25	28	22	22	28	28	31	68	95	129	184	585	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
BLACK	23	-	-	-	-	1	1	1	1	-	1	1	4	1	1	2	9	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-
FILIPINO	16	-	-	-	-	2	1	-	-	1	-	-	-	1	-	2	9	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	1,232	14	5	5	13	22	26	21	21	27	25	30	63	91	128	178	562	1
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SANTA CLARA	7,994	231	12	19	65	116	151	149	133	183	240	307	439	661	777	924	3,360	7
AMERICAN INDIAN	35	-	-	-	1	1	-	2	2	2	3	3	6	6	1	4	4	-
BLACK	188	23	1	1	2	7	9	4	7	11	14	10	11	10	16	13	47	-
CAMBODIAN	6	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
CHINESE	91	4	-	-	-	-	1	3	1	2	7	3	6	8	5	11	38	-
FILIPINO	138	7	-	2	3	2	6	6	2	4	5	5	7	10	11	14	54	-
INDIAN (INDIA)	13	2	-	-	-	-	-	-	2	1	2	1	2	2	-	-	1	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SANTA CLARA (CONT'D)																		
JAPANESE	89	3	-	-	-	1	2	1	1	-	1	4	8	9	11	12	36	-
KOREAN	22	2	1	1	-	-	1	-	-	-	1	1	2	3	4	1	5	-
PACIFIC ISLANDER	24	2	-	-	-	2	-	1	-	1	3	2	2	4	3	1	3	-
VIETNAMESE	61	10	-	2	4	3	3	2	4	-	2	2	2	3	7	2	15	-
WHITE	7,290	163	9	13	54	100	129	128	134	158	201	274	392	605	713	859	3,352	6
OTHER ASIAN	14	3	-	-	-	-	-	-	-	2	-	1	1	-	-	4	2	1
OTHER	6	1	1	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-
NOT STATED	17	8	-	-	1	-	-	-	-	1	1	-	-	-	2	1	3	-
FEMALE	3,978	106	4	5	18	29	42	51	51	70	107	120	184	255	296	422	2,215	3
AMERICAN INDIAN	12	-	-	-	1	-	-	1	1	1	2	1	2	1	-	1	1	-
BLACK	84	12	-	-	-	1	3	1	4	4	8	4	3	4	5	8	27	-
CAMBODIAN	4	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
CHINESE	38	2	-	-	-	-	-	2	1	1	3	1	1	3	3	5	16	-
FILIPINO	38	-	-	-	-	1	1	3	2	1	1	2	2	3	2	5	15	-
INDIAN (INDIA)	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
JAPANESE	41	2	-	-	-	-	-	1	-	-	1	3	2	6	2	4	20	-
KOREAN	10	1	1	-	-	-	-	-	-	-	-	-	1	1	3	-	3	-
PACIFIC ISLANDER	9	1	-	-	-	-	-	-	-	1	1	1	1	-	1	-	3	-
VIETNAMESE	30	7	-	-	1	-	2	-	1	-	1	1	1	3	4	1	8	-
WHITE	3,696	75	3	4	16	27	36	43	41	62	90	106	170	234	272	395	2,119	3
OTHER ASIAN	7	2	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
NOT STATED	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	4,016	125	8	14	47	87	109	98	102	113	133	187	255	406	481	502	1,345	4
AMERICAN INDIAN	23	-	-	-	-	1	-	1	1	1	1	2	4	5	1	3	3	-
BLACK	104	11	1	1	2	6	6	3	3	7	6	6	8	6	11	7	20	-
CAMBODIAN	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	53	2	-	-	-	-	1	3	-	1	4	2	5	5	2	6	22	-
FILIPINO	100	7	-	2	3	1	5	3	-	3	4	3	5	7	9	9	39	-
INDIAN (INDIA)	10	1	-	-	-	-	-	-	1	1	2	1	2	2	-	-	-	-
JAPANESE	48	1	-	-	-	1	2	-	1	-	-	1	6	3	9	8	16	-
KOREAN	12	2	-	-	-	-	1	-	-	-	1	1	1	2	1	1	2	-
PACIFIC ISLANDER	15	1	-	-	-	2	-	1	-	-	2	1	1	4	2	1	-	-
VIETNAMESE	31	3	-	2	3	3	1	2	3	-	1	1	1	-	3	1	7	-
WHITE	3,594	88	6	9	38	73	93	85	93	96	111	168	222	371	441	464	1,233	3
OTHER ASIAN	7	1	-	-	-	-	-	-	-	2	-	1	-	-	-	1	1	1
OTHER	4	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
NOT STATED	13	5	-	-	1	-	-	-	-	1	1	-	-	-	2	1	2	-
SANTA CRUZ	1,740	38	4	5	12	18	26	35	38	28	28	31	68	105	141	206	957	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
BLACK	11	1	-	-	-	1	-	1	-	-	1	1	-	1	1	1	3	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FILIPINO	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	13	-
INDIAN (INDIA)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	10	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	4	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	1,695	35	4	5	12	17	25	34	38	27	27	29	67	102	138	199	936	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	889	14	3	2	4	3	3	10	11	7	9	14	32	49	71	92	565	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
BLACK	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-
WHITE	876	14	3	2	4	3	3	10	11	7	8	14	31	49	68	88	561	-
MALE	851	24	1	3	8	15	23	25	27	21	19	17	36	56	70	114	392	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BLACK	8	1	-	-	-	1	-	1	-	-	-	1	-	1	-	1	2	-
FILIPINO	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12	-
INDIAN (INDIA)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	819	21	1	3	8	14	22	24	27	20	19	15	36	53	70	111	375	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHASTA	1,242	28	1	7	10	20	17	15	26	21	31	43	65	103	163	165	326	1
AMERICAN INDIAN	22	1	-	-	2	3	1	-	4	1	1	-	-	1	2	2	4	-
BLACK	10	-	-	-	1	-	-	1	-	-	-	-	-	1	2	3	2	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS: UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
SHASTA (CONT'D)																		
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
KOREAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,203	25	1	7	7	17	16	14	22	20	30	43	65	101	158	159	517	1
OTHER ASIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	564	11	-	1	1	4	6	3	8	11	14	14	25	43	67	61	294	1
AMERICAN INDIAN	4	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	1	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
WHITE	554	10	-	1	1	3	6	3	6	10	14	14	25	42	67	60	291	1
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	678	17	1	6	9	16	11	12	18	10	17	29	40	60	96	104	232	-
AMERICAN INDIAN	18	1	-	-	2	2	1	-	2	-	1	-	-	1	2	2	4	-
BLACK	7	-	-	-	1	-	-	1	-	-	-	-	-	-	2	2	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
KOREAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	649	15	1	6	6	14	10	11	16	10	16	29	40	59	91	99	226	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
SIERRA	37	-	-	-	-	-	-	1	-	1	1	-	-	3	7	8	16	-
WHITE	37	-	-	-	-	-	-	1	-	1	1	-	-	3	7	8	16	-
FEMALE	18	-	-	-	-	-	-	1	-	-	1	-	-	2	2	2	10	-
WHITE	18	-	-	-	-	-	-	1	-	-	1	-	-	2	2	2	10	-
MALE	19	-	-	-	-	-	-	-	-	1	-	-	-	1	5	6	6	-
WHITE	19	-	-	-	-	-	-	-	-	1	-	-	-	1	5	6	6	-
SISKIYOU	459	13	1	2	1	6	11	6	10	6	14	10	20	38	30	57	214	-
AMERICAN INDIAN	7	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	3	-
BLACK	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	447	11	1	1	1	6	10	6	10	6	14	10	20	36	49	57	209	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	204	7	-	-	-	3	1	1	3	1	7	3	6	15	21	22	114	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	202	6	-	-	-	3	1	1	3	1	7	3	6	15	21	22	113	-
MALE	255	6	1	2	1	3	10	5	7	5	7	7	14	23	29	35	100	-
AMERICAN INDIAN	6	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	2	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	245	5	1	1	1	3	9	5	7	5	7	7	14	21	28	35	96	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOLANO	1,874	51	5	8	10	24	27	37	34	53	58	76	132	164	204	239	752	-
AMERICAN INDIAN	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-
BLACK	191	12	-	1	1	2	2	9	5	11	9	4	17	18	26	21	53	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
FILIPINO	55	2	-	-	-	-	-	1	1	-	-	3	3	4	5	8	28	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
JAPANESE	13	-	-	-	-	1	-	-	1	-	1	1	1	3	1	1	3	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-
THAI	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
WHITE	1,592	37	5	7	9	21	23	27	27	40	47	66	108	136	169	209	661	-
OTHER ASIAN	3	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
FEMALE	818	13	2	2	3	5	7	13	12	17	21	26	53	52	86	100	406	-
BLACK	78	2	-	-	-	1	1	3	2	3	2	2	6	7	13	9	27	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FILIPINO	18	-	-	-	-	-	-	-	1	-	-	-	2	1	3	2	9	-
JAPANESE	8	-	-	-	-	1	-	-	1	-	1	1	1	2	-	-	1	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 3-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS: UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
SOLANO (CONT'D)																		
PACIFIC ISLANDER	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
THAI	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	704	11	2	2	3	3	5	10	8	12	18	21	44	41	69	89	366	-
OTHER ASIAN	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
MALE	1,056	38	3	6	7	19	20	24	22	36	37	50	79	112	118	139	346	-
AMERICAN INDIAN	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-
BLACK	113	10	-	1	1	1	1	6	3	8	7	2	11	11	13	12	26	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FILIPINO	37	2	-	-	-	-	-	1	-	-	-	3	1	3	2	6	19	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	888	26	3	5	6	18	18	17	19	28	29	45	64	93	100	120	295	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SONOMA	3,092	42	3	4	33	34	38	44	52	47	56	79	135	195	322	392	1,615	1
AMERICAN INDIAN	9	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	4	-
BLACK	15	1	-	-	-	-	1	-	1	-	-	-	3	1	2	1	5	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CHINESE	5	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-
FILIPINO	6	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	3	-
JAPANESE	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	3,043	40	3	4	33	33	37	43	50	46	54	78	129	193	316	386	1,597	1
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	1,455	19	1	1	8	8	7	11	12	12	26	29	51	76	143	176	874	1
AMERICAN INDIAN	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	-
BLACK	7	1	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-
CHINESE	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	1,433	17	1	1	8	7	7	11	11	12	25	28	47	76	141	174	866	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	1,637	23	2	3	25	26	31	33	40	35	30	50	84	119	179	216	741	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
BLACK	8	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	3	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CHINESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
FILIPINO	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	1,610	23	2	3	25	26	30	32	39	34	29	50	82	117	175	212	731	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
STANISLAUS	2,506	68	10	9	32	34	36	41	41	55	48	73	137	185	287	292	1,138	-
AMERICAN INDIAN	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-
BLACK	27	1	-	-	-	3	1	1	1	1	-	-	3	3	5	3	5	-
CAMBODIAN	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
CHINESE	11	1	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	-
FILIPINO	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-
INDIAN (INDIA)	6	1	-	-	-	1	-	-	1	1	-	-	1	-	-	1	-	-
JAPANESE	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	2,436	63	9	9	32	30	35	38	39	52	48	71	132	179	276	286	1,137	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-
FEMALE	1,175	31	3	3	11	4	15	11	15	15	18	37	51	64	130	129	638	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
BLACK	8	-	-	-	-	-	1	-	-	-	-	-	1	1	4	-	1	-
CHINESE	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
STANISLAUS (CONT'D)																		
JAPANESE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	1,154	29	3	3	11	4	14	10	15	15	18	36	49	62	126	128	631	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	1,331	37	7	6	21	30	21	30	26	40	30	36	86	121	157	163	520	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
BLACK	19	1	-	-	-	3	-	1	1	1	-	-	2	2	1	3	4	-
CAMBODIAN	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
CHINESE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-
FILIPINO	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-
INDIAN (INDIA)	6	1	-	-	-	1	-	-	1	1	-	-	1	-	-	1	-	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	1,282	34	6	6	21	26	21	28	24	37	30	35	83	117	150	158	506	-
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-
SUTTER	491	9	1	2	4	3	4	12	9	10	12	12	16	38	45	63	249	2
AMERICAN INDIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
BLACK	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
INDIAN (INDIA)	13	-	-	1	-	-	-	1	1	2	1	-	-	-	-	1	8	-
JAPANESE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
WHITE	454	8	1	1	4	3	4	10	8	6	10	12	16	38	44	58	229	2
OTHER ASIAN	4	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	227	2	-	1	-	-	-	5	3	2	4	4	6	12	20	29	138	1
AMERICAN INDIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
BLACK	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	-
INDIAN (INDIA)	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
WHITE	210	2	-	-	-	-	-	4	3	1	3	4	6	12	19	28	127	1
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
MALE	264	7	1	1	4	3	4	7	6	8	8	8	10	26	25	34	111	1
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
INDIAN (INDIA)	12	-	-	-	-	-	-	1	1	2	1	-	-	-	-	1	6	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	244	6	1	1	4	3	4	6	5	5	7	8	10	26	25	30	102	1
OTHER ASIAN	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
TEHAMA	441	7	3	2	3	6	8	6	6	4	11	17	19	37	47	57	208	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	439	7	3	2	3	6	8	6	6	4	11	17	18	37	47	57	207	-
FEMALE	195	3	3	1	1	3	-	-	2	1	7	8	9	13	18	27	99	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	193	3	3	1	1	3	-	-	2	1	7	8	8	13	18	27	98	-
MALE	246	4	-	1	2	3	8	6	4	3	4	9	10	24	29	30	109	-
WHITE	246	4	-	1	2	3	8	6	4	3	4	9	10	24	29	30	109	-
TRINITY	124	2	-	-	1	1	2	3	-	3	2	4	9	11	15	20	51	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
WHITE	122	2	-	-	1	1	2	3	-	3	2	4	9	11	15	19	50	-
FEMALE	52	2	-	-	-	1	1	-	-	1	1	2	5	4	4	9	22	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	51	2	-	-	-	1	1	-	-	1	1	2	5	4	4	8	22	-
MALE	72	-	-	-	1	-	1	3	-	2	1	2	4	7	11	11	29	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	71	-	-	-	1	-	1	3	-	2	1	2	4	7	11	11	28	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TULARE	2,199	69	9	6	30	40	39	51	44	45	45	68	101	152	210	268	1,02-	1
AMERICAN INDIAN	8	-	-	1	-	-	1	1	1	-	3	-	-	-	-	-	1	-
BLACK	32	-	-	-	1	2	-	1	1	-	-	2	2	2	4	3	14	-
CHINESE	5	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-
FILIPINO	35	-	1	-	-	-	-	2	1	1	1	1	1	-	-	4	23	-
INDIAN (INDIA)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	10	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	4	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
VIETNAMESE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,101	66	8	5	29	38	37	47	40	43	40	64	97	148	204	260	975	-
OTHER ASIAN	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
FEMALE	1,016	33	1	2	4	7	13	13	15	17	16	28	46	63	88	120	550	-
AMERICAN INDIAN	5	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-
BLACK	12	-	-	-	-	-	-	1	-	-	-	2	1	1	2	1	4	-
CHINESE	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
FILIPINO	8	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	4	-
INDIAN (INDIA)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	979	32	1	1	4	7	12	10	14	15	14	25	44	60	86	118	536	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	1,183	36	8	4	26	33	26	38	29	28	29	40	55	89	122	148	471	1
AMERICAN INDIAN	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-
BLACK	20	-	-	-	1	2	-	-	1	-	-	-	1	1	2	2	10	-
CHINESE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FILIPINO	27	-	1	-	-	-	-	-	1	-	1	-	1	-	-	4	19	-
JAPANESE	4	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-
VIETNAMESE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,122	34	7	4	25	31	25	37	26	28	26	39	53	88	118	142	439	-
OTHER ASIAN	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
TUOLUMNE	379	2	-	-	6	2	7	8	4	14	6	12	16	35	45	72	149	1
AMERICAN INDIAN	10	-	-	-	-	-	1	-	-	1	1	1	-	-	2	1	2	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	366	2	-	-	6	2	6	8	4	13	5	11	14	35	43	70	146	1
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE	165	-	-	-	1	1	3	3	2	4	1	4	9	16	20	29	72	-
AMERICAN INDIAN	4	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-
WHITE	160	-	-	-	1	1	2	3	2	4	1	4	9	16	18	28	71	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MALE	214	2	-	-	5	1	4	5	2	10	5	8	7	19	25	43	77	1
AMERICAN INDIAN	6	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	206	2	-	-	5	1	4	5	2	9	4	7	5	19	25	42	75	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VENTURA	3,713	77	13	7	39	55	62	70	65	71	92	134	189	287	396	423	1,734	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
BLACK	66	5	2	-	1	1	2	1	2	2	6	5	7	7	5	7	13	-
CHINESE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	-
FILIPINO	16	-	-	-	1	-	-	-	2	-	1	2	-	-	-	2	8	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	19	-	-	-	-	1	1	-	-	-	2	1	2	3	1	3	5	-
KOREAN	7	-	1	1	-	-	-	-	1	-	-	-	-	-	-	2	2	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	6	1	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
WHITE	3,581	69	10	6	36	53	59	68	60	69	81	126	177	274	389	407	1,696	1
OTHER ASIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-
FEMALE	1,749	31	1	-	6	9	18	20	20	25	39	55	81	92	165	191	996	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
BLACK	24	3	-	-	-	-	-	-	1	1	2	2	2	1	1	3	8	-
CHINESE	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-
FILIPINO	8	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	4	-
JAPANESE	8	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	3	-
KOREAN	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

TABLE 5-5 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
VENTURA (CONT'D)																		
VIETNAMESE	4	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
WHITE	1,690	26	1	-	6	9	17	20	17	24	33	51	76	88	164	184	974	-
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	1,966	46	12	7	33	46	44	50	45	46	53	79	108	195	231	232	738	1
BLACK	42	2	2	-	1	1	2	1	1	1	4	3	5	6	4	4	5	-
CHINESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
FILIPINO	8	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	4	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	11	-	-	-	-	1	-	-	-	-	1	-	1	3	1	2	2	-
KOREAN	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	1,891	43	9	6	30	44	42	48	43	45	48	75	101	186	225	223	722	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
YOLO	930	20	2	3	3	18	17	16	16	24	29	22	39	86	87	132	413	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	13	1	-	-	-	-	-	1	-	-	-	-	2	2	-	1	6	-
CHINESE	6	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	2	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	902	19	2	3	3	17	17	15	14	24	28	22	37	84	86	129	401	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	429	12	1	3	-	4	6	4	4	7	12	12	10	41	30	62	221	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-
CHINESE	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	418	11	1	3	-	4	6	3	2	7	12	12	10	41	30	61	215	-
MALE	501	8	1	-	3	14	11	12	12	17	17	10	29	45	57	70	194	1
BLACK	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	3	-
CHINESE	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
WHITE	484	8	1	-	3	13	11	12	12	17	16	10	27	43	56	68	186	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
YUBA	453	22	-	2	8	8	7	12	7	9	10	8	24	34	42	71	189	-
AMERICAN INDIAN	4	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-
BLACK	18	1	-	-	2	-	-	-	1	-	1	-	2	5	-	2	4	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	422	19	-	2	6	8	7	12	6	7	9	8	22	28	42	68	178	-
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	200	6	-	2	3	4	2	3	3	5	5	1	10	13	18	30	95	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
BLACK	7	1	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
WHITE	188	5	-	2	3	4	2	3	3	4	4	1	10	10	18	29	90	-
MALE	253	16	-	-	[illegible]	4	5	9	4	4	5	7	14	21	24	41	94	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BLACK	11	-	-	-	2	-	-	-	1	-	-	-	2	3	-	1	2	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
WHITE	234	14	-	-	3	4	5	9	3	3	5	7	12	18	24	39	88	-
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 3-6

DEATHS BY MONTH OF DEATH

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL DEATHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	202,826	18,970	16,565	17,469	16,538	16,746	15,900	16,181	16,323	15,906	17,051	16,698	18,479
ALAMEDA	9,580	883	801	788	728	829	760	771	778	717	842	786	897
ALPINE	2	-	-	-	-	1	-	-	-	-	-	-	1
AMADOR	215	22	8	16	17	16	17	19	22	15	21	18	24
BUTTE	1,703	136	136	130	150	139	141	154	152	137	134	129	165
CALAVERAS	248	18	35	13	17	15	20	14	16	22	27	25	26
COLUSA	150	18	13	7	17	8	11	18	13	10	10	10	15
CONTRA COSTA	5,218	497	425	449	441	459	404	408	416	416	425	427	451
DEL NORTE	201	28	19	13	21	17	17	11	21	12	17	11	14
EL DORADO	729	79	75	63	48	69	62	60	53	50	60	54	56
FRESNO	4,411	408	363	328	350	381	353	355	373	345	371	375	409
GLENN	238	24	18	22	24	12	24	23	24	10	28	9	20
HUMBOLDT	1,053	91	66	96	85	93	90	79	79	89	102	101	82
IMPERIAL	749	69	74	69	61	53	59	51	70	51	70	54	68
INYO	204	23	13	22	21	17	10	11	19	11	12	19	26
KERN	3,668	331	303	344	266	307	303	276	341	260	322	293	322
KINGS	556	45	33	49	29	48	55	49	36	51	56	50	55
LAKE	596	60	55	42	56	45	55	39	49	44	46	40	65
LASSEN	145	18	23	11	10	8	13	8	13	8	10	11	12
LOS ANGELES	62,829	5,983	5,060	5,407	5,121	5,193	4,974	4,998	5,053	5,051	5,333	5,029	5,627
MADERA	647	66	55	49	54	57	41	55	51	54	57	47	61
MARIN	1,732	144	151	175	130	138	127	131	148	148	133	143	164
MARIPOSA	151	12	14	15	16	12	14	8	8	18	9	13	12
MENDOCINO	732	63	62	53	60	59	59	70	55	48	75	58	70
MERCED	1,039	102	83	83	86	83	73	91	75	82	85	87	109
MODOC	106	15	8	10	8	8	8	13	3	9	7	9	8
MONO	37	3	3	4	4	3	5	4	4	4	1	2	-
MONTEREY	2,235	201	197	198	196	164	182	178	145	184	213	191	186
NAPA	1,030	97	86	89	83	88	71	83	84	77	89	82	101
NEVADA	561	51	40	60	49	36	38	55	45	42	48	41	56
ORANGE	13,609	1,299	1,194	1,206	1,200	1,048	991	1,051	1,108	1,023	1,128	1,110	1,251
PLACER	1,113	96	82	99	96	94	93	69	83	117	78	98	108
PLUMAS	155	23	17	6	17	14	2	12	17	10	14	15	8
RIVERSIDE	7,895	700	656	679	639	647	614	667	637	572	688	671	725
SACRAMENTO	7,071	627	570	636	587	612	561	588	551	515	583	582	659
SAN BENITO	197	22	12	15	16	14	16	22	18	11	20	12	19
SAN BERNARDINO	8,367	772	647	713	682	724	652	669	689	668	680	699	772
SAN DIEGO	15,591	1,519	1,190	1,367	1,285	1,292	1,220	1,223	1,231	1,257	1,305	1,268	1,434
SAN FRANCISCO	8,037	738	647	666	661	673	627	654	622	657	654	660	778
SAN JOAQUIN	3,488	319	266	322	260	291	274	293	295	266	312	324	266
SAN LUIS OBISPO	1,533	133	110	111	140	141	108	144	109	125	123	142	147
SAN MATEO	4,778	439	395	392	413	404	380	394	356	364	410	380	451
SANTA BARBARA	2,551	241	243	241	183	206	221	197	195	198	214	205	207
SANTA CLARA	7,994	733	664	672	643	649	638	605	636	647	675	682	750
SANTA CRUZ	1,740	176	151	141	136	143	122	144	152	140	133	132	170
SHASTA	1,242	94	114	119	104	113	69	100	103	97	111	110	108
SIERRA	37	4	3	1	2	1	3	5	3	1	3	5	6
SISKIYOU	459	53	34	44	37	36	41	26	35	29	42	40	42
SOLANO	1,874	164	168	163	148	155	143	155	151	131	158	173	165
SONOMA	3,092	299	244	267	278	268	246	250	260	202	227	278	273
STANISLAUS	2,506	228	194	213	176	207	191	217	221	227	190	217	225
SUTTER	491	56	43	34	46	35	48	25	42	29	41	44	48
TEHAMA	441	47	26	40	36	24	41	33	31	41	42	32	48
TRINITY	124	10	9	13	4	12	11	11	11	11	8	11	13
TULARE	2,199	193	184	188	173	166	201	174	162	177	166	208	207
TUOLUMNE	379	21	34	36	35	34	29	31	30	30	37	30	32
VENTURA	3,715	366	324	345	283	277	266	298	314	287	280	332	343
YOLO	930	72	85	83	75	80	69	59	81	82	85	80	79
YUBA	453	39	40	52	35	28	37	33	34	27	41	44	43

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 3-7

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING
CALIFORNIA COUNTIES, 1986

(BY PLACE OF OCCURRENCE)

COUNTY	UNINTENTIONAL DEATHS 800-869, 880-929	TRANSPORT INJURIES			NONTRANSPORT INJURIES						
		TOTAL 800-848	MOTOR VEHICLE 810-825	OTHER 800-807, 826-848	TOTAL 850-869, 880-928	POISIONING BY SOLIDS AND LIQUIDS 850-866	POISIONING BY GASES AND VAPORS 867-869	FALLS 880-888	FIRE AND FLAMES 890-899	DROWNING 910	OTHER 900-909, 911-928
CALIFORNIA	10,625	5,966	5,532	434	4,560	1,518	43	1,055	282	669	993
ALAMEDA	361	139	133	6	215	40	2	64	22	13	74
ALPINE	4	4	1	3	-	-	-	-	-	-	-
AMADOR	20	16	14	2	4	1	-	1	-	2	-
BUTTE	98	63	61	2	35	5	1	9	6	5	9
CALAVERAS	22	16	14	2	6	-	-	2	-	4	-
COLUSA	12	6	6	-	6	-	-	-	-	3	3
CONTRA COSTA	182	103	89	14	78	26	1	20	4	4	23
DEL NORTE	11	7	6	1	4	-	-	-	-	3	1
EL DORADO	66	44	35	9	22	5	-	6	-	6	5
FRESNO	344	207	197	10	135	47	3	28	7	29	21
GLENN	9	6	6	-	3	-	-	-	1	1	1
HUMBOLDT	66	41	34	7	23	6	-	5	1	4	9
IMPERIAL	111	58	53	5	53	3	-	2	1	36	11
INYO	23	19	18	1	4	-	-	2	1	1	-
KERN	355	240	217	23	114	41	2	13	3	23	32
KINGS	47	36	36	-	11	3	-	2	-	2	4
LAKE	30	19	16	3	11	2	-	-	1	3	5
LASSEN	23	16	16	-	7	1	-	1	2	-	3
LOS ANGELES	2,833	1,416	1,294	122	1,382	605	6	318	91	151	211
MADERA	47	37	37	-	9	1	-	1	-	3	4
MARIN	66	29	27	2	33	9	-	13	1	5	7
MARIPOSA	21	10	9	1	11	-	-	6	3	2	-
MENDOCINO	56	32	28	4	23	4	1	1	3	3	11
MERCED	88	63	58	5	24	2	-	8	-	8	6
MODOC	7	5	5	-	2	-	-	-	-	-	2
MONO	38	31	29	2	7	-	-	1	-	2	4
MONTEREY	163	96	89	7	67	18	1	14	2	16	16
NAPA	56	42	39	3	14	1	-	5	-	1	7
NEVADA	26	14	13	1	12	-	1	3	-	3	5
ORANGE	599	325	313	12	266	109	-	63	12	44	38
PLACER	53	27	24	3	26	9	2	4	1	8	2
PLUMAS	22	15	14	1	7	-	-	1	-	5	1
RIVERSIDE	474	322	302	20	151	50	1	27	10	23	40
SACRAMENTO	383	233	229	4	149	50	3	33	11	20	32
SAN BENITO	19	12	12	-	5	-	-	3	-	-	2
SAN BERNARDINO	603	425	391	34	176	49	6	36	18	27	40
SAN DIEGO	783	433	409	24	344	139	1	70	19	53	62
SAN FRANCISCO	280	52	51	1	219	94	1	79	12	6	27
SAN JOAQUIN	236	148	139	9	87	16	-	9	15	13	34
SAN LUIS OBISPO	96	65	57	8	28	6	-	8	-	4	10
SAN MATEO	154	78	66	12	75	23	-	22	2	9	19
SANTA BARBARA	118	70	61	9	48	16	-	11	2	4	15
SANTA CLARA	372	186	177	9	186	52	3	58	11	23	39
SANTA CRUZ	103	51	51	-	49	11	1	10	1	14	12
SHASTA	91	58	53	5	32	2	-	6	3	9	12
SIERRA	7	6	6	-	1	-	1	-	-	-	-
SISKIYOU	38	20	16	4	16	1	-	2	1	4	8
SOLANO	85	55	47	8	27	1	-	9	-	1	16
SONOMA	172	109	100	9	62	11	2	15	2	13	19
STANISLAUS	208	123	120	3	83	11	2	27	1	14	28
SUTTER	25	13	12	1	12	-	-	4	1	5	2
TEHAMA	39	33	28	5	6	-	-	1	-	2	3
TRINITY	17	12	12	-	5	2	-	-	-	1	2
TULARE	141	81	77	4	60	11	-	5	3	14	25
TUOLUMNE	30	19	16	3	11	4	-	2	-	2	3
VENTURA	202	122	112	10	78	24	2	21	6	9	16
YOLO	40	26	26	-	14	5	-	2	-	4	3
YUBA	50	32	31	1	18	2	-	2	-	5	9

TABLE 3-7 (CONTINUED)

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING
CALIFORNIA COUNTIES, 1986

(BY PLACE OF OCCURRENCE)

CNTY	LATE EFFECTS OF UNINTENTIONAL INJURY 929	MEDICAL				SUICIDE 950-959	HOMICIDE 960-969	LEGAL INTERVENTION 970-978	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED 980-989	INJURY RESULTING FROM OPERATIONS OF WAR 990-999
		TOTAL 870-879, 930-949	MISADVENTURES: SURGICAL AND MEDICAL 870-876	ADVERSE PATIENT REACTION: SURGICAL AND MEDICAL 878-879	ADVERSE PATIENT REACTION: DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES 930-949					
CALIFORNIA	99	326	75	243	8	3,987	3,124	55	243	1
ALAMEDA	7	19	2	17	-	172	166	3	19	-
ALPINE	-	-	-	-	-	-	-	-	-	-
AMADOR	-	1	-	1	-	2	1	-	-	-
BUTTE	-	4	2	2	-	33	7	-	2	-
CALAVERAS	-	1	-	1	-	6	3	-	2	-
COLUSA	-	-	-	-	-	9	4	-	1	-
CONTRA COSTA	1	7	1	6	-	93	52	-	2	-
DEL NORTE	-	-	-	-	-	8	1	-	1	-
EL DORADO	-	1	-	1	-	23	7	-	-	-
FRESNO	2	14	1	13	-	73	91	-	6	-
GLENN	-	-	-	-	-	2	-	-	1	-
HUMBOLDT	-	4	1	3	-	18	6	1	3	-
IMPERIAL	-	1	-	1	-	12	14	-	-	-
INYO	-	-	-	-	-	3	-	-	1	-
KERN	1	9	1	7	1	87	55	-	4	-
KINGS	-	2	-	2	-	6	3	-	3	-
LAKE	-	1	-	1	-	9	5	1	1	-
LASSEN	-	-	-	-	-	3	2	-	-	-
LOS ANGELES	33	69	19	49	1	1,048	1,499	16	36	-
MADERA	1	-	-	-	-	15	3	-	-	-
MARIN	2	1	1	-	-	45	8	-	10	-
MARIPOSA	-	-	-	-	-	2	-	-	-	-
MENDOCINO	1	-	-	-	-	13	8	-	-	-
MERCED	1	4	1	3	-	24	11	-	-	-
MODOC	-	-	-	-	-	2	2	-	-	-
MONO	-	-	-	-	-	3	-	-	-	-
MONTEREY	-	1	1	-	-	49	27	2	1	-
NAPA	-	3	2	3	-	19	9	-	3	-
NEVADA	-	-	-	-	-	15	3	-	-	-
ORANGE	8	14	3	11	-	273	104	2	7	-
PLACER	-	4	-	4	-	27	8	-	-	-
PLUMAS	-	-	-	-	-	4	-	-	-	-
RIVERSIDE	1	7	2	4	1	141	96	-	-	-
SACRAMENTO	1	21	3	16	2	165	125	1	18	-
SAN BENITO	2	-	-	-	-	4	2	-	-	-
SAN BERNARDINO	2	12	5	7	-	188	137	2	17	-
SAN DIEGO	6	29	9	19	1	346	188	16	19	-
SAN FRANCISCO	9	19	7	12	-	162	115	-	30	1
SAN JOAQUIN	1	2	-	2	-	59	44	-	1	-
SAN LUIS OBISPO	3	3	1	2	-	41	12	-	-	-
SAN MATEO	1	6	-	6	-	100	39	-	6	-
SANTA BARBARA	-	2	1	1	-	46	13	-	2	-
SANTA CLARA	-	15	7	7	1	208	60	6	7	-
SANTA CRUZ	3	6	-	6	-	46	20	-	-	-
SHASTA	1	-	-	-	-	27	12	1	1	-
SIERRA	-	-	-	-	-	2	-	-	-	-
SISKIYOU	2	2	-	2	-	8	6	-	-	-
SOLANO	3	4	1	3	-	37	19	-	3	-
SONOMA	1	4	-	4	-	61	23	-	4	-
STANISLAUS	2	5	2	3	-	32	23	-	-	-
SUTTER	-	-	-	-	-	5	1	-	-	-
TEHAMA	-	-	-	-	-	12	-	-	-	-
TRINITY	-	-	-	-	-	3	-	-	-	-
TULARE	-	3	2	1	-	44	25	-	2	-
TUOLUMNE	-	-	-	-	-	12	3	-	-	-
VENTURA	2	3	-	2	1	72	39	2	7	-
YOLO	-	-	-	-	-	29	10	-	-	-
YUBA	-	1	-	1	-	11	7	-	1	-

NOTE: NUMBERS APPEARING IN COLUMN HEADINGS ARE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES NUMBERS.
SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-8

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	CALIFORNIA		ALAMEDA	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO
		NUMBER	RATE										
001-999	TOTAL, ALL CAUSES	202,826	751.7	9,580	2	215	1,703	248	150	5,218	201	729	4,411
001-139	INFECTIOUS AND PARASITIC DISEASES	3,095	11.5	159	-	7	19	1	2	89	3	14	45
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	71	0.3	-	-	1	-	-	-	1	-	-	1
010-018	TUBERCULOSIS	169	0.6	11	-	-	-	-	-	4	-	1	3
036	MENINGOCOCCAL INFECTION	42	0.2	1	-	-	-	-	-	2	-	1	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	136	0.5	4	-	1	-	-	1	3	1	-	-
070	VIRAL HEPATITIS	203	0.8	9	-	-	-	1	-	5	-	-	1
090-097	SYPHILIS	11	0.0	2	-	-	-	-	-	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	2,463	9.1	132	-	5	19	-	1	74	2	12	40
140-208	MALIGNANT NEOPLASMS	46,412	172.0	2,221	-	58	397	56	32	1,273	43	167	934
140-149	LIP,ORAL CAVITY AND PHARYNX	908	3.4	40	-	1	5	1	-	22	-	4	14
151	STOMACH	1,507	5.6	84	-	3	14	3	1	46	1	2	36
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	9,931	36.8	486	-	12	88	13	9	240	8	43	198
162	TRACHEA, BRONCHUS AND LUNG	12,092	44.8	575	-	18	122	15	6	304	15	37	228
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	445	1.6	18	-	1	4	-	-	11	-	3	11
174-175	BREAST	4,132	30.2AB	200	-	7	37	4	3	144	4	12	67
180	CERVIX UTERI	420	3.1B	11	-	1	2	-	-	12	1	1	7
179,181-182	OTHER PARTS OF UTERUS	628	4.6B	19	-	1	6	1	1	20	-	3	14
183-184	OTHER FEMALE GENITAL ORGANS	1,307	9.6B	68	-	1	13	2	2	33	1	5	19
185-187	MALE GENITAL ORGANS	2,713	20.4B	134	-	4	24	2	2	79	1	13	59
188-189	BLADDER AND OTHER URINARY ORGANS	1,772	6.6	83	-	1	12	1	1	56	3	3	37
170-173,190-199	OTHER AND UNSPECIFIED SITES	6,078	22.5	299	-	6	32	9	4	168	6	30	141
201	HODGKIN'S DISEASE	174	0.6	9	-	-	-	-	1	5	1	-	5
204-208	LEUKEMIA	1,764	6.5	81	-	1	15	2	1	53	2	4	41
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	2,541	9.4	114	-	1	23	3	1	80	-	7	57
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	579	2.1	21	-	2	3	1	1	12	-	3	9
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	5,058	18.7	237	-	3	34	5	6	158	2	21	126
250	DIABETES MELLITUS	3,028	11.2	131	-	1	20	4	3	111	1	14	91
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	2,030	7.5	106	-	2	14	1	3	47	1	7	35
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	641	2.4	23	-	-	7	1	-	8	1	-	12
280-285	ANEMIAS	274	1.0	9	-	-	6	-	-	5	-	-	6
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	367	1.4	14	-	-	1	1	-	3	1	-	6
290-319	MENTAL DISORDERS	1,836	6.8	101	-	1	14	-	1	62	5	5	43
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	3,134	11.6	165	-	5	41	4	4	102	1	11	57
320-322	MENINGITIS	121	0.4	4	-	-	1	-	-	3	-	1	1
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	59	0.2	4	-	-	2	1	-	-	-	1	1
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	2,954	10.9	157	-	5	38	3	4	99	1	9	55

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	CALIFORNIA		ALAMEDA	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO
		NUMBER	RATE										
390-459	DISEASES OF THE CIRCULATORY SYSTEM	88,880	329.4	4,298	1	93	714	109	58	2,191	93	274	1,891
390-398,402, 404-429	DISEASES OF THE HEART	68,049	252.2	3,210	1	59	535	79	46	1,622	66	204	1,480
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	777	2.9	38	1	-	7	1	-	16	1	2	17
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	2,918	10.8	238	-	2	7	-	1	67	-	4	78
410-411	ACUTE ISCHAEMIC HEART DISEASE	20,416	75.7	763	-	26	160	26	25	443	18	56	467
412	OLD MYOCARDIAL INFARCTION	90	0.3	3	-	1	-	-	-	1	-	1	-
413	ANGINA PECTORIS	62	0.2	5	-	-	1	-	-	1	-	-	1
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	27,206	100.8	1,376	-	13	194	39	12	686	14	93	636
424	OTHER DISEASES OF ENDOCARDIUM	1,188	4.4	67	-	3	17	1	1	45	-	3	29
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	15,392	57.0	720	-	14	149	12	7	363	33	45	252
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	716	2.7	28	-	-	4	2	-	32	-	2	16
430-438	CEREBROVASCULAR DISEASE	15,075	55.9	809	-	24	125	20	8	387	19	42	300
440	ATHEROSCLEROSIS	2,296	8.5	126	-	6	23	1	-	65	6	9	46
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	2,284	8.5	102	-	3	23	4	3	74	1	17	43
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	460	1.7	23	-	1	4	3	1	11	1	-	6
460-519	DISEASES OF THE RESPIRATORY SYSTEM	18,000	66.7	751	-	19	196	26	18	491	21	63	374
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	69	0.3	6	-	-	2	-	-	3	-	-	1
487	INFLUENZA	89	0.3	-	-	-	1	-	-	1	-	-	3
480,483	VIRAL PNEUMONIA	116	0.4	2	-	-	1	-	-	4	-	-	2
481-482	BACTERIAL PNEUMONIA	649	2.4	28	-	2	3	-	2	11	1	4	5
484-486	OTHER AND UNSPECIFIED PNEUMONIA	6,748	25.0	302	-	5	65	12	4	182	2	20	138
490	BRONCHITIS, UNSPECIFIED	75	0.3	1	-	-	-	-	-	6	1	1	1
491	CHRONIC BRONCHITIS	394	1.5	15	-	-	4	-	1	23	-	1	5
492	EMPHYSEMA	2,020	7.5	74	-	1	20	2	1	44	7	7	35
493	ASTHMA	465	1.7	19	-	-	4	1	1	8	-	-	5
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	5,523	20.5	227	-	10	74	9	5	136	9	20	124
515	POSTINFLAMMATORY PULMONARY FIBROSIS	474	1.8	18	-	1	3	-	1	16	-	1	13
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	1,378	5.1	59	-	-	19	2	3	57	1	9	42
520-579	DISEASES OF THE DIGESTIVE SYSTEM	8,378	31.1	407	-	8	72	8	6	219	6	41	185
531-533	ULCER OF STOMACH AND DUODENUM	796	3.0	23	-	-	10	1	1	12	1	2	14
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	534	2.0	26	-	-	3	-	1	24	-	3	16
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	3,968	14.7	191	-	2	20	1	3	93	2	19	69
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	241	0.9	12	-	-	5	-	-	1	-	3	8
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	2,839	10.5	155	-	6	34	6	1	89	3	14	78
580-629	DISEASES OF THE GENITOURINARY SYSTEM	3,043	11.3	159	-	1	26	6	-	78	-	8	87
580	ACUTE GLOMERULONEPHRITIS	6	0.0	-	-	-	-	-	-	-	-	-	-
581	NEPHROTIC SYNDROME	15	0.1	1	-	-	-	-	-	-	-	-	1
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	136	0.5	3	-	-	3	1	-	2	-	-	2
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	1,238	4.6	71	-	1	15	5	-	44	-	6	49
590	INFECTIONS OF KIDNEY	208	0.8	6	-	-	-	-	-	2	-	-	4
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	173	0.6	13	-	-	1	-	-	4	-	1	5
600	HYPERPLASIA OF PROSTATE	60	0.58	1	-	-	-	-	-	1	-	-	2
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	1,207	4.5	64	-	-	7	-	-	25	-	1	24

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	CALIFORNIA		ALAMEDA	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO
		NUMBER	RATE										
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	32	0.7C	3	-	-	-	-	-	1	-	-	-
740-759	CONGENITAL ANOMALIES	1,521	5.6	58	-	1	5	2	1	32	1	3	43
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1,896	3.9D	80	-	2	7	1	1	30	3	7	66
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	815	3.0	53	-	1	7	-	-	24	1	-	19
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1,352	5.0	91	-	1	16	2	2	38	4	19	43
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	651	1.4D	39	-	-	4	1	1	20	-	11	16
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	701	2.6	52	-	1	12	1	1	18	4	8	27
800-949	ACCIDENTS AND ADVERSE EFFECTS	10,817	40.1	381	1	12	100	14	10	248	11	64	317
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	5,370	19.9	145	1	8	55	10	7	118	6	41	167
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	115	0.4	4	-	-	1	-	-	2	-	-	5
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	414	1.5	8	-	-	11	-	-	17	1	2	9
910	DROWNINGS	644	2.4	19	-	1	5	1	-	13	2	5	24
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	1,411	5.2	37	-	1	6	-	-	25	-	5	38
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	8	0.0	-	-	-	-	-	-	-	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	115	0.4	4	-	-	1	-	-	3	-	-	4
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	73	0.3	3	-	-	1	-	-	-	-	1	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	246	0.9	14	-	1	2	-	-	10	-	-	14
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	2,421	9.0	147	-	1	18	3	3	60	2	10	56
950-959	SUICIDE	3,960	14.7	176	-	1	35	6	5	104	5	23	72
960-969	HOMICIDE	3,089	11.4	172	-	-	8	4	2	56	-	6	82
970-978	LEGAL INTERVENTION	48	0.2	6	-	-	-	-	-	-	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	239	0.9	18	-	-	2	2	1	2	1	-	6
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	1	0.0	-	-	-	-	-	-	-	-	-	-

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	GLENN	HUM-BOLDT	IM-PERIAL	INYO	KERN	KINGS	LAKE	LASSEN	LOS ANGELES	MADERA	MARIN	MARI-POSA
001-999	TOTAL, ALL CAUSES	238	1,053	749	204	3,668	556	596	145	62,829	647	1,732	151
001-139	INFECTIOUS AND PARASITIC DISEASES	1	11	9	2	54	8	1	4	999	8	35	-
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	-	-	-	2	-	-	-	34	-	1	-
010-018	TUBERCULOSIS	-	1	1	-	1	1	-	-	73	-	1	-
036	MENINGOCOCCAL INFECTION	-	-	-	-	2	-	-	-	21	-	-	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	-	-	1	2	-	-	1	50	-	4	-
070	VIRAL HEPATITIS	-	2	-	-	6	-	-	1	70	-	1	-
090-097	SYPHILIS	-	-	-	-	1	-	-	-	6	1	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	1	8	8	1	40	7	1	2	745	7	28	-
140-208	MALIGNANT NEOPLASMS	51	246	161	42	791	101	153	36	13,798	158	425	38
140-149	LIP,ORAL CAVITY AND PHARYNX	-	5	4	1	15	4	1	1	267	1	10	-
151	STOMACH	3	9	10	-	21	1	2	-	505	9	14	-
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	8	51	22	9	169	20	36	10	2,928	38	95	6
162	TRACHEA, BRONCHUS AND LUNG	17	86	45	9	227	29	58	5	3,475	40	111	11
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	-	1	3	1	8	1	1	1	141	1	4	-
174-175	BREAST	4	16	8	5	54	9	9	4	1,313	8	48	5
180	CERVIX UTERI	-	6	-	1	7	1	2	1	152	1	3	-
179,181-182	OTHER PARTS OF UTERUS	1	5	2	-	15	1	-	-	198	1	11	1
183-184	OTHER FEMALE GENITAL ORGANS	1	10	3	1	17	4	6	3	414	5	11	1
185-187	MALE GENITAL ORGANS	4	14	8	1	55	5	18	2	772	12	24	2
188-189	BLADDER AND OTHER URINARY ORGANS	2	5	7	4	34	3	2	4	537	1	13	3
170-173,190-199	OTHER AND UNSPECIFIED SITES	7	19	30	5	103	10	10	4	1,755	20	50	8
201	HODGKIN'S DISEASE	-	-	2	-	3	-	-	-	47	-	1	-
204-208	LEUKEMIA	2	8	6	-	29	7	-	-	537	11	14	1
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	2	11	11	5	34	6	8	1	757	10	16	-
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	1	3	3	2	15	1	1	-	127	5	6	-
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	9	33	17	3	92	27	14	2	1,612	16	41	2
250	DIABETES MELLITUS	6	23	13	2	58	20	10	2	985	11	17	1
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	3	10	4	1	34	7	4	-	627	5	24	1
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	2	3	3	2	14	2	2	-	176	2	5	1
280-285	ANEMIAS	-	1	2	-	3	1	-	-	68	1	1	-
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	2	2	1	2	11	1	2	-	108	1	4	1
290-319	MENTAL DISORDERS	1	15	6	2	25	2	7	2	523	7	29	2
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	3	24	7	3	39	7	3	1	753	14	27	3
320-322	MENINGITIS	-	-	-	-	3	-	-	-	39	1	-	-
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	-	1	-	-	-	-	-	14	-	-	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	3	24	6	3	36	7	3	1	700	13	27	3

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	GLENN	HUM-BOLDT	IM-PERIAL	INYO	KERN	KINGS	LAKE	LASSEN	LOS ANGELES	MADERA	MARIN	MARI-POSA
390-459	DISEASES OF THE CIRCULATORY SYSTEM	104	427	301	99	1,473	255	249	61	29,078	262	740	62
390-398,402, 404-429	DISEASES OF THE HEART	84	321	225	78	1,202	188	177	50	22,853	218	516	49
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	2	9	2	-	11	1	6	1	254	1	6	-
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	-	7	6	2	78	6	4	1	1,376	8	12	2
410-411	ACUTE ISCHAEMIC HEART DISEASE	22	131	109	23	359	54	59	13	6,332	77	157	12
412	OLD MYOCARDIAL INFARCTION	-	-	-	1	1	-	-	1	27	-	-	1
413	ANGINA PECTORIS	-	1	-	-	2	-	-	-	16	-	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	38	107	58	31	505	78	76	21	8,419	101	223	25
424	OTHER DISEASES OF ENDOCARDIUM	2	4	4	2	18	4	4	1	296	2	12	1
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	20	62	46	19	228	45	28	12	6,133	29	106	8
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	1	2	6	1	12	3	1	1	270	2	4	-
430-438	CEREBROVASCULAR DISEASE	12	76	54	15	196	48	50	7	4,547	31	159	8
440	ATHEROSCLEROSIS	4	11	2	3	17	12	4	2	778	7	31	2
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	3	16	10	2	41	2	16	1	526	4	27	3
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	-	1	4	-	5	2	1	-	104	-	3	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM	26	112	72	19	330	37	58	17	4,887	47	171	16
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	1	-	-	-	-	-	-	18	3	-	-
487	INFLUENZA	-	-	-	1	1	-	-	-	22	2	1	1
480,483	VIRAL PNEUMONIA	1	1	-	1	7	-	-	-	41	-	2	-
481-482	BACTERIAL PNEUMONIA	3	2	-	-	11	1	1	1	229	2	5	-
484-486	OTHER AND UNSPECIFIED PNEUMONIA	11	32	23	7	119	9	20	5	1,955	8	79	4
490	BRONCHITIS, UNSPECIFIED	-	-	-	-	2	-	1	-	15	-	2	-
491	CHRONIC BRONCHITIS	-	3	1	-	1	-	1	1	117	-	4	-
492	EMPHYSEMA	3	13	11	-	46	4	13	1	517	8	22	1
493	ASTHMA	-	3	-	-	10	1	1	-	124	3	7	-
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	4	43	24	8	108	17	19	8	1,442	17	34	4
515	POSTINFLAMMATORY PULMONARY FIBROSIS	1	1	3	1	9	1	1	-	116	1	3	2
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	3	13	8	1	36	4	1	1	291	3	12	4
520-579	DISEASES OF THE DIGESTIVE SYSTEM	7	49	38	8	156	20	31	1	2,492	25	72	5
531-533	ULCER OF STOMACH AND DUODENUM	1	2	4	1	14	-	2	-	254	2	6	-
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	3	4	1	-	17	4	5	-	119	4	-	1
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	1	23	23	4	70	8	13	1	1,352	7	34	2
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	-	-	-	-	7	-	-	-	81	1	5	-
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	2	20	10	3	48	8	11	-	686	11	27	2
580-629	DISEASES OF THE GENITOURINARY SYSTEM	4	18	17	5	61	11	14	1	929	13	18	1
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	-	-	-	-	1	-	-	-
581	NEPHROTIC SYNDROME	-	-	1	-	-	-	-	-	6	-	-	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	1	-	-	1	2	2	-	-	38	-	2	-
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	1	9	6	2	34	6	9	1	339	10	4	-
590	INFECTIONS OF KIDNEY	1	3	2	1	3	-	2	-	56	1	1	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	-	1	-	-	2	1	-	-	37	-	-	-
600	HYPERPLASIA OF PROSTATE	-	-	-	-	2	-	-	-	17	-	-	1
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	1	5	8	1	18	2	3	-	435	2	11	-

TABLE 3-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	GLENN	HUM-BOLDT	IM-PERIAL	INYO	KERN	KINGS	LAKE	LASSEN	LOS ANGELES	MADERA	MARIN	MARI-POSA
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	-	-	-	1	-	-	-	14	-	1	-
740-759	CONGENITAL ANOMALIES	1	6	5	-	34	7	1	1	533	2	8	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	-	1	4	-	63	6	1	-	759	8	10	1
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	1	2	-	-	17	2	6	-	238	2	9	-
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	2	5	11	5	20	3	5	1	278	9	5	5
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	1	3	1	4	8	1	4	1	190	3	2	1
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1	2	10	1	12	2	1	-	88	6	3	4
800-949	ACCIDENTS AND ADVERSE EFFECTS	20	70	71	10	319	50	32	13	3,028	43	67	13
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	10	32	31	8	180	32	14	6	1,384	32	28	8
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	2	1	2	-	7	1	-	-	27	-	-	-
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	-	6	-	1	13	-	2	-	116	1	3	1
910	DROWNINGS	1	5	21	-	19	2	1	-	172	2	3	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	2	6	4	-	39	4	2	2	574	1	8	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	-	1	-	-	-	1	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	-	1	-	-	2	1	1	-	19	-	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	1	-	-	1	-	1	-	19	1	1	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	1	3	1	-	9	2	2	-	70	-	1	-
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	4	15	12	1	48	8	9	5	646	6	23	4
950-959	SUICIDE	4	19	9	2	88	9	10	4	1,037	19	45	2
960-969	HOMICIDE	-	6	14	-	53	5	6	1	1,489	7	10	-
970-978	LEGAL INTERVENTION	-	-	-	-	-	-	1	-	17	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	1	3	1	-	3	3	1	-	62	-	8	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MENDO-CINO	MERCED	MODOC	MONO	MON-TEREY	NAPA	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO
001-999	TOTAL, ALL CAUSES	732	1,039	106	37	2,235	1,030	561	13,609	1,113	155	7,895	7,071
001-139	INFECTIOUS AND PARASITIC DISEASES	8	6	-	-	33	10	4	125	14	3	102	99
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	-	-	-	-	-	-	2	-	1	-	4
010-018	TUBERCULOSIS	1	1	-	-	1	1	1	7	1	-	5	3
036	MENINGOCOCCAL INFECTION	-	-	-	-	2	-	-	6	-	-	1	1
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	1	-	-	-	3	-	-	11	1	-	5	7
070	VIRAL HEPATITIS	-	1	-	-	2	1	1	15	-	-	11	6
090-097	SYPHILIS	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	6	4	-	-	25	8	2	84	12	2	80	78
140-208	MALIGNANT NEOPLASMS	164	248	20	6	482	244	129	3,314	272	39	1,786	1,657
140-149	LIP,ORAL CAVITY AND PHARYNX	2	6	-	-	11	9	4	77	2	1	28	23
151	STOMACH	3	12	-	1	11	3	-	106	8	-	61	44
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	35	43	2	2	117	49	21	727	52	8	412	353
162	TRACHEA, BRONCHUS AND LUNG	56	81	4	1	117	69	38	852	87	13	474	470
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	2	1	-	-	7	3	-	24	1	-	17	14
174-175	BREAST	13	18	1	-	51	26	13	299	21	2	148	134
180	CERVIX UTERI	2	1	-	-	6	1	-	29	2	-	13	19
179,181-182	OTHER PARTS OF UTERUS	1	1	-	-	7	1	3	41	6	1	21	22
183-184	OTHER FEMALE GENITAL ORGANS	3	10	3	-	16	9	4	96	4	1	42	46
185-187	MALE GENITAL ORGANS	4	17	2	1	25	14	11	188	16	5	99	100
188-189	BLADDER AND OTHER URINARY ORGANS	6	16	-	-	14	13	1	142	12	1	63	53
170-173,190-199	OTHER AND UNSPECIFIED SITES	18	25	2	-	52	32	20	400	36	4	229	231
201	HODGKIN'S DISEASE	1	-	-	-	2	1	-	18	2	-	6	4
204-208	LEUKEMIA	8	9	3	-	24	6	4	131	11	2	65	59
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	10	8	3	1	22	8	10	184	12	1	108	85
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	3	5	-	-	7	4	3	53	8	-	26	15
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	16	35	5	-	54	19	4	239	20	2	153	176
250	DIABETES MELLITUS	11	26	3	-	31	12	1	136	11	1	102	115
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	5	9	2	-	23	7	3	103	9	1	51	61
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	2	2	-	-	6	3	2	37	6	-	27	33
280-285	ANEMIAS	1	2	-	-	2	1	1	17	5	-	12	13
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	1	-	-	-	4	2	1	20	1	-	15	20
290-319	MENTAL DISORDERS	8	9	-	-	23	7	6	87	13	3	34	60
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	18	13	1	2	30	16	7	205	22	3	101	131
320-322	MENINGITIS	-	1	-	-	-	-	-	9	1	-	5	5
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	1	-	-	-	1	-	-	7	-	-	1	3
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	17	12	1	2	29	16	7	189	21	3	95	123

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MENDO-CINO	MERCED	MODOC	MONO	MON-TEREY	NAPA	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO
390-459	DISEASES OF THE CIRCULATORY SYSTEM	307	417	47	10	979	466	260	6,116	465	60	3,546	2,980
390-398,402, 404-429	DISEASES OF THE HEART	237	323	33	7	719	350	197	4,684	328	50	2,645	2,279
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	6	1	1	-	6	8	2	56	4	1	19	33
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	4	5	-	-	13	17	8	123	3	-	53	59
410-411	ACUTE ISCHAEMIC HEART DISEASE	63	115	14	3	248	79	56	1,635	90	15	990	662
412	OLD MYOCARDIAL INFARCTION	-	1	-	-	1	-	2	3	2	1	4	2
413	ANGINA PECTORIS	-	-	-	-	1	-	-	4	1	-	3	3
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	120	126	7	4	285	175	86	1,855	157	16	1,095	991
424	OTHER DISEASES OF ENDOCARDIUM	3	6	2	-	11	4	4	67	5	3	42	58
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	41	69	9	-	154	67	39	941	66	14	439	471
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	2	4	-	-	4	3	2	44	2	1	21	19
430-438	CEREBROVASCULAR DISEASE	49	67	8	3	181	85	45	1,014	86	6	650	513
440	ATHEROSCLEROSIS	8	9	2	-	24	13	4	142	24	1	99	68
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	10	12	1	-	43	13	12	190	23	2	108	86
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	1	2	3	-	8	2	-	42	2	-	23	15
460-519	DISEASES OF THE RESPIRATORY SYSTEM	79	93	12	4	188	110	61	1,228	108	13	811	691
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	-	-	-	-	-	-	2	-	-	2	2
487	INFLUENZA	-	2	1	-	-	2	1	7	1	-	2	2
480,483	VIRAL PNEUMONIA	1	-	-	-	1	2	-	6	1	-	3	3
481-482	BACTERIAL PNEUMONIA	3	-	-	-	12	1	-	38	-	2	23	18
484-486	OTHER AND UNSPECIFIED PNEUMONIA	36	39	4	1	77	36	25	478	39	-	340	225
490	BRONCHITIS, UNSPECIFIED	-	-	-	-	-	2	1	5	-	-	5	3
491	CHRONIC BRONCHITIS	2	2	-	-	3	2	-	34	2	1	18	17
492	EMPHYSEMA	7	9	-	-	12	10	3	141	12	6	88	73
493	ASTHMA	2	1	1	1	5	4	7	24	2	-	12	13
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	23	23	4	2	45	39	17	402	42	3	254	256
515	POSTINFLAMMATORY PULMONARY FIBROSIS	-	3	-	-	5	2	-	35	2	-	18	16
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	5	14	2	-	28	10	7	56	7	1	46	63
520-579	DISEASES OF THE DIGESTIVE SYSTEM	27	49	4	1	104	46	13	530	32	11	303	256
531-533	ULCER OF STOMACH AND DUODENUM	3	3	-	-	11	4	2	62	5	-	45	27
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	1	5	-	-	8	3	2	37	6	1	24	12
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	15	23	3	-	38	18	5	258	7	6	133	105
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	1	2	-	1	3	1	-	15	-	-	7	8
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	7	16	1	-	44	20	4	158	14	4	94	104
580-629	DISEASES OF THE GENITOURINARY SYSTEM	16	19	-	1	26	17	4	186	20	-	111	105
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	1	-	-	1	-	-	1	-
581	NEPHROTIC SYNDROME	-	-	-	-	-	-	-	2	-	-	-	1
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	-	-	-	-	3	2	-	9	-	-	4	8
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	9	8	-	1	10	4	3	45	8	-	36	46
590	INFECTIONS OF KIDNEY	1	2	-	-	3	1	-	17	-	-	5	8
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	-	-	-	-	-	-	-	10	5	-	6	5
600	HYPERPLASIA OF PROSTATE	1	-	-	-	1	-	-	4	1	-	4	2
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	5	9	-	-	8	10	1	98	6	-	55	35

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MENDO-CINO	MERCED	MODOC	MONO	MON-TEREY	NAPA	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	-	-	-	-	-	-	4	-	-	-	-
740-759	CONGENITAL ANOMALIES	2	4	-	-	26	9	6	122	14	-	53	42
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	5	11	-	-	22	2	2	102	10	2	82	52
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	5	2	-	-	10	4	4	37	4	2	33	38
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1	13	4	-	11	6	5	103	8	-	57	98
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	-	4	1	-	7	5	2	29	4	-	28	37
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1	9	3	-	4	1	3	74	4	-	29	61
800-949	ACCIDENTS AND ADVERSE EFFECTS	47	83	7	10	150	43	34	707	63	14	438	351
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	22	45	6	8	78	26	18	361	30	9	270	186
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	1	2	-	-	2	-	1	7	-	-	6	2
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	2	3	-	-	12	5	-	23	3	-	12	9
910	DROWNINGS	1	8	-	1	6	-	2	44	5	3	15	23
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	2	2	-	-	13	1	3	109	4	-	46	40
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	-	-	-	-	-	-	-	1	2
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	3	-	-	-	4	-	-	4	4	-	2	6
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	1	-	-	1	1	-	3	-	-	1	3
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	-	3	-	-	1	2	1	8	4	-	5	13
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	16	19	1	1	33	8	9	148	13	2	80	67
950-959	SUICIDE	16	21	3	2	51	17	12	289	25	3	140	166
960-969	HOMICIDE	8	9	3	-	29	6	4	115	7	-	90	106
970-978	LEGAL INTERVENTION	-	-	-	-	2	-	-	2	-	-	1	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	-	-	-	1	2	1	1	8	2	-	1	15
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SAN BENITO	SAN BERNARDINO	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA
001-999	TOTAL, ALL CAUSES	197	8,367	15,591	8,037	3,488	1,533	4,778	2,551	7,994	1,740	1,242	37
001-139	INFECTIOUS AND PARASITIC DISEASES	5	84	207	437	49	17	46	31	103	19	10	1
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	2	5	9	1	-	1	-	1	-	-	-
010-018	TUBERCULOSIS	-	3	20	6	3	2	1	3	2	2	-	-
036	MENINGOCOCCAL INFECTION	-	1	2	-	-	-	-	-	-	-	1	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	1	8	20	1	-	-	1	3	-	2	-
070	VIRAL HEPATITIS	2	4	8	16	4	-	5	2	6	-	2	-
090-097	SYPHILIS	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	3	73	164	386	40	15	39	25	91	17	5	1
140-208	MALIGNANT NEOPLASMS	43	1,753	3,785	1,728	799	414	1,256	626	1,937	397	312	4
140-149	LIP,ORAL CAVITY AND PHARYNX	-	33	73	37	22	4	36	11	44	10	6	-
151	STOMACH	-	59	101	66	27	7	33	27	48	13	3	-
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	12	396	775	388	170	87	267	121	414	83	58	1
162	TRACHEA, BRONCHUS AND LUNG	11	479	1,024	386	213	110	321	153	462	94	101	2
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	-	25	39	20	14	2	12	7	10	4	3	-
174-175	BREAST	8	138	348	132	55	28	106	68	184	35	30	-
180	CERVIX UTERI	1	13	30	13	12	5	13	4	21	2	2	-
179,181-182	OTHER PARTS OF UTERUS	1	25	37	27	15	5	13	6	35	7	3	-
183-184	OTHER FEMALE GENITAL ORGANS	-	37	114	43	12	15	38	13	53	11	11	-
185-187	MALE GENITAL ORGANS	1	97	227	106	48	29	71	40	101	26	15	-
188-189	BLADDER AND OTHER URINARY ORGANS	2	87	146	50	21	19	43	22	80	17	9	-
170-173,190-199	OTHER AND UNSPECIFIED SITES	5	208	493	269	116	63	177	98	293	46	38	1
201	HODGKIN'S DISEASE	-	8	23	5	3	1	4	3	7	3	1	-
204-208	LEUKEMIA	1	52	156	61	31	17	57	22	74	20	12	-
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	1	96	199	125	40	22	65	31	111	26	20	-
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	1	26	50	25	8	7	22	5	24	5	5	1
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	4	204	342	399	84	23	112	55	194	40	24	1
250	DIABETES MELLITUS	4	142	188	117	60	16	60	32	141	19	13	1
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	-	62	154	282	24	7	52	23	53	21	11	-
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	1	25	50	26	13	8	14	12	28	2	5	-
280-285	ANEMIAS	1	7	17	17	2	5	3	5	11	1	2	-
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	18	33	9	11	3	11	7	17	1	3	-
290-319	MENTAL DISORDERS	1	68	160	77	49	22	41	22	101	30	8	1
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	3	126	306	111	51	33	106	56	157	31	17	1
320-322	MENINGITIS	-	7	17	7	2	-	1	1	2	-	1	-
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	4	6	2	-	1	-	2	1	1	-	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	3	115	283	102	49	32	103	53	154	30	16	1

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SAN BENITO	SAN BER-NARDINO	SAN DIEGO	SAN FRAN-CISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA
390-459	DISEASES OF THE CIRCULATORY SYSTEM	81	3,607	6,562	3,263	1,468	642	2,040	1,129	3,349	749	501	16
390-398,402, 404-429	DISEASES OF THE HEART	53	2,786	4,933	2,415	1,098	473	1,474	849	2,623	551	393	10
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	-	23	52	25	13	8	16	8	34	12	2	-
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	1	44	182	76	29	11	56	31	133	24	11	1
410-411	ACUTE ISCHAEMIC HEART DISEASE	28	975	1,615	686	294	135	430	231	807	156	137	7
412	OLD MYOCARDIAL INFARCTION	-	4	15	-	1	1	1	1	4	1	4	-
413	ANGINA PECTORIS	-	-	7	2	2	-	2	-	4	-	1	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	20	1,278	2,103	1,122	492	205	685	289	870	192	129	2
424	OTHER DISEASES OF ENDOCARDIUM	2	48	106	44	25	5	39	19	44	17	11	-
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	12	414	853	460	242	108	245	270	727	149	98	-
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	-	23	60	21	15	4	16	8	25	7	-	-
430-438	CEREBROVASCULAR DISEASE	16	606	1,157	627	261	127	414	221	529	143	77	5
440	ATHEROSCLEROSIS	2	88	194	61	44	13	38	17	72	28	6	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	-	82	179	111	42	21	82	28	84	15	23	1
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	-	22	39	28	8	4	16	6	16	5	2	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM	17	857	1,509	680	321	138	419	240	656	181	139	5
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	1	9	3	1	-	5	3	2	-	-	-
487	INFLUENZA	-	4	7	1	3	-	3	4	4	4	1	-
480,483	VIRAL PNEUMONIA	-	3	8	-	4	-	1	2	5	-	1	-
481-482	BACTERIAL PNEUMONIA	1	26	47	41	13	5	19	19	15	1	2	-
484-486	OTHER AND UNSPECIFIED PNEUMONIA	6	360	495	250	120	39	151	66	208	63	52	3
490	BRONCHITIS, UNSPECIFIED	-	3	9	3	2	-	2	1	3	-	-	-
491	CHRONIC BRONCHITIS	-	13	31	8	4	1	12	3	20	4	1	-
492	EMPHYSEMA	3	66	149	114	32	20	69	29	71	12	15	-
493	ASTHMA	-	27	44	32	8	1	16	9	21	6	2	-
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	5	263	358	149	101	54	93	67	219	70	53	2
515	POSTINFLAMMATORY PULMONARY FIBROSIS	-	22	49	18	11	8	11	11	20	3	4	-
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	2	69	[illegible]	61	22	10	37	26	68	18	8	-
520-579	DISEASES OF THE DIGESTIVE SYSTEM	7	369	618	417	158	66	208	105	382	71	58	5
531-533	ULCER OF STOMACH AND DUODENUM	1	44	57	33	15	6	20	8	36	3	3	-
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	-	20	48	21	17	2	9	7	22	3	3	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	2	170	294	209	59	26	102	41	181	39	20	2
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	-	8	15	7	4	-	6	2	8	2	2	-
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	4	127	204	147	63	32	71	47	135	24	30	3
580-629	DISEASES OF THE GENITOURINARY SYSTEM	2	126	236	128	71	23	54	36	112	24	16	-
580	ACUTE GLOMERULONEPHRITIS	-	1	-	-	-	-	1	-	-	-	-	-
581	NEPHROTIC SYNDROME	-	-	1	-	-	-	-	-	-	-	-	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	-	6	18	6	2	2	2	3	4	-	1	-
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	2	46	92	58	37	2	19	18	34	12	3	-
590	INFECTIONS OF KIDNEY	-	13	23	8	3	4	6	2	5	-	5	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	-	9	11	8	9	2	5	1	18	2	1	-
600	HYPERPLASIA OF PROSTATE	-	1	8	2	2	-	-	-	3	1	-	-
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	-	30	83	46	18	13	21	12	28	9	6	-

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SAN BENITO	SAN BER-NARDINO	SAN DIEGO	SAN FRAN-CISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	2	1	-	-	-	1	-	-	-	-	-
740-759	CONGENITAL ANOMALIES	-	60	115	39	28	7	31	11	73	9	5	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	4	98	161	22	25	9	33	6	81	9	9	-
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	1	35	67	29	10	4	27	12	24	5	2	-
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1	53	87	43	36	4	21	12	66	19	16	-
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	1	19	50	19	14	2	7	4	35	9	5	-
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	-	34	37	24	22	2	14	8	31	10	11	-
800-949	ACCIDENTS AND ADVERSE EFFECTS	21	551	798	316	215	67	187	127	430	90	78	2
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	14	349	394	66	113	36	81	66	199	42	40	2
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	-	8	14	1	4	1	2	-	3	1	1	-
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	-	19	34	9	7	2	9	8	16	1	7	-
910	DROWNINGS	-	23	49	17	14	2	12	6	33	6	7	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	1	42	115	81	16	3	22	12	51	9	4	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	1	-	-	-	-	-	1	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	-	8	14	5	2	1	3	5	6	1	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	5	8	4	1	2	3	-	4	1	-	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	1	7	17	7	5	1	6	1	7	4	-	-
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	5	90	152	126	53	19	49	29	110	25	19	-
950-959	SUICIDE	3	179	343	154	62	34	103	51	202	43	25	-
960-969	HOMICIDE	2	128	171	117	38	15	50	14	62	15	10	-
970-978	LEGAL INTERVENTION	-	3	7	-	-	-	-	-	5	-	1	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	-	13	16	25	3	-	7	1	8	1	1	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SISKIYOU	SOLANO	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUOLUMNE	VENTURA	YOLO	YUBA
001-999	TOTAL, ALL CAUSES	459	1,874	3,092	2,506	491	441	124	2,199	379	3,715	930	453
001-139	INFECTIOUS AND PARASITIC DISEASES	5	20	50	26	6	4	1	34	3	49	9	4
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	1	1	1	-	-	-	-	-	2	-	-
010-018	TUBERCULOSIS	-	-	-	1	-	1	-	2	-	3	-	-
036	MENINGOCOCCAL INFECTION	-	1	-	-	-	-	-	-	-	-	-	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	-	1	-	1	-	-	-	-	1	1	-
070	VIRAL HEPATITIS	-	-	2	5	-	-	-	7	1	4	1	1
090-097	SYPHILIS	-	-	-	-	-	-	-	1	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	5	18	46	19	5	3	1	24	2	37	7	3
140-208	MALIGNANT NEOPLASMS	103	463	749	535	104	108	32	449	108	874	196	95
140-149	LIP,ORAL CAVITY AND PHARYNX	1	12	18	5	2	1	1	7	2	16	3	5
151	STOMACH	1	18	22	16	3	1	-	8	3	28	9	1
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	17	130	163	116	20	19	3	98	22	203	42	16
162	TRACHEA, BRONCHUS AND LUNG	35	103	211	149	29	46	13	109	33	229	55	29
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	-	11	3	2	-	-	-	6	-	6	-	2
174-175	BREAST	13	28	71	32	8	10	1	38	7	85	15	5
180	CERVIX UTERI	1	2	2	4	-	1	-	3	-	9	-	-
179,181-182	OTHER PARTS OF UTERUS	-	8	10	5	1	1	-	7	3	11	4	-
183-184	OTHER FEMALE GENITAL ORGANS	5	15	21	11	3	1	2	14	-	25	6	3
185-187	MALE GENITAL ORGANS	9	26	45	40	6	6	3	30	6	48	10	6
188-189	BLADDER AND OTHER URINARY ORGANS	2	18	25	19	3	1	1	28	4	31	5	6
170-173,190-199	OTHER AND UNSPECIFIED SITES	14	62	100	82	18	11	4	51	16	103	32	13
201	HODGKIN'S DISEASE	1	2	2	-	1	-	-	1	-	1	-	-
204-208	LEUKEMIA	3	13	19	21	3	4	1	14	4	31	8	3
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	1	15	37	33	7	6	3	35	8	48	7	6
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	2	9	14	7	2	-	-	12	2	8	2	2
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	10	41	74	63	13	8	2	49	6	99	19	9
250	DIABETES MELLITUS	6	23	40	52	11	4	2	33	3	69	12	7
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	4	18	34	11	2	4	-	16	3	30	7	2
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	3	6	14	9	3	1	1	10	1	19	6	2
280-285	ANEMIAS	3	3	7	8	2	-	1	6	-	14	2	-
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	3	7	1	1	1	-	4	1	5	4	2
290-319	MENTAL DISORDERS	6	14	32	16	3	3	1	18	-	40	14	6
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6	42	70	37	8	2	-	35	7	81	21	4
320-322	MENINGITIS	-	2	1	-	-	-	-	-	1	4	1	-
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	1	1	-	1	1	-	-	-	1	-	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6	39	68	37	7	1	-	35	6	76	20	4

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SIS-KIYOU	SOLANO	SONOMA	STANI-SLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUO-LUMNE	VENTURA	YOLO	YUBA
390-459	DISEASES OF THE CIRCULATORY SYSTEM	175	777	1,296	1,026	219	194	52	949	168	1,548	387	196
390-398,402, 404-429	DISEASES OF THE HEART	139	573	945	727	163	159	40	769	124	1,189	290	148
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	-	8	12	13	2	-	-	13	-	18	2	3
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	6	11	29	17	4	2	2	27	3	30	2	2
410-411	ACUTE ISCHAEMIC HEART DISEASE	38	205	221	288	45	75	15	249	31	308	81	37
412	OLD MYOCARDIAL INFARCTION	-	2	1	-	1	-	-	-	-	-	1	-
413	ANGINA PECTORIS	-	-	1	1	-	1	-	-	1	1	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	64	229	447	239	75	51	16	327	40	512	112	45
424	OTHER DISEASES OF ENDOCARDIUM	4	10	20	17	3	5	-	11	2	26	7	2
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	27	108	214	152	33	25	7	142	47	294	85	39
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	1	5	7	12	2	-	-	4	1	13	2	1
430-438	CEREBROVASCULAR DISEASE	28	146	259	210	40	20	7	128	31	270	71	38
440	ATHEROSCLEROSIS	4	14	52	22	8	8	2	23	4	31	10	6
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	3	34	28	32	6	7	3	22	6	41	12	1
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	-	5	5	23	-	-	-	3	2	4	2	2
460-519	DISEASES OF THE RESPIRATORY SYSTEM	55	175	309	307	46	36	10	212	21	344	105	49
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	-	2	1	-	-	-	-	-	1	-	1
487	INFLUENZA	-	-	1	1	-	-	-	1	-	3	1	-
480,483	VIRAL PNEUMONIA	-	1	-	7	-	-	-	3	-	1	1	-
481-482	BACTERIAL PNEUMONIA	5	2	12	5	1	1	-	5	-	17	4	-
484-486	OTHER AND UNSPECIFIED PNEUMONIA	21	62	134	133	17	12	2	79	6	110	37	18
490	BRONCHITIS, UNSPECIFIED	-	1	1	-	-	-	-	1	-	3	-	-
491	CHRONIC BRONCHITIS	3	5	11	5	-	-	-	-	1	10	3	1
492	EMPHYSEMA	5	24	57	31	9	5	4	27	4	61	14	8
493	ASTHMA	2	6	5	6	-	-	-	5	1	10	4	1
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	14	47	56	92	16	13	3	62	5	81	33	15
515	POSTINFLAMMATORY PULMONARY FIBROSIS	-	8	7	6	2	-	-	6	1	14	4	-
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	5	19	23	20	1	5	1	23	3	33	4	5
520-579	DISEASES OF THE DIGESTIVE SYSTEM	21	84	130	96	21	18	6	82	10	158	36	20
531-533	ULCER OF STOMACH AND DUODENUM	2	6	12	10	3	-	2	5	-	13	2	3
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	-	3	16	12	1	5	1	7	-	2	1	4
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	7	36	38	30	11	7	3	33	5	81	16	7
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	1	2	4	3	-	-	-	7	-	6	2	1
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	11	37	60	41	6	6	-	30	5	56	15	5
580-629	DISEASES OF THE GENITOURINARY SYSTEM	10	34	38	44	9	6	2	32	3	58	14	3
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	-	-	-	-	-	-	-	-
581	NEPHROTIC SYNDROME	-	1	-	-	-	-	-	1	-	-	-	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	-	-	1	1	1	-	-	-	-	5	-	1
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	8	15	14	16	2	5	-	14	2	28	9	-
590	INFECTIONS OF KIDNEY	-	1	4	6	-	-	-	1	-	6	2	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	1	2	2	3	-	-	-	2	-	3	2	1
600	HYPERPLASIA OF PROSTATE	-	-	1	2	-	-	-	2	-	1	-	-
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	1	15	16	16	6	1	2	12	1	15	1	1

TABLE 5-8 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SIS-KIYOU	SOLANO	SONOMA	STANI-SLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUO-LUMNE	VENTURA	YOLO	YUBA
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	-	-	1	-	-	-	-	-	1	1	1
740-759	CONGENITAL ANOMALIES	2	13	18	24	2	1	1	20	-	25	10	5
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	3	11	6	18	3	2	-	18	-	28	6	4
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	3	6	16	8	2	3	-	8	2	24	4	2
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	5	15	23	5	6	4	-	25	4	23	8	5
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	2	9	11	1	3	4	-	12	1	8	5	2
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	3	6	12	4	3	-	-	13	3	15	3	3
800-949	ACCIDENTS AND ADVERSE EFFECTS	39	105	164	209	31	37	13	167	28	220	47	34
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	14	55	90	112	12	22	8	94	15	121	26	17
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	-	1	1	1	-	-	-	-	-	3	-	1
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	3	2	9	4	2	3	-	4	2	13	-	-
910	DROWNINGS	6	5	9	12	5	2	-	16	1	7	4	4
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	1	2	13	10	1	-	2	15	4	25	7	1
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	-	-	-	-	-	-	1	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	-	1	3	3	-	-	-	-	-	4	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	1	-	2	-	1	-	2	-	-	-	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	2	5	5	3	1	2	-	1	-	2	1	1
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	13	33	34	62	10	7	3	35	6	44	9	10
950-959	SUICIDE	6	32	62	50	7	14	3	46	13	69	31	8
960-969	HOMICIDE	5	22	23	24	5	-	-	31	3	39	13	4
970-9[illegible]	LEGAL INTERVENTION	-	1	-	-	-	-	-	-	-	2	-	-
980-98[illegible]	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	-	4	4	1	1	-	-	2	-	6	1	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-

A 025 MALE DEATHS WERE ASSIGNED NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES NUMBER 175.
B SEX-SPECIFIC RATES (PER 100,000 POPULATION), CALIFORNIA MALE AND FEMALE POPULATION FOR 1986 WERE ESTIMATED TO BE 13,303,528 AND 13,675,283 RESPECTIVELY.
C PER 10,000 LIVE BIRTHS (1986 LIVE BIRTHS-481,905).
D PER 1,000 LIVE BIRTHS.

SOURCE : 1986 POPULATION PROJECTIONS FOR CALIFORNIA COUNTIES, BASELINE 86, NOVEMBER 1987. BASELINE 86 PROJECTIONS HAVE BEEN CONTROLLED TO REFLECT THE LATEST DEPARTMENT OF FINANCE POPULATION ESTIMATES (REPORT 86 E-2).

TABLE 5-9

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TOTAL	202,826	5,148	426	462	1,831	2,911	3,478	3,981	4,295	4,301	4,925	6,844	10,569	15,926	20,334	24,641	92,570	184
HISPANIC	16,831	1,381	103	113	486	780	816	744	665	602	600	798	1,005	1,278	1,296	1,323	4,807	34
CUBAN	398	5	2	2	2	4	14	11	13	13	18	20	25	36	39	37	157	-
MEXICAN	12,222	937	74	81	366	605	550	508	455	407	429	586	735	967	962	943	3,603	14
PUERTO RICAN	346	7	-	2	6	6	16	14	13	15	20	22	22	30	20	38	115	-
OTHER HISPANIC	3,865	432	27	28	112	165	236	211	184	167	133	170	223	245	275	305	932	20
NON-HISPANIC	183,026	3,625	314	345	1,309	2,082	2,583	3,155	3,532	3,603	4,226	5,914	9,370	14,418	18,758	22,995	86,733	64
NOT STATED	2,969	142	9	4	36	49	79	82	98	96	99	132	194	230	280	323	1,030	86
FEMALE	95,653	2,219	153	162	447	603	822	993	1,189	1,392	1,759	2,595	4,037	6,377	8,485	10,740	53,628	52
HISPANIC	6,482	588	38	44	90	96	154	132	149	147	186	277	380	519	542	595	2,541	4
CUBAN	154	4	1	1	-	-	2	1	2	2	4	6	6	13	14	13	85	-
MEXICAN	4,654	399	27	32	54	60	93	95	100	91	126	209	273	392	393	428	1,880	2
PUERTO RICAN	146	3	-	-	1	-	3	2	5	6	9	2	10	11	10	21	63	-
OTHER HISPANIC	1,528	182	10	11	35	36	56	34	42	48	47	60	91	103	125	133	513	2
NON-HISPANIC	88,026	1,578	113	117	352	498	645	849	1,020	1,223	1,543	2,283	3,593	5,789	7,847	10,011	50,539	26
NOT STATED	1,145	53	2	1	5	9	23	12	20	22	30	35	64	69	96	134	548	22
MALE	107,173	2,929	273	300	1,384	2,308	2,656	2,988	3,106	2,909	3,166	4,249	6,532	9,549	11,849	13,901	38,942	132
HISPANIC	10,349	793	65	69	396	684	662	612	516	455	414	521	625	759	754	728	2,266	30
CUBAN	244	1	1	1	2	4	12	10	11	11	14	14	19	23	25	24	72	-
MEXICAN	7,568	538	47	49	312	545	457	413	355	316	303	377	462	575	569	515	1,723	12
PUERTO RICAN	200	4	-	2	5	6	13	12	8	9	11	20	12	19	10	17	52	-
OTHER HISPANIC	2,337	250	17	17	77	129	180	177	142	119	86	110	132	142	150	172	419	18
NON-HISPANIC	95,000	2,047	201	228	957	1,584	1,938	2,306	2,512	2,380	2,683	3,631	5,777	8,629	10,911	12,984	36,194	38
NOT STATED	1,824	89	7	3	31	40	56	70	78	74	69	97	130	161	184	189	482	64

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-10

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
ALAMEDA	9,580	212	21	16	73	109	136	198	217	216	246	358	550	783	970	1,109	4,364	2
HISPANIC	454	26	2	4	8	16	14	21	19	11	25	16	34	34	34	42	148	-
CUBAN	4	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-
MEXICAN	246	14	1	3	6	13	7	13	14	5	14	10	23	15	19	20	69	-
PUERTO RICAN	34	-	-	-	-	1	-	-	-	-	5	1	-	4	-	5	18	-
OTHER HISPANIC	170	12	1	1	2	2	6	8	5	6	6	4	10	15	15	17	60	-
NON-HISPANIC	8,550	169	16	10	63	87	115	170	189	197	205	321	477	709	870	990	3,961	1
NOT STATED	576	17	3	2	2	6	7	7	9	8	16	21	39	40	66	77	255	1
FEMALE	4,648	98	7	8	23	20	41	55	68	78	92	121	218	334	419	497	2,568	1
HISPANIC	185	13	1	1	2	3	3	3	3	2	9	7	11	14	18	18	77	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	88	9	-	1	-	2	1	3	3	-	4	4	6	3	9	9	34	-
PUERTO RICAN	15	-	-	-	-	-	-	-	-	-	2	-	-	1	-	3	9	-
OTHER HISPANIC	81	4	1	-	2	1	2	-	-	2	3	3	5	10	9	6	33	-
NON-HISPANIC	4,183	77	5	6	20	17	34	49	64	71	76	109	190	303	371	441	2,349	1
NOT STATED	280	8	1	1	1	-	4	3	1	5	7	5	17	17	30	38	142	-
MALE	4,932	114	14	8	50	89	95	143	149	138	154	237	332	449	551	612	1,796	1
HISPANIC	269	13	1	3	6	13	11	18	16	9	16	9	23	20	16	24	71	-
CUBAN	3	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
MEXICAN	158	5	1	2	6	11	6	10	11	5	10	6	17	12	10	11	35	-
PUERTO RICAN	19	-	-	-	-	1	-	-	-	-	3	1	-	3	-	2	9	-
OTHER HISPANIC	89	8	-	1	-	1	4	8	5	4	3	1	3	5	6	11	27	-
NON-HISPANIC	4,367	92	11	4	43	70	81	121	125	126	129	212	287	406	499	549	1,612	-
NOT STATED	296	9	2	1	1	6	3	4	8	3	9	16	22	23	36	39	113	1
ALPINE	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
AMADOR	215	4	-	-	2	1	2	1	3	3	3	2	10	15	29	28	112	-
HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	212	3	-	-	2	1	2	1	3	3	3	2	10	15	28	27	112	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	96	-	-	-	-	-	-	-	-	1	-	1	4	5	12	12	61	-
NON-HISPANIC	96	-	-	-	-	-	-	-	-	1	-	1	4	5	12	12	61	-
MALE	119	4	-	-	2	1	2	1	3	2	3	1	6	10	17	16	51	-
HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	116	3	-	-	2	1	2	1	3	2	3	1	6	10	16	15	51	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BUTTE	1,703	25	-	4	19	26	14	21	27	22	30	33	64	133	181	225	877	2
HISPANIC	30	-	-	-	-	5	1	2	1	-	-	4	3	3	-	1	10	-
MEXICAN	24	-	-	-	-	5	1	2	1	-	-	4	3	2	-	-	7	-
OTHER HISPANIC	6	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	-
NON-HISPANIC	1,660	25	-	3	19	20	13	19	25	22	30	29	61	129	180	221	863	1
NOT STATED	13	-	-	1	-	1	-	-	1	-	-	-	-	1	1	3	4	1
FEMALE	767	14	-	2	10	5	4	2	10	8	9	13	26	52	68	85	458	1
HISPANIC	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	-
MEXICAN	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NON-HISPANIC	757	14	-	2	10	5	4	2	10	8	9	12	26	51	68	83	453	1
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1
MALE	936	11	-	2	9	21	10	19	17	14	21	20	38	81	113	140	419	1
HISPANIC	24	-	-	-	-	5	1	2	1	-	-	3	3	2	-	-	7	-
MEXICAN	20	-	-	-	-	5	1	2	-	-	-	3	3	1	-	-	5	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-
NON-HISPANIC	903	11	-	1	9	15	9	17	15	14	21	17	35	78	112	138	410	1
NOT STATED	9	-	-	1	-	1	-	-	1	-	-	-	-	1	1	2	2	-
CALAVERAS	248	7	-	-	2	4	1	5	7	5	3	4	17	20	24	32	117	-
HISPANIC	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 3-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
CALAVERAS (CONT'D)																		
NON-HISPANIC	242	6	-	-	2	4	1	5	7	5	3	2	17	19	24	32	115	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	108	3	-	-	-	1	-	1	3	1	1	-	3	7	8	17	63	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	107	3	-	-	-	1	-	1	3	1	1	-	3	6	8	17	63	-
MALE	140	4	-	-	2	3	1	4	4	4	2	4	14	13	16	15	54	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	135	3	-	-	2	3	1	4	4	4	2	2	14	13	16	15	52	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
COLUSA	150	5	-	1	2	2	2	1	1	-	4	5	8	10	15	22	71	1
HISPANIC	13	2	-	-	-	1	1	-	1	-	-	1	-	-	2	2	3	-
MEXICAN	12	2	-	-	-	1	1	-	1	-	-	-	-	-	2	2	3	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	136	3	-	1	2	1	1	1	-	-	4	4	8	10	13	20	68	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE	74	3	-	-	-	-	1	-	-	-	1	-	4	6	11	9	38	1
HISPANIC	5	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-
MEXICAN	5	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-
NON-HISPANIC	68	2	-	-	-	-	-	-	-	-	1	-	4	6	9	9	37	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	76	2	-	1	2	2	1	1	1	-	3	5	4	4	4	13	33	-
HISPANIC	8	1	-	-	-	1	-	-	1	-	-	1	-	-	-	2	2	-
MEXICAN	7	1	-	-	-	1	-	-	1	-	-	-	-	-	-	2	2	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	68	1	-	1	2	1	1	1	-	-	3	4	4	4	4	11	31	-
CONTRA COSTA	5,218	106	6	5	36	73	71	87	110	120	132	173	272	453	525	690	2,339	-
HISPANIC	157	14	-	-	1	1	6	7	7	7	3	5	6	21	9	18	52	-
MEXICAN	100	9	-	-	-	-	3	6	7	4	2	4	4	12	6	11	32	-
PUERTO RICAN	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-
OTHER HISPANIC	51	5	-	-	1	1	3	1	-	3	1	1	2	8	3	5	17	-
NON-HISPANIC	4,986	89	5	5	32	70	65	79	100	109	128	166	260	427	511	662	2,278	-
NOT STATED	75	3	1	-	3	2	-	1	3	4	1	2	6	5	5	10	29	-
FEMALE	2,493	53	2	5	8	19	19	26	36	42	40	67	97	182	211	310	1,376	-
HISPANIC	63	6	-	-	1	-	-	2	1	1	1	1	2	10	4	7	27	-
MEXICAN	39	5	-	-	-	-	-	2	1	1	-	-	1	4	2	5	18	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
OTHER HISPANIC	22	1	-	-	1	-	-	-	-	-	1	1	1	5	2	2	8	-
NON-HISPANIC	2,405	46	2	5	6	18	19	24	35	40	39	65	91	172	207	297	1,339	-
NOT STATED	25	1	-	-	1	1	-	-	-	1	-	1	4	-	-	6	10	-
MALE	2,725	53	4	-	28	54	52	61	74	78	92	106	175	271	314	380	983	-
HISPANIC	94	8	-	-	-	1	6	5	6	6	2	4	4	11	5	11	25	-
MEXICAN	61	4	-	-	-	-	3	4	6	3	2	4	3	8	4	6	14	-
PUERTO RICAN	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
OTHER HISPANIC	29	4	-	-	-	1	3	1	-	3	-	-	1	3	1	3	9	-
NON-HISPANIC	2,581	43	3	-	26	52	46	55	65	69	89	101	169	255	304	365	939	-
NOT STATED	50	2	1	-	2	1	-	1	3	3	1	1	2	5	5	4	19	-
DEL NORTE	201	4	-	-	4	-	2	1	5	3	4	5	15	12	29	33	84	-
HISPANIC	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
MEXICAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	196	4	-	-	3	-	2	1	5	3	4	5	15	11	29	33	81	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE	95	2	-	-	1	-	1	-	1	-	2	2	8	5	13	17	43	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	93	2	-	-	1	-	1	-	1	-	2	2	8	5	13	17	41	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
DEL NORTE (CONT'D)																		
MALE	106	2	-	-	3	-	1	1	4	3	2	3	7	7	16	16	41	-
HISPANIC	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	103	2	-	-	2	-	1	1	4	3	2	3	7	6	16	16	40	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EL DORADO	729	25	2	3	7	12	9	14	18	16	22	17	35	70	84	100	287	-
HISPANIC	6	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	2	-
MEXICAN	4	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	720	24	2	3	7	12	8	14	17	15	22	17	34	70	84	99	284	-
NOT STATED	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
FEMALE	324	7	1	-	2	2	1	5	7	4	8	5	14	33	32	47	156	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	321	7	1	-	2	2	1	5	6	4	8	5	14	33	32	47	154	-
NOT STATED	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
MALE	405	18	1	3	5	10	8	9	11	12	14	12	21	45	52	53	131	-
HISPANIC	5	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
MEXICAN	4	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	399	17	1	3	5	10	7	9	11	11	14	12	20	45	52	52	130	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FRESNO	4,411	135	17	9	45	88	70	94	75	63	93	144	189	337	455	551	2,039	7
HISPANIC	628	47	6	4	16	35	22	26	14	16	13	33	22	53	53	62	206	-
CUBAN	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-
MEXICAN	577	37	5	2	13	31	17	23	14	15	10	32	22	52	48	59	195	-
PUERTO RICAN	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
OTHER HISPANIC	46	10	1	2	1	3	5	3	-	1	1	-	-	1	5	3	10	-
NON-HISPANIC	3,747	87	11	5	28	52	48	66	60	47	79	110	166	281	399	484	1,823	1
NOT STATED	36	1	-	-	1	1	-	2	1	-	1	1	1	3	3	5	10	6
FEMALE	1,953	55	6	2	12	20	18	22	27	18	35	48	76	119	186	197	1,111	1
HISPANIC	207	17	2	-	3	6	4	2	5	-	5	11	7	17	14	23	91	-
CUBAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
MEXICAN	192	15	2	-	3	4	2	2	5	-	4	11	7	17	12	21	87	-
OTHER HISPANIC	14	2	-	-	-	2	2	-	-	-	-	-	-	-	2	2	4	-
NON-HISPANIC	1,732	37	4	2	9	14	14	19	22	18	30	37	68	100	171	172	1,015	-
NOT STATED	14	1	-	-	-	-	-	1	-	-	-	-	1	2	1	2	5	1
MALE	2,458	80	11	7	33	68	52	72	48	45	58	96	113	218	269	354	928	6
HISPANIC	421	30	4	4	13	29	18	24	9	16	8	22	15	36	39	39	115	-
CUBAN	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
MEXICAN	385	22	3	2	12	27	15	21	9	15	6	21	15	33	36	38	108	-
PUERTO RICAN	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
OTHER HISPANIC	32	8	1	2	1	1	3	3	-	1	1	-	-	1	3	1	6	-
NON-HISPANIC	2,015	50	7	3	19	38	34	47	38	29	49	73	98	181	228	312	808	1
NOT STATED	22	-	-	-	1	1	-	1	1	-	1	1	-	1	2	3	5	5
GLENN	238	4	-	1	2	3	3	4	5	2	4	11	16	20	19	32	112	-
HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
MEXICAN	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
NON-HISPANIC	232	4	-	1	2	3	3	4	5	2	4	11	15	18	19	31	110	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FEMALE	114	3	-	-	-	-	-	2	2	2	3	7	5	10	10	12	58	-
NON-HISPANIC	113	3	-	-	-	-	-	2	2	2	3	7	5	10	10	12	57	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	124	1	-	1	2	3	3	2	3	-	1	4	11	10	9	20	54	-
HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
MEXICAN	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
NON-HISPANIC	119	1	-	1	2	3	3	2	3	-	1	4	10	8	9	19	53	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
HUMBOLDT	1,053	13	1	2	12	6	13	17	15	20	27	30	52	79	118	158	490	-
HISPANIC	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	7	-
MEXICAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS: UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
HUMBOLDT (CONT'D)																		
OTHER HISPANIC	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-
NON-HISPANIC	1,041	13	1	2	12	6	13	17	15	20	27	30	52	76	117	158	482	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
FEMALE	484	4	1	-	2	-	4	5	5	7	5	12	15	31	55	75	263	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	480	4	1	-	2	-	4	5	5	7	5	12	15	31	54	75	260	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	569	9	-	2	10	6	9	12	10	13	22	18	37	48	63	83	227	-
HISPANIC	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-
NON-HISPANIC	561	9	-	2	10	6	9	12	10	13	22	18	37	45	63	83	222	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
IMPERIAL	749	18	1	2	10	9	13	18	12	11	25	22	42	65	79	99	300	23
HISPANIC	185	11	-	1	5	4	3	9	6	7	2	9	15	20	19	16	53	5
MEXICAN	168	11	-	1	3	3	3	6	6	7	2	9	13	20	19	13	48	4
OTHER HISPANIC	17	-	-	-	2	1	-	3	-	-	-	-	2	-	-	3	5	1
NON-HISPANIC	457	3	1	1	3	5	8	8	5	3	18	10	22	41	52	75	199	3
NOT STATED	107	4	-	-	2	-	2	1	1	1	5	3	5	4	8	8	48	15
FEMALE	276	8	1	-	3	-	4	2	5	4	10	6	12	20	28	37	135	1
HISPANIC	64	5	-	-	1	-	1	-	4	3	-	2	5	6	7	5	25	-
MEXICAN	60	5	-	-	-	-	1	-	4	3	-	2	4	6	7	5	23	-
OTHER HISPANIC	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-
NON-HISPANIC	168	1	1	-	2	-	3	1	1	1	8	2	6	12	18	31	81	-
NOT STATED	44	2	-	-	-	-	-	1	-	-	2	2	1	2	3	1	29	1
MALE	473	10	-	2	7	9	9	16	7	7	15	16	30	45	51	62	165	22
HISPANIC	121	6	-	1	4	4	2	9	2	4	2	7	10	14	12	11	28	5
MEXICAN	108	6	-	1	3	3	2	6	2	4	2	7	9	14	12	8	25	4
OTHER HISPANIC	13	-	-	-	1	1	-	3	-	-	-	-	1	-	-	3	3	1
NON-HISPANIC	289	2	-	1	1	5	5	7	4	2	10	8	16	29	34	44	118	3
NOT STATED	63	2	-	-	2	-	2	-	1	1	3	1	4	2	5	7	19	14
INYO	204	4	-	1	2	-	3	1	1	2	1	7	8	12	22	32	108	-
HISPANIC	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-
MEXICAN	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	200	4	-	1	2	-	2	1	1	1	1	7	8	12	22	32	106	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	93	1	-	-	1	-	1	-	-	2	-	3	6	3	5	13	58	-
HISPANIC	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NON-HISPANIC	92	1	-	-	1	-	1	-	-	1	-	3	6	3	5	13	58	-
MALE	111	[illegible]	-	1	1	-	2	1	1	-	1	4	2	9	17	19	50	-
HISPANIC	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	108	3	-	1	1	-	1	1	1	-	1	4	2	9	17	19	48	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
KERN	3,668	147	11	20	51	56	73	90	83	77	95	135	196	315	372	497	1,448	2
HISPANIC	374	46	2	4	16	21	19	18	15	10	9	17	21	28	26	31	91	-
MEXICAN	314	35	2	3	12	19	15	15	12	9	8	14	14	27	25	24	80	-
PUERTO RICAN	6	-	-	-	-	-	1	-	-	-	1	-	2	-	-	1	1	-
OTHER HISPANIC	54	11	-	1	4	2	3	3	3	1	-	3	5	1	1	6	10	-
NON-HISPANIC	3,289	101	9	16	35	35	54	72	68	66	86	118	175	287	346	464	1,356	1
NOT STATED	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1
FEMALE	1,608	75	3	11	15	13	19	25	26	28	27	52	78	116	159	199	762	-
HISPANIC	132	20	-	3	3	3	4	4	2	3	-	8	9	8	14	10	41	-
MEXICAN	110	16	-	3	1	2	3	4	1	3	-	8	7	8	14	8	32	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
OTHER HISPANIC	20	4	-	-	2	1	1	-	1	-	-	-	2	-	-	1	8	-
NON-HISPANIC	1,476	55	3	8	12	10	15	21	24	25	27	44	69	108	145	189	721	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
KERN (CONT'D)																		
MALE	2,060	72	8	9	36	43	54	65	57	49	68	83	118	199	213	298	686	2
HISPANIC	242	26	2	1	13	18	15	14	13	7	9	9	12	20	12	21	50	-
MEXICAN	204	19	2	-	11	17	12	11	11	6	8	6	7	19	11	16	48	-
PUERTO RICAN	4	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-
OTHER HISPANIC	34	7	-	1	2	1	2	3	2	1	-	3	3	1	1	5	2	-
NON-HISPANIC	1,813	46	6	8	23	25	39	51	44	41	59	74	106	179	201	275	635	1
NOT STATED	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1
KINGS	556	23	4	2	9	15	11	10	11	11	8	15	25	41	65	65	241	-
HISPANIC	94	6	3	-	2	6	3	2	5	1	1	2	8	9	7	10	29	-
MEXICAN	80	5	1	-	2	6	2	1	3	1	1	2	8	7	7	8	26	-
OTHER HISPANIC	14	1	2	-	-	-	1	1	2	-	-	-	-	2	-	2	3	-
NON-HISPANIC	460	17	1	2	7	9	8	8	6	10	7	13	16	32	58	55	211	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE	237	7	2	-	1	2	2	2	4	3	1	5	9	15	27	29	128	-
HISPANIC	35	1	1	-	-	-	-	-	2	-	1	-	4	2	3	6	15	-
MEXICAN	26	-	-	-	-	-	-	-	1	-	1	-	4	1	3	4	12	-
OTHER HISPANIC	9	1	1	-	-	-	-	-	1	-	-	-	-	1	-	2	3	-
NON-HISPANIC	201	6	1	-	1	2	2	2	2	3	-	5	5	13	24	23	112	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	319	16	2	2	8	13	9	8	7	8	7	10	16	26	38	36	113	-
HISPANIC	59	5	2	-	2	6	3	2	3	1	-	2	4	7	4	4	14	-
MEXICAN	54	5	1	-	2	6	2	1	2	1	-	2	4	6	4	4	14	-
OTHER HISPANIC	5	-	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-
NON-HISPANIC	259	11	-	2	6	7	6	6	4	7	7	8	11	19	34	32	99	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LAKE	596	8	-	-	2	8	7	4	10	10	4	10	24	48	68	97	296	-
HISPANIC	4	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-
MEXICAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-
NON-HISPANIC	591	8	-	-	2	7	6	4	10	10	4	10	24	47	67	97	295	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	266	3	-	-	-	4	-	1	2	5	3	4	10	21	32	36	145	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	264	3	-	-	-	4	-	1	2	5	3	4	10	21	31	36	144	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	330	5	-	-	2	4	7	3	8	5	1	6	14	27	36	61	151	-
HISPANIC	3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
MEXICAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	327	5	-	-	2	3	6	3	8	5	1	6	14	26	36	61	151	-
LASSEN	145	2	-	-	2	4	5	1	3	2	2	5	5	14	16	17	67	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
NON-HISPANIC	142	2	-	-	2	4	5	1	3	2	1	5	5	13	16	17	66	-
FEMALE	68	-	-	-	1	2	-	-	1	-	1	2	2	3	8	11	37	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
NON-HISPANIC	66	-	-	-	1	2	-	-	1	-	-	2	2	3	8	11	36	-
MALE	77	2	-	-	1	2	5	1	2	2	1	3	3	11	8	6	30	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	76	2	-	-	1	2	5	1	2	2	1	3	3	10	8	6	30	-
LOS ANGELES	62,829	1,821	149	138	578	1,007	1,263	1,331	1,441	1,461	1,669	2,298	3,466	5,000	6,040	7,222	27,918	27
HISPANIC	7,765	672	52	57	219	378	409	342	337	311	309	390	451	577	556	582	2,122	1
CUBAN	289	3	1	2	1	4	9	4	9	11	12	15	17	26	28	32	115	-
MEXICAN	5,418	426	39	37	160	271	254	220	207	198	213	270	319	428	399	406	1,571	-
PUERTO RICAN	164	3	-	2	5	2	8	10	7	10	7	8	9	13	14	15	51	-
OTHER HISPANIC	1,894	240	12	16	53	101	138	108	114	92	77	97	106	110	115	129	385	1
NON-HISPANIC	54,294	1,125	94	81	349	610	822	961	1,073	1,122	1,328	1,854	2,971	4,343	5,419	6,553	25,577	12
NOT STATED	770	24	3	-	10	19	32	28	31	28	32	54	44	80	65	87	219	14

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
LOS ANGELES (CONT'D)																		
FEMALE	30,058	792	48	54	121	186	282	278	378	453	562	871	1,315	2,033	2,558	3,184	16,929	14
HISPANIC	3,035	282	15	22	38	48	77	54	80	76	104	140	162	246	242	270	1,178	1
CUBAN	113	2	1	1	-	-	1	1	-	2	2	5	4	9	12	10	63	-
MEXICAN	2,113	181	12	14	24	27	43	35	50	40	67	96	112	184	172	191	865	-
PUERTO RICAN	72	2	-	-	-	-	1	-	3	4	5	1	3	7	8	7	31	-
OTHER HISPANIC	737	97	2	7	14	21	32	18	27	30	30	38	43	46	50	62	219	1
NON-HISPANIC	26,771	504	32	32	82	132	195	222	289	374	453	718	1,145	1,765	2,299	2,883	15,638	8
NOT STATED	252	6	1	-	1	6	10	2	9	3	5	13	8	22	17	31	113	5
MALE	32,771	1,029	101	84	457	821	981	1,053	1,063	1,008	1,107	1,427	2,151	2,967	3,482	4,038	10,989	13
HISPANIC	4,730	390	37	35	181	330	332	288	257	235	205	250	289	331	314	312	944	-
CUBAN	176	1	-	1	1	4	8	3	9	9	10	10	13	17	16	22	52	-
MEXICAN	3,305	245	27	23	136	244	211	185	157	158	146	174	207	244	227	215	706	-
PUERTO RICAN	92	1	-	2	5	2	7	10	4	6	2	7	6	6	6	8	20	-
OTHER HISPANIC	1,157	143	10	9	39	80	106	90	87	62	47	59	63	64	65	67	166	-
NON-HISPANIC	27,523	621	62	49	267	478	627	739	784	748	875	1,136	1,826	2,578	3,120	3,670	9,939	4
NOT STATED	518	18	2	-	9	13	22	26	22	25	27	41	36	58	48	56	106	9
MADERA	647	15	4	-	5	6	7	18	17	11	20	25	30	46	63	86	292	2
HISPANIC	85	4	1	-	2	4	3	8	5	1	5	5	5	4	7	7	22	2
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	73	3	1	-	2	4	2	7	3	-	5	4	5	4	7	7	17	2
OTHER HISPANIC	11	1	-	-	-	-	1	1	2	1	-	1	-	-	-	-	4	-
NON-HISPANIC	560	11	3	-	3	2	4	10	12	10	15	20	25	42	56	79	268	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FEMALE	261	6	3	-	-	-	1	3	6	3	8	12	10	16	16	25	152	-
HISPANIC	35	3	1	-	-	-	-	2	2	1	1	2	3	1	1	4	14	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	29	3	1	-	-	-	-	2	-	-	1	2	3	1	1	4	11	-
OTHER HISPANIC	5	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	2	-
NON-HISPANIC	226	3	2	-	-	-	1	1	4	2	7	10	7	15	15	21	138	-
MALE	386	9	1	-	5	6	6	15	11	8	12	13	20	30	47	61	140	2
HISPANIC	50	1	-	-	2	4	3	6	3	-	4	3	2	3	6	3	8	2
MEXICAN	44	-	-	-	2	4	2	5	3	-	4	2	2	3	6	3	6	2
OTHER HISPANIC	6	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	2	-
NON-HISPANIC	334	8	1	-	3	2	3	9	8	8	8	10	18	27	41	58	130	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MARIN	1,732	17	1	1	9	12	21	19	39	24	40	61	108	136	156	215	871	2
HISPANIC	27	2	-	-	1	1	3	1	1	1	1	1	2	1	2	5	5	-
CUBAN	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
MEXICAN	10	-	-	-	1	1	3	1	1	-	-	-	-	-	-	3	-	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-
NON-HISPANIC	1,677	14	1	1	7	11	16	18	38	22	39	60	104	132	152	209	852	1
NOT STATED	28	1	-	-	1	-	2	-	-	1	-	-	2	3	2	1	14	1
FEMALE	893	7	-	-	1	4	4	5	13	7	20	23	45	51	64	96	553	-
HISPANIC	11	1	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	-
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
OTHER HISPANIC	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-
NON-HISPANIC	866	6	-	-	1	4	3	5	13	7	20	23	43	50	62	93	536	-
NOT STATED	16	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	13	-
MALE	839	10	1	1	8	8	17	14	26	17	20	38	63	85	92	119	318	2
HISPANIC	16	1	-	-	1	1	3	1	1	1	1	1	1	-	1	2	1	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MEXICAN	8	-	-	-	1	1	3	1	1	-	-	-	-	-	-	1	-	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	6	1	-	-	-	-	-	-	-	1	1	1	1	-	-	1	1	-
NON-HISPANIC	811	8	1	1	6	7	13	13	25	15	19	37	61	82	90	116	316	1
NOT STATED	12	1	-	-	1	-	1	-	-	1	-	-	1	3	1	1	1	1
MARIPOSA	151	2	2	1	-	3	3	2	1	2	2	5	5	10	24	12	77	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-
MEXICAN	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-
NON-HISPANIC	148	2	2	1	-	3	3	2	1	2	1	5	5	10	24	12	75	-
FEMALE	69	1	-	-	-	-	-	2	2	-	1	-	1	4	4	7	4	43	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MARIPOSA (CONT'D)																		
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	68	1	-	-	-	-	2	2	-	1	-	1	4	4	7	4	42	-
MALE	82	1	2	1	-	3	1	-	1	1	2	4	1	6	17	8	34	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
NON-HISPANIC	80	1	2	1	-	3	1	-	1	1	1	4	1	6	17	8	33	-
MENDOCINO	732	11	1	4	8	11	9	13	19	12	11	18	45	48	88	97	336	1
HISPANIC	8	2	-	-	-	1	1	-	-	-	-	-	1	-	1	1	-	1
MEXICAN	7	2	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	1
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	719	9	1	4	8	10	8	13	19	12	11	18	44	46	86	96	334	-
NOT STATED	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-
FEMALE	334	4	1	1	2	3	2	4	5	3	6	6	13	16	33	41	194	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	331	4	1	1	2	3	2	4	5	3	6	6	12	16	32	41	193	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	398	7	-	3	6	8	7	9	14	9	5	12	32	32	55	56	142	1
HISPANIC	6	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1
MEXICAN	6	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1
NON-HISPANIC	388	5	-	3	6	7	6	9	14	9	5	12	32	30	54	55	141	-
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
MERCED	1,039	34	2	4	17	14	12	18	16	26	28	41	52	101	110	140	423	1
HISPANIC	113	8	-	-	4	11	2	3	7	8	6	6	4	12	9	6	27	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MEXICAN	97	6	-	-	3	9	2	2	6	8	6	5	4	10	9	4	23	-
PUERTO RICAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	14	2	-	-	1	2	-	1	-	-	-	1	-	2	-	1	4	-
NON-HISPANIC	921	26	2	4	13	3	10	15	9	18	22	34	48	88	101	132	395	1
NOT STATED	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-
FEMALE	472	16	2	2	5	1	3	8	4	10	12	20	23	46	43	52	224	1
HISPANIC	41	6	-	-	1	-	-	1	1	3	2	2	1	5	4	4	11	-
MEXICAN	34	4	-	-	1	-	-	1	-	3	2	2	1	4	4	3	9	-
PUERTO RICAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-
NON-HISPANIC	428	10	2	2	4	1	3	7	3	7	10	17	22	41	39	47	212	1
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
MALE	567	18	-	2	12	13	9	10	12	16	16	21	29	55	67	88	199	-
HISPANIC	72	2	-	-	3	11	2	2	6	5	4	4	3	7	5	2	16	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MEXICAN	63	2	-	-	2	9	2	1	6	5	4	3	3	6	5	1	14	-
OTHER HISPANIC	8	-	-	-	1	2	-	1	-	-	-	1	-	1	-	-	2	-
NON-HISPANIC	493	16	-	2	9	2	7	8	6	11	12	17	26	47	62	85	183	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
MODOC	106	2	-	1	1	4	1	2	3	-	5	2	8	3	9	18	47	-
HISPANIC	4	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
MEXICAN	4	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
NON-HISPANIC	101	1	-	1	1	3	1	1	3	-	5	2	8	3	9	17	46	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	49	1	-	1	-	-	-	-	1	-	3	1	3	2	5	6	26	-
HISPANIC	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	47	-	-	1	-	-	-	-	1	-	3	1	3	2	5	6	25	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	57	1	-	-	1	4	1	2	2	-	2	1	5	1	4	12	21	-
HISPANIC	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
MEXICAN	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
NON-HISPANIC	54	1	-	-	1	3	1	1	2	-	2	1	5	1	4	11	21	-
MONO	37	2	-	1	2	1	3	-	1	-	-	1	1	4	4	7	10	-
HISPANIC	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
OTHER HISPANIC	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MONO (CONT'D)																		
NON-HISPANIC	34	2	-	1	2	1	2	-	1	-	-	1	1	4	3	7	9	-
FEMALE	11	-	-	1	2	-	1	-	-	-	-	-	-	1	2	2	2	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	10	-	-	1	2	-	1	-	-	-	-	-	-	1	1	2	2	-
MALE	26	2	-	-	-	1	2	-	1	-	-	1	1	3	2	5	8	-
HISPANIC	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	24	2	-	-	-	1	1	-	1	-	-	1	1	3	2	5	7	-
MONTEREY	2,235	73	5	5	22	42	34	35	49	47	44	53	127	163	227	261	1,047	1
HISPANIC	251	28	1	4	9	14	12	8	13	8	9	10	26	17	16	20	56	-
CUBAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	202	23	1	4	7	12	9	8	12	6	6	9	19	14	13	17	42	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER HISPANIC	47	5	-	-	2	2	2	-	1	2	3	-	7	3	3	3	14	-
NON-HISPANIC	1,966	43	4	1	12	27	21	27	36	38	35	43	100	146	210	239	984	-
NOT STATED	18	2	-	-	1	1	1	-	-	1	-	-	1	-	1	2	7	1
FEMALE	1,045	28	1	1	5	4	8	9	10	18	19	24	41	73	91	114	599	-
HISPANIC	79	16	-	1	2	2	2	2	3	1	2	5	7	5	6	5	20	-
MEXICAN	59	12	-	1	1	1	1	2	3	1	1	5	4	5	5	4	13	-
OTHER HISPANIC	20	4	-	-	1	1	1	-	-	-	1	-	3	-	1	1	7	-
NON-HISPANIC	960	11	1	-	3	2	6	7	7	16	17	19	34	68	85	109	575	-
NOT STATED	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	-
MALE	1,190	45	4	4	17	38	26	26	39	29	25	29	86	90	136	147	448	1
HISPANIC	172	12	1	3	7	12	10	6	10	7	7	5	19	12	10	15	36	-
CUBAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	143	11	1	3	6	11	8	6	9	5	5	4	15	9	8	13	29	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER HISPANIC	27	1	-	-	1	1	1	-	1	2	2	-	4	3	2	2	7	-
NON-HISPANIC	1,006	32	3	1	9	25	15	20	29	22	18	24	66	78	125	130	409	-
NOT STATED	12	1	-	-	1	1	1	-	-	-	-	-	1	-	1	2	3	1
NAPA	1,030	15	2	1	8	7	9	7	12	12	14	20	39	63	101	142	578	-
HISPANIC	31	3	-	-	4	-	2	3	1	1	-	-	-	2	2	3	10	-
CUBAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	22	3	-	-	2	-	2	1	-	1	-	-	-	2	2	3	6	-
OTHER HISPANIC	8	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	4	-
NON-HISPANIC	988	10	2	1	4	7	7	4	11	11	14	19	39	59	98	138	564	-
NOT STATED	11	2	-	-	-	-	-	-	-	-	-	1	-	2	1	1	4	-
FEMALE	492	7	-	1	1	2	2	1	4	3	9	6	12	25	31	54	334	-
HISPANIC	13	2	-	-	-	-	-	-	1	1	-	-	-	-	1	3	5	-
MEXICAN	9	2	-	-	-	-	-	-	-	1	-	-	-	-	1	3	2	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-
NON-HISPANIC	472	4	-	1	1	2	2	1	3	2	9	6	12	24	29	50	326	-
NOT STATED	7	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-
MALE	538	8	2	-	7	5	7	6	8	9	5	14	27	38	70	88	244	-
HISPANIC	18	1	-	-	4	-	2	3	-	-	-	-	-	2	1	-	5	-
CUBAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	13	1	-	-	2	-	2	1	-	-	-	-	-	2	1	-	4	-
OTHER HISPANIC	4	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	516	6	2	-	3	5	5	3	8	9	5	13	27	35	69	88	238	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
NEVADA	561	15	1	1	4	5	6	5	10	9	12	10	21	29	38	89	286	-
HISPANIC	7	-	-	-	1	-	1	-	-	1	-	-	-	1	-	1	2	-
MEXICAN	6	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	2	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NON-HISPANIC	548	15	1	1	2	5	5	4	10	8	12	10	21	27	37	88	282	-
NOT STATED	6	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	2	-
FEMALE	259	6	-	-	-	2	1	1	1	4	-	3	9	16	21	40	155	-
HISPANIC	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-
MEXICAN	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NON-HISPANIC	252	6	-	-	-	2	1	1	1	3	-	3	9	15	20	39	152	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
NEVADA (CONT'D)																		
MALE	302	9	1	1	4	3	5	4	9	5	12	7	12	13	37	49	131	-
HISPANIC	3	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
MEXICAN	3	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	296	9	1	1	2	3	4	3	9	5	12	7	12	12	37	49	130	-
NOT STATED	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
ORANGE	13,609	301	26	30	143	235	236	215	231	244	332	461	767	1,105	1,337	1,550	6,393	3
HISPANIC	856	82	10	3	37	54	42	33	21	34	34	39	56	62	55	54	240	-
CUBAN	22	-	-	-	-	-	-	-	-	-	-	1	3	3	1	3	11	-
MEXICAN	651	63	6	3	29	39	33	20	16	25	27	29	43	46	39	41	192	-
PUERTO RICAN	14	1	-	-	1	-	2	-	-	-	-	-	1	2	-	2	5	-
OTHER HISPANIC	169	18	4	-	7	15	7	13	5	9	7	9	9	11	15	8	32	-
NON-HISPANIC	12,728	217	16	27	105	180	192	181	210	209	296	422	710	1,038	1,281	1,495	6,147	2
NOT STATED	25	2	-	-	1	1	2	1	-	1	2	-	1	5	1	1	6	1
FEMALE	6,704	127	9	11	34	51	60	64	66	86	118	175	297	435	568	736	3,865	2
HISPANIC	345	31	5	3	6	4	9	6	2	8	10	13	24	24	23	37	140	-
CUBAN	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	-
MEXICAN	269	24	3	3	2	2	6	4	1	5	9	12	21	19	17	29	112	-
PUERTO RICAN	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	-
OTHER HISPANIC	63	7	2	-	3	2	3	2	1	3	1	1	2	5	6	5	20	-
NON-HISPANIC	6,352	94	4	8	28	47	51	58	64	77	108	162	273	409	545	699	3,724	1
NOT STATED	7	2	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	1
MALE	6,905	174	17	19	109	184	178	151	165	158	214	286	470	670	769	814	2,528	1
HISPANIC	511	51	5	-	31	50	33	27	19	26	24	26	32	38	32	17	100	-
CUBAN	14	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	6	-
MEXICAN	382	39	3	-	27	37	27	16	15	20	18	17	22	27	22	12	80	-
PUERTO RICAN	9	1	-	-	-	-	2	-	-	-	-	-	1	2	-	1	2	-
OTHER HISPANIC	106	11	2	-	4	13	4	11	4	6	6	8	7	6	9	3	12	-
NON-HISPANIC	6,376	123	12	19	77	133	141	123	146	132	188	260	437	629	736	796	2,423	1
NOT STATED	18	-	-	-	1	1	2	1	-	-	2	-	1	3	1	1	5	-
PLACER	1,113	30	4	2	15	11	9	11	18	24	24	25	61	76	115	136	550	2
HISPANIC	35	2	-	-	2	-	1	2	2	2	-	-	2	3	5	3	11	-
MEXICAN	23	2	-	-	2	-	-	1	2	1	-	-	2	3	4	1	5	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER HISPANIC	11	-	-	-	-	-	1	1	-	1	-	-	-	-	1	1	6	-
NON-HISPANIC	1,066	27	4	2	12	11	8	9	16	21	24	24	57	72	109	133	537	-
NOT STATED	12	1	-	-	1	-	-	-	-	1	-	1	2	1	1	-	2	2
FEMALE	539	14	2	-	8	1	2	2	10	10	10	13	23	26	42	53	323	-
HISPANIC	13	1	-	-	1	-	-	-	2	-	-	-	-	-	1	3	5	-
MEXICAN	8	1	-	-	1	-	-	-	2	-	-	-	-	-	1	1	2	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
NON-HISPANIC	524	13	2	-	7	1	2	2	8	10	10	12	23	26	41	50	317	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
MALE	574	16	2	2	7	10	7	9	8	14	14	12	38	50	73	83	227	2
HISPANIC	22	1	-	-	1	-	1	2	-	2	-	-	2	3	4	-	6	-
MEXICAN	15	1	-	-	1	-	-	1	-	1	-	-	2	3	3	-	3	-
OTHER HISPANIC	7	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	3	-
NON-HISPANIC	542	14	2	2	5	10	6	7	8	11	14	12	34	46	68	83	220	-
NOT STATED	10	1	-	-	1	-	-	-	-	1	-	-	2	1	1	-	1	2
PLUMAS	155	4	1	-	1	-	2	2	1	2	7	1	5	18	22	21	68	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NON-HISPANIC	154	4	1	-	1	-	2	2	1	2	7	1	5	18	22	20	68	-
FEMALE	70	1	1	-	-	-	1	1	1	1	5	1	1	9	9	9	30	-
NON-HISPANIC	70	1	1	-	-	-	1	1	1	1	5	1	1	9	9	9	30	-
MALE	85	3	-	-	1	-	1	1	-	1	2	-	4	9	13	12	38	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NON-HISPANIC	84	3	-	-	1	-	1	1	-	1	2	-	4	9	13	11	38	-
RIVERSIDE	7,895	208	12	22	75	99	124	130	116	139	165	231	308	604	850	1,052	3,746	14
HISPANIC	558	55	2	7	14	29	20	29	20	17	21	34	26	43	58	34	146	3
CUBAN	6	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-
MEXICAN	442	40	2	6	11	25	16	23	15	12	16	26	22	36	42	29	119	2

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
RIVERSIDE (CONT'D)																		
PUERTO RICAN	8	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	3	-
OTHER HISPANIC	102	15	-	1	3	4	4	5	5	5	4	4	4	7	13	5	22	1
NON-HISPANIC	7,292	148	9	15	60	69	104	101	94	120	141	195	278	539	787	1,015	3,590	7
NOT STATED	45	5	1	-	1	1	-	-	2	2	3	2	4	2	5	3	10	4
FEMALE	3,518	78	5	8	20	22	29	38	33	44	31	92	113	242	351	423	1,961	6
HISPANIC	216	20	1	3	5	4	4	11	4	5	4	18	10	18	20	15	74	-
CUBAN	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-
MEXICAN	172	15	1	2	4	3	4	8	1	4	4	15	10	17	15	12	57	-
PUERTO RICAN	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-
OTHER HISPANIC	36	5	-	1	1	1	-	2	3	1	-	1	-	1	4	3	13	-
NON-HISPANIC	3,284	53	4	5	15	18	25	27	31	39	45	74	102	223	330	407	1,881	5
NOT STATED	18	5	-	-	-	-	-	-	-	-	2	-	1	1	1	1	6	1
MALE	4,377	130	7	14	55	77	95	92	81	95	114	139	195	362	499	629	1,785	8
HISPANIC	342	35	1	4	9	25	16	18	16	12	17	16	16	25	38	19	72	3
CUBAN	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
MEXICAN	270	25	1	4	7	22	12	15	14	8	12	11	12	19	27	17	62	2
PUERTO RICAN	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-
OTHER HISPANIC	66	10	-	-	2	3	4	3	2	4	4	3	4	6	9	2	9	1
NON-HISPANIC	4,008	95	5	10	45	51	79	74	63	81	96	121	176	336	457	608	1,709	2
NOT STATED	27	-	1	-	1	1	-	-	2	2	1	2	3	1	4	2	4	3
SACRAMENTO	7,071	173	12	26	78	75	102	157	140	150	150	265	378	629	797	895	3,033	11
HISPANIC	278	22	1	2	7	7	11	16	6	10	12	10	16	24	26	22	85	1
CUBAN	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-
MEXICAN	191	13	-	1	5	7	8	9	3	4	8	7	13	19	18	12	64	-
PUERTO RICAN	12	1	-	-	-	-	-	1	1	-	3	1	-	2	-	-	3	-
OTHER HISPANIC	71	8	1	1	2	-	3	6	1	6	1	2	3	3	7	10	16	1
NON-HISPANIC	6,750	145	11	24	70	67	91	137	130	140	137	253	360	604	766	872	2,937	6
NOT STATED	43	6	-	-	1	1	-	4	4	-	1	2	2	1	5	1	11	4
FEMALE	3,289	70	10	11	20	24	22	47	40	62	54	93	143	273	313	377	1,728	2
HISPANIC	98	10	1	1	1	1	-	2	1	3	5	1	6	12	12	8	34	-
CUBAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
MEXICAN	65	5	-	-	1	1	-	-	-	2	3	1	4	10	8	6	24	-
PUERTO RICAN	5	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-
OTHER HISPANIC	26	4	1	1	-	-	-	1	-	1	1	-	2	2	4	2	7	-
NON-HISPANIC	3,178	58	9	10	19	22	22	45	37	59	49	92	136	261	299	369	1,691	-
NOT STATED	13	2	-	-	-	1	-	-	2	-	-	-	1	-	2	-	3	2
MALE	3,782	103	2	15	58	51	80	110	100	88	96	172	235	356	484	518	1,305	9
HISPANIC	180	12	-	1	6	6	11	14	5	7	7	9	10	12	14	14	51	1
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
MEXICAN	126	8	-	1	4	6	8	9	3	2	5	6	9	9	10	6	40	-
PUERTO RICAN	7	-	-	-	-	-	-	-	1	-	2	1	-	2	-	-	1	-
OTHER HISPANIC	45	4	-	-	2	-	3	5	1	5	1	2	1	1	3	8	9	1
NON-HISPANIC	3,572	87	2	14	51	45	69	92	93	81	88	161	224	343	467	503	1,246	6
NOT STATED	30	4	-	-	1	-	-	4	2	-	1	2	1	1	3	1	8	2
SAN BENITO	197	7	-	-	1	5	4	1	4	7	3	5	10	13	19	25	92	1
HISPANIC	45	4	-	-	-	4	1	1	1	2	2	1	4	3	1	5	15	1
MEXICAN	30	4	-	-	-	2	-	-	1	2	2	1	1	2	1	2	12	-
OTHER HISPANIC	15	-	-	-	-	2	1	1	-	-	-	-	3	1	-	3	3	1
NON-HISPANIC	149	3	-	-	1	-	3	-	3	5	1	3	6	10	18	20	76	-
NOT STATED	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE	97	4	-	-	-	-	1	-	3	3	1	2	7	3	5	10	58	-
HISPANIC	25	3	-	-	-	-	1	-	1	2	1	-	3	1	-	4	9	-
MEXICAN	19	3	-	-	-	-	-	-	1	2	1	-	1	1	-	2	8	-
OTHER HISPANIC	6	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2	1	-
NON-HISPANIC	70	1	-	-	-	-	-	-	2	1	-	1	4	2	5	6	48	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
MALE	100	3	-	-	1	5	3	1	1	4	2	3	3	10	14	15	34	1
HISPANIC	20	1	-	-	-	4	-	1	-	-	1	1	1	2	1	1	6	1
MEXICAN	11	1	-	-	-	2	-	-	-	-	1	1	-	1	1	-	4	-
OTHER HISPANIC	9	-	-	-	-	2	-	1	-	-	-	-	1	1	-	1	2	1
NON-HISPANIC	79	2	-	-	1	3	3	1	1	4	1	2	2	8	13	14	28	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	8,367	262	25	20	90	134	170	166	134	178	189	296	424	663	907	1,073	3,603	11
HISPANIC	741	49	3	1	24	23	41	30	25	35	25	45	46	68	63	67	195	1

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN BERNARDINO (CONT'D)																		
CUBAN	6	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	1	-
MEXICAN	555	31	2	1	16	17	24	19	17	25	17	37	34	53	52	49	160	1
PUERTO RICAN	7	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	2	-
OTHER HISPANIC	173	18	1	-	8	6	16	10	7	8	7	8	11	13	10	18	32	-
NON-HISPANIC	7,600	212	22	19	66	111	129	134	129	141	163	250	376	596	841	1,001	3,402	8
NOT STATED	26	1	-	-	-	-	-	2	-	2	1	1	2	1	3	5	6	2
FEMALE	3,881	114	9	5	28	30	43	53	57	53	70	119	165	257	372	469	2,035	2
HISPANIC	269	22	2	1	7	4	8	7	6	8	5	12	20	25	22	25	95	-
CUBAN	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
MEXICAN	201	12	1	1	3	3	4	5	5	4	3	9	16	20	17	18	80	-
PUERTO RICAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	64	10	1	-	4	1	3	2	1	4	2	3	4	4	4	7	14	-
NON-HISPANIC	3,603	92	7	4	21	26	35	45	51	44	64	107	145	232	349	443	1,936	2
NOT STATED	9	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	4	-
MALE	4,486	148	16	15	62	104	127	113	97	125	119	177	259	408	535	604	1,568	9
HISPANIC	472	27	1	-	17	19	33	23	19	27	20	33	26	43	41	42	100	1
CUBAN	3	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
MEXICAN	354	19	1	-	13	14	20	14	12	21	14	28	18	33	35	31	80	1
PUERTO RICAN	6	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	2	-
OTHER HISPANIC	109	8	-	-	4	5	13	8	6	4	5	5	7	9	6	11	18	-
NON-HISPANIC	3,997	120	15	15	45	85	94	89	78	97	99	143	231	364	492	558	1,466	6
NOT STATED	17	1	-	-	-	-	-	1	-	1	-	1	2	1	2	4	2	2
SAN DIEGO	15,591	422	28	30	113	225	266	284	310	272	303	460	736	1,152	1,594	1,960	7,403	33
HISPANIC	913	77	6	6	26	41	53	38	29	19	28	40	70	66	88	70	296	10
CUBAN	15	2	-	-	-	-	1	3	1	-	-	1	1	1	1	1	3	-
MEXICAN	799	59	6	5	23	38	44	27	27	16	26	34	57	51	76	58	251	1
PUERTO RICAN	19	1	-	-	-	1	2	-	-	1	1	2	3	1	1	-	6	-
OTHER HISPANIC	130	15	-	1	3	2	6	8	1	2	1	3	9	13	10	11	36	9
NON-HISPANIC	14,587	344	22	24	87	184	212	244	280	252	274	420	664	1,085	1,504	1,887	7,099	5
NOT STATED	41	1	-	-	-	-	1	2	1	1	1	-	2	1	2	3	8	18
FEMALE	7,485	182	14	9	30	45	56	81	83	86	120	180	289	490	686	873	4,251	10
HISPANIC	387	37	4	3	1	3	8	8	7	5	12	12	25	25	41	32	163	1
CUBAN	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
MEXICAN	330	26	4	3	1	2	7	7	7	5	12	10	20	19	36	26	144	1
PUERTO RICAN	7	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	3	-
OTHER HISPANIC	45	9	-	-	-	1	-	1	-	-	2	3	5	4	5	15	-	
NON-HISPANIC	7,083	145	10	6	29	42	48	72	76	81	108	168	264	465	645	839	4,083	2
NOT STATED	15	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	5	7
MALE	8,106	240	14	21	83	180	210	203	227	186	183	280	447	662	908	1,087	3,152	23
HISPANIC	576	40	2	3	25	38	45	30	22	14	16	28	45	41	47	38	133	9
CUBAN	10	-	-	-	-	-	-	3	1	-	-	1	1	1	1	-	2	-
MEXICAN	469	33	2	2	22	36	37	20	20	11	14	24	37	32	40	32	107	-
PUERTO RICAN	12	1	-	-	-	1	2	-	-	1	1	2	1	-	-	-	3	-
OTHER HISPANIC	85	6	-	1	3	1	6	7	1	2	1	1	6	8	6	6	21	9
NON-HISPANIC	7,504	199	12	18	58	142	164	172	204	171	166	252	400	620	859	1,048	3,016	3
NOT STATED	26	1	-	-	-	-	1	1	1	1	1	-	2	1	2	1	3	11
SAN FRANCISCO	8,037	95	3	7	22	73	144	294	386	277	253	314	418	549	649	853	3,687	13
HISPANIC	411	10	1	2	3	9	12	29	25	17	8	26	21	30	35	41	139	3
CUBAN	16	-	-	-	-	-	1	3	1	-	2	-	-	1	2	-	6	-
MEXICAN	148	1	-	1	1	3	5	12	11	5	1	9	11	10	7	14	57	-
PUERTO RICAN	25	-	-	-	1	-	1	2	2	-	2	2	2	-	4	9	-	
OTHER HISPANIC	222	9	1	1	2	5	6	13	11	10	5	15	8	17	26	23	67	3
NON-HISPANIC	7,109	64	2	5	18	57	116	245	327	234	226	275	357	482	568	766	3,363	4
NOT STATED	517	21	-	-	1	7	16	20	34	26	19	13	40	37	46	46	185	6
FEMALE	3,405	40	-	2	5	19	20	45	46	57	47	90	117	190	271	376	2,079	1
HISPANIC	151	6	-	1	-	1	2	1	1	3	-	8	6	12	20	17	73	-
CUBAN	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-
MEXICAN	45	1	-	-	-	1	-	-	-	1	-	2	2	5	2	4	27	-
PUERTO RICAN	8	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	2	-
OTHER HISPANIC	93	5	-	1	-	-	2	1	1	1	-	6	2	6	18	10	40	-
NON-HISPANIC	3,076	29	-	1	4	17	13	43	41	50	41	79	98	167	239	338	1,915	1
NOT STATED	178	5	-	1	1	1	5	1	4	4	6	3	13	11	12	21	91	-
MALE	4,632	53	3	5	17	54	124	249	340	220	206	224	301	359	378	477	1,608	12
HISPANIC	260	4	1	1	3	8	10	28	24	14	8	18	15	18	15	24	66	3
CUBAN	11	-	-	-	-	-	1	3	1	-	2	-	-	-	2	-	2	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN FRANCISCO (CONT'D)																		
MEXICAN	103	-	-	1	1	2	5	12	11	4	1	7	9	5	5	10	30	-
PUERTO RICAN	17	-	-	-	-	1	-	1	2	1	-	2	-	2	-	1	7	-
OTHER HISPANIC	129	4	1	-	2	5	4	12	10	9	5	9	6	11	8	13	27	3
NON-HISPANIC	4,033	35	2	4	14	40	103	202	286	184	185	196	259	315	329	428	1,448	3
NOT STATED	339	16	-	-	-	6	11	19	30	22	13	10	27	26	34	25	94	6
SAN JOAQUIN	3,488	86	8	10	44	46	54	77	74	78	80	128	183	260	363	440	1,554	3
HISPANIC	290	19	-	2	11	16	15	19	10	12	6	12	22	19	35	19	72	1
MEXICAN	248	13	-	2	10	14	12	18	8	10	5	11	19	17	30	16	62	1
PUERTO RICAN	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-
OTHER HISPANIC	38	6	-	-	1	2	3	1	2	1	1	1	3	2	4	3	8	-
NON-HISPANIC	3,186	66	8	8	33	30	39	58	63	65	74	115	161	240	326	420	1,479	1
NOT STATED	12	1	-	-	-	-	-	-	1	1	-	1	-	1	2	1	3	1
FEMALE	1,543	42	2	2	13	12	14	16	18	29	42	44	60	108	134	179	827	1
HISPANIC	100	7	-	1	2	1	5	3	1	2	5	2	9	8	10	5	39	-
MEXICAN	83	5	-	1	1	-	4	3	1	1	4	2	7	7	10	5	32	-
PUERTO RICAN	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-
OTHER HISPANIC	14	2	-	-	1	1	1	-	-	-	1	-	2	1	-	-	5	-
NON-HISPANIC	1,437	35	2	1	11	11	9	13	16	27	37	42	51	100	123	173	785	1
NOT STATED	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	-
MALE	1,945	44	6	8	31	34	40	61	56	49	38	84	123	152	229	261	727	2
HISPANIC	190	12	-	1	9	15	10	16	9	10	1	10	13	11	25	14	33	1
MEXICAN	165	8	-	1	9	14	8	15	7	9	1	9	12	10	20	11	30	1
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	24	4	-	-	-	1	2	1	2	1	-	1	1	1	4	3	3	-
NON-HISPANIC	1,749	31	6	7	22	19	30	45	47	38	37	73	110	140	203	247	694	-
NOT STATED	6	1	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1
SAN LUIS OBISPO	1,533	26	1	1	13	16	10	19	22	26	20	37	63	114	187	204	773	1
HISPANIC	46	1	-	-	3	2	-	2	1	3	1	-	4	2	3	3	21	-
MEXICAN	37	1	-	-	3	2	-	2	-	2	-	-	4	2	3	2	16	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER HISPANIC	8	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	5	-
NON-HISPANIC	1,477	25	1	1	10	14	10	17	21	23	19	37	89	111	181	198	749	1
NOT STATED	10	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	-
FEMALE	723	7	-	-	3	4	1	6	6	8	9	18	30	46	81	90	414	-
HISPANIC	19	-	-	-	1	-	-	-	-	-	-	-	2	1	2	3	10	-
MEXICAN	14	-	-	-	1	-	-	-	-	-	-	-	2	1	2	2	6	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
NON-HISPANIC	698	7	-	-	2	4	1	6	6	8	9	18	28	45	77	85	402	-
NOT STATED	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-
MALE	810	19	1	1	10	12	9	13	16	18	11	19	33	68	106	114	359	1
HISPANIC	27	1	-	-	2	2	-	2	1	3	1	-	2	1	1	-	11	-
MEXICAN	23	1	-	-	2	2	-	2	-	2	-	-	2	1	1	-	10	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-
NON-HISPANIC	779	18	1	1	8	10	9	11	15	15	10	19	31	66	104	113	347	1
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-
SAN MATEO	4,778	77	6	10	30	47	63	72	86	96	120	154	271	392	459	649	2,241	5
HISPANIC	228	16	1	-	9	5	11	6	8	7	7	7	14	20	15	25	76	1
CUBAN	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
MEXICAN	104	11	1	-	6	3	6	1	5	5	2	3	5	9	10	11	28	-
PUERTO RICAN	7	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	1	-
OTHER HISPANIC	113	5	-	-	3	2	5	5	2	2	5	4	8	7	4	12	48	1
NON-HISPANIC	4,362	41	5	10	20	40	45	59	75	82	108	140	244	359	424	605	2,103	2
NOT STATED	188	20	-	-	1	2	7	7	3	7	5	7	13	13	20	19	62	2
FEMALE	2,349	32	3	2	8	13	17	24	29	34	47	66	114	161	202	289	1,306	2
HISPANIC	90	3	-	-	2	1	3	1	3	5	2	3	6	6	5	7	43	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MEXICAN	33	1	-	-	2	1	1	-	1	3	-	-	2	2	2	4	14	-
PUERTO RICAN	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-
OTHER HISPANIC	52	2	-	-	-	-	2	1	1	2	2	3	3	3	3	2	28	-
NON-HISPANIC	2,184	22	3	2	6	12	13	22	26	27	42	60	103	151	191	274	1,229	1
NOT STATED	75	7	-	-	-	-	1	1	-	2	3	3	5	4	6	8	34	1
MALE	2,429	45	3	8	22	34	46	48	57	62	73	88	157	231	257	360	935	3
HISPANIC	138	13	1	-	7	4	8	5	5	2	5	4	8	14	10	18	33	1

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN MATEO (CONT'D)																		
CUBAN	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
MEXICAN	71	10	1	-	4	2	5	1	4	2	2	3	3	7	8	7	12	-
PUERTO RICAN	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
OTHER HISPANIC	61	3	-	-	3	2	3	4	1	-	3	1	5	4	1	10	20	1
NON-HISPANIC	2,178	19	2	8	14	28	32	37	49	55	66	80	141	208	233	331	874	1
NOT STATED	113	13	-	-	1	2	6	6	3	5	2	4	8	9	14	11	28	1
SANTA BARBARA	2,551	29	6	5	15	31	39	30	37	47	48	61	106	177	246	318	1,355	1
HISPANIC	218	9	1	2	4	8	13	3	8	6	9	7	10	16	14	16	91	1
CUBAN	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	183	9	1	2	4	7	8	3	8	4	8	7	8	13	12	10	78	1
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	32	-	-	-	-	1	4	-	-	2	1	-	2	3	2	6	11	-
NON-HISPANIC	2,329	20	5	3	11	23	25	27	28	41	39	54	95	160	232	302	1,264	-
NOT STATED	4	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE	1,267	14	1	-	2	6	11	8	15	19	20	30	38	82	117	134	770	-
HISPANIC	82	4	-	-	1	2	2	-	3	3	1	4	2	9	5	4	42	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	65	4	-	-	1	1	-	-	3	2	-	4	2	6	5	1	36	-
OTHER HISPANIC	16	-	-	-	-	1	2	-	-	1	1	-	-	3	-	3	5	-
NON-HISPANIC	1,182	10	1	-	1	4	9	8	11	16	19	26	35	72	112	130	728	-
NOT STATED	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
MALE	1,284	15	5	5	13	25	28	22	22	28	28	31	68	95	129	184	585	1
HISPANIC	136	5	1	2	3	6	11	3	5	3	8	3	8	7	9	12	49	1
CUBAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	118	5	1	2	3	6	8	3	5	2	8	3	6	7	7	9	42	1
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	16	-	-	-	-	-	2	-	-	1	-	-	2	-	2	3	6	-
NON-HISPANIC	1,147	10	4	3	10	19	16	19	17	25	20	28	60	88	120	172	536	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
SANTA CLARA	7,994	231	12	19	65	116	151	149	153	183	240	307	439	661	777	924	3,560	7
HISPANIC	692	53	2	4	15	22	23	20	30	18	23	32	45	52	70	60	220	3
CUBAN	14	-	1	-	-	-	-	-	1	1	1	-	1	-	1	-	8	-
MEXICAN	477	32	1	3	9	17	12	15	20	12	17	21	29	41	49	43	155	1
PUERTO RICAN	16	-	-	-	-	-	2	-	-	-	1	1	1	1	1	4	5	-
OTHER HISPANIC	185	21	-	1	6	5	9	5	9	5	4	10	14	10	19	13	52	2
NON-HISPANIC	7,140	161	9	14	47	88	123	129	122	163	210	268	379	597	692	847	3,289	2
NOT STATED	162	17	1	1	3	6	5	-	1	2	7	7	15	12	15	17	51	2
FEMALE	3,978	106	4	5	18	29	42	51	51	70	107	120	184	255	296	422	2,215	3
HISPANIC	308	23	1	1	3	7	7	8	7	5	5	8	25	27	26	32	121	2
CUBAN	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-
MEXICAN	208	14	1	1	1	5	4	5	4	4	3	7	15	22	17	23	81	1
PUERTO RICAN	10	-	-	-	-	-	1	-	-	-	1	-	1	1	-	2	4	-
OTHER HISPANIC	86	9	-	-	2	2	2	3	2	1	1	1	9	4	9	7	33	1
NON-HISPANIC	3,603	76	3	4	15	22	34	43	44	65	100	111	150	225	266	384	2,060	1
NOT STATED	67	7	-	-	-	-	1	-	-	-	2	1	9	3	4	6	34	-
MALE	4,016	125	8	14	47	87	109	98	102	113	133	187	255	406	481	502	1,345	4
HISPANIC	384	30	1	3	12	15	16	12	23	13	18	24	20	25	44	28	99	1
CUBAN	10	-	1	-	-	-	-	-	-	1	1	-	1	-	1	-	5	-
MEXICAN	269	18	-	2	8	12	8	10	16	8	14	14	14	19	32	20	74	-
PUERTO RICAN	6	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	1	-
OTHER HISPANIC	99	12	-	1	4	3	7	2	7	4	3	9	5	6	10	6	19	1
NON-HISPANIC	3,537	85	6	10	32	66	89	86	78	98	110	157	229	372	426	463	1,229	1
NOT STATED	95	10	1	1	3	6	4	-	1	2	5	6	6	9	11	11	17	2
SANTA CRUZ	1,740	38	4	5	12	18	26	35	38	28	28	31	68	105	141	206	957	-
HISPANIC	95	11	2	1	2	5	5	7	6	3	2	4	5	5	5	6	26	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	70	10	-	1	1	4	4	7	6	3	1	2	2	3	4	5	17	-
PUERTO RICAN	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-
OTHER HISPANIC	20	1	2	-	1	1	1	-	-	-	1	1	2	2	1	1	6	-
NON-HISPANIC	1,625	25	2	4	10	13	21	28	32	25	26	26	60	97	135	197	924	-
NOT STATED	20	2	-	-	-	-	-	-	-	-	-	1	3	3	1	3	7	-
FEMALE	889	14	3	2	4	3	3	10	11	7	9	14	32	49	71	92	565	-
HISPANIC	40	3	2	1	-	1	1	2	1	2	1	1	4	2	3	2	14	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	26	3	-	1	-	-	-	2	1	2	1	1	1	2	2	2	8	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SANTA CRUZ (CONT'D)																		
PUERTO RICAN	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
OTHER HISPANIC	10	-	2	-	-	1	1	-	-	-	-	-	-	-	1	-	3	-
NON-HISPANIC	845	11	1	1	4	2	2	8	10	5	8	13	28	47	67	90	548	-
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-
MALE	851	24	1	3	8	15	23	25	27	21	19	17	36	56	70	114	392	-
HISPANIC	55	8	-	-	2	4	4	5	5	1	1	3	1	3	2	4	12	-
MEXICAN	44	7	-	-	1	4	4	5	5	1	-	1	1	1	2	3	9	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER HISPANIC	10	1	-	-	1	-	-	-	-	-	1	1	-	2	-	1	3	-
NON-HISPANIC	780	14	1	3	6	11	19	20	22	20	18	13	32	50	68	107	376	-
NOT STATED	16	2	-	-	-	-	-	-	-	-	-	1	3	3	-	3	4	-
SHASTA	1,242	28	1	7	10	20	17	15	26	21	31	43	65	103	163	165	526	1
HISPANIC	10	1	-	1	-	1	-	-	-	-	-	1	1	-	2	-	3	-
MEXICAN	7	1	-	1	-	1	-	-	-	-	-	1	1	-	-	-	2	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
NON-HISPANIC	1,231	26	1	6	10	19	17	15	26	21	31	42	64	103	161	165	523	1
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	564	11	-	1	1	4	6	3	8	11	14	14	25	43	67	61	294	1
HISPANIC	5	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-
MEXICAN	3	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	558	9	-	1	1	4	6	3	8	11	14	13	24	43	66	61	293	1
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	678	17	1	6	9	16	11	12	18	10	17	29	40	60	96	104	232	-
HISPANIC	5	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	2	-
MEXICAN	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	673	17	1	5	9	15	11	12	18	10	17	29	40	60	95	104	230	-
SIERRA	37	-	-	-	-	-	-	1	-	1	1	-	-	3	7	8	16	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	36	-	-	-	-	-	-	1	-	1	1	-	-	3	7	8	15	-
FEMALE	18	-	-	-	-	-	-	1	-	-	1	-	-	2	2	2	10	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	17	-	-	-	-	-	-	1	-	-	1	-	-	2	2	2	9	-
MALE	19	-	-	-	-	-	-	-	-	1	-	-	-	1	5	6	6	-
NON-HISPANIC	19	-	-	-	-	-	-	-	-	1	-	-	-	1	5	6	6	-
SISKIYOU	459	13	1	2	1	6	11	6	10	6	14	10	20	38	50	57	214	-
HISPANIC	7	-	-	-	-	1	1	-	2	-	-	-	-	-	-	2	1	-
MEXICAN	7	-	-	-	-	1	1	-	2	-	-	-	-	-	-	2	1	-
NON-HISPANIC	450	12	1	2	1	5	10	6	8	6	14	10	20	38	50	54	213	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	204	7	-	-	-	3	1	1	3	1	7	3	6	15	21	22	114	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	203	7	-	-	-	3	1	1	3	1	7	3	6	15	21	22	113	-
MALE	255	6	1	2	1	3	10	5	7	5	7	7	14	23	29	35	100	-
HISPANIC	6	-	-	-	-	1	1	-	2	-	-	-	-	-	-	2	-	-
MEXICAN	6	-	-	-	-	1	1	-	2	-	-	-	-	-	-	2	-	-
NON-HISPANIC	247	5	1	2	1	2	9	5	5	5	7	7	14	23	29	32	100	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
SOLANO	1,874	51	5	8	10	24	27	37	34	53	58	76	132	164	204	239	752	-
HISPANIC	51	4	1	2	2	3	3	3	2	3	1	4	4	6	1	2	10	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	28	3	-	-	2	2	3	1	1	2	1	3	1	4	-	1	4	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	21	1	1	2	-	1	-	2	1	1	-	1	2	2	1	1	5	-
NON-HISPANIC	1,764	44	4	6	7	21	24	34	31	50	57	66	124	155	197	232	714	-
NOT STATED	59	3	-	-	1	-	-	-	1	2	-	6	4	3	6	5	28	-
FEMALE	818	13	3	2	3	5	7	13	12	17	21	26	33	52	86	108	406	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SOLANO (CONT'D)																		
HISPANIC	17	1	-	1	1	-	-	1	-	1	1	2	1	2	-	-	6	-
MEXICAN	9	1	-	1	1	-	-	-	-	1	1	1	-	1	-	-	3	-
OTHER HISPANIC	8	-	-	1	-	-	-	1	-	-	-	1	1	1	-	-	3	-
NON-HISPANIC	775	10	2	1	1	5	7	12	12	15	20	23	51	50	84	97	385	-
NOT STATED	26	2	-	-	1	-	-	-	-	1	-	1	1	-	2	3	15	-
MALE	1,056	38	3	6	7	19	20	24	22	36	37	50	79	112	118	139	346	-
HISPANIC	34	3	1	1	1	3	3	2	2	2	-	2	3	4	1	2	4	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	19	2	-	-	1	2	3	1	1	1	-	2	1	3	-	1	1	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	13	1	1	1	-	1	-	1	1	1	-	-	1	1	1	1	2	-
NON-HISPANIC	989	34	2	5	6	16	17	22	19	33	37	43	73	105	113	135	329	-
NOT STATED	33	1	-	-	-	-	-	-	1	1	-	5	3	3	4	2	13	-
SONOMA	3,092	42	3	4	33	34	38	44	32	47	56	79	135	195	322	392	1,615	1
HISPANIC	66	6	-	-	4	9	2	3	5	2	2	2	4	4	6	7	10	-
MEXICAN	43	4	-	-	3	8	2	3	4	1	2	1	1	2	2	3	7	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	22	2	-	-	1	1	-	-	1	1	-	1	2	2	4	4	3	-
NON-HISPANIC	3,018	36	3	4	29	25	36	41	46	43	54	77	131	191	315	385	1,601	1
NOT STATED	8	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	4	-
FEMALE	1,455	19	1	1	8	8	7	11	12	12	26	29	51	76	143	176	874	1
HISPANIC	16	1	-	-	1	-	-	1	-	-	-	-	2	2	2	4	3	-
MEXICAN	8	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	2	-
OTHER HISPANIC	8	1	-	-	1	-	-	-	-	-	-	-	1	1	1	2	1	-
NON-HISPANIC	1,435	18	1	1	7	8	7	10	11	11	26	29	49	74	140	172	870	1
NOT STATED	4	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-
MALE	1,637	23	2	3	25	26	31	33	40	35	30	50	84	119	179	216	741	-
HISPANIC	50	5	-	-	3	9	2	2	5	2	2	2	2	2	4	3	7	-
MEXICAN	35	4	-	-	3	8	2	2	4	1	2	1	-	1	1	1	5	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	14	1	-	-	-	1	-	-	1	1	-	1	1	1	3	2	2	-
NON-HISPANIC	1,583	18	2	3	22	17	29	31	35	32	28	48	82	117	175	213	731	-
NOT STATED	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-
STANISLAUS	2,506	68	10	9	32	34	36	41	41	55	48	73	137	185	287	292	1,158	-
HISPANIC	150	14	2	1	6	6	8	6	6	3	6	4	13	12	14	8	41	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	129	12	2	1	5	5	8	5	6	2	5	4	10	9	11	6	38	-
PUERTO RICAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	19	2	-	-	1	1	-	-	-	1	1	-	3	3	3	2	2	-
NON-HISPANIC	2,334	54	8	8	26	28	28	34	34	51	42	66	124	173	267	283	1,108	-
NOT STATED	22	-	-	-	-	-	-	1	1	1	-	3	-	-	6	1	9	-
FEMALE	1,175	31	3	3	11	4	15	11	15	15	18	37	51	64	130	129	638	-
HISPANIC	63	6	1	-	3	2	4	-	2	-	3	2	3	5	7	7	18	-
MEXICAN	58	5	1	-	3	2	4	-	2	-	3	2	2	3	7	6	18	-
OTHER HISPANIC	5	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
NON-HISPANIC	1,106	25	2	3	8	2	11	11	13	15	15	35	48	59	121	121	617	-
NOT STATED	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-
MALE	1,331	37	7	6	21	30	21	30	26	40	30	36	86	121	157	163	520	-
HISPANIC	87	8	1	1	3	4	4	6	4	3	3	2	10	7	7	1	23	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	71	7	1	1	2	3	4	5	4	2	2	2	8	6	4	-	20	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	14	1	-	-	1	-	-	1	-	-	-	-	-	-	3	1	2	-
NON-HISPANIC	1,228	29	6	5	18	26	17	23	21	36	27	31	76	114	146	162	491	-
NOT STATED	16	-	-	-	-	-	-	1	1	1	-	3	-	-	4	-	6	-
SUTTER	491	9	1	2	4	3	4	12	9	10	12	12	16	38	45	63	249	2
HISPANIC	17	-	-	-	1	1	1	2	1	1	2	-	-	2	2	-	4	-
MEXICAN	15	-	-	-	1	1	1	2	-	1	2	-	-	1	2	-	4	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
NON-HISPANIC	471	9	1	2	3	2	3	10	8	9	10	12	16	36	43	62	245	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2
FEMALE	227	2	-	1	-	-	-	5	3	2	4	4	6	12	20	29	138	1
HISPANIC	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	3	-
MEXICAN	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	3	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SUTTER (CONT'D)																		
NON-HISPANIC	221	2	-	1	-	-	-	4	3	2	4	4	6	12	19	29	135	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	264	7	1	1	4	3		7	6	8	8	8	10	26	25	34	111	1
HISPANIC	12	-	-	-	1	1		1	1	1	2	-	-	2	1	-	1	-
MEXICAN	10	-	-	-	1	1		1	-	1	2	-	-	1	1	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
NON-HISPANIC	250	7	1	1	3	2	3	6	5	7	6	8	10	24	24	33	110	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
TEHAMA	441	7	3	2	3	6	8	6	6	4	11	17	19	37	47	57	208	-
HISPANIC	8	2	-	-	-	-	2	-	-	-	1	-	-	1	-	-	2	-
MEXICAN	5	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
NON-HISPANIC	430	5	3	2	3	6	6	5	6	4	10	17	19	35	47	57	205	-
NOT STATED	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-
FEMALE	195	3	3	1	1	3	-	-	2	1	7	8	9	13	18	27	99	-
HISPANIC	5	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
MEXICAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
NON-HISPANIC	190	1	3	1	1	3	-	-	2	1	6	8	9	12	18	27	98	-
MALE	246	4	-	1	2	3	8	6	4	3	4	9	10	24	29	30	109	-
HISPANIC	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	240	4	-	1	2	3	6	5	4	3	4	9	10	23	29	30	107	-
NOT STATED	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-
TRINITY	124	2	-	-	1	1	2	3	-	3	2	4	9	11	15	20	51	-
NON-HISPANIC	123	2	-	-	1	1	2	3	-	3	2	4	9	11	15	20	50	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	52	2	-	-	-	1	1	-	-	1	1	2	5	4	4	9	22	-
NON-HISPANIC	52	2	-	-	-	1	1	-	-	1	1	2	5	4	4	9	22	-
MALE	72	-	-	-	1	-	1	3	-	2	1	2	4	7	11	11	29	-
NON-HISPANIC	71	-	-	-	1	-	1	3	-	2	1	2	4	7	11	11	28	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
TULARE	2,199	69	9	6	30	40	39	51	44	45	45	68	101	152	210	268	1,021	1
HISPANIC	302	39	3	3	12	15	16	18	8	11	6	10	14	22	22	27	76	-
MEXICAN	267	29	3	3	12	15	12	13	6	10	6	9	13	21	19	25	71	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
OTHER HISPANIC	33	10	-	-	-	-	4	5	2	1	-	-	1	1	3	2	4	-
NON-HISPANIC	1,842	28	6	3	14	25	21	31	35	30	35	55	83	128	184	237	927	-
NOT STATED	55	2	-	-	4	-	2	2	1	4	4	3	4	2	4	4	18	1
FEMALE	1,016	33	1	2	4	7	13	13	15	17	16	28	46	63	88	120	550	-
HISPANIC	113	19	1	-	1	2	2	4	1	1	-	3	6	10	9	10	44	-
MEXICAN	104	15	1	-	1	2	1	3	1	1	-	3	6	9	9	9	43	-
OTHER HISPANIC	9	4	-	-	-	-	1	1	-	-	-	-	-	1	-	1	1	-
NON-HISPANIC	875	12	-	2	3	5	10	9	14	14	14	22	39	52	75	108	496	-
NOT STATED	28	2	-	-	-	-	1	-	-	2	2	3	1	1	4	2	10	-
MALE	1,183	36	8	4	26	33	26	38	29	28	29	40	55	89	122	148	471	1
HISPANIC	189	20	2	3	11	13	14	14	7	10	6	7	8	12	13	17	32	-
MEXICAN	163	14	2	3	11	13	11	10	5	9	6	6	7	12	10	16	28	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
OTHER HISPANIC	24	6	-	-	-	-	3	4	2	1	-	-	1	-	3	1	3	-
NON-HISPANIC	967	16	6	1	11	20	11	22	21	16	21	33	44	76	109	129	431	-
NOT STATED	27	-	-	-	4	-	1	2	1	2	2	-	3	1	-	2	8	1
TUOLUMNE	379	2	-	-	6	2	7	8	4	14	6	12	16	35	45	72	149	1
HISPANIC	15	1	-	-	2	-	-	1	-	2	-	-	-	-	-	2	7	-
MEXICAN	6	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	4	-
OTHER HISPANIC	9	1	-	-	2	-	-	-	-	1	-	-	-	-	-	2	3	-
NON-HISPANIC	357	1	-	-	4	2	6	7	4	12	6	12	16	35	45	66	140	1
NOT STATED	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	2	-
FEMALE	165	-	-	-	1	1	3	3	2	4	1	4	9	16	20	29	72	-
HISPANIC	5	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	3	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TUOLUMNE (CONT'D)																		
OTHER HISPANIC	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
NON-HISPANIC	158	-	-	-	-	1	3	3	2	3	1	4	9	16	20	27	69	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
MALE	214	2	-	-	5	1	4	5	2	10	5	8	7	19	25	43	77	1
HISPANIC	10	1	-	-	1	-	-	1	-	1	-	-	-	-	-	2	4	-
MEXICAN	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
OTHER HISPANIC	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
NON-HISPANIC	199	1	-	-	4	1	3	4	2	9	5	8	7	19	25	39	71	1
NOT STATED	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-
VENTURA	3,715	77	13	7	39	55	62	70	65	71	92	134	189	287	396	423	1,734	1
HISPANIC	387	22	1	1	11	13	23	21	16	8	14	16	21	25	29	32	134	-
CUBAN	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
MEXICAN	304	15	-	-	6	11	18	17	10	5	11	14	15	23	24	26	109	-
PUERTO RICAN	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
OTHER HISPANIC	77	6	1	1	5	2	5	4	6	3	2	2	6	1	3	6	24	-
NON-HISPANIC	3,310	54	12	6	27	42	39	48	49	63	77	117	166	261	365	388	1,595	1
NOT STATED	18	1	-	-	1	-	-	1	-	-	1	1	2	1	2	3	5	-
FEMALE	1,749	31	1	-	6	9	18	20	20	25	39	55	81	92	165	191	996	-
HISPANIC	143	7	-	-	1	1	4	6	3	-	2	5	10	11	12	17	64	-
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	117	4	-	-	-	1	4	5	2	-	1	-	-	1	8	14	55	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	5	8	11	1	-	8	-
OTHER HISPANIC	23	3	-	-	1	-	-	1	1	-	-	-	-	-	3	3	24	-
NON-HISPANIC	1,599	24	1	-	5	8	14	13	17	25	37	50	71	80	153	171	930	-
NOT STATED	7	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	2	-
MALE	1,966	46	12	7	33	46	44	50	45	46	53	79	108	195	231	232	738	1
HISPANIC	244	15	1	1	10	12	19	15	13	8	12	11	11	14	17	15	70	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MEXICAN	187	11	-	-	6	10	14	12	8	5	11	9	7	12	16	12	54	-
PUERTO RICAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	54	3	1	1	4	2	5	3	5	3	1	2	4	1	-	3	16	-
NON-HISPANIC	1,711	30	11	6	22	34	25	35	32	38	40	67	95	181	212	217	665	1
NOT STATED	11	1	-	-	1	-	-	-	-	-	1	1	2	-	2	-	3	-
YOLO	930	20	2	3	3	18	17	16	16	24	29	22	39	86	87	132	415	1
HISPANIC	75	7	-	1	1	5	5	3	1	2	4	3	6	3	2	7	25	-
MEXICAN	58	5	-	1	1	5	5	2	1	2	3	3	6	3	1	6	14	-
OTHER HISPANIC	17	2	-	-	-	-	-	1	-	-	1	-	-	-	1	1	11	-
NON-HISPANIC	855	13	2	2	2	13	12	13	15	22	25	19	33	83	85	125	390	1
FEMALE	429	12	1	3	-	4	6	4	4	7	12	12	10	41	30	82	221	-
HISPANIC	30	6	-	1	-	-	2	-	-	-	2	3	1	1	1	3	10	-
MEXICAN	23	4	-	1	-	-	2	-	-	-	2	3	1	1	1	3	5	-
OTHER HISPANIC	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
NON-HISPANIC	399	6	1	2	-	4	4	4	4	7	10	9	9	40	29	59	211	-
MALE	501	8	1	-	3	14	11	12	12	17	17	10	29	45	57	70	194	1
HISPANIC	45	1	-	-	1	5	3	3	1	2	2	-	5	2	1	4	15	-
MEXICAN	35	1	-	-	1	5	3	2	1	2	1	-	5	2	-	3	9	-
OTHER HISPANIC	10	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	6	-
NON-HISPANIC	456	7	1	-	2	9	8	9	11	15	15	10	24	43	56	86	179	1
YUBA	453	22	-	2	8	8	7	12	7	8	10	8	24	34	42	71	189	-
HISPANIC	15	1	-	-	1	1	1	1	-	-	1	-	1	1	-	1	6	-
MEXICAN	13	-	-	-	1	1	1	1	-	-	-	-	1	1	-	1	5	-
OTHER HISPANIC	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
NON-HISPANIC	432	19	-	2	7	7	6	10	7	9	9	8	23	33	41	68	183	-
NOT STATED	6	2	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-
FEMALE	200	6	-	2	3	4	2	3	3	5	5	1	10	13	18	30	95	-
HISPANIC	5	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-
MEXICAN	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
OTHER HISPANIC	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	194	5	-	2	2	4	2	3	3	5	5	1	9	13	17	30	93	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	253	16	-	-	5	4	5	9	4	4	5	7	14	21	24	41	94	-
HISPANIC	10	-	-	-	-	1	1	1	-	-	1	-	-	1	-	1	4	-
MEXICAN	10	-	-	-	-	1	1	1	-	-	1	-	-	1	-	1	4	-

TABLE 5-10 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1986

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
YUBA (CONT'D)																		
NON-HISPANIC	238	14	-	-	5	3	4	7	4	4	4	7	14	20	24	38	90	-
NOT STATED	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5–11

DEATHS FROM SIX CAUSES ASSOCIATED WITH AIDS BY SEX AND AGE CALIFORNIA, 1985 AND 1986

(By place of residence)

SEX/AGE	ALL SIX CAUSES			CYTOMEGALOVIRUS INFECTION (078.5)			CRYPTOCOCCAL INFECTION (117.5)			PNEUMOCYSTIS CARINII PNEUMONIA (136.3)			OTHER MALIGNANT NEOPLASM OF SKIN SITE UNSPECIFIED (173.9)			IMMUNODEFICIENCY WITH PREDOMINATE T-CELL DEFECT, UNSPECIFIED (279.1)			IMMUNODEFICIENCY UNSPECIFIED (279.3)		
	1985	1986	Percent Change 1985 to 1986	1985	1986	Percent Change 1985 to 1986	1985	1986	Percent Change 1985 to 1986	1985	1986	Percent Change 1985 to 1986	1985	1986	Percent Change 1985 to 1986	1985	1986	Percent Change 1985 to 1986	1985	1986	Percent Change 1985 to 1986
TOTAL	1,190	2,130	79.0	40	84	110.0	64	100	56.3	418	711	70.1	152	224	47.4	493	978	98.4	23	33	43.5
Male	1,119	2,034	81.8	32	73	128.1	61	92	50.8	391	678	73.4	141	216	53.2	479	954	99.2	15	21	40.0
Under 20	11	21	90.9	2	4	100.0	–	1	–	5	8	60.0	–	1	–	3	5	66.7	1	2	100.0
20–29	149	268	79.9	4	7	75.0	9	13	44.4	59	102	72.9	21	25	19.0	55	120	118.2	1	1	–
30–39	478	858	79.5	14	33	135.7	27	39	44.4	160	278	73.8	59	105	78.0	214	395	84.6	4	8	100.0
40–49	287	519	80.8	10	15	50.0	11	20	81.8	98	157	60.2	30	49	63.3	133	271	103.8	5	7	40.0
50 and Over	194	368	89.7	2	14	600.0	14	19	35.7	69	133	92.8	31	36	16.1	74	163	120.3	4	3	(25.0)
Female	71	96	35.2	8	11	37.5	3	8	166.7	27	33	22.2	11	8	(27.3)	14	24	71.4	8	12	50.0
Under 20	10	13	30.0	1	3	200.0	–	–	–	6	5	(16.7)	–	1	–	2	1	(50.0)	1	3	200.0
20–29	7	14	100.0	1	2	100.0	–	–	–	3	4	33.3	–	–	–	2	8	300.0	1	–	–
30–39	8	18	125.0	2	2	–	–	2	–	2	8	300.0	–	–	–	4	5	25.0	–	1	–
40–49	9	13	44.4	1	2	100.0	1	1	–	5	4	(20.0)	–	–	–	1	5	400.0	1	1	–
50 and Over	37	38	2.7	3	2	(33.3)	2	5	150.0	11	12	9.1	11	7	(36.4)	5	5	–	5	7	40.0

Source: State of California, Department of Health Services, Death Records.

Table 5-12

DEATHS FROM AIDS* BY SEX AND AGE GROUP
California, 1980-1986

(By place of residence)

SEX/AGE	1980	1981	1982	1983	1984	1985	1986
MALE	40	39	121	260	633	1119	2034
Under 1	8	2	3	2	3	3	7
1-19	2	1	4	9	9	8	14
20-29	0	3	13	29	91	149	268
30-39	1	6	29	97	249	478	858
40-49	1	3	23	55	153	287	519
50-59	7	4	8	27	66	119	238
60-69	6	3	17	11	30	44	90
70+	15	17	24	30	32	31	40
FEMALE	31	19	47	42	60	71	96
Under 1	4	3	6	2	4	4	7
1-19	0	1	6	5	7	6	6
20-29	3	0	3	0	5	7	14
30-39	1	1	3	4	2	8	18
40-49	1	0	1	4	3	9	13
50-59	4	3	3	6	9	6	8
60-69	5	5	10	7	10	13	12
70+	13	6	15	14	20	18	18

* Causes associated with Acquired Immune Defiency are: Cytomegalovirus Infection (ICD Code 078.5), Cryptococcal Infection (ICD Code 117.5), Pneumocystis Carinii Pneumonia (ICD Code 136.3), Other Malignant Neoplasms of Skin Site Unspecified (ICD Code 173.9), Immunodeficiency with Predominate T-Cell Defect Unspecified (ICD Code 279.1), and Immunodeficiency Unspecified (ICD Code 279.3).

Figure 5–C
DEATHS FROM SIX CAUSES ASSOCIATED WITH AIDS
BY SEX
CALIFORNIA, 1980–1986



TABLE 5–13

DEATH RATES FROM MALIGNANT NEOPLASMS BY SITE
CALIFORNIA COUNTIES, 1986

(By place of residence)

County	Death Rates By All Cancer Sites 104–208	Lip, Oral, Cavity and Pharynx 140–149	Stomach 151	Other Digestive Organs and Peritoneum 150, 152–159	Trachea Bronchus and Lung 162	Other Respiratory and Intrathoracic Organs 160–161, 163–165	Breast* 174–175	Cervix Uteri* 180
California	172.0	3.4	5.6	36.8	44.8	1.6	30.2	3.1
Alameda	183.3	3.3	6.9	40.1	47.4	1.5	32.1	1.8
Alpine	–	–	–	–	–	–	–	–
Amador	242.7	a	a	50.2	75.3	a	59.7	a
Butte	239.7	3.0	8.5	53.1	73.7	a	43.4	a
Calaveras	200.7	a	a	46.6	53.8	–	a	–
Colusa	212.8	–	a	59.8	39.9	–	a	–
Contra Costa	174.4	3.0	6.3	32.9	41.7	1.5	38.5	3.2
Del Norte	225.0	–	a	41.9	78.5	–	a	a
El Dorado	154.6	a	a	39.8	34.3	a	22.2	a
Fresno	159.9	2.4	6.2	33.9	39.0	1.9	22.6	2.4
Glenn	221.8	–	a	34.8	73.9	–	a	–
Humboldt	217.3	4.4	8.0	45.1	76.0	a	28.1	10.5
Imperial	148.7	a	9.2	20.3	41.5	a	14.6	–
Inyo	233.3	a	–	50.0	50.0	a	54.8	a
Kern	161.1	3.1	4.3	34.4	46.2	1.6	22.5	2.9
Kings	117.8	a	a	23.3	33.8	a	21.3	a
Lake	312.3	a	a	73.5	118.4	a	35.9	a
Lassen	144.6	a	–	40.2	20.1	a	a	a
Los Angeles	166.4	3.2	6.1	35.3	41.9	1.7	31.0	3.6
Madera	200.8	a	11.4	48.3	50.8	a	20.4	a
Marin	187.0	4.4	6.2	41.8	48.8	a	41.2	a
Mariposa	277.3	–	–	43.8	80.3	–	74.8	–
Mendocino	220.4	a	a	47.0	75.3	a	34.6	a
Merced	151.9	3.7	7.3	26.3	49.6	a	22.0	a
Modoc	212.7	–	–	a	a	–	a	–
Mono	65.2	–	a	a	a	–	–	–
Montery	143.3	3.3	3.3	34.8	34.8	2.1	31.5	3.7
Napa	233.5	8.6	a	46.9	66.0	a	48.6	a
Nevada	182.0	a	–	29.6	53.6	–	36.1	–
Orange	152.6	3.5	4.9	33.5	39.2	1.1	27.2	2.6
Placer	190.5	a	5.6	36.4	60.9	a	28.8	a
Plumas	201.3	a	–	41.3	67.1	–	a	–
Riverside	206.6	3.2	7.1	47.7	54.8	2.0	33.4	2.9
Sacramento	180.8	2.5	4.8	38.5	51.3	1.5	28.6	4.0
San Benito	134.0	–	–	37.4	34.3	–	48.9	a
San Bernardino	154.0	2.9	5.2	34.8	42.1	2.2	24.0	2.3
San Diego	171.6	3.3	4.6	35.1	46.4	1.8	32.1	2.8
San Francisco	232.1	5.0	8.9	52.1	51.8	2.7	34.8	3.4
San Joaquin	185.4	5.1	6.3	39.4	49.4	3.2	24.9	5.4
San Luis Obispo	212.2	a	3.6	44.6	56.4	a	29.9	5.3
San Mateo	204.1	5.8	5.4	43.4	52.2	1.9	33.5	4.1
Santa Barbara	185.2	3.3	8.0	35.8	45.3	2.1	39.5	a
Santa Clara	138.0	3.1	3.4	29.5	32.9	0.7	26.0	3.0
Santa Cruz	182.0	4.6	6.0	38.1	43.1	a	31.5	a
Shasta	235.3	4.5	a	43.7	76.2	a	44.1	a
Sierra	a	–	–	a	a	–	–	–
Siskiyou	242.4	a	a	40.0	82.4	–	60.8	a
Solano	161.9	4.2	6.3	45.5	36.0	3.8	20.1	a
Sonoma	217.2	5.2	6.4	47.3	61.2	a	39.7	a
Stanislaus	169.8	1.6	5.1	36.8	47.3	a	19.8	a
Sutter	176.9	a	a	34.0	49.3	–	26.8	–
Tehama	241.7	a	a	42.5	102.9	–	44.0	a
Trinity	237.1	a	–	a	96.3	–	a	–
Tulare	157.2	2.5	2.8	34.3	38.2	2.1	26.1	a
Tuolumne	255.3	a	a	52.0	78.0	–	34.4	–
Ventura	142.0	2.6	4.5	33.0	37.2	1.0	27.4	2.9
Yolo	155.8	a	7.2	33.4	43.7	–	23.8	–
Yuba	175.9	9.3	a	29.6	53.7	a	18.6	–

TABLE 5–13 (Continued)

DEATH RATES FROM MALIGNANT NEOPLASMS BY SITE
CALIFORNIA COUNTIES, 1986

(By place of residence)

County	Other Parts of Uterus* 179, 181–182	Other Female Genital Organs* 183–184	Male Genital Organs* 185–187	Bladder and Other Urinary Organs 188–189	Other and Unspecified Sites 170–173, 190–199	Hodgkin's Disease 201	Leukemia 204–208	Other Malignant Neoplasm of Lymphatic and Haematopoietic Tissues 200, 202–203
California	4.6	9.6	20.4	6.6	22.5	0.6	6.5	9.4
Alameda	3.1	10.9	22.7	6.8	24.7	0.7	6.7	9.4
Alpine	–	–	–	–	–	–	–	–
Amador	a	a	a	a	25.1	–	a	a
Butte	7.0	15.3	29.9	7.2	19.3	–	9.1	13.9
Calaveras	a	a	a	a	32.3	–	a	a
Colusa	a	a	a	a	a	a	a	a
Contra Costa	5.3	8.8	22.2	7.7	23.0	0.7	7.3	11.0
Del Norte	–	a	a	a	31.4	a	a	–
El Dorado	a	9.3	24.1	a	27.8	–	a	6.5
Fresno	4.7	6.4	20.5	6.3	24.1	0.9	7.0	9.8
Glenn	a	a	a	a	30.4	–	a	a
Humboldt	8.8	17.6	24.9	4.4	16.8	–	7.1	9.7
Imperial	a	a	14.9	6.5	27.7	a	5.5	10.2
Inyo	–	a	a	a	27.8	–	–	27.8
Kern	6.2	7.1	21.9	6.9	21.0	a	5.9	6.9
Kings	a	a	11.5	a	11.7	–	8.2	7.0
Lake	–	23.9	75.2	a	20.4	–	–	16.3
Lassen	–	a	a	a	a	–	–	a
Los Angeles	4.7	9.8	19.0	6.5	21.2	0.6	6.5	9.1
Madera	a	12.7	30.4	a	25.4	–	14.0	12.7
Marin	9.4	9.4	21.7	5.7	22.0	a	6.2	7.0
Mariposa	a	a	a	a	58.4	–	a	–
Mendocino	a	a	a	8.1	24.2	a	10.8	13.4
Merced	a	12.2	20.8	9.8	15.3	–	5.5	4.9
Modoc	–	a	a	–	a	–	a	a
Mono	–	–	a	–	–	–	–	a
Montery	4.3	9.9	14.4	4.2	15.5	a	7.1	6.5
Napa	a	16.8	27.4	12.4	30.6	a	5.7	7.7
Nevada	a	a	31.5	a	28.2	–	a	14.1
Orange	3.7	8.7	17.6	6.5	18.4	0.8	6.0	8.5
Placer	8.2	a	22.9	8.4	25.2	a	7.7	8.4
Plumas	a	a	51.6	a	a	–	a	a
Riverside	4.7	9.5	23.5	7.3	26.5	0.7	7.5	12.5
Sacramento	4.7	9.8	22.3	5.8	25.2	a	6.4	9.3
San Benito	a	–	a	a	15.6	–	a	a
San Bernardino	4.4	6.4	17.2	7.6	18.3	0.7	4.6	8.4
San Diego	3.4	10.5	20.3	6.6	22.3	1.0	7.1	9.0
San Francisco	7.1	11.3	29.0	6.7	36.1	0.7	8.2	16.8
San Joaquin	6.8	5.4	22.9	4.9	26.9	a	7.2	9.3
San Luis Obispo	5.3	16.0	28.6	9.7	32.3	a	8.7	11.3
San Mateo	4.1	12.0	23.7	7.0	28.8	a	9.3	10.6
Santa Barbara	3.5	7.5	24.1	6.5	29.0	a	6.5	9.2
Santa Clara	5.0	7.5	14.5	5.7	20.9	0.5	5.3	7.9
Santa Cruz	6.3	9.9	24.3	7.8	21.1	a	9.2	11.9
Shasta	a	16.2	23.2	6.8	28.7	a	9.0	15.1
Sierra	–	–	–	–	a	–	–	–
Siskiyou	–	23.4	42.6	a	32.9	a	a	a
Solano	5.8	10.8	17.7	6.3	21.7	a	4.5	5.2
Sonoma	5.6	11.7	27.1	7.3	29.0	a	5.5	10.7
Stanislaus	3.1	6.8	26.1	6.0	26.0	–	6.7	10.5
Sutter	a	a	20.7	a	30.6	a	a	11.9
Tehama	a	a	27.3	a	24.6	–	a	13.4
Trinity	–	a	a	a	a	–	a	a
Tulare	4.8	9.6	21.5	9.8	17.9	a	4.9	12.3
Tuolumne	a	–	27.3	a	37.8	–	a	18.9
Ventura	3.5	6.1	15.7	5.0	16.7	a	5.0	7.8
Yolo	a	9.5	15.9	4.0	25.4	–	6.4	5.6
Yuba	–	a	22.1	11.1	24.1	–	a	11.1

* Sex-specific rates (per 100,000 population), California male and female population for 1986 were estimated to be 13,305,528 and 13,675,283, respectively.

a Rates not calculated for fewer than five deaths.

Note: Numbers appearing in column headings are ninth revision international classification of diseases numbers.

Source: 1986 Population Projections for California Counties, Baseline 86, November 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 86 E-2).

6. SOURCES, QUALITY, AND LIMITATIONS OF DATA

Page

VITAL STATISTICS REGISTRATION

History of Vital Statistics Registration 212
Registration Systems at Present 212
Live Birth, Death, and Fetal Death Registration .. 213
Marriage and Marriage Dissolution Registration ... 214

SOURCES AND QUALITY OF VITAL STATISTICS DATA

Records 214
Births, Deaths, and Fetal Deaths 214
California Birth Cohort File 215
Quality Control Procedures 216
Population 216

LIMITATIONS OF DATA

Cause of Death 217
Tabulations of Cause of Death 218
Variability of Rates 219
Sampling Error and Vital Statistics 219
Time Periods and Geographic Bases 221
Race and Ethnicity 221
Age 223
Length of Gestation 223

VITAL STATISTICS REGISTRATION

History of Vital Statistics Registration

Less than a decade after the formation of California State Government in 1850, a law was enacted requiring the state registration of vital events. The law was repealed in 1860; births and deaths were then registered by local offices and were incomplete. Effective statewide registration of births, deaths, and marriages began in California in 1905 when the Bureau of Vital Statistics was established to direct the maintenance of a statewide registration and reporting system. Statewide registration and reporting of births, deaths, and marriages has continued without interruption since that date. California was admitted to the United States Death Registration Area in 1906, to the Birth Registration Area in 1919, to the Marriage Registration Area in 1957, and to the Divorce Registration Area in 1968.

In 1962, a statewide reporting system for divorces and annulments was established. Because the report of final decree contained very few items of information, only a limited index and simple counts by county were available. A more extensive divorce reporting system went into effect in 1966, requiring that initial complaints and final decrees be reported. The Family Law Act of 1969, implemented January 1, 1970, removed adversary proceedings, changed the name of the decrees of marital dissolution, and reduced the waiting period from initial filing to final decree. In 1978, the Legislature sharply reduced the scope of California's marriage dissolution reporting system, and in that same year, California was dropped from the U.S. Divorce Registration Area. Since 1978, county clerks report to the State Registrar only type of final decree, county case number, spouses' names, and date decree granted.

From 1905 through 1939, a stillbirth required filing both a birth and a death certificate. The birth certificate contained an item requiring the attendant at birth to indicate whether or not the child was born alive. Processing of these birth certificates was exactly the same as for certificates of live birth, except that they were excluded from the live birth tabulations. Beginning in 1940, stillbirths were registered on a Certificate of Stillbirth, which has been known as a Certificate of Fetal Death since 1952.

Registration Systems at Present

In California, the registration of vital events is uniformly governed by statutory provisions set forth in Division 9 of the California Health and Safety Code. The Director of Health Services is the State Registrar of Vital Statistics. Forms, standards, and guidelines are provided by the Office of State Registrar, State Department of Health Services. (See "The Vital Statistics System in California," inside front cover, for further functional definitions.)

Live Birth, Death, and Fetal Death Registration

Births, deaths, and fetal deaths are registered with the local registrar in the county where the event took place. Registration forms are furnished by the State Registrar. Local registrars prepare and maintain copies of original certificates; original certificates are then mailed to the State Registrar, indexed, and filed as permanent records.

The Health and Safety Code names local health officers of approved full-time local health departments as local registrars. Forty-seven of California's 58 counties have approved full-time local health departments. In the 11 counties (Alpine, Amador, Calaveras, Glenn, Lassen, Mariposa, Modoc, Mono, San Benito, Sierra, and Trinity) without approved full-time health departments, local registrars are appointed by the State Registrar.

Each live birth must be registered with the local registrar within ten days following the birth. For births occurring in a hospital, the hospital administrator or designee is responsible for registering the birth. For out-of-hospital births, the physician or other person in attendance is responsible for the registration; if no attendant is present, one of the parents must complete the registration (Health and Safety Code, Division 9, Chapter 3, Article 1).

Each fetal death in which the fetus has advanced to or beyond the 20th week of uterogestation must be registered with the local registrar within five days following delivery, prior to any disposition of the fetus (Health and Safety Code, Division 9, Chapter 4, Article 1). It is the responsibility of the attending physician or the coroner to certify the cause of death. It is the responsibility of the funeral director, or person acting in lieu thereof, to obtain all information other than that in the medical and health section, and to register the certificate.

Each death must be registered with the local registrar within five days after the death occurs, prior to any disposition of the human remains. The persons charged with this responsibility are the funeral director, or person acting in lieu thereof, and the physician in attendance or the coroner (Health and Safety Code, Division 9, Chapter 5, Article 1).

It is the responsibility of the physician last in attendance to complete the medical and health section of the death certificate, including the cause of death. However, in the event that no physician was in attendance within 20 days of the death, or the physician is unable to state the cause of death, the death becomes a coroner's case. In all cases where suicide or homicide is suspected, or where there was an accident or injury, it is the coroner's duty to investigate the death.

Marriage and Marriage Dissolution Registration

There are two types of marriage licenses which may be issued in California, a "regular" license (Civil Code, Section 4100) and a "confidential" license (Civil Code, Section 4213). Both types of licenses are contained in a three-part form. The forms are furnished by the Office of State Registrar to the county clerks responsible for issuing them. The original portion, Part 1, becomes the marriage certificate after the ceremony has been solemnized.

A regular license may be used anywhere in the State of California while a ceremony performed based upon the issuance of a confidential license may only be performed in the county in which the license was issued. Each marriage must be registered with the local registrar by the person performing the ceremony within four days after the solemnization. The county recorder is the local registrar of regular marriages and is responsible for transmitting the Certificate of Registry of Marriage to the Office of State Registrar.

The county clerk is the local registrar of confidential marriages and is responsible for transmitting a copy of the Certificate of Confidential Marriage to the Office of State Registrar. Unlike records of regular marriage, records of confidential marriages are not open to public inspection in the local registrar's office or the Office of State Registrar, except upon order of the Superior Court.

Certificates of Final Decree of Dissolution of Marriage, Judgment of Nullity, or Legal Separation are transmitted to the State Registrar by the county clerk of the county in which the decree was granted.

SOURCES AND QUALITY OF VITAL STATISTICS DATA

Records

Vital statistics records of the State Department of Health Services are the source of data presented in this report. These records include certificates of live birth, death, fetal death, registry of marriage, and reports of marriage dissolution granted.

Births, Deaths, and Fetal Deaths

Certificates of live birth, death, and fetal death that occur out of state are reallocated to the state of residence. In this report, events occurring out of state to California residents are included in tables subtitled "by place of residence". Mortality and natality data have been tabulated by place of residence since 1945; in all years since then, except 1947, reallocated certificates have been included in California residence data.

Reallocation of birth, death, and fetal death certificates to the state of residence has been virtually complete within the United States since 1955. This was made possible by a cooperative program among the states to exchange copies of certificates for nonresident events. There is no reallocation of records for events occurring in foreign countries.

California birth registration is considered to be complete for births occurring in California, and nearly so for out-of-state births to California residents. An extensive study of the completeness of birth registration was conducted by the Bureau of the Census.[1/] It found that during a five-year period in the United States, birth registration was 99.2 percent complete.

Death registration is considered to be almost 100 percent complete because a death certificate must be filed before a burial permit is issued. Some underregistration may occur for deaths of children under one year of age, and particularly to children dying in the first day of life.

Though no thorough study of the completeness of California's fetal death registration has been conducted recently, it appears that the legally mandated death registration of fetuses that have advanced to or beyond the 20th week of gestation is not complete. The extent and consistency of such nonreporting is unknown at this time.

California Birth Cohort File

In population research, a cohort is a group of individuals who have experienced the same significant demographic event during a specific period of time (usually a year), and who may be identified as a group at successive later dates by this common demographic experience. Cohort studies enable accurate descriptions of changes occurring in a specific group of individuals over time. The most common and important cohort is a birth cohort, persons born during the same year or years.

Since 1965, the Department of Health Services has linked California's live birth and infant death records on computer tapes to create the California Birth Cohort File. Each cohort consists of records of live births and fetal deaths registered in a calendar year. The death records of infants who die during their first year of life are then matched and linked to their respective live birth records in the California Birth Cohort File. Rates computed from this birth cohort file are a direct measure of infant loss because they represent the mortality experience of a particular group (cohort) of infants from birth to one year of age.

1/ U. S. Department of Commerce, Bureau of the Census, **Test of Birth Registration Completeness, 1964-1968**, PHC (E)-2, 1973.

The Birth Cohort File may be used to compute fetal, neonatal, perinatal, postneonatal, and infant mortality rates for a number of characteristics of the mother and child that are only available on the birth and fetal death certificates, such as age of mother, birth order, place of delivery, trimester prenatal care began, birthweight, gestational age, and race/ethnicity.

Studies have shown that the designation of race/ethnicity on the birth certificate is more accurate than on the death certificate.[2/] The Birth Cohort File enables more accurate race-specific death rates, since race for both the numerator and the denominator of rates are taken from the birth certificate information. The category "White Spanish" for race of child in the Birth Cohort data is not comparable to "Spanish/Hispanic Origin" used in this report for live births and fetal deaths. The "White/Spanish" category is determined from the Spanish surname of the child and the White race of child. The "Spanish/Hispanic Origin" is determined from the mother's self-identification of her Spanish/Hispanic origin.

Quality Control Procedures

Because about a million California certificates are processed annually, errors can be introduced into vital statistics data unless provisions are made for appropriate quality control measures. Selected certificate information is key-entered and verified onto computer tapes which are then edited for completeness and accuracy. Finally, a sample of records is reviewed to identify random errors. Error rates in the aggregate are less than one percent, and identified errors are corrected.

Population

Vital statistics provide better measures of health status when they are related to the characteristics of the population. Because human populations vary in size and composition, and the number of vital events that occur depends on both these factors, *rates* or *ratios* are used to make accurate comparisons. These control for population variability by reporting the number of events *per unit of population* (or other standard denominator).

2/ Frank D. Norris and Paul W. Shipley, "A Closer Look at Race Differentials in California's Infant Mortality, 1965-67," **Health Services and Mental Health Administration Health Reports,** Vol. 86, No. 9: 810-814, September 1971; Frost, F. and Shy, K. K.: "Racial Differences Between Linked Birth and Infant Death Reccrds in Washington State," **American Journal of Public Health,** Vol. 70, No. 9: 974-976, September 1980.

The population data used as denominators for calculating rates of vital events per unit of population are prepared by the Population Research Unit of the California Department of Finance. The data employed include the resident military and civilian populations, as of July 1, for each year.

The population and rates for the years 1980 - 1984 were revised to reflect the latest population projections and estimates. Intercensal years prior to 1980 have already been adjusted by the Population Research Unit to reflect the respective censuses and were used as adjusted. This office revises its population denominators as the population data are revised by the Population Research Unit. For these reasons, care should be taken when comparing rates to earlier publications.

LIMITATIONS OF DATA

Limitations of the data must be recognized before valid interpretation is possible. For vital statistics data, these limitations are related to difficulties in reporting and classifying information and to some underregistration of events. It is necessary to exercise particular caution when evaluating vital statistics trend data because medical concepts, legal codes, definitions concerning vital statistics events, estimates of the population, race, and methods of assigning causes of death change over time.

Cause of Death

One of the most important uses of vital statistics data is the study of trends over time in the number and rate of deaths, by cause of death. Vital statistics trend research yields invaluable information on the health status of the population, and discloses which health and medical programs are succeeding. Even more importantly, studies of cause-of-death trends help identify emerging public health problems, so that remedial strategies can be developed and needed resources focused and applied.

However, vital statistics trend data are complicated by technical difficulties which limit the comparability of data over time. Changes in the method of assigning or coding causes of death are perhaps the greatest concern.

Cause-of-death statistics are derived from the medical certification information reported on the death or fetal death certificate by the attending physician or coroner. The medical certification item on certificates of death and fetal death makes provision for the reporting of three causes of death -- immediate, intervening, and underlying -- plus additional information related to the cause of death. The cause of death selected for coding and tabulating in this report is the "underlying cause of death," which is generally defined as the disease or injury which initiated the sequence of morbid events leading directly to death.

Causes of death are coded according to the *Ninth Revision International Classification of Diseases (ICD)*, and the *Vital Statistics Instruction Manual, Part 2a, Instructions for Classifying the Underlying Cause of Death, 1981*. For the years 1969-1978, the causes of death were coded using the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.

Since its inception in 1898, the classification of diseases has been revised approximately every ten years. Each of the decennial revisions has produced some break in the comparability of cause-of-death statistics. These discontinuities have complicated the interpretation of trends in cause-of-death statistics over time. To facilitate trend analysis, comparability ratios between consecutive revisions of the *International Classification* may be calculated and applied. Ratios between the *Ninth Revision* and the *Eighth Revision* have not been calculated for California mortality data. However, the National Center for Health Statistics has published comparability ratios between the *Ninth* and the *Eighth Revisions* for deaths in the United States as a whole.[3/] For an approximation, the ratios for the United States may be used to adjust California data for comparability between coding by the *Ninth Revision* (1979 to 1985), and coding by the *Eighth Revision* (1969-1978). For comparing the latter to 1960-1968 California deaths, see *Data Matters Topical Report*, "Comparability Between 7th and 8th Revisions, International Classification of Diseases," No. 725-0192-601, March 1976, State of California, Department of Health Services, Center for Health Statistics.

Tabulations of Cause of Death

Deaths by cause are presented in this report in several levels of detail. The table headed "Deaths from Each Cause by Sex and Age" presents the frequency of deaths assigned to each underlying cause of death in the Ninth Revision of the ICD for which there were one or more deaths in 1986. All fourth-digit subcategories are included. This table can be found on the microfiche attached to the inside of the back cover of this report.

3/ NCHS, "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revisions of the International Classification of Diseases," Monthly Vital Statistics Report, Vol. 28, No. 11, Supplement, February 29, 1980.

Variability of Rates

Vital statistics rates are sensitive to variations in the size of both the numerator (the number of vital events that occurred), and the denominator (the estimated population, or the number of births). For example, in small counties, a variation of only a few cases in the numerator can cause a relatively large shift in a rate, while in a large county, it may cause no change at all. Alternatively, a minor revision in the estimate of the population in a small county may cause a relatively major change in a vital rate in that county.

All vital rates previously published for the years 1980 through 1985, which are included in this publication, have been recalculated, using revised population estimates. Recalculated rates for some counties may differ from those previously published even more than the statewide rates do.

Rates and ratios based on the number of births, instead of the population, are not subject to variability caused by changes in the size of estimated denominators. However, in small counties, these rates are just as sensitive to small shifts in the numerator as are rates based on the population, since few births occur in counties with small populations, and the denominator is correspondingly small.

Sampling Error and Vital Statistics

The number of births and deaths for an area reported in California's Vital Statistics represents complete counts; as such, they are not subject to sampling error, although they are subject to errors in the registration process. However, when the figures are used for analytic purposes, such as comparison of rates over a time period or for different areas, the number of events that actually occurred may be considered as one of a larger series of possible results that could have arisen under the same circumstances.[4/] The probable range of values may be estimated from the actual figures according to certain statistical assumptions. The problem of small frequencies is well presented in the Technical Appendix to "The Vital Statistics of the United States, 1978, Volume I, Natality"[5/] and is repeated here.

4/ National Office of Vital Statistics: "Standard Error of the Age-Adjusted Death Rate" by C.L. Chiang, **Vital Statistics -- Special Reports**, Vol. 47, No. 9, Public Health Service, Washington, DC, August 1961.

5/ National Center for Health Statistics: **Vital Statistics of the United States, 1978**, Vol. 1, DHHS Publ. No. (PHS) 82-1100, Public Health Service, Washington, DC, 1982.

"In general, distributions of vital events may be assumed to follow the binomial distribution. Estimates of standard error and tests of significance under this assumption are described in most standard statistics texts. When the number of events is large, the standard error, expressed as a percent of the number or rate, is usually small.

"When the number of events is small (perhaps less than 100) and the probability of such an event is small, considerable caution must be observed in interpreting the conditions described by the figures. Events of rare nature may be assumed to follow a Poisson probability distribution. For this distribution, a simple approximation may be used to estimate the error as follows:

"If N is the number of births and R is the corresponding rate, the chances are 19 in 20 that

"1. The 'true' number of events lies between

$$N - 2\sqrt{N} \text{ and } N + 2\sqrt{N}$$

"2. The 'true' rate lies between

$$"R - 2\sqrt{\frac{R}{N}} \text{ and } R + 2\sqrt{\frac{R}{N}}$$

"If the rate R corresponding to N events is compared with the rate S corresponding to M events, the difference between the two rates may be regarded as statistically significant if it exceeds

$$2\sqrt{\frac{R^2}{N} + \frac{S^2}{M}}$$

"For example, suppose that the observed birth rate for Area A was 15.0 per 1,000 population and that this rate was based on 20 recorded births. Given prevailing conditions, the chances are 19 in 20 that the 'true' or underlying birth rate for that area lies between 8.3 and 21.7 per 1,000 population. Let it be further supposed that the birth rate for Area A of 15.0 per 1,000 population were being compared with a rate of 20.0 per 1,000 population for Area B which is based on 10 recorded births. While the difference between the rates for the two areas is 5.0, this difference is less than twice the standard error of the difference

$$2\sqrt{\frac{(15.0)^2}{20} + \frac{(20.0)^2}{10}}$$

of the two rates which is computed to be 14.3. From this, it is concluded that the difference between the rates for the two areas is not statistically significant."

Time Periods and Geographic Bases

Before 1947, births and deaths were tabulated by year of registration. In 1947, births were tabulated by year of occurrence, while deaths were tabulated by year of registration. Beginning in 1948, births, deaths, fetal deaths, marriages, and marriage dissolutions have been tabulated by the calendar year in which the event occurred.

From 1949 through 1967, deaths in hospitals, sanitariums, and all other institutions were allocated to the previous residence regardless of the decedent's length of stay in the institution. Since 1968, deaths occurring in hospitals, sanitariums, and other resident institutions have been allocated to the last previous residence, unless the decedent resided in the institution for at least one year. All deaths in penal institutions and mental hospitals are allocated to the previous place of residence regardless of the length of stay in the institution.

Race and Ethnicity

Since 1979, information on the race and ethnicity of the father and mother has been reported voluntarily on the birth certificates. This information was mandatory prior to 1979. The percent of birth certificates with race/ethnicity reported was 96.5 in 1979, 98.3 in 1980, 98.6 in 1981, 99.2 in 1982 and 1983, 99.5 in 1984, 99.6 in 1985 and 1986. The information obtained from the race and ethnicity items on both the birth and death certificates reflects the certificate informant's own responses. Therefore, underreporting for deaths and births may occur for some race/ethnicity groups, e.g., American Indians, some Asian groups, and Hispanics.

From 1970 to 1977, the race of father and mother on the birth certificate was coded independently and the race of child was generated from the parents' codes. Starting in 1978, ethnicity was added to the coding scheme. Race and ethnicity of both parents were then used to generate the race and ethnicity of the newborn child. In 1982, the race/ethnicity categories used for births and fetal deaths were changed in order to be comparable with those used in the 1980 Census and thus, differ greatly from the 1981 categories. For information on prior comparisons, please refer to Vital Statistics of California, 1982 (Tables 7-1 and 7-2 and microfiche), State of California, Department of Health Services, Health Data and Statistics Branch of the Rural and Community Health Division.

In 1981, race/ethnicity was classified into eight categories for statistical analysis purposes: White, Black, Mexican/American, American Indian, Chinese, Japanese, Filipino,

and Other. Statistically speaking, these groups were mutually exclusive; that is, an individual birth could be classified into only one of these categories. For example, the reporting of Mexican/American precluded being classified as White or any of the other groups. However, in 1982, the reporting of race/ethnicity and the reporting of Spanish/Hispanic origin were made completely independent of each other. A birth identified as one of the race/ethnicity groups could also be identified as Spanish/Hispanic origin; conversely, a live birth identified as Spanish/Hispanic origin would also be identified as one of the race/ethnicity groups. As a result, a number of the live birth and fetal death tables in this report tabulated by race/ethnicity are repeated for Spanish/Hispanic origin.

Beginning with 1985 California vital events, the coding rules for determining specific race/ethnicity and Spanish/Hispanic origin were modified slightly to be consistent with the National Center of Health Statistics (NCHS) coding specifications. To be consistent, California had to modify the Spanish/Hispanic origin coding instructions and categories used previously. Three new categories were added to Spanish/Hispanic origin they were "Central/South American," "Other Spanish/Hispanic" (born outside the U.S.), and "Other Spanish/Hispanic" (born inside the U.S.). In order for California 1985 and 1986 tape files to be comparable with 1984, Central/South American and Other Spanish/Hispanic (born outside the U.S.) are now combined with "Other Hispanic." Other Spanish/Hispanic (born inside the U.S.) is now combined with "Mexican."

One of the categories added to comply with State Law was "Other Pacific Islander," which is now combined with the previous "Pacific Islander" category. Prior to adding "Other Pacific Islander", those births were placed into the "Other Races" category.

In order to get comparable race/ethnicity categories for 1985 and 1984 deaths, a schemata was designed to recode the 1985 classifications so that the race/ethnicity of the deceased could be redistributed into the 1984 categories. The regrouping schemata is as follows:

1985-86 Classification	1978-84 Classification
Not Stated	White
White	White
Black	Black
American Indian	American Indian
Chinese	Chinese
Japanese	Japanese
Filipino	Filipino
Cambodian	Other
Indian (India)	Other
Korean	Other
Pacific Islander	Other
Thai	Other
Vietnamese	Other
Other Asian	Other
Other	Other

Since the 1985 report, the Spanish/Hispanic origin data has been reported separately for the death tabulations. The Spanish/Hispanic death tables are reported in a similar fashion as in the Spanish/Hispanic birth tables.

Age

The death certificate contains both the age and the date of birth of the decedent. For computer tabulations, the age at death is generated from the difference between the date of birth and the date of death. For infants living less than 24 hours and for other deaths where date of birth is not reported, the stated age is accepted.

Length of Gestation

Length of gestation is calculated for live births and fetal deaths by subtracting the date the last normal menses began from the date of birth. The accuracy of this calculation is contingent upon the mother's recall of her last menstrual period. If only the month and year are given, the day is imputed. If a date is not reported, no calculation is made. The calculation is made in completed weeks of gestation.

7. APPENDIX

Page

DEFINITIONS 227

RATES AND RATIOS 230

CERTIFICATES AND LISTS OF VARIABLES

Figure 7-A Certificate of live birth, 1986 232
7-B Certificate of live birth medical data supplemental worksheet 233
7-C Statistical information available for live births, 1986 235
7-D Certificate of fetal death, 1986 236
7-E Certificate of fetal death medical data supplemental worksheet 237
7-F Statistical information available for fetal deaths, 1986 239
7-G Certificate of death, 1986 240
7-H Statistical information available for deaths, 1986 241

CERTIFICATES AND LISTS OF VARIABLES

The vital statistics data presented in this report constitute only a part of the information reported on vital records. Other variables which were processed for births, deaths, and fetal deaths are shown in this section. Tabulations and cross-tabulations for most of these items can be provided for at cost, upon request.

DEFINITIONS

Following is a glossary of technical terms used in this report:

Place of occurrence: The place where the event occurred (regardless of place of residence).

Place of residence: The place where a person lives or maintains legal residency. For live births and fetal deaths, the mother's residence is used.

Births

Childbearing age: Women 15 through 44 years of age.

Fetal death: A death prior to the complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy); the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3. If the fetus is of 20 weeks or more gestational age, the death must be registered with the local registrar.

Live birth: The complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy) which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3.

Total births: Total deliveries: live births plus fetal deaths.

Live birth order: The number of live births delivered by this mother including the current birth.

Low birthweight: A live birth or fetal death weighing less than 2,500 grams (5 pounds, 8 ounces). (Prior to 1979, low birthweight was 2,500 grams or less. This definition complies with a change adopted by the National Center for Health Statistics, beginning with 1979 data.)

Premature: A live birth or fetal death occurring before the 37th week of gestation.

Deaths

Maternal death:	A death resulting from complications of pregnancy or childbirth.
Fetal death:	(See Births).
Neonatal death:	A death occurring during the first 27 days of life.
Postneonatal death:	A death occurring between the 28th day and the end of the first year of life.
Perinatal deaths:	All fetal deaths of 20 or more weeks' gestation, plus neonatal deaths.
Infant death:	A death occurring during the first year of life.

CONGENITAL ANOMALIES CODE DEFINITIONS

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and inencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

RATES AND RATIOS

Birth Rates and Ratios

Age-specific birth rate = $\frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$

Fetal death ratio = $\frac{\text{number of reportable fetal deaths}}{\text{total number of live births}} \times 1{,}000$

General fertility rate = $\frac{\text{number of live births}}{\text{estimated female population 15—44 years old}} \times 1{,}000$

Live birth rate (crude birth rate) = $\frac{\text{number of live births}}{\text{estimated total population}} \times 1{,}000$

Total fertility rate = sum of each age-specific birth rate multiplied by the number of years in each age group (e.g., for 5-year groups, 15—19, 20—24, . . . 40—44, the sum of the birth rates for each age group is multiplied by 5).

Death Rates and Ratios

Age-adjusted death rate (direct method) = $\frac{\text{total number of expected deaths in a standard population (if the persons in this population had experienced the same age-specific death rates as the population being adjusted)}}{\text{total standard population}} \times 100{,}000$

Age-specific death rate = $\frac{\text{number of deaths in specific age group}}{\text{estimated population in that age group}} \times 1{,}000$ (or 100,000, as specified)

Death rate (crude death rate) = $\frac{\text{number of deaths}}{\text{estimated total population}} \times 1{,}000$

Death rate from a specific cause = $\frac{\text{number of deaths from a specific cause}}{\text{estimated total population}} \times 100{,}000$

Fetal death ratio = (See Births)

Infant death rate = $\frac{\text{number of deaths under 1 year of age}}{\text{total number of live births}}$ x 1,000 (or 100,000, as specified)

Maternal death rate = $\frac{\text{number of deaths due to complications of pregnancy and childbirth}}{\text{total number of live births}}$ x 10,000

Neonatal death rate = $\frac{\text{number of deaths under 28 days of age}}{\text{total number of live births}}$ x 1,000 (or 100,000, as specified)

Postneonatal death rate = $\frac{\text{number of deaths between 28 days of age and 1 year of age}}{\text{total number of live births}}$ x 1,000 (or 100,000, as specified)

Perinatal death rate = $\frac{\text{number of fetal deaths of 20 or more weeks' gestation, plus neonatal deaths}}{\text{total number of births}}$ x 1,000 (or 100,000, as specified)

104 – STATE BIRTH CERTIFICATE NUMBER

CERTIFICATE OF LIVE BIRTH
STATE OF CALIFORNIA

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS CHILD

1A. NAME OF CHILD—FIRST	1B. MIDDLE	1C. LAST

2. SEX	3A. THIS BIRTH, SINGLE, TWIN, ETC.	3B. IF MULTIPLE, THIS CHILD 1ST, 2ND, ETC.	4A. DATE OF BIRTH—MONTH, DAY, YEAR	4B. HOUR—(24 HOUR CLOCK TIME)

PLACE OF BIRTH

5A. PLACE OF BIRTH—NAME OF HOSPITAL OR FACILITY	5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)
5C. CITY OR TOWN	**5D. COUNTY**

FATHER OF CHILD

6A. NAME OF FATHER—FIRST	6B. MIDDLE	6C. LAST	7. STATE OF BIRTH	8. AGE OF FATHER

MOTHER OF CHILD

9A. NAME OF MOTHER—FIRST	9B. MIDDLE	9C. LAST (BIRTH NAME)	10. STATE OF BIRTH	11. AGE OF MOTHER

PARENT'S CERTIFICATION

I CERTIFY THAT I HAVE REVIEWED THE STATED INFORMATION AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE	12A. PARENT OR OTHER INFORMANT—SIGNATURE	12B. RELATIONSHIP TO CHILD	12C. DATE SIGNED

ATTENDANT'S CERTIFICATION

I CERTIFY THAT I ATTENDED THIS BIRTH AND THAT THE CHILD WAS BORN ALIVE AT THE HOUR, DATE AND PLACE STATED	13A. PHYSICIAN OR OTHER ATTENDANT—SIGNATURE—DEGREE OR TITLE	13B. LICENSE NUMBER	13C. DATE SIGNED
14.	**13D. TYPED NAME AND ADDRESS**		

LOCAL REGISTRAR

15. DEATH—ENTER DATE OF DEATH	16. LOCAL REGISTRAR—SIGNATURE	17. DATE ACCEPTED FOR REGISTRATION

CONFIDENTIAL INFORMATION FOR PUBLIC HEALTH USE ONLY

FATHER

18. RACE/ETHNICITY	19. SPANISH/HISPANIC	20A. USUAL OCCUPATION	20B. KIND OF BUSINESS OR INDUSTRY
	☐ NO		

MOTHER

21. RACE/ETHNICITY	22. SPANISH/HISPANIC	23A. USUAL OCCUPATION	23B. KIND OF BUSINESS OR INDUSTRY
	☐ NO		

24A. RESIDENCE (STREET, NUMBER OR LOCATION)	24C. COUNTY
24D. CITY OR TOWN	**24E. STATE** / **24F. ZIP CODE**

MEDICAL DATA

25A. DATE LAST NORMAL MENSES BEGAN (MONTH / DAY / YEAR)	25B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND . . . 8TH, 9TH)	26. BIRTHWEIGHT GRAMS	27. PREGNANCY HISTORY (COMPLETE EACH SECTION)
			LIVE BIRTHS (DO NOT COUNT THIS CHILD) / OTHER TERMINATIONS (EXCLUDE INDUCED ABORTIONS)

ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 28 THRU 32 FROM THE VS 10A SUPPLEMENTAL WORKSHEET: IF NONE CHECK—NONE	28. CESAREAN SECTION	NOW LIVING (NUMBER) A	NOW DEAD (NUMBER) B	BEFORE 20 WKS (NUMBER) C	AFTER 20 WKS (NUMBER) D
	☐ NO				

29. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES	30. BIRTH INJURY TO CHILD	DATE OF LAST LIVE BIRTH (MONTH / DAY / YEAR) E	DATE OF LAST TERMINATION (MONTH / YEAR) F
☐ NONE	☐ NONE		

31. COMPLICATIONS OF LABOR AND DELIVERY	32. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD
☐ NONE	☐ NONE

STATE REGISTRAR

A.	B.	C.	D.	E.	F.	CENSUS TRACT

NOTICE: THE INFORMATION YOU PROVIDE IN COMPLETING THE BOTTOM HALF OF THE BIRTH CERTIFICATE WILL BE KEPT STRICTLY CONFIDENTIAL AND WILL BE USED FOR HEALTH AND MEDICAL PURPOSES ONLY.

VS 10 (Rev.9-83) PENALTY FOR UNAUTHORIZED RELEASE, $500 FINE OR SIX MONTHS IMPRISONMENT

Figure 7–A
CERTIFICATE OF LIVE BIRTH, 1986

Figure 7–B

CERTIFICATE OF LIVE BIRTH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

IF ANY ITEMS 28 THROUGH 32 ON CERTIFICATE OF LIVE BIRTH (FORM VS 10) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORK SHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 28. IF CESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Elective* Primary	3	Nonelective Primary
2	Elective* Repeat	4	Nonelective Repeat

* Cesarean section before or at onset of labor.

Item 29. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as many codes as are appropriate)

01	Placental Complications	09	Pulmonary
02	Pre-Eclampsia/Eclampsia/Toxemia	10	Syphilis
03	Hemoglobinopathy	11	Rubella
04	Urinary Tract/Kidney Infection	12	Rh (D) Iso-Immunization
05	Anemia Less Than 10 GM HB	13	Unspecified Uterine Bleeding Not Associated with Labor
06	Transport of Mother From Another Hospital After Onset of Labor	14	Renal Disease
		15	Previous Cesarean Section
07	Heart Disease/Essential Hypertension	16	Other
08	Diabetes		

Item 30. BIRTH INJURY TO CHILD (Use as Many Codes as are Appropriate)

1	To Brain	3	To Bone or Nerve
2	To Spinal Cord	4	Other

Item 31. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis	5	Fetal Distress
2	Hemorrhage Associated with Labor	6	Maternal Blood Transfusion
3	Cephalopelvic Disproportion	7	Postpartum Hemorrhage
4	Breech or Other Abnormal Presentation	8	Transport of Infant to Another Hospital Within 24 Hours of Birth
		9	Other

Item 32. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD (Use Codes on Reverse Side of This Sheet)

Do not enter any identification by name or number of the patient on this work sheet.

VS 10A (7/82)

Figure 7—B (Continued)

CERTIFICATE OF LIVE BIRTH
MEDICAL DATA SUPPLEMENTAL WORK SHEET

Item 32. CONGENITAL ANOMALIES (ICD-9). Circle up to five most important anomalies.

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and iniencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaiy.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

Figure 7–C

STATISTICAL INFORMATION AVAILABLE FOR LIVE BIRTHS, 1986

VARIABLE	CERTIFICATE ITEM NUMBER
THIS CHILD	
Name of child (first, middle, last)	1A,B,C
Sex of child	2
Single, twin, triplet, quadruplet, quintuplet or more	3A
If multiple birth, birth order	3B
Date of birth (month, day, year)	4A
Race/ethnicity of child (determined by race/ethnicity of mother and father)	18,21,
Spanish/Hispanic origin (determined by Spanish/Hispanic origin of mother)	22
Birthweight (in grams)	26
PLACE OF BIRTH	
Maternity hospital or facility	5A
Type of hospital	5A
County of occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/ethnicity	21
Spanish/Hispanic origin	22
Usual residence	24C,E
Request omission from solicitation lists	14
FATHER OF CHILD	
Age	8
Race/ethnicity	18
Spanish/Hispanic origin	19
ATTENDANT'S CERTIFICATION	
Type of certifier	13A
LOCAL REGISTRAR	
Date of death if infant died	15
MEDICAL DATA	
First day of last normal menses	25A
Completed days of gestation	4A,25A
Month of pregnancy prenatal care began	25B
Previous deliveries to this mother	27A,B,C,D
Date of last live birth	27E
Date of last termination	27F
Complications of pregnancy	29
Complications of labor and delivery	31
Caesarean section	28
Birth injury to child	30
Congenital malformation	32

CERTIFICATE OF FETAL DEATH

STATE OF CALIFORNIA

STATE FILE NUMBER

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS FETUS

1A. NAME—FIRST | 1B. MIDDLE | 1C. LAST

2. SEX | 3A. THIS DELIVERY, SINGLE, TWIN, ETC. | 3B. IF MULTIPLE, THIS FETUS 1ST, 2ND, ETC. | 4A. DATE OF DELIVERY—MONTH, DAY, YEAR | 4B. HOUR (24 HOUR CLOCK TIME)

PLACE OF DELIVERY

5A. PLACE OF DELIVERY—NAME OF HOSPITAL | 5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)

5C. CITY OR TOWN | 5D. COUNTY

FATHER

6A. NAME OF FATHER—FIRST | 6B. MIDDLE | 6C. LAST | 7. STATE OF BIRTH | 8. AGE OF FATHER

MOTHER

9A. NAME OF MOTHER—FIRST | 9B. MIDDLE | 9C. LAST (BIRTHNAME) | 10. STATE OF BIRTH | 11. AGE OF MOTHER

CERTIFICATION

I CERTIFY THAT THIS FETUS WAS BORN DEAD AT THE HOUR, DATE AND PLACE STATED AND FROM THE CAUSES STATED.

12A. PHYSICIAN OR CORONER—DEGREE OR TITLE AND TYPED NAME | 12B. DATE SIGNED

FUNERAL DIRECTOR AND LOCAL REGISTRAR

13. DISPOSITION | 14. DATE (MONTH, DAY, YEAR) | 15. NAME AND ADDRESS OF CEMETERY OR CREMATORY

16. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH) | 17. LOCAL REGISTRAR—SIGNATURE | 18. DATE ACCEPTED BY LOCAL REGISTRAR

CONFIDENTIAL HEALTH AND MEDICAL INFORMATION

CAUSE OF DEATH

19. FETAL DEATH WAS CAUSED BY — ENTER ONLY ONE CAUSE PER LINE FOR A, B AND C.

FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH.
- IMMEDIATE CAUSE (A)

FETAL AND/OR MATERNAL CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST.
- DUE TO, OR AS A CONSEQUENCE OF (B)
- DUE TO, OR AS A CONSEQUENCE OF (C)

20. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER—CONTRIBUTION TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN 19A. | 21. AUTOPSY (SPECIFY YES OR NO)

FATHER

22. RACE/ETHNICITY | 23. SPANISH/HISPANIC ☐ NO | 24A. USUAL OCCUPATION | 24B. KIND OF BUSINESS OR INDUSTRY

MOTHER

25. RACE/ETHNICITY | 26. SPANISH/HISPANIC ☐ NO | 27A. USUAL OCCUPATION | 27B. KIND OF BUSINESS OR INDUSTRY

28A. RESIDENCE (STREET, NUMBER OR LOCATION) | 28B. CITY OR TOWN | 28C. STATE | 28D. ZIP CODE | 28E. COUNTY

MEDICAL DATA

29A. DATE LAST NORMAL MENSES BEGAN (MONTH, DAY, YEAR) | 29B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND ... 8TH, 9TH)

30. BIRTHWEIGHT GRAMS

31. PREGNANCY HISTORY (COMPLETE EACH SECTION)

LIVE BIRTHS (DO NOT COUNT THIS CHILD)		OTHER TERMINATIONS (EXCLUDE INDUCED ABORTIONS)	
NOW LIVING (NUMBER) A	NOW DEAD (NUMBER) B	BEFORE 20 WKS (NUMBER) C	AFTER 20 WKS (NUMBER) D

ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 32 THRU 36 FROM THE VS 12A SUPPLEMENTAL WORKSHEET. IF NONE CHECK—NONE

32. CESAREAN SECTION ☐ NO

33. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES ☐ NONE

34. BIRTH INJURY TO CHILD ☐ NONE

DATE OF LAST LIVE BIRTH (MONTH, DAY, YEAR) E | DATE OF LAST TERMINATION (MONTH, YEAR) F

35. COMPLICATIONS OF LABOR AND DELIVERY ☐ NONE

36. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD ☐ NONE

STATE REGISTRAR

A. | B. | C. | D. | E. | F. | CENSUS TRACT

VS 12 (REV 2-84) **PENALTY FOR UNAUTHORIZED RELEASE, $500 FINE OR SIX MONTHS IMPRISONMENT.** 31715-449 4-84 20M © OSP

Figure 7–D
CERTIFICATE OF FETAL DEATH, 1986

Figure 7–E

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

IF ANY OF ITEMS 32 THROUGH 36 ON CERTIFICATE OF FETAL DEATH (FORM VS 12) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORK SHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 32. IF CESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Elective* Primary	3	Nonelective Primary
2	Elective* Repeat	4	Nonelective Repeat

* Cesarean section before or at onset of labor.

Item 33. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as many codes as are appropriate)

01	Placental Complications	09	Pulmonary
02	Pre-Eclampsia/Eclampsia/Toxemia	10	Syphilis
03	Hemoglobinopathy	11	Rubella
04	Urinary Tract/Kidney Infection	12	Rh (D) Iso-Immunization
05	Anemia Less Than 10 GM HB	13	Unspecified Uterine Bleeding Not Associated with Labor
06	Transport of Mother From Another Hospital After Onset of Labor	14	Renal Disease
		15	Previous Cesarean Section
07	Heart Disease/Essential Hypertension	16	Other
08	Diabetes		

Item 34. BIRTH INJURY TO FETUS (Use as Many Codes as are Appropriate)

1	To Brain	3	To Bone or Nerve
2	To Spinal Cord	4	Other

Item 35. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis	5	Fetal Distress
2	Hemorrhage Associated with Labor	6	Maternal Blood Transfusion
3	Cephalopelvic Disproportion	7	Postpartum Hemorrhage
4	Breech or Other Abnormal Presentation	9	Other

Item 36. CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Use Codes on Reverse Side of This Sheet)

Do not enter any identification by name or number of the patient on this work sheet.

VS 12A (7/82)

Figure 7—E (Continued)

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

Item 36. CONGENITAL ANOMALIES (ICD-9). Circle up to five most important anomalies.

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and iniencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

Figure 7–F

STATISTICAL INFORMATION AVAILABLE
FOR FETAL DEATHS, 1986

VARIABLE	CERTIFICATE ITEM NUMBER
THIS FETUS	
Name (first, middle, last)	1A,B,C
Sex	2
Single, twin, triplet, quadruplet, quintuplet, or more	3A
If multiple birth, birth order	3B
Date of delivery (month, day, year)	4A
Race/Ethnicity of child (determined by race/ethnicity of mother and father)	22,25
Spanish/Hispanic origin (determined by Spanish/Hispanic origin of mother)	26
Birthweight	30
PLACE OF DELIVERY	
Maternity hospital code	5A
Type of hospital	5A
County of occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/Ethnicity	25
Spanish/Hispanic origin	26
County of residence	28E
FATHER OF CHILD	
Age	8
Race/Ethnicity	22
Spanish/Hispanic origin	23
MEDICAL AND HEALTH DATA	
Type of certifier	12A
Underlying cause of death	19C
Autopsy	21
Date last normal menses began	29A
Completed days of gestation	4A,29A
Month of pregnancy prenatal care began	29B
Previous deliveries to this mother	31A,B,C,D
Date of last live birth	31E
Date of last termination	31F
Caesarean section	32
Complications of pregnancy	33
Birth injury	34
Complications of labor and delivery	35
Congenital malformations	36

CERTIFICATE OF DEATH

STATE OF CALIFORNIA

STATE FILE NUMBER

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

DECEDENT PERSONAL DATA

1A. NAME OF DECEDENT—FIRST | 1B. MIDDLE | 1C. LAST | 2A. DATE OF DEATH (MONTH, DAY, YEAR) | 2B. HOUR

3. SEX | 4. RACE/ETHNICITY | 5. SPANISH/HISPANIC NO ☐ | 6. DATE OF BIRTH | 7. AGE YEARS | IF UNDER 1 YEAR MONTHS | DAYS | IF UNDER 24 HOURS HOURS | MINUTES

8. BIRTHPLACE OF DECEDENT (STATE OR FOREIGN COUNTRY) | 9. NAME AND BIRTHPLACE OF FATHER | 10. BIRTH NAME AND BIRTHPLACE OF MOTHER

11A. CITIZEN OF WHAT COUNTRY | 11B. IF DECEASED WAS EVER IN MILITARY GIVE DATES OF SERVICE. 19__ TO 19__ | 12. SOCIAL SECURITY NUMBER | 13. MARITAL STATUS | 14. NAME OF SURVIVING SPOUSE (IF WIFE, ENTER BIRTH NAME)

15. PRIMARY OCCUPATION | 16. NUMBER OF YEARS THIS OCCUPATION | 17. EMPLOYER (IF SELF-EMPLOYED, SO STATE) | 18. KIND OF INDUSTRY OR BUSINESS

USUAL RESIDENCE

19A. USUAL RESIDENCE—STREET ADDRESS (STREET AND NUMBER OR LOCATION) | 19B. | 19C. CITY OR TOWN

19D. COUNTY | 19E. STATE | 20. NAME AND ADDRESS OF INFORMANT—RELATIONSHIP

PLACE OF DEATH

21A. PLACE OF DEATH | 21B. COUNTY

21C. STREET ADDRESS (STREET AND NUMBER OR LOCATION) | 21D. CITY OR TOWN

CAUSE OF DEATH

22. DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR A, B, AND C)

IMMEDIATE CAUSE (A) ◀

CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST.

DUE TO, OR AS A CONSEQUENCE OF (B) ◀

DUE TO, OR AS A CONSEQUENCE OF (C) ◀

APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH

24. WAS DEATH REPORTED TO CORONER?

25. WAS BIOPSY PERFORMED?

26. WAS AUTOPSY PERFORMED?

23. OTHER SIGNIFICANT CONDITIONS—CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN 22A

27. WAS OPERATION PERFORMED FOR ANY CONDITION IN ITEMS 22 OR 23? TYPE OF OPERATION | DATE

PHYSICIAN'S CERTIFICATION

28A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED.
I ATTENDED DECEDENT SINCE (ENTER MO. DA. YR.) | I LAST SAW DECEDENT ALIVE (ENTER MO. DA. YR.)

28B. PHYSICIAN—SIGNATURE AND DEGREE OR TITLE | 28C. DATE SIGNED | 28D. PHYSICIAN'S LICENSE NUMBER

28E. TYPE PHYSICIAN'S NAME AND ADDRESS

INJURY INFORMATION

29. SPECIFY ACCIDENT, SUICIDE, ETC. | 30. PLACE OF INJURY | 31. INJURY AT WORK | 32A. DATE OF INJURY—MONTH, DAY, YEAR | 32B. HOUR

33. LOCATION (STREET AND NUMBER OR LOCATION AND CITY OR TOWN) | 34. DESCRIBE HOW INJURY OCCURRED (EVENTS WHICH RESULTED IN INJURY)

CORONER'S USE ONLY

35A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED. AS REQUIRED BY LAW I HAVE HELD AN (INQUEST-INVESTIGATION) | 35B. CORONER—SIGNATURE AND DEGREE OR TITLE | 35C. DATE SIGNED

36. DISPOSITION | 37. DATE—MONTH, DAY, YEAR | 38. NAME AND ADDRESS OF CEMETERY OR CREMATORY | 39. EMBALMER'S LICENSE NUMBER AND SIGNATURE

40A. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH) | 40B. LICENSE NO. | 41. LOCAL REGISTRAR—SIGNATURE | 42. DATE ACCEPTED BY LOCAL REGISTRAR

STATE REGISTRAR | A. | B. | C. | D. | E. | F.

VS-11 (1-85)

Figure 7–G
CERTIFICATE OF DEATH, 1986

Figure 7–H

STATISTICAL INFORMATION AVAILABLE FOR DEATHS, 1986

VARIABLE	CERTIFICATE ITEM NUMBER
DECEDENT PERSONAL DATA	
Name of decedent (first, middle, last)	1A,B,C
Date of death (month, day, year)	2A
Sex	3
Race/ethnicity	4
Spanish/Hispanic origin	5
Date of birth	6
Age	7
Birthplace	8
Father's surname	9
Mother's maiden surname	10
Citizenship	11A
Military service	11B
Social security number	12
Marital status	13
Initials of surviving spouse	14
Occupation code	15
Years in occupation	16
USUAL RESIDENCE	
County of residence	19D
PLACE OF DEATH	
Type of facility	21A
County of occurrence	21B
MEDICAL AND HEALTH DATA	
Underlying cause of death	22C
Special medical indicator	22,23
Reported to coroner	24
Biopsy performed	25
Autopsy performed	26
Operation performed	27
Accident, suicide, or homicide	29
Place of injury	30
Work injury	31
Date of injury	32A
County where injury occurred	33
Type of certifier	28B,35B
Cause of death group code	22
Days between injury and death	2A,32A

VITAL STATISTICS REGISTRATION IN CALIFORNIA

RECORD	PERSONS RESPONSIBLE FOR COMPLETING RECORDS	PERSONS RESPONSIBLE FOR FILING RECORD WITH LOCAL REGISTRAR	LOCAL REGISTRARS—TRANSMIT RECORDS TO STATE
Certificate of Live Birth.	Attending physician or parent for unattended birth.	Attending physician or parent for unattended birth.	Directors of full-time approved local health departments in 45 of California's 58 counties; others appointed by State Registrar.
Certificate of Fetal Death.	Funeral director and physician or coroner for medical certification.	Funeral director or person acting in lieu of the director.	Directors of full-time approved local health departments in 45 of California's 58 counties; others appointed by State Registrar.
Certificate of Death.	Funeral director and physician or coroner for medical certification.	Funeral director or person acting in lieu of the director.	Directors of full-time approved local health departments in 45 of California's 58 counties; others appointed by State Registrar.
Certificate of Registry of Marriage.	Persons applying for license and clerk of county issuing license.	Minister or other person performing marriage ceremony.	County recorder of county in which marriage license was issued.
Copy of the Final Dissolution of Marriage, of Legal Separation, and of Declaration of Nullity.	Attorney for party obtaining the final decree.	Attorney for party obtaining the final decree.	County clerk of county granting decree.

Source: *Statutory Provisions Relating to Vital Statistics*, 1983, State of California, Office of State Registrar, 410 N Street, Sacramento, CA 95814.

BB 77698